

# Hui Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5072221/publications.pdf>

Version: 2024-02-01

57  
papers

786  
citations

567144

15  
h-index

526166

27  
g-index

57  
all docs

57  
docs citations

57  
times ranked

725  
citing authors

#	ARTICLE	IF	CITATIONS
1	Tuning Interfacial Energy Barriers in Heterojunctions for Anti-Interference Sensing. <i>Advanced Functional Materials</i> , 2021, 31, 2008604.	7.8	14
2	Fabrication of the Ni-based composite wires for electrochemical detection of copper(II) ions. <i>Analytica Chimica Acta</i> , 2021, 1143, 45-52.	2.6	28
3	Fabrication of 3D Ni/NiO/MoS <sub>2</sub> /rGO foam for enhancing sensing performance. <i>New Journal of Chemistry</i> , 2021, 45, 4387-4392.	1.4	4
4	Efficient generation of stationary light pulses due to coupling between two lower levels. <i>European Physical Journal Plus</i> , 2021, 136, 1.	1.2	0
5	Efficient polarization beam splitter based on the optimized stationary light pulse. <i>Quantum Information Processing</i> , 2021, 20, 1.	1.0	1
6	Fabrication of the Ni/ZnO/BiOI foam for the improved electrochemical biosensing performance to glucose. <i>Analytica Chimica Acta</i> , 2020, 1095, 93-98.	2.6	17
7	Reversible storage and manipulation of light pulses with orbital angular momentum. <i>Quantum Information Processing</i> , 2020, 19, 1.	1.0	5
8	Preparation of NiMn <sub>2</sub> O <sub>4</sub> /C necklace-like microspheres as oxidase mimetic for colorimetric determination of ascorbic acid. <i>Talanta</i> , 2020, 219, 121299.	2.9	19
9	Using the interfacial barrier effects of p-n junction on electrochemistry for detection of phosphate. <i>Analyst</i> , 2020, 145, 3217-3221.	1.7	6
10	Employing the interfacial barrier of P-rGO/ZnO microspheres for improving the electrochemical sensing performance to dopamine. <i>Sensors and Actuators B: Chemical</i> , 2020, 309, 127757.	4.0	24
11	Efficient all-optical router and beam splitter for light with orbital angular momentum. <i>Optics Express</i> , 2020, 28, 19750.	1.7	4
12	Coherent generation and manipulation of stationary light pulses encoded in degrees of freedom of polarization and orbital angular momentum. <i>Physical Review A</i> , 2019, 100, .	1.0	9
13	Fabrication of CQDs/MoS <sub>2</sub> /Mo foil for the improved electrochemical detection. <i>Analytica Chimica Acta</i> , 2019, 1079, 79-85.	2.6	10
14	Fabrication of p-n junction foam for detection of methyl parathion in seawater. <i>Sensors and Actuators B: Chemical</i> , 2019, 285, 413-417.	4.0	3
15	New application of p-n junction in electrochemical detection: The detection of heavy metal ions. <i>Journal of Electroanalytical Chemistry</i> , 2019, 855, 113624.	1.9	18
16	Coherent generation and manipulation of entangled stationary photons based on a multiple degrees of freedom quantum memory. <i>Optics Express</i> , 2019, 27, 27477.	1.7	9
17	Investigation of thermal performance of small oxide-aperture vertical-cavity surface-emitting lasers. , 2019, , .		0
18	Comparative study on stained InGaAs quantum wells for high-speed optical-interconnect VCSELs. <i>Optics Communications</i> , 2018, 415, 1-5.	1.0	4

#	ARTICLE	IF	CITATIONS
19	Facile preparation of urchin-like NiCo <sub>2</sub> O <sub>4</sub> microspheres as oxidase mimetic for colorimetric assay of hydroquinone. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 1927-1936.	4.0	59
20	Relative intensity noise of temperature-stable, energy-efficient 980 nm VCSELs. <i>AIP Advances</i> , 2017, 7, 025107.	0.6	3
21	Introducing Schottky interface as a novel strategy for ultrasensitive nonenzymatic glucose detection. <i>Journal of Electroanalytical Chemistry</i> , 2017, 801, 251-257.	1.9	10
22	Introducing Schottky barrier into electrochemical response: A novel adjusting strategy for designing electrochemical sensors. <i>Electrochimica Acta</i> , 2017, 249, 173-178.	2.6	10
23	Spectral Efficiency and Energy Efficiency of Pulse-Amplitude Modulation Using 1.3 $\mu$ m Wafer-Fusion VCSELs for Optical Interconnects. <i>ACS Photonics</i> , 2017, 4, 2018-2024.	3.2	16
24	A self-adjusting mechanism of schottky junction constructed by zero-bandgap graphene for highly efficient electrochemical biosensing. <i>Electrochimica Acta</i> , 2017, 247, 306-313.	2.6	4
25	Preparation of Co <sub>3</sub> O <sub>4</sub> /crumpled graphene microsphere as peroxidase mimetic for colorimetric assay of ascorbic acid. <i>Biosensors and Bioelectronics</i> , 2017, 89, 846-852.	5.3	117
26	Thermal analysis of high-bandwidth and energy-efficient 980 nm VCSELs with optimized quantum well gain peak-to-cavity resonance wavelength offset. <i>Applied Physics Letters</i> , 2017, 111, .	1.5	14
27	Thermal Analysis and Structure Optimization of High-speed Optical Communication-VCSEL. <i>Chinese Journal of Luminescence</i> , 2017, 38, 1516-1522.	0.2	1
28	Oxide-Aperture-Diameter-Dependent RIN Analysis of Vertical-Cavity Surface-Emitting Lasers. , 2017, , .		0
29	Oxide-Aperture Dependent-RIN Research of High-speed, Energy-Efficient 980 nm VCSELs. <i>Guangzi Xuebao/Acta Photonica Sinica</i> , 2017, 46, 1125003.	0.1	0
30	New insights into the electrochemical detection application of p-n junction foam: the effects of the interfacial potential barrier. <i>Analyst</i> , 2016, 141, 6515-6520.	1.7	4
31	Extraction and analysis of high-frequency response and impedance of 980-nm VCSELs as a function of temperature and oxide aperture diameter. , 2015, , .		1
32	Temperature-Stable, Energy-Efficient, and High-Bit Rate Oxide-Confined 980-nm VCSELs for Optical Interconnects. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2015, 21, 405-413.	1.9	19
33	Temperature-Dependent Impedance Characteristics of Temperature-Stable High-Speed 980-nm VCSELs. <i>IEEE Photonics Technology Letters</i> , 2015, 27, 832-835.	1.3	15
34	40 Gbit/s data transmission with 980 nm VCSELs at 120 °C using four-level pulse amplitude modulation. <i>Electronics Letters</i> , 2015, 51, 1517-1519.	0.5	3
35	Temperature-Stable Oxide-Confined 980 Nm VCSELs Operating Error-Free at 46 Gb/s and 85 °C. , 2014, , .		0
36	Error-free 46 Gbit/s operation of oxide-confined 980 nm VCSELs at 85 °C. <i>Electronics Letters</i> , 2014, 50, 1369-1371.	0.5	57

#	ARTICLE	IF	CITATIONS
37	Green nanophotonics for future datacom and Ethernet networks. , 2014, , .		2
38	Energy efficiency, bit rate, and modal properties of 980 nm VCSELs for very-short-reach optical interconnects. , 2014, , .		4
39	Energy-efficient oxide-confined high-speed VCSELs for optical interconnects. Proceedings of SPIE, 2014, , .	0.8	14
40	VCSELs for computer interconnects. , 2014, , .		0
41	Energy-efficient and temperature-stable oxide-confined 980-nm VCSELs operating error-free at 38-Gbit/s at 85°C. Electronics Letters, 2014, 50, 103-105.	0.5	25
42	Temperature-Stable 980-nm VCSELs for 35-Gb/s Operation at 85 °C With 139-fJ/bit Dissipated Heat. IEEE Photonics Technology Letters, 2014, 26, 2349-2352.	1.3	20
43	Corrections to "Impact of the Quantum Well Gain-to-Cavity Etalon Wavelength Offset on the High Temperature Performance of High Bit Rate 980-nm VCSELs" [Aug 14 613-621]. IEEE Journal of Quantum Electronics, 2014, 50, 782-782.	1.0	1
44	Impact of the Quantum Well Gain-to-Cavity Etalon Wavelength Offset on the High Temperature Performance of High Bit Rate 980-nm VCSELs. IEEE Journal of Quantum Electronics, 2014, 50, 613-621.	1.0	36
45	Energy-efficient, temperature stable, high data rate VCSELs for optical interconnects. , 2014, , .		2
46	Temperature-Stable Energy-Efficient High-Bit-Rate Oxide-Confined 980 nm VCSELs for Optical Interconnects. , 2014, , .		2
47	Energy efficient 40-Gbit/s transmission with 850-nm VCSELs at 108 fJ/bit dissipated heat. Electronics Letters, 2013, 49, 666-667.	0.5	55
48	Energy efficient 850 nm vcsels for error-free 30 gb/s operation across 500 m of multimode optical fiber with 85 fj of dissipated energy per bit. , 2013, , .		1
49	Impact of the aperture diameter on the energy efficiency of oxide-confined 850 nm high speed VCSELs. Proceedings of SPIE, 2013, , .	0.8	7
50	Green photonics for data and computer communication. , 2013, , .		1
51	85-fJ Dissipated Energy Per Bit at 30 Gb/s Across 500-m Multimode Fiber Using 850-nm VCSELs. IEEE Photonics Technology Letters, 2013, 25, 1638-1641.	1.3	22
52	Green nanophotonics for future datacom and Ethernet networks. , 2013, , .		0
53	Energy-efficient and temperature-stable high-speed VCSELs for optical interconnects. , 2013, , .		4
54	119 fJ of Dissipated Energy per Bit for Error-free 40 Gbit/s Transmission Across 50 m of Multimode Optical Fiber Using Energy Efficient 850 nm VCSELs. , 2013, , .		1

#	ARTICLE	IF	CITATIONS
55	VCSELs for exascale computing, computer farms, and green photonics. , 2012, , .		1
56	56â€¦f) dissipated energy per bit of oxide-confined 850â€¦nm VCSELs operating at 25â€¦Gbit/s. Electronics Letters, 2012, 48, 1292.	0.5	76
57	Vertical-cavity surface-emitting lasers for optical interconnects. SPIE Newsroom, 0, , .	0.1	4