Emilien Delmont

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5072488/emilien-delmont-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53	852	15	28
papers	citations	h-index	g-index
60	1,127 ext. citations	4.5	3.82
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
53	Rituximab Responsive RelapsingRemitting IgG4 Anticontactin 1 Chronic Inflammatory Demyelinating Polyradiculoneuropathy Associated With Membranous Nephropathy: A Case Description and Brief Review. <i>Journal of Clinical Neuromuscular Disease</i> , 2022 , 23, 219-226	1.1	O
52	Genotype-phenotype correlation in French patients with myelin protein zero gene-related inherited neuropathy. <i>European Journal of Neurology</i> , 2021 , 28, 2913-2921	6	1
51	Charcot-Marie-Tooth disease misdiagnosed as chronic inflammatory demyelinating polyradiculoneuropathy: An international multicentric retrospective study. <i>European Journal of Neurology</i> , 2021 , 28, 2846-2854	6	5
50	Prevalence of spasticity and spasticity-related pain among patients with Amyotrophic Lateral Sclerosis. <i>Revue Neurologique</i> , 2021 , 177, 694-698	3	2
49	Combination of serum and CSF neurofilament-light and neuroinflammatory biomarkers to evaluate ALS. <i>Scientific Reports</i> , 2021 , 11, 703	4.9	11
48	Motor unit number index: A potential electrophysiological biomarker for pediatric spinal muscular atrophy. <i>Muscle and Nerve</i> , 2021 , 64, 445-453	3.4	1
47	Les nouveaux anticorps dans les neuropathies inflammatoires. <i>Bulletin De LvAcademie Nationale De Medecine</i> , 2021 , 205, 946-950	0.1	
46	Assessing the upper motor neuron in amyotrophic lateral sclerosis using the triple stimulation technique: A multicenter prospective study. <i>Clinical Neurophysiology</i> , 2021 , 132, 2551-2557	4.3	0
45	Contactin-1 is a novel target antigen in membranous nephropathy associated with chronic inflammatory demyelinating polyneuropathy. <i>Kidney International</i> , 2021 , 100, 1240-1249	9.9	4
44	Expanding the spectrum of VEXAS syndrome: association with acute-onset CIDP. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021 ,	5.5	0
43	Quantitative assessment of sciatic nerve changes in Charcot-Marie-Tooth type 1A patients using magnetic resonance neurography. <i>European Journal of Neurology</i> , 2020 , 27, 1382-1389	6	3
42	A New Point Mutation in the PMP22 Gene in a Family Suffering From Atypical HNPP. <i>Journal of Neuromuscular Diseases</i> , 2020 , 7, 505-510	5	
41	Quantitative sudomotor test helps differentiate transthyretin familial amyloid polyneuropathy from chronic inflammatory demyelinating polyneuropathy. <i>Clinical Neurophysiology</i> , 2020 , 131, 1129-11	13 ³ 3	4
40	Quantitative muscle MRI study of patients with sporadic inclusion body myositis. <i>Muscle and Nerve</i> , 2020 , 61, 496-503	3.4	6
39	Fat fraction distribution in lower limb muscles of patients with CMT1A: A quantitative MRI study. <i>Neurology</i> , 2020 , 94, e1480-e1487	6.5	8
38	Electrophysiological features of chronic inflammatory demyelinating polyradiculoneuropathy associated with IgG4 antibodies targeting neurofascin 155 or contactin 1 glycoproteins. <i>Clinical Neurophysiology</i> , 2020 , 131, 921-927	4.3	18
37	Selective inhibition of anti-MAG IgM autoantibody binding to myelin by an antigen-specific glycopolymer. <i>Journal of Neurochemistry</i> , 2020 , 154, 486-501	6	7

36	Autoimmune Peripheral Neuropathies and Contribution of Antiganglioside/Sulphatide Autoantibody Testing. <i>Mediterranean Journal of Rheumatology</i> , 2020 , 31, 10-18	1.4	2
35	Comparison of MRI and motor evoked potential with triple stimulation technique for the detection of brachial plexus abnormalities in multifocal motor neuropathy. <i>Muscle and Nerve</i> , 2020 , 61, 325-329	3.4	1
34	Native versus deglycosylated IgM in anti-MAG neuropathy: Correlation with clinical status - Study of 10 cases. <i>Journal of Neuroimmunology</i> , 2020 , 339, 577094	3.5	
33	Motor unit number index as an individual biomarker: Reference limits of intra-individual variability over time in healthy subjects. <i>Clinical Neurophysiology</i> , 2020 , 131, 2209-2215	4.3	2
32	CANOMAD: a neurological monoclonal gammopathy of clinical significance that benefits from B-cell-targeted therapies. <i>Blood</i> , 2020 , 136, 2428-2436	2.2	11
31	Antibodies against the node of Ranvier: a real-life evaluation of incidence, clinical features and response to treatment based on a prospective analysis of 1500 sera. <i>Journal of Neurology</i> , 2020 , 267, 3664-3672	5.5	31
30	Evolving Immunologic Perspectives in Chronic Inflammatory Demyelinating Polyneuropathy. <i>Journal of Inflammation Research</i> , 2020 , 13, 543-549	4.8	4
29	Relevance of anti-HNK1 antibodies in the management of anti-MAG neuropathies. <i>Journal of Neurology</i> , 2019 , 266, 1973-1979	5.5	9
28	Actualit the peutiques en pathologies neuromusculaires. Pratique Neurologique - FMC, 2019 , 10, 187-1	188	
27	Guillain-Barrßyndrome subtypes: A clinical electrophysiological study of 100 patients. <i>Revue Neurologique</i> , 2019 , 175, 73-80	3	4
27 26		3 4.3	17
	Neurologique, 2019 , 175, 73-80 Motor unit number index correlates with disability in Charcot-Marie-Tooth disease. <i>Clinical</i>		
26	Neurologique, 2019, 175, 73-80 Motor unit number index correlates with disability in Charcot-Marie-Tooth disease. Clinical Neurophysiology, 2018, 129, 1390-1396 Anti-MAG antibodies in 202 patients: clinicopathological and therapeutic features. Journal of	4.3	17
26 25	Neurologique, 2019, 175, 73-80 Motor unit number index correlates with disability in Charcot-Marie-Tooth disease. Clinical Neurophysiology, 2018, 129, 1390-1396 Anti-MAG antibodies in 202 patients: clinicopathological and therapeutic features. Journal of Neurology, Neurosurgery and Psychiatry, 2018, 89, 499-505 Prevalence, correlates and impact of pain and cramps in anti-MAG neuropathy: a multicentre	4·3 5·5	17 40 11
26 25 24	Motor unit number index correlates with disability in Charcot-Marie-Tooth disease. Clinical Neurophysiology, 2018, 129, 1390-1396 Anti-MAG antibodies in 202 patients: clinicopathological and therapeutic features. Journal of Neurology, Neurosurgery and Psychiatry, 2018, 89, 499-505 Prevalence, correlates and impact of pain and cramps in anti-MAG neuropathy: a multicentre European study. European Journal of Neurology, 2018, 25, 135-141 Subcutaneous immunoglobulin for maintenance treatment in chronic inflammatory demyelinating polyneuropathy (PATH): a randomised, double-blind, placebo-controlled, phase 3 trial. Lancet	4·3 5·5	17 40 11
26 25 24 23	Motor unit number index correlates with disability in Charcot-Marie-Tooth disease. Clinical Neurophysiology, 2018, 129, 1390-1396 Anti-MAG antibodies in 202 patients: clinicopathological and therapeutic features. Journal of Neurology, Neurosurgery and Psychiatry, 2018, 89, 499-505 Prevalence, correlates and impact of pain and cramps in anti-MAG neuropathy: a multicentre European study. European Journal of Neurology, 2018, 25, 135-141 Subcutaneous immunoglobulin for maintenance treatment in chronic inflammatory demyelinating polyneuropathy (PATH): a randomised, double-blind, placebo-controlled, phase 3 trial. Lancet Neurology, The, 2018, 17, 35-46 Detection of proximal conduction blocks using a triple stimulation technique improves the early	4·3 5·5 6	17 40 11 146
26 25 24 23 22	Motor unit number index correlates with disability in Charcot-Marie-Tooth disease. Clinical Neurophysiology, 2018, 129, 1390-1396 Anti-MAG antibodies in 202 patients: clinicopathological and therapeutic features. Journal of Neurology, Neurosurgery and Psychiatry, 2018, 89, 499-505 Prevalence, correlates and impact of pain and cramps in anti-MAG neuropathy: a multicentre European study. European Journal of Neurology, 2018, 25, 135-141 Subcutaneous immunoglobulin for maintenance treatment in chronic inflammatory demyelinating polyneuropathy (PATH): a randomised, double-blind, placebo-controlled, phase 3 trial. Lancet Neurology, The, 2018, 17, 35-46 Detection of proximal conduction blocks using a triple stimulation technique improves the early diagnosis of Guillain-Barrillyndrome. Clinical Neurophysiology, 2018, 129, 127-132 Diagnostic insights into chronic-inflammatory demyelinating polyneuropathies. Annals of	4·3 5·5 6 24.1 4·3	17 40 11 146

18	Predictive factors of efficacy of rituximab in patients with anti-MAG neuropathy. <i>Journal of the Neurological Sciences</i> , 2017 , 377, 144-148	3.2	20
17	Motor unit number index (MUNIX) in patients with anti-MAG neuropathy. <i>Clinical Neurophysiology</i> , 2017 , 128, 1264-1269	4.3	10
16	Autoantibodies to nodal isoforms of neurofascin in chronic inflammatory demyelinating polyneuropathy. <i>Brain</i> , 2017 , 140, 1851-1858	11.2	120
15	Are electrophysiological features related to disability in patients with anti-MAG neuropathy?. <i>Neurophysiologie Clinique</i> , 2017 , 47, 75-81	2.7	3
14	Monitoring the short-term effect of intravenous immunoglobulins in multifocal motor neuropathy using motor unit number index. <i>Clinical Neurophysiology</i> , 2017 , 128, 235-240	4.3	12
13	Neuropatie motorie multifocali con blocco della conduzione. <i>EMC - Neurologia</i> , 2017 , 17, 1-7	Ο	
12	Determinants of health-related quality of life in anti-MAG neuropathy: a cross-sectional multicentre European study. <i>Journal of the Peripheral Nervous System</i> , 2017 , 22, 27-33	4.7	9
11	Motor unit number index (MUNIX): Is it relevant in chronic inflammatory demyelinating polyradiculoneuropathy (CIDP)?. <i>Clinical Neurophysiology</i> , 2016 , 127, 1891-4	4.3	21
10	Review of the literature: Articles published in the last five years that have changed my daily practice. <i>Revue Neurologique</i> , 2016 , 172, 785-787	3	
9	Prospective study comparing enzyme-linked immunosorbent assay and glycoarray assay to detect antiglycolipid antibodies in a routine diagnostic neuroimmunology laboratory setting. <i>Clinical and Experimental Neuroimmunology</i> , 2015 , 6, 175-182	0.4	5
8	Improving the detection of IgM antibodies against glycolipids complexes of GM1 and Galactocerebroside in Multifocal Motor Neuropathy using glycoarray and ELISA assays. <i>Journal of Neuroimmunology</i> , 2015 , 278, 159-61	3.5	19
7	The Diagnostic Utility of Determining Anti-GM1: GalC Complex Antibodies in Multifocal Motor Neuropathy: A Validation Study. <i>Journal of Neuromuscular Diseases</i> , 2015 , 2, 157-165	5	7
6	Treatment with rituximab in patients with polyneuropathy with anti-MAG antibodies. <i>Journal of Neurology</i> , 2011 , 258, 1717-9	5.5	6
5	Chronic ataxic neuropathies associated with anti-GD1b IgM antibodies: response to IVIg therapy. Journal of Neurology, Neurosurgery and Psychiatry, 2010 , 81, 61-4	5.5	40
4	Successful treatment with rituximab of one patient with CANOMAD neuropathy. <i>Journal of Neurology</i> , 2010 , 257, 655-7	5.5	25
3	Deep brain stimulation of the ventral intermediate thalamic nucleus for severe tremor in anti-MAG neuropathy. <i>Movement Disorders</i> , 2009 , 24, 2157-8	7	19
2	Do patients having a decrease in SNAP amplitude during the course of MMN present with a different condition?. <i>Journal of Neurology</i> , 2009 , 256, 1876-80	5.5	28
1	Multifocal motor neuropathy with and without conduction block: a single entity?. <i>Neurology</i> , 2006 , 67, 592-6	6.5	95