

David E Haines, Facc, Fhrs

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5073216/publications.pdf>

Version: 2024-02-01

186
papers

16,726
citations

41344

49
h-index

15266

126
g-index

197
all docs

197
docs citations

197
times ranked

10249
citing authors

#	ARTICLE	IF	CITATIONS
1	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation. Heart Rhythm, 2017, 14, e275-e444.	0.7	1,671
2	2012 HRS/EHRA/ECAS Expert Consensus Statement on Catheter and Surgical Ablation of Atrial Fibrillation: Recommendations for Patient Selection, Procedural Techniques, Patient Management and Follow-up, Definitions, Endpoints, and Research Trial Design. Heart Rhythm, 2012, 9, 632-696.e21.	0.7	1,541
3	Fibrillation: Recommendations for Patient Selection, Procedural Techniques, Patient Management and Follow-up, Definitions, Endpoints, and Research Trial Design: A report of the Heart Rhythm Society (HRS) Task Force on Catheter and Surgical Ablation of Atrial Fibrillation. Developed in partnership with the European Heart Rhythm Association (EHRA), a registered branch of the European Society of Cardiology (ESC) and the E. Europace, 2012, 14, 528-606.	1.7	1,497
4	HRS/EHRA/ECAS Expert Consensus Statement on Catheter and Surgical Ablation of Atrial Fibrillation: Recommendations for Personnel, Policy, Procedures and Follow-Up. Heart Rhythm, 2007, 4, 816-861.	0.7	1,258
5	2012 HRS/EHRA/ECAS expert consensus statement on catheter and surgical ablation of atrial fibrillation: recommendations for patient selection, procedural techniques, patient management and follow-up, definitions, endpoints, and research trial design. Journal of Interventional Cardiac Electrophysiology, 2012, 33, 171-257.	1.3	1,167
6	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation. Europace, 2018, 20, e1-e160.	1.7	767
7	HRS/EHRA/ECAS Expert Consensus Statement on Catheter and Surgical Ablation of Atrial Fibrillation: Recommendations for Personnel, Policy, Procedures and Follow-Up: A report of the Heart Rhythm Society (HRS) Task Force on Catheter and Surgical Ablation of Atrial Fibrillation Developed in partnership with the European Heart Rhythm Association (EHRA) and the European Cardiac Arrhythmia Society (ECAS); in collaboration with the American College of Cardiology (ACC), American Heart Association (AHA), and the Soci. Europace, 2007, 9, 335-379.	1.7	741
8	ACCF/ASE/AHA/ASNC/HFSA/HRS/SCAI/SCCM/SCCT/SCMR 2011 Appropriate Use Criteria for Echocardiography. Journal of the American College of Cardiology, 2011, 57, 1126-1166.	2.8	568
9	Tissue Heating During Radiofrequency Catheter Ablation: A Thermodynamic Model and Observations in Isolated Perfused and Superfused Canine Right Ventricular Free Wall. PACE - Pacing and Clinical Electrophysiology, 1989, 12, 962-976.	1.2	385
10	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. Europace, 2018, 20, 157-208.	1.7	375
11	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. Journal of Arrhythmia, 2017, 33, 369-409.	1.2	348
12	The Biophysics of Radiofrequency Catheter Ablation in the Heart: The Importance of Temperature Monitoring. PACE - Pacing and Clinical Electrophysiology, 1993, 16, 586-591.	1.2	249
13	2012 EHRA/HRS expert consensus statement on cardiac resynchronization therapy in heart failure: implant and follow-up recommendations and management: A registered branch of the European Society of Cardiology (ESC), and the Heart Rhythm Society; and in collaboration with the Heart Failure Society of America (HFSA), the American Society of Echocardiography (ASE), the American Heart Association (AHA), the European Association of Echocardiography (FAE) of the ESC and the Heart		

#	ARTICLE	IF	CITATIONS
19	Pre-participation cardiovascular evaluation for athletic participants to prevent sudden death: Position paper from the EHRA and the EACPR, branches of the ESC. Endorsed by APHRS, HRS, and SOLAECE. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 41-69.	1.8	181
20	Anatomic and prognostic significance of new T-wave inversion in unstable angina. <i>American Journal of Cardiology</i> , 1983, 52, 14-18.	1.6	158
21	ACC/AHA/HRS 2006 Key Data Elements and Definitions for Electrophysiological Studies and Procedures. <i>Journal of the American College of Cardiology</i> , 2006, 48, 2360-2396.	2.8	143
22	Biophysics and pathology of catheter energy delivery systems. <i>Progress in Cardiovascular Diseases</i> , 1995, 37, 185-204.	3.1	141
23	Cerebrovascular Complication Associated with Pulmonary Vein Ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2002, 13, 764-767.	1.7	136
24	2015 HRS/EHRA/APHRS/SOLAECE expert consensus statement on optimal implantable cardioverter-defibrillator programming and testing. <i>Europace</i> , 2016, 18, 159-183.	1.7	135
25	intracardiac echocardiography-guided, anatomically based radiofrequency ablation of focal atrial fibrillation originating from pulmonary veins. <i>Journal of the American College of Cardiology</i> , 2002, 39, 1964-1972.	2.8	132
26	Silent Cerebral Events/Lesions Related to Atrial Fibrillation Ablation: A Clinical Review. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 455-463.	1.7	129
27	Intracardiac pulsed field ablation: Proof of feasibility in a chronic porcine model. <i>Heart Rhythm</i> , 2019, 16, 754-764.	0.7	121
28	Assessment of Global Atrial Fibrillation Organization to Optimize Timing of Atrial Defibrillation. <i>Circulation</i> , 2001, 103, 2857-2861.	1.6	114
29	Risk of Hematoma Complications After Device Implant in the Clopidogrel Era. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2010, 3, 312-318.	4.8	103
30	Sustained intraatrial reentrant tachycardia: Clinical, electrocardiographic and electrophysiologic characteristics and long-term follow-up. <i>Journal of the American College of Cardiology</i> , 1990, 15, 1345-1354.	2.8	98
31	Microembolism and Catheter Ablation I. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013, 6, 16-22.	4.8	95
32	Coexistence of type I atrial flutter and intra-atrial re-entrant tachycardia in patients with surgically corrected congenital heart disease. <i>Journal of the American College of Cardiology</i> , 2001, 38, 377-384.	2.8	93
33	Comparative Study of Fluoroscopy and Intracardiac Echocardiographic Guidance for the Creation of Linear Atrial Lesions. <i>Circulation</i> , 1998, 98, 1796-1801.	1.6	89
34	Extent of myocardial viability predicts response to biventricular pacing in ischemic cardiomyopathy. <i>Heart Rhythm</i> , 2005, 2, 1211-1217.	0.7	89
35	Pre-participation cardiovascular evaluation for athletic participants to prevent sudden death: Position paper from the EHRA and the EACPR, branches of the ESC. Endorsed by APHRS, HRS, and SOLAECE. <i>Europace</i> , 2017, 19, euw243.	1.7	86
36	2018 ACC/HRS/NASCI/SCAI/SCCT Expert Consensus Document on Optimal Use of Ionizing Radiation in Cardiovascular Imaging: Best Practices for Safety and Effectiveness. <i>Journal of the American College of Cardiology</i> , 2018, 71, e283-e351.	2.8	84

#	ARTICLE	IF	CITATIONS
37	Linear Atrial Ablations in a Canine Model of Chronic Atrial Fibrillation. <i>Circulation</i> , 1998, 97, 1176-1185.	1.6	81
38	Implantable Cardioverter-Defibrillator Registry Risk Score Models for Acute Procedural Complications or Death After Implantable Cardioverter-Defibrillator Implantation. <i>Circulation</i> , 2011, 123, 2069-2076.	1.6	79
39	First-in-Human Experience and Acute Procedural Outcomes Using a Novel Pulsed Field Ablation System: The PULSED AF Pilot Trial. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2022, 15, CIRCEP121010168.	4.8	74
40	Heart Rhythm Society Expert Consensus Statement on Electrophysiology Laboratory Standards: Process, Protocols, Equipment, Personnel, and Safety. <i>Heart Rhythm</i> , 2014, 11, e9-e51.	0.7	73
41	Biophysics of Ablation: Application to Technology. <i>Journal of Cardiovascular Electrophysiology</i> , 2004, 15, S2-S11.	1.7	72
42	Microembolism and Catheter Ablation II. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013, 6, 23-30.	4.8	72
43	Effect of intravenous magnesium sulfate on supraventricular tachycardia. <i>American Journal of Cardiology</i> , 1989, 63, 1129-1131.	1.6	70
44	Current-based versus energy-based ventricular defibrillation: A prospective study. <i>Journal of the American College of Cardiology</i> , 1988, 12, 1259-1264.	2.8	64
45	Exercise-induced ST segment elevation 2 weeks after uncomplicated myocardial infarction: Contributing factors and prognostic significance. <i>Journal of the American College of Cardiology</i> , 1987, 9, 996-1003.	2.8	60
46	Pulsed field ablation for pulmonary vein isolation in the treatment of atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 2136-2147.	1.7	59
47	Nonuniform Heating During Radiofrequency Catheter Ablation With Long Electrodes. <i>Circulation</i> , 1997, 96, 4057-4064.	1.6	58
48	Ultrastructural Observations in the Myocardium Beyond the Region of Acute Coagulation Necrosis Following Radiofrequency Catheter Ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 1994, 5, 838-845.	1.7	54
49	Safety and chronic lesion characterization of pulsed field ablation in a Porcine model. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 958-969.	1.7	54
50	A prospective clinical, scintigraphic, angiographic and functional evaluation of patients after inferior myocardial infarction with and without right ventricular dysfunction. <i>Journal of the American College of Cardiology</i> , 1985, 6, 995-1003.	2.8	49
51	Reduction in Pulmonary Vein Stenosis and Collateral Damage With Pulsed Field Ablation Compared With Radiofrequency Ablation in a Canine Model. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e008337.	4.8	49
52	Sensing Lead-Related Complications in Patients With Transvenous Implantable Cardioverter-Defibrillators. <i>American Journal of Cardiology</i> , 1996, 78, 647-651.	1.6	47
53	A randomized trial comparing effects of radiofrequency and cryoablation on the structural integrity of esophageal tissue. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2007, 19, 77-83.	1.3	47
54	High-power, low-flow, short-ablation duration—the key to avoid collateral injury?. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019, 55, 9-16.	1.3	47

#	ARTICLE	IF	CITATIONS
55	Morphological and Physiological Characteristics of Discontinuous Linear Atrial Ablations During Atrial Pacing and Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 1999, 10, 378-386.	1.7	46
56	Effect of Heating on Pulmonary Veins. <i>Journal of Cardiovascular Electrophysiology</i> , 2003, 14, 250-254.	1.7	46
57	Catheter ablation therapy for atrial fibrillation. <i>Cardiology Clinics</i> , 2004, 22, 127-145.	2.2	44
58	Cardiac arrest survival after implementation of automated external defibrillator technology in the in-hospital setting. <i>Critical Care Medicine</i> , 2009, 37, 1229-1236.	0.9	44
59	Coronary artery bypass grafting in patients with ventricular fibrillation. <i>Annals of Thoracic Surgery</i> , 1989, 48, 85-89.	1.3	43
60	Adenosine and Verapamil-Sensitive Ventricular Tachycardia Originating From the Left Ventricle: Radiofrequency Catheter Ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992, 15, 2240-2244.	1.2	43
61	Effects of dispersive electrode position and surface area on electrical parameters and temperature during radiofrequency catheter ablation. <i>American Journal of Cardiology</i> , 1996, 77, 765-767.	1.6	41
62	Hydroxychloroquine/Azithromycin Therapy and QT Prolongation in Hospitalized Patients With COVID-19. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 16-25.	3.2	41
63	Use of global atrial fibrillation organization to optimize the success of burst pace termination. <i>Journal of the American College of Cardiology</i> , 2002, 40, 1831-1840.	2.8	40
64	Intracoronary Ethanol Ablation in Swine. <i>Journal of Cardiovascular Electrophysiology</i> , 1994, 5, 422-431.	1.7	39
65	2018 ACC/HRS/NASCI/SCAI/SCCT Expert Consensus Document on Optimal Use of Ionizing Radiation in Cardiovascular Imaging Best Practices for Safety and Effectiveness, Part 2: Radiological Equipment Operation, Dose-Sparing Methodologies, Patient and Medical Personnel Protection. <i>Journal of the American College of Cardiology</i> , 2018, 71, 2829-2855.	2.8	39
66	Electrocardiographs abnormalities after radiofrequency catheter ablation of accessory bypass tracts in the Wolff-Parkinson-White syndrome. <i>American Journal of Cardiology</i> , 1992, 70, 200-204.	1.6	38
67	Cardiac magnetic resonance imaging assessment of regional and global left atrial function before and after catheter ablation for atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2009, 26, 109-117.	1.3	38
68	Role of Calcium in Acute Hyperthermic Myocardial Injury. <i>Journal of Cardiovascular Electrophysiology</i> , 2001, 12, 563-569.	1.7	36
69	Automatic External Defibrillation of Patients After Myocardial Infarction by Family Members: Practical Aspects and Psychological Impact of Training. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1988, 11, 2029-2034.	1.2	35
70	Temperature Measurement as a determinant of Tissue Heating During Radiofrequency Catheter ablation: An Examination of Electrode Thermistor Positioning for Measurement Accuracy. <i>Journal of Cardiovascular Electrophysiology</i> , 1995, 6, 268-278.	1.7	34
71	Intracellular Chloride Accumulation and Subcellular Elemental Distribution During Atrial Fibrillation. <i>Circulation</i> , 2003, 107, 1810-1815.	1.6	30
72	Dabigatran versus warfarin anticoagulation before and after catheter ablation for the treatment of atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2013, 37, 233-239.	1.3	30

#	ARTICLE	IF	CITATIONS
73	Transient ST elevation after transthoracic cardioversion in patients with hemodynamically unstable ventricular tachyarrhythmia. <i>American Journal of Cardiology</i> , 2000, 85, 878-881.	1.6	29
74	Occupational health hazards in the interventional laboratory: Time for a safer environment. <i>Heart Rhythm</i> , 2009, 6, 439-444.	0.7	29
75	The Effect of Radiofrequency Catheter Ablation on Myocardial Creatine Kinase Activity. <i>Journal of Cardiovascular Electrophysiology</i> , 1995, 6, 79-88.	1.7	27
76	The catheterization laboratory and interventional vascular suite of the future: Anticipating innovations in design and function. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 77, 447-455.	1.7	26
77	Failure of a Second and Third Generation Implantable Cardioverter Defibrillator to Sense Ventricular Tachycardia: Implications for Fixed-Gain Sensing Devices. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992, 15, 749-755.	1.2	25
78	Figure-of-eight suture for venous hemostasis in fully anticoagulated patients after atrial fibrillation catheter ablation. <i>Indian Pacing and Electrophysiology Journal</i> , 2017, 17, 134-139.	0.6	25
79	Correlation of Temperature and Pathophysiological Effect During Radiofrequency Catheter Ablation of the AV Junction. <i>Circulation</i> , 1995, 92, 1188-1192.	1.6	25
80	Characterization of Phrenic Nerve Response to Pulsed Field Ablation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2022, 15, .	4.8	23
81	Characteristics of Radiofrequency Catheter Ablation Lesion Formation in Real Time In Vivo Using Near Field Ultrasound Imaging. <i>JACC: Clinical Electrophysiology</i> , 2018, 4, 1062-1072.	3.2	22
82	The role of temporary biventricular pacing in the cardiac surgical patient with severely reduced left ventricular systolic function. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008, 136, 915-921.	0.8	21
83	Effect of Electrical and Structural Remodeling on Spatiotemporal Organization in Acute and Persistent Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2002, 13, 1027-1034.	1.7	20
84	Dynamic Substrate Mapping and Ablation of Ventricular Tachycardias in Right Ventricular Dysplasia. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2004, 11, 37-45.	1.3	20
85	Incidence of Pocket Infection Postcardiac Device Implantation Using Antibiotic versus Saline Solution for Pocket Irrigation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 978-984.	1.2	20
86	Beyond cardioversion, ablation and pharmacotherapies: Risk factors, lifestyle change and behavioral counseling strategies in the prevention and treatment of atrial fibrillation. <i>Progress in Cardiovascular Diseases</i> , 2021, 66, 2-9.	3.1	20
87	Malignant Ventricular Arrhythmias in Patients With Acute Right Ventricular Infarction Undergoing Mechanical Reperfusion. <i>American Journal of Cardiology</i> , 2009, 104, 1678-1683.	1.6	19
88	Efficacy of pulmonary vein isolation with a novel hot balloon ablation catheter. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2012, 34, 29-36.	1.3	19
89	Atrial fibrillation and chronic kidney disease requiring hemodialysis – Does warfarin therapy improve the risks of this lethal combination?. <i>International Journal of Cardiology</i> , 2016, 222, 47-50.	1.7	19
90	Near-Field Ultrasound Imaging During Radiofrequency Catheter Ablation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017, 10, .	4.8	19

#	ARTICLE	IF	CITATIONS
91	Intracoronary Ethanol Ablation in Swine:.. Journal of Cardiovascular Electrophysiology, 1994, 5, 41-49.	1.7	18
92	SCAI Multi-Society Position Statement on Occupational Health Hazards of the Catheterization Laboratory: Shifting the Paradigm for Healthcare Workers' Protection. Journal of the American College of Cardiology, 2020, 75, 1718-1724.	2.8	18
93	Predictors of acute and long-term success after radiofrequency catheter ablation of type 1 atrial flutter. American Journal of Cardiology, 1995, 76, 604-606.	1.6	17
94	Special Communication " Occupational Health Hazards in the Interventional Laboratory: Progress Report of the Multispecialty Occupational Health Group. Journal of the American College of Radiology, 2010, 7, 679-683.	1.8	17
95	The Biophysics of Passive Convective Cooling During Catheter Ablation with Gold versus Platinum Electrodes and Multielectrode Phased Radiofrequency Energy Delivery. Journal of Cardiovascular Electrophysiology, 2015, 26, 1257-1261.	1.7	17
96	The effect of esophageal cooling on esophageal injury during radiofrequency catheter ablation of atrial fibrillation. Journal of Interventional Cardiac Electrophysiology, 2020, 58, 43-50.	1.3	17
97	The Long-Term Outcome of Visually Directed Subendocardial Resection in Patients Without Inducible or Mappable Ventricular Tachycardia at the Time of Surgery. Journal of Cardiovascular Electrophysiology, 1994, 5, 399-407.	1.7	16
98	Atrial rhythm after atrioventricular junctional ablation. American Journal of Cardiology, 1996, 78, 1251-1254.	1.6	16
99	HRS Clinical Document Development Methodology Manual and Policies: Executive summary. Heart Rhythm, 2017, 14, e495-e500.	0.7	16
100	Pulmonary Vein Isolation Using the Visually Guided Laser Balloon: Results of the U.S. Feasibility Study. Journal of Cardiovascular Electrophysiology, 2015, 26, 944-949.	1.7	14
101	Elimination of Focal Atrial Fibrillation with a Single Radiofrequency Ablation: Use of a Basket Catheter in a Pulmonary Vein for Computerized Activation Sequence Mapping. Journal of Cardiovascular Electrophysiology, 2000, 11, 1159-1164.	1.7	13
102	HRS Policy Statement: Clinical Cardiac Electrophysiology Fellowship Curriculum: Update 2011. Heart Rhythm, 2011, 8, 1340-1356.	0.7	13
103	Use of a regional wall motion score to enhance risk stratification of patients receiving an implantable cardioverter-defibrillator. Journal of the American College of Cardiology, 1993, 22, 1093-1099.	2.8	12
104	SCAI multi-society position statement on occupational health hazards of the catheterization laboratory: Shifting the paradigm for Healthcare Workers' Protection. Catheterization and Cardiovascular Interventions, 2020, 95, 1327-1333.	1.7	12
105	Thermal Ablation of Perfused Porcine Left Ventricle In Vitro with the Neodymium-YAG Laser Hot Tip Catheter System. PACE - Pacing and Clinical Electrophysiology, 1992, 15, 979-985.	1.2	11
106	The prevalence of methicillin resistant organisms among pacemaker and defibrillator implant recipients. American Journal of Cardiovascular Disease, 2012, 2, 116-22.	0.5	11
107	Comparison of a Saline Irrigated Cooled-Tip Catheter to Large Electrode Catheters with Single and Multiple Temperature Sensors for Creation of Large Radiofrequency Lesions. Journal of Interventional Cardiac Electrophysiology, 2005, 14, 139-145.	1.3	10
108	The Effects of Reverse Atrial Electrical Remodeling on Atrial Defibrillation Thresholds. PACE - Pacing and Clinical Electrophysiology, 2002, 25, 470-476.	1.2	9

#	ARTICLE	IF	CITATIONS
109	CHADS(2) score is predictive of left atrial thrombus on precardioversion transesophageal echocardiography in atrial fibrillation. <i>American Journal of Cardiovascular Disease</i> , 2011, 1, 159-65.	0.5	9
110	Comparison of the usefulness of the implantable cardioverter-defibrillator and subendocardial resection in patients with sustained ventricular arrhythmias and poor regional wall motion associated with coronary artery disease. <i>American Journal of Cardiology</i> , 1993, 72, 652-657.	1.6	8
111	The Effects of Atrial Electrical Remodeling on Atrial Defibrillation Thresholds. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2001, 24, 1208-1215.	1.2	8
112	Advances in Surgical Ablation Devices for Atrial Fibrillation. , 0, , 231-241.		8
113	Physiciansâ€™ perceptions of shared decisionâ€making for implantable cardioverterâ€defibrillators: Results of a physician survey. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 2420-2426.	1.7	8
114	New Horizons in Catheter Ablation. <i>Journal of Interventional Cardiology</i> , 1995, 8, 845-856.	1.2	7
115	Efficacy of multiple ring and coil electrode radiofrequency ablation catheters for the creation of long linear lesions in the atria. <i>Medical Engineering and Physics</i> , 1998, 20, 551-557.	1.7	7
116	A Simplified Approach for Simultaneous Measurements of Wavefront Velocity and Curvature in the Heart Using Activation Times. <i>Cardiovascular Engineering and Technology</i> , 2013, 4, 520-534.	1.6	7
117	Rapid and Affordable 3-Dimensional Prototyping for Left Atrial Appendage Closure Planning. <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, e004710.	3.9	7
118	Dose a posterior aneurysm increase the risk of endocardial resection?. <i>Annals of Thoracic Surgery</i> , 1992, 54, 617-620.	1.3	6
119	Occupational Health Hazards in the Interventional Laboratory: Time for a Safer Environment. <i>Journal of Radiology Nursing</i> , 2010, 29, 75-82.	0.4	6
120	The neurointerventional procedure room of the future: predicting likely innovations in design and function. <i>Journal of NeuroInterventional Surgery</i> , 2011, 3, 266-271.	3.3	6
121	The Yin and Yang of Convective Cooling in Radiofrequency Catheter Ablation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2011, 4, 794-795.	4.8	6
122	Validation of a defibrillation lead ventricular volume measurement compared to three-dimensional echocardiography. <i>Heart Rhythm</i> , 2017, 14, 1515-1522.	0.7	6
123	Current strategies to minimize postoperative hematoma formation in patients undergoing cardiac implantable electronic device implantation: A review. <i>Heart Rhythm</i> , 2021, 18, 641-650.	0.7	6
124	Ventricular Tachycardia Surgery. <i>Journal of Cardiovascular Electrophysiology</i> , 1992, 3, 160-172.	1.7	6
125	Stability of Electrophysiological Parameters after Acute Amiodarone Loading: Implications for Patient Management. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1989, 12, 1038-1048.	1.2	5
126	Use of Embolic Protection to Prevent Stroke During Catheter Ablation of Atrial Fibrillation. <i>Circulation</i> , 2011, 124, 965-966.	1.6	5

#	ARTICLE	IF	CITATIONS
127	Atrial Fibrillation Ablation in the Real World. Journal of the American College of Cardiology, 2012, 59, 150-152.	2.8	5
128	ERACEing the Risk of Cerebral Embolism From Atrial Fibrillation Ablation. Circulation: Arrhythmia and Electrophysiology, 2013, 6, 827-829.	4.8	5
129	Cooking With Radiofrequency Energy. JACC: Clinical Electrophysiology, 2018, 4, 480-482.	3.2	5
130	Can an Expanding Lattice Electrode Catheter Expand Our Success in Catheter Ablation?. Circulation: Arrhythmia and Electrophysiology, 2019, 12, e007306.	4.8	5
131	What is different about pulsed-field ablation everything?. Journal of Cardiovascular Electrophysiology, 2022, 33, 368-370.	1.7	5
132	Entrainment Mapping in Patients With Sustained Atrioventricular Nodal Reentrant Tachycardia. American Journal of Cardiology, 1997, 80, 883-888.	1.6	4
133	ACC expert consensus document on ethical coding and billing practices for cardiovascular medicine specialists11â€œEthical Coding and Billing Practices for Cardiovascular Medicine Specialistsâ€•was approved by the American College of Cardiology Board of Trustees on October 24, 1998.. Journal of the American College of Cardiology, 1999, 33, 1076-1086.	2.8	4
134	Occupational health hazards in the interventional laboratory: progress report of the Multispecialty Occupational Health Group. Journal of NeuroInterventional Surgery, 2010, 2, 245-248.	3.3	4
135	Asymptomatic Cerebral Embolism and Atrial Fibrillation Ablation. Circulation: Arrhythmia and Electrophysiology, 2013, 6, 455-457.	4.8	4
136	Case Report: Zomepirac-Induced Anaphylactic Shock: An Under-Reported Phenomenon. American Journal of the Medical Sciences, 1985, 290, 165-166.	1.1	3
137	In Atrial Fibrillation, Size Does Matter. Journal of Cardiovascular Electrophysiology, 2000, 11, 1407-1408.	1.7	3
138	New Resynchronization Lead Systems and Devices. , 0, , 145-153.		3
139	Esophageal ulceration from high-intensity focused US catheter ablation for pulmonary vein isolation: a novel complication in the treatment of symptomatic refractory atrial fibrillation. Gastrointestinal Endoscopy, 2008, 68, 597-599.	1.0	3
140	Automated External Defibrillators and the Law of Unintended Consequences. JAMA - Journal of the American Medical Association, 2010, 304, 2178.	7.4	3
141	Left atrial appendage occlusion device infection: Take it or leave it?. HeartRhythm Case Reports, 2021, 7, 750-753.	0.4	3
142	Meta-Analysis of New-Onset Atrial Fibrillation Versus No History of Atrial Fibrillation in Patients With Noncardiac Critical Care Illness. American Journal of Cardiology, 2022, 164, 57-63.	1.6	3
143	The Antiarrhythmic Effects of Ranolazine. Reviews in Cardiovascular Medicine, 2009, 10, 38-45.	1.4	3
144	With Pulmonary Vein Isolation for Paroxysmal Atrial Fibrillation Ablation, One Size Does Not Fit All. Journal of Cardiovascular Electrophysiology, 2002, 13, 962-963.	1.7	2

#	ARTICLE	IF	CITATIONS
145	Current Concepts in Intravascular Pacemaker and Defibrillator Lead Extraction. , 0, , 124-133.		2
146	Energy Sources for Ablation in the Pericardial Space. Cardiac Electrophysiology Clinics, 2010, 2, 45-54.	1.7	2
147	Preoperative ICD risk score variables predict 30-day readmission after implantable cardioverter defibrillator implantation in patients with heart failure. Heart and Lung: Journal of Acute and Critical Care, 2016, 45, 29-33.	1.6	2
148	Protocol driven periprocedural anticoagulation for left atrial ablation. Journal of Cardiovascular Electrophysiology, 2021, 32, 639-646.	1.7	2
149	Baseline incision characteristics and early scar maturation indices following cardiac device implantation. Journal of Arrhythmia, 2021, 37, 400-406.	1.2	2
150	PO-639-05 ANATOMIC DISTRIBUTION OF ACTIVE SOURCES IDENTIFIED USING ELECTROGRAPHIC FLOW MAPPING. Heart Rhythm, 2022, 19, S201-S202.	0.7	2
151	Are We Ready for the Next Frontier. JACC: Clinical Electrophysiology, 2022, 8, 732-734.	3.2	2
152	Repetitive Supraventricular Tachycardia: Clinical Manifestations and Response to Therapy with Amiodarone. PACE - Pacing and Clinical Electrophysiology, 1986, 9, 130-133.	1.2	1
153	Implantable Defibrillator Sensing and Discrimination Algorithms. , 0, , 161-177.		1
154	New Antiarrhythmic Pharmacologic Therapies and Regulatory Issues in Antiarrhythmic Drug Development. , 0, , 1-13.		1
155	A paradigm shift to address occupational health risks in the EP laboratory. Heart Rhythm, 2020, 17, 681-682.	0.7	1
156	Navigating inferior vena cava filters in invasive cardiology procedures: A systematic review. Journal of Cardiovascular Electrophysiology, 2021, 32, 1440-1448.	1.7	1
157	Time in bed after electrophysiological procedures (TIBS IV): a pilot study. American Journal of Critical Care, 2004, 13, 56-8, 87.	1.6	1
158	Atrioesophageal Fistula Following Radiofrequency Catheter Ablation of Atrial Fibrillation. Reviews in Cardiovascular Medicine, 2017, 18, 115-122.	1.4	1
159	Optimization of Defibrillation Function. , 0, , 197-205.		0
160	Advances in Catheter Control Devices. , 0, , 257-261.		0
161	Characteristics and distribution of injury during percoronary ethanol ablation of ventricular myocardium in swine. Journal of the American College of Cardiology, 1990, 15, A132.	2.8	0
162	Epicardial Access: Present and Future Applications for Interventional Electrophysiologists. , 0, , 242-256.		0

#	ARTICLE	IF	CITATIONS
163	Sensor and Sensor Integration. , 0, , 109-118.		0
164	New Ablation Paradigms: Anatomic Ablation of Complex Arrhythmia Substrates. , 0, , 274-281.		0
165	Arrhythmia Prevention and Termination Algorithms. , 0, , 178-186.		0
166	New Lead Designs and Lead-less Systems. , 0, , 187-196.		0
167	New Frontiers in Antithrombotic Therapy for Atrial Fibrillation. , 0, , 14-28.		0
168	Embryonic Stem-cell-derived Cardiomyocytes as a Model For Arrhythmia. , 0, , 48-53.		0
169	New Indications for Pacing. , 0, , 154-160.		0
170	Beta-blocker Efficacy in Long-QT Syndrome Patients with Mutations in the Pore and Nonpore Regions of the hERG Potassium-channel Gene. , 0, , 91-94.		0
171	New Electrode and Lead Designs for Pacemakers. , 0, , 119-123.		0
172	Gene Therapy for Cardiac Tachyarrhythmias. , 0, , 65-71.		0
173	Techniques of Prediction of Arrhythmia Occurrence and Stratification for Sudden Cardiac Death. , 0, , 84-90.		0
174	New ICD Indications. , 0, , 219-229.		0
175	New Developments in Noninvasive Rhythm Monitoring, Implantable Hemodynamic Monitoring, Functional Status Monitoring, and Noninvasive Mapping. , 0, , 73-83.		0
176	Left Ventricular Epicardial Lead Implantation: Anatomy, Techniques, and Tools. , 0, , 134-144.		0
177	The Cardiac Sodium-Channel Carboxy Terminus: Predicted and Detected Structure Provide a Novel Target For Antiarrhythmic Drugs Development. , 0, , 36-47.		0
178	New Developments in Out-of-hospital Cardiac Defibrillation: Evaluation of AED Strategies. , 0, , 95-108.		0
179	With pharmacologic conversion of atrial fibrillation, is timing everything?. Heart Rhythm, 2005, 2, 231-233.	0.7	0
180	Device pocket hematoma in the clopidogrel era. Heart Rhythm, 2005, 2, S3.	0.7	0

#	ARTICLE	IF	CITATIONS
181	P4-74. Heart Rhythm, 2006, 3, S243.	0.7	0
182	Using a Risk Model to Predict 30-Day Readmission After Implantable Cardioverter Defibrillator. Journal of Cardiac Failure, 2015, 21, S60-S61.	1.7	0
183	Heparin Bolus or Infusion. JACC: Clinical Electrophysiology, 2016, 2, 327-329.	3.2	0
184	Nanoparticles Yield Big Results. Circulation: Arrhythmia and Electrophysiology, 2016, 9, .	4.8	0
185	Radiation worker mortality: intersociety call for survey participation. American Journal of Neuroradiology, 2006, 27, 1806.	2.4	0
186	BS-400-07 REDEFINE-EP: A PROSPECTIVE, RANDOMIZED EVALUATION OF THE CONTROLRAD SYSTEM TO REDUCE RADIATION EXPOSURE DURING CARDIAC ELECTRONIC IMPLANTABLE DEVICE PROCEDURES. Heart Rhythm, 2022, 19, S513.	0.7	0