

David E Haines, Facc, Fhrs

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5073216/publications.pdf>

Version: 2024-02-01

186
papers

16,726
citations

41344

49
h-index

15266

126
g-index

197
all docs

197
docs citations

197
times ranked

10249
citing authors

#	ARTICLE	IF	CITATIONS
1	Meta-Analysis of New-Onset Atrial Fibrillation Versus No History of Atrial Fibrillation in Patients With Noncardiac Critical Care Illness. <i>American Journal of Cardiology</i> , 2022, 164, 57-63.	1.6	3
2	What is different about pulsed field ablation everything?. <i>Journal of Cardiovascular Electrophysiology</i> , 2022, 33, 368-370.	1.7	5
3	First-in-Human Experience and Acute Procedural Outcomes Using a Novel Pulsed Field Ablation System: The PULSED AF Pilot Trial. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2022, 15, CIRCEP121010168.	4.8	74
4	BS-400-07 REDEFINE-EP: A PROSPECTIVE, RANDOMIZED EVALUATION OF THE CONTROLRAD SYSTEM TO REDUCE RADIATION EXPOSURE DURING CARDIAC ELECTRONIC IMPLANTABLE DEVICE PROCEDURES. <i>Heart Rhythm</i> , 2022, 19, S513.	0.7	0
5	PO-639-05 ANATOMIC DISTRIBUTION OF ACTIVE SOURCES IDENTIFIED USING ELECTROGRAPHIC FLOW MAPPING. <i>Heart Rhythm</i> , 2022, 19, S201-S202.	0.7	2
6	Characterization of Phrenic Nerve Response to Pulsed Field Ablation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2022, 15, .	4.8	23
7	Are We Ready for the Next Frontier. <i>JACC: Clinical Electrophysiology</i> , 2022, 8, 732-734.	3.2	2
8	Hydroxychloroquine/Azithromycin Therapy and QT Prolongation in Hospitalized Patients With COVID-19. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 16-25.	3.2	41
9	Current strategies to minimize postoperative hematoma formation in patients undergoing cardiac implantable electronic device implantation: A review. <i>Heart Rhythm</i> , 2021, 18, 641-650.	0.7	6
10	Protocol driven periprocedural anticoagulation for left atrial ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 639-646.	1.7	2
11	Safety and chronic lesion characterization of pulsed field ablation in a Porcine model. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 958-969.	1.7	54
12	Navigating inferior vena cava filters in invasive cardiology procedures: A systematic review. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 1440-1448.	1.7	1
13	Beyond cardioversion, ablation and pharmacotherapies: Risk factors, lifestyle change and behavioral counseling strategies in the prevention and treatment of atrial fibrillation. <i>Progress in Cardiovascular Diseases</i> , 2021, 66, 2-9.	3.1	20
14	Left atrial appendage occlusion device infection: Take it or leave it?. <i>HeartRhythm Case Reports</i> , 2021, 7, 750-753.	0.4	3
15	Baseline incision characteristics and early scar maturation indices following cardiac device implantation. <i>Journal of Arrhythmia</i> , 2021, 37, 400-406.	1.2	2
16	The effect of esophageal cooling on esophageal injury during radiofrequency catheter ablation of atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020, 58, 43-50.	1.3	17
17	Reduction in Pulmonary Vein Stenosis and Collateral Damage With Pulsed Field Ablation Compared With Radiofrequency Ablation in a Canine Model. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e008337.	4.8	49
18	SCAI Multi-Society Position Statement on Occupational Health Hazards of the Catheterization Laboratory: Shifting the Paradigm for Healthcare Workers' Protection. <i>Journal of the American College of Cardiology</i> , 2020, 75, 1718-1724.	2.8	18

#	ARTICLE	IF	CITATIONS
19	A paradigm shift to address occupational health risks in the EP laboratory. <i>Heart Rhythm</i> , 2020, 17, 681-682.	0.7	1
20	Pulsed field ablation for pulmonary vein isolation in the treatment of atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 2136-2147.	1.7	59
21	SCAI multi-society position statement on occupational health hazards of the catheterization laboratory: Shifting the paradigm for Healthcare Workers' Protection. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 95, 1327-1333.	1.7	12
22	Physicians' perceptions of shared decision-making for implantable cardioverter-defibrillators: Results of a physician survey. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 2420-2426.	1.7	8
23	Can an Expanding Lattice Electrode Catheter Expand Our Success in Catheter Ablation?. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019, 12, e007306.	4.8	5
24	High-power, low-flow, short-ablation duration—the key to avoid collateral injury?. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019, 55, 9-16.	1.3	47
25	Intracardiac pulsed field ablation: Proof of feasibility in a chronic porcine model. <i>Heart Rhythm</i> , 2019, 16, 754-764.	0.7	121
26	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation. <i>Europace</i> , 2018, 20, e1-e160.	1.7	767
27	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. <i>Europace</i> , 2018, 20, 157-208.	1.7	375
28	2018 ACC/HRS/NASCI/SCAI/SCCT Expert Consensus Document on Optimal Use of Ionizing Radiation in Cardiovascular Imaging: Best Practices for Safety and Effectiveness. <i>Journal of the American College of Cardiology</i> , 2018, 71, e283-e351.	2.8	84
29	2018 ACC/HRS/NASCI/SCAI/SCCT Expert Consensus Document on Optimal Use of Ionizing Radiation in Cardiovascular Imaging—Best Practices for Safety and Effectiveness, Part 2: Radiological Equipment Operation, Dose-Sparing Methodologies, Patient and Medical Personnel Protection. <i>Journal of the American College of Cardiology</i> , 2018, 71, 2829-2855.	2.8	39
30	Cooking With Radiofrequency Energy. <i>JACC: Clinical Electrophysiology</i> , 2018, 4, 480-482.	3.2	5
31	Characteristics of Radiofrequency Catheter Ablation Lesion Formation in Real Time In Vivo Using Near Field Ultrasound Imaging. <i>JACC: Clinical Electrophysiology</i> , 2018, 4, 1062-1072.	3.2	22
32	Pre-participation cardiovascular evaluation for athletic participants to prevent sudden death: Position paper from the EHRA and the EACPR, branches of the ESC. Endorsed by APHRS, HRS, and SOLAECE. <i>Europace</i> , 2017, 19, euw243.	1.7	86
33	Rapid and Affordable 3-Dimensional Prototyping for Left Atrial Appendage Closure Planning. <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, e004710.	3.9	7
34	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation. <i>Heart Rhythm</i> , 2017, 14, e275-e444.	0.7	1,671
35	Figure-of-eight suture for venous hemostasis in fully anticoagulated patients after atrial fibrillation catheter ablation. <i>Indian Pacing and Electrophysiology Journal</i> , 2017, 17, 134-139.	0.6	25
36	HRS Clinical Document Development Methodology Manual and Policies: Executive summary. <i>Heart Rhythm</i> , 2017, 14, e495-e500.	0.7	16

#	ARTICLE	IF	CITATIONS
37	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. <i>Journal of Arrhythmia</i> , 2017, 33, 369-409.	1.2	348
38	Near-Field Ultrasound Imaging During Radiofrequency Catheter Ablation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017, 10, .	4.8	19
39	Validation of a defibrillation lead ventricular volume measurement compared to three-dimensional echocardiography. <i>Heart Rhythm</i> , 2017, 14, 1515-1522.	0.7	6
40	Pre-participation cardiovascular evaluation for athletic participants to prevent sudden death: Position paper from the EHRA and the EACPR, branches of the ESC. Endorsed by APHRS, HRS, and SOLAECE. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 41-69.	1.8	181
41	Atrioesophageal Fistula Following Radiofrequency Catheter Ablation of Atrial Fibrillation. <i>Reviews in Cardiovascular Medicine</i> , 2017, 18, 115-122.	1.4	1
42	Heparin Bolus or Infusion. <i>JACC: Clinical Electrophysiology</i> , 2016, 2, 327-329.	3.2	0
43	Atrial fibrillation and chronic kidney disease requiring hemodialysis – Does warfarin therapy improve the risks of this lethal combination?. <i>International Journal of Cardiology</i> , 2016, 222, 47-50.	1.7	19
44	Incidence of Pocket Infection Postcardiac Device Implantation Using Antibiotic versus Saline Solution for Pocket Irrigation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 978-984.	1.2	20
45	Nanoparticles Yield Big Results. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016, 9, .	4.8	0
46	Preoperative ICD risk score variables predict 30-day readmission after implantable cardioverter defibrillator implantation in patients with heart failure. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2016, 45, 29-33.	1.6	2
47	2015 HRS/EHRA/APHRS/SOLAECE expert consensus statement on optimal implantable cardioverter-defibrillator programming and testing. <i>Europace</i> , 2016, 18, 159-183.	1.7	135
48	Pulmonary Vein Isolation Using the Visually Guided Laser Balloon: Results of the U.S. Feasibility Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 944-949.	1.7	14
49	Using a Risk Model to Predict 30-Day Readmission After Implantable Cardioverter Defibrillator. <i>Journal of Cardiac Failure</i> , 2015, 21, S60-S61.	1.7	0
50	The Biophysics of Passive Convective Cooling During Catheter Ablation with Gold versus Platinum Electrodes and Multielectrode Phased Radiofrequency Energy Delivery. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 1257-1261.	1.7	17
51	Silent Cerebral Events/Lesions Related to Atrial Fibrillation Ablation: A Clinical Review. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 455-463.	1.7	129
52	Heart Rhythm Society Expert Consensus Statement on Electrophysiology Laboratory Standards: Process, Protocols, Equipment, Personnel, and Safety. <i>Heart Rhythm</i> , 2014, 11, e9-e51.	0.7	73
53	EHRA/HRS/APHRS expert consensus on ventricular arrhythmias. <i>Europace</i> , 2014, 16, 1257-1283.	1.7	194
54	A Simplified Approach for Simultaneous Measurements of Wavefront Velocity and Curvature in the Heart Using Activation Times. <i>Cardiovascular Engineering and Technology</i> , 2013, 4, 520-534.	1.6	7

#	ARTICLE	IF	CITATIONS
55	Dabigatran versus warfarin anticoagulation before and after catheter ablation for the treatment of atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2013, 37, 233-239.	1.3	30
56	ERACEing the Risk of Cerebral Embolism From Atrial Fibrillation Ablation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013, 6, 827-829.	4.8	5
57	Microembolism and Catheter Ablation II. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013, 6, 23-30.	4.8	72
58	Microembolism and Catheter Ablation I. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013, 6, 16-22.	4.8	95
59	Asymptomatic Cerebral Embolism and Atrial Fibrillation Ablation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013, 6, 455-457.	4.8	4
60	2012 HRS/EHRA/ECAS Expert Consensus Statement on Catheter and Surgical Ablation of Atrial Fibrillation: Recommendations for Patient Selection, Procedural Techniques, Patient Management and Follow-up, Definitions, Endpoints, and Research Trial Design: A report of the Heart Rhythm Society (HRS) Task Force on Catheter and Surgical Ablation of Atrial Fibrillation. Developed in partnership with the European Heart Rhythm Association (EHRA), a registered branch of the European Society of Cardiology (ESC) and the E. Europace, 2012, 14, 528-606.	1.7	1,497
61	2012 HRS/EHRA/ECAS Expert Consensus Statement on Catheter and Surgical Ablation of Atrial Fibrillation: Recommendations for Patient Selection, Procedural Techniques, Patient Management and Follow-up, Definitions, Endpoints, and Research Trial Design. <i>Heart Rhythm</i> , 2012, 9, 632-696, e21.	0.7	1,541
62	2012 EHRA/HRS expert consensus statement on cardiac resynchronization therapy in heart failure: implant and follow-up recommendations and management: A registered branch of the European Society of Cardiology (ESC), and the Heart Rhythm Society; and in collaboration with the Heart Failure Society of America (HFSA), the American Society of Echocardiography (ASE), the American Heart Association (AHA), the European Association of Echocardiography (EAE) of the ESC and the Heart		

#	ARTICLE	IF	CITATIONS
73	Implantable Cardioverter-Defibrillator Registry Risk Score Models for Acute Procedural Complications or Death After Implantable Cardioverter-Defibrillator Implantation. <i>Circulation</i> , 2011, 123, 2069-2076.	1.6	79
74	CHADS(2) score is predictive of left atrial thrombus on precardioversion transesophageal echocardiography in atrial fibrillation. <i>American Journal of Cardiovascular Disease</i> , 2011, 1, 159-65.	0.5	9
75	Acute cardiac effects of marathon running. <i>Journal of Applied Physiology</i> , 2010, 108, 1148-1153.	2.5	197
76	Occupational health hazards in the interventional laboratory: progress report of the Multispecialty Occupational Health Group. <i>Journal of NeuroInterventional Surgery</i> , 2010, 2, 245-248.	3.3	4
77	Automated External Defibrillators and the Law of Unintended Consequences. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 2178.	7.4	3
78	Risk of Hematoma Complications After Device Implant in the Clopidogrel Era. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2010, 3, 312-318.	4.8	103
79	Special Communication" Occupational Health Hazards in the Interventional Laboratory: Progress Report of the Multispecialty Occupational Health Group. <i>Journal of the American College of Radiology</i> , 2010, 7, 679-683.	1.8	17
80	Energy Sources for Ablation in the Pericardial Space. <i>Cardiac Electrophysiology Clinics</i> , 2010, 2, 45-54.	1.7	2
81	Occupational Health Hazards in the Interventional Laboratory: Time for a Safer Environment. <i>Journal of Radiology Nursing</i> , 2010, 29, 75-82.	0.4	6
82	Malignant Ventricular Arrhythmias in Patients With Acute Right Ventricular Infarction Undergoing Mechanical Reperfusion. <i>American Journal of Cardiology</i> , 2009, 104, 1678-1683.	1.6	19
83	Cardiac magnetic resonance imaging assessment of regional and global left atrial function before and after catheter ablation for atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2009, 26, 109-117.	1.3	38
84	Occupational health hazards in the interventional laboratory: Time for a safer environment. <i>Heart Rhythm</i> , 2009, 6, 439-444.	0.7	29
85	Cardiac arrest survival after implementation of automated external defibrillator technology in the in-hospital setting. <i>Critical Care Medicine</i> , 2009, 37, 1229-1236.	0.9	44
86	The Antiarrhythmic Effects of Ranolazine. <i>Reviews in Cardiovascular Medicine</i> , 2009, 10, 38-45.	1.4	3
87	The role of temporary biventricular pacing in the cardiac surgical patient with severely reduced left ventricular systolic function. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008, 136, 915-921.	0.8	21
88	Esophageal ulceration from high-intensity focused US catheter ablation for pulmonary vein isolation: a novel complication in the treatment of symptomatic refractory atrial fibrillation. <i>Gastrointestinal Endoscopy</i> , 2008, 68, 597-599.	1.0	3
89	HRS/EHRA/ECAS Expert Consensus Statement on Catheter and Surgical Ablation of Atrial Fibrillation: Recommendations for Personnel, Policy, Procedures and Follow-Up: A report of the Heart Rhythm Society (HRS) Task Force on Catheter and Surgical Ablation of Atrial Fibrillation Developed in partnership with the European Heart Rhythm Association (EHRA) and the European Cardiac Arrhythmia Society (ECAS); in collaboration with the American College of Cardiology (ACC), American Heart Association (AHA), and the Soci. <i>Europace</i> , 2007, 9, 335-379.	1.7	741
90	HRS/EHRA/ECAS Expert Consensus Statement on Catheter and Surgical Ablation of Atrial Fibrillation: Recommendations for Personnel, Policy, Procedures and Follow-Up. <i>Heart Rhythm</i> , 2007, 4, 816-861.	0.7	1,258

#	ARTICLE	IF	CITATIONS
91	A randomized trial comparing effects of radiofrequency and cryoablation on the structural integrity of esophageal tissue. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2007, 19, 77-83.	1.3	47
92	P4-74. <i>Heart Rhythm</i> , 2006, 3, S243.	0.7	0
93	ACC/AHA/HRS 2006 Key Data Elements and Definitions for Electrophysiological Studies and Procedures. <i>Journal of the American College of Cardiology</i> , 2006, 48, 2360-2396.	2.8	143
94	Radiation worker mortality: intersociety call for survey participation. <i>American Journal of Neuroradiology</i> , 2006, 27, 1806.	2.4	0
95	Comparison of a Saline Irrigated Cooled-Tip Catheter to Large Electrode Catheters with Single and Multiple Temperature Sensors for Creation of Large Radiofrequency Lesions. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2005, 14, 139-145.	1.3	10
96	Extent of myocardial viability predicts response to biventricular pacing in ischemic cardiomyopathy. <i>Heart Rhythm</i> , 2005, 2, 1211-1217.	0.7	89
97	With pharmacologic conversion of atrial fibrillation, is timing everything?. <i>Heart Rhythm</i> , 2005, 2, 231-233.	0.7	0
98	Device pocket hematoma in the clopidogrel era. <i>Heart Rhythm</i> , 2005, 2, S3.	0.7	0
99	Dynamic Substrate Mapping and Ablation of Ventricular Tachycardias in Right Ventricular Dysplasia. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2004, 11, 37-45.	1.3	20
100	Biophysics of Ablation: Application to Technology. <i>Journal of Cardiovascular Electrophysiology</i> , 2004, 15, S2-S11.	1.7	72
101	Catheter ablation therapy for atrial fibrillation. <i>Cardiology Clinics</i> , 2004, 22, 127-145.	2.2	44
102	Time in bed after electrophysiological procedures (TIBS IV): a pilot study. <i>American Journal of Critical Care</i> , 2004, 13, 56-8, 87.	1.6	1
103	Effect of Heating on Pulmonary Veins: <i>Journal of Cardiovascular Electrophysiology</i> , 2003, 14, 250-254.	1.7	46
104	Intracellular Chloride Accumulation and Subcellular Elemental Distribution During Atrial Fibrillation. <i>Circulation</i> , 2003, 107, 1810-1815.	1.6	30
105	intracardiac echocardiography-guided, anatomically based radiofrequency ablation of focal atrial fibrillation originating from pulmonary veins. <i>Journal of the American College of Cardiology</i> , 2002, 39, 1964-1972.	2.8	132
106	Use of global atrial fibrillation organization to optimize the success of burst pace termination. <i>Journal of the American College of Cardiology</i> , 2002, 40, 1831-1840.	2.8	40
107	Cerebrovascular Complication Associated with Pulmonary Vein Ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2002, 13, 764-767.	1.7	136
108	With Pulmonary Vein Isolation for Paroxysmal Atrial Fibrillation Ablation, One Size Does Not Fit All. <i>Journal of Cardiovascular Electrophysiology</i> , 2002, 13, 962-963.	1.7	2

#	ARTICLE	IF	CITATIONS
109	Effect of Electrical and Structural Remodeling on Spatiotemporal Organization in Acute and Persistent Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2002, 13, 1027-1034.	1.7	20
110	The Effects of Reverse Atrial Electrical Remodeling on Atrial Defibrillation Thresholds. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2002, 25, 470-476.	1.2	9
111	Coexistence of type I atrial flutter and intra-atrial re-entrant tachycardia in patients with surgically corrected congenital heart disease. <i>Journal of the American College of Cardiology</i> , 2001, 38, 377-384.	2.8	93
112	Role of Calcium in Acute Hyperthermic Myocardial Injury. <i>Journal of Cardiovascular Electrophysiology</i> , 2001, 12, 563-569.	1.7	36
113	The Effects of Atrial Electrical Remodeling on Atrial Defibrillation Thresholds. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2001, 24, 1208-1215.	1.2	8
114	Assessment of Global Atrial Fibrillation Organization to Optimize Timing of Atrial Defibrillation. <i>Circulation</i> , 2001, 103, 2857-2861.	1.6	114
115	In Atrial Fibrillation, Size Does Matter. <i>Journal of Cardiovascular Electrophysiology</i> , 2000, 11, 1407-1408.	1.7	3
116	Elimination of Focal Atrial Fibrillation with a Single Radiofrequency Ablation: Use of a Basket Catheter in a Pulmonary Vein for Computerized Activation Sequence Mapping. <i>Journal of Cardiovascular Electrophysiology</i> , 2000, 11, 1159-1164.	1.7	13
117	Transient ST elevation after transthoracic cardioversion in patients with hemodynamically unstable ventricular tachyarrhythmia. <i>American Journal of Cardiology</i> , 2000, 85, 878-881.	1.6	29
118	Electrical, Morphological, and Ultrastructural Remodeling and Reverse Remodeling in a Canine Model of Chronic Atrial Fibrillation. <i>Circulation</i> , 2000, 102, 1454-1460.	1.6	240
119	Morphological and Physiological Characteristics of Discontinuous Linear Atrial Ablations During Atrial Pacing and Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 1999, 10, 378-386.	1.7	46
120	ACC expert consensus document on ethical coding and billing practices for cardiovascular medicine specialists11â€œEthical Coding and Billing Practices for Cardiovascular Medicine Specialistsâ€•was approved by the American College of Cardiology Board of Trustees on October 24, 1998.. <i>Journal of the American College of Cardiology</i> , 1999, 33, 1076-1086.	2.8	4
121	Efficacy of multiple ring and coil electrode radiofrequency ablation catheters for the creation of long linear lesions in the atria. <i>Medical Engineering and Physics</i> , 1998, 20, 551-557.	1.7	7
122	Linear Atrial Ablations in a Canine Model of Chronic Atrial Fibrillation. <i>Circulation</i> , 1998, 97, 1176-1185.	1.6	81
123	Comparative Study of Fluoroscopy and Intracardiac Echocardiographic Guidance for the Creation of Linear Atrial Lesions. <i>Circulation</i> , 1998, 98, 1796-1801.	1.6	89
124	Entrainment Mapping in Patients With Sustained Atrioventricular Nodal Reentrant Tachycardia. <i>American Journal of Cardiology</i> , 1997, 80, 883-888.	1.6	4
125	Nonuniform Heating During Radiofrequency Catheter Ablation With Long Electrodes. <i>Circulation</i> , 1997, 96, 4057-4064.	1.6	58
126	Effects of dispersive electrode position and surface area on electrical parameters and temperature during radiofrequency catheter ablation. <i>American Journal of Cardiology</i> , 1996, 77, 765-767.	1.6	41

#	ARTICLE	IF	CITATIONS
127	Sensing Lead-Related Complications in Patients With Transvenous Implantable Cardioverter-Defibrillators. <i>American Journal of Cardiology</i> , 1996, 78, 647-651.	1.6	47
128	Atrial rhythm after atrioventricular junctional ablation. <i>American Journal of Cardiology</i> , 1996, 78, 1251-1254.	1.6	16
129	Biophysics and pathology of catheter energy delivery systems. <i>Progress in Cardiovascular Diseases</i> , 1995, 37, 185-204.	3.1	141
130	Predictors of acute and long-term success after radiofrequency catheter ablation of type 1 atrial flutter. <i>American Journal of Cardiology</i> , 1995, 76, 604-606.	1.6	17
131	Temperature Measurement as a determinant of Tissue Heating During Radiofrequency Catheter ablation: An Examination of Electrode Thermistor Positioning for Measurement Accuracy. <i>Journal of Cardiovascular Electrophysiology</i> , 1995, 6, 268-278.	1.7	34
132	The Effect of Radiofrequency Catheter Ablation on Myocardial Creatine Kinase Activity. <i>Journal of Cardiovascular Electrophysiology</i> , 1995, 6, 79-88.	1.7	27
133	New Horizons in Catheter Ablation. <i>Journal of Interventional Cardiology</i> , 1995, 8, 845-856.	1.2	7
134	Correlation of Temperature and Pathophysiological Effect During Radiofrequency Catheter Ablation of the AV Junction. <i>Circulation</i> , 1995, 92, 1188-1192.	1.6	25
135	Intracoronary Ethanol Ablation in Swine... <i>Journal of Cardiovascular Electrophysiology</i> , 1994, 5, 41-49.	1.7	18
136	Ultrastructural Observations in the Myocardium Beyond the Region of Acute Coagulation Necrosis Following Radiofrequency Catheter Ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 1994, 5, 838-845.	1.7	54
137	Basic Aspects of Radiofrequency Catheter Ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 1994, 5, 863-876.	1.7	223
138	The Long-Term Outcome of Visually Directed Subendocardial Resection in Patients Without Inducible or Mappable Ventricular Tachycardia at the Time of Surgery. <i>Journal of Cardiovascular Electrophysiology</i> , 1994, 5, 399-407.	1.7	16
139	Intracoronary Ethanol Ablation in Swine:.. <i>Journal of Cardiovascular Electrophysiology</i> , 1994, 5, 422-431.	1.7	39
140	The Biophysics of Radiofrequency Catheter Ablation in the Heart: The Importance of Temperature Monitoring. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1993, 16, 586-591.	1.2	249
141	Comparison of the usefulness of the implantable cardioverter-defibrillator and subendocardial resection in patients with sustained ventricular arrhythmias and poor regional wall motion associated with coronary artery disease. <i>American Journal of Cardiology</i> , 1993, 72, 652-657.	1.6	8
142	Use of a regional wall motion score to enhance risk stratification of patients receiving an implantable cardioverter-defibrillator. <i>Journal of the American College of Cardiology</i> , 1993, 22, 1093-1099.	2.8	12
143	Dose a posterior aneurysm increase the risk of endocardial resection?. <i>Annals of Thoracic Surgery</i> , 1992, 54, 617-620.	1.3	6
144	Adenosine and Verapamil-Sensitive Ventricular Tachycardia Originating From the Left Ventricle: Radiofrequency Catheter Ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992, 15, 2240-2244.	1.2	43

#	ARTICLE	IF	CITATIONS
145	Failure of a Second and Third Generation Implantable Cardioverter Defibrillator to Sense Ventricular Tachycardia: Implications for Fixed Gain Sensing Devices. PACE - Pacing and Clinical Electrophysiology, 1992, 15, 749-755.	1.2	25
146	Thermal Ablation of Perfused Porcine Left Ventricle In Vitro with the Neodymium-YAG Laser Hot Tip Catheter System. PACE - Pacing and Clinical Electrophysiology, 1992, 15, 979-985.	1.2	11
147	Electrocardiographs abnormalities after radiofrequency catheter ablation of accessory bypass tracts in the Wolff-Parkinson-White syndrome. American Journal of Cardiology, 1992, 70, 200-204.	1.6	38
148	Ventricular Tachycardia Surgery. Journal of Cardiovascular Electrophysiology, 1992, 3, 160-172.	1.7	6
149	Determinants of Lesion Size During Radiofrequency Catheter Ablation: The Role of Electrode-Tissue Contact Pressure and Duration of Energy Delivery. Journal of Cardiovascular Electrophysiology, 1991, 2, 509-515.	1.7	234
150	Sustained intraatrial reentrant tachycardia: Clinical, electrocardiographic and electrophysiologic characteristics and long-term follow-up. Journal of the American College of Cardiology, 1990, 15, 1345-1354.	2.8	98
151	Characteristics and distribution of injury during percoronary ethanol ablation of ventricular myocardium in swine. Journal of the American College of Cardiology, 1990, 15, A132.	2.8	0
152	Effect of intravenous magnesium sulfate on supraventricular tachycardia. American Journal of Cardiology, 1989, 63, 1129-1131.	1.6	70
153	Stability of Electrophysiological Parameters after Acute Amiodarone Loading: Implications for Patient Management. PACE - Pacing and Clinical Electrophysiology, 1989, 12, 1038-1048.	1.2	5
154	Tissue Heating During Radiofrequency Catheter Ablation: A Thermodynamic Model and Observations in Isolated Perfused and Superfused Canine Right Ventricular Free Wall. PACE - Pacing and Clinical Electrophysiology, 1989, 12, 962-976.	1.2	385
155	Coronary artery bypass grafting in patients with ventricular fibrillation. Annals of Thoracic Surgery, 1989, 48, 85-89.	1.3	43
156	Automatic External Defibrillation of Patients After Myocardial Infarction by Family Members: Practical Aspects and Psychological Impact of Training. PACE - Pacing and Clinical Electrophysiology, 1988, 11, 2029-2034.	1.2	35
157	Current-based versus energy-based ventricular defibrillation: A prospective study. Journal of the American College of Cardiology, 1988, 12, 1259-1264.	2.8	64
158	Exercise-induced ST segment elevation 2 weeks after uncomplicated myocardial infarction: Contributing factors and prognostic significance. Journal of the American College of Cardiology, 1987, 9, 996-1003.	2.8	60
159	Repetitive Supraventricular Tachycardia: Clinical Manifestations and Response to Therapy with Amiodarone. PACE - Pacing and Clinical Electrophysiology, 1986, 9, 130-133.	1.2	1
160	Case Report: Zomepirac-Induced Anaphylactic Shock: An Under-Reported Phenomenon. American Journal of the Medical Sciences, 1985, 290, 165-166.	1.1	3
161	A prospective clinical, scintigraphic, angiographic and functional evaluation of patients after inferior myocardial infarction with and without right ventricular dysfunction. Journal of the American College of Cardiology, 1985, 6, 995-1003.	2.8	49
162	Anatomic and prognostic significance of new T-wave inversion in unstable angina. American Journal of Cardiology, 1983, 52, 14-18.	1.6	158

#	ARTICLE	IF	CITATIONS
163	Optimization of Defibrillation Function. , 0 , 197-205.		0
164	Advances in Catheter Control Devices. , 0 , 257-261.		0
165	Implantable Defibrillator Sensing and Discrimination Algorithms. , 0 , 161-177.		1
166	Epicardial Access: Present and Future Applications for Interventional Electrophysiologists. , 0 , 242-256.		0
167	Sensor and Sensor Integration. , 0 , 109-118.		0
168	New Ablation Paradigms: Anatomic Ablation of Complex Arrhythmia Substrates. , 0 , 274-281.		0
169	Arrhythmia Prevention and Termination Algorithms. , 0 , 178-186.		0
170	New Antiarrhythmic Pharmacologic Therapies and Regulatory Issues in Antiarrhythmic Drug Development. , 0 , 1-13.		1
171	New Lead Designs and Lead-less Systems. , 0 , 187-196.		0
172	New Frontiers in Antithrombotic Therapy for Atrial Fibrillation. , 0 , 14-28.		0
173	Embryonic Stem-cell-derived Cardiomyocytes as a Model For Arrhythmia. , 0 , 48-53.		0
174	New Indications for Pacing. , 0 , 154-160.		0
175	Beta-blocker Efficacy in Long-QT Syndrome Patients with Mutations in the Pore and Nonpore Regions of the hERG Potassium-channel Gene. , 0 , 91-94.		0
176	New Electrode and Lead Designs for Pacemakers. , 0 , 119-123.		0
177	New Resynchronization Lead Systems and Devices. , 0 , 145-153.		3
178	Gene Therapy for Cardiac Tachyarrhythmias. , 0 , 65-71.		0
179	Techniques of Prediction of Arrhythmia Occurrence and Stratification for Sudden Cardiac Death. , 0 , 84-90.		0
180	New ICD Indications. , 0 , 219-229.		0

#	ARTICLE	IF	CITATIONS
181	Advances in Surgical Ablation Devices for Atrial Fibrillation. , 0 , 231-241.		8
182	New Developments in Noninvasive Rhythm Monitoring, Implantable Hemodynamic Monitoring, Functional Status Monitoring, and Noninvasive Mapping. , 0 , 73-83.		0
183	Left Ventricular Epicardial Lead Implantation: Anatomy, Techniques, and Tools. , 0 , 134-144.		0
184	The Cardiac Sodium-Channel Carboxy Terminus: Predicted and Detected Structure Provide a Novel Target For Antiarrhythmic Drugs Development. , 0 , 36-47.		0
185	Current Concepts in Intravascular Pacemaker and Defibrillator Lead Extraction. , 0 , 124-133.		2
186	New Developments in Out-of-hospital Cardiac Defibrillation: Evaluation of AED Strategies. , 0 , 95-108.		0