## Assocâ€P.rof Yu Xiang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5073577/publications.pdf

Version: 2024-02-01

62 papers 5,256 citations

126708 33 h-index 62 g-index

69 all docs

69 docs citations

69 times ranked 5715 citing authors

#	Article	IF	CITATIONS
1	A ratiometric solid AIE sensor for detection of acetone vapor. Talanta, 2022, 236, 122845.	2.9	4
2	<i>In Situ</i> Visualizing Nascent RNA by Exploring DNA-Templated Oxidative Amination of 4-Thiouridine. Bioconjugate Chemistry, 2022, 33, 164-171.	1.8	1
3	Chemical synthesis of stimuli-responsive guide RNA for conditional control of CRISPR-Cas9 gene editing. Chemical Science, 2021, 12, 9934-9945.	3.7	13
4	General Method for Post-Synthetic Modification of Oligonucleotides Based on Oxidative Amination of 4-Thio-2′-deoxyuridine. Bioconjugate Chemistry, 2021, 32, 721-728.	1.8	4
5	Organic Nanoparticles with Persistent Luminescence for In Vivo Afterglow Imagingâ€Guided Photodynamic Therapy. Chemistry - A European Journal, 2021, 27, 6911-6916.	1.7	20
6	Wavelength-Selective Activation of Photocaged DNAzymes for Metal Ion Sensing in Live Cells. ACS Omega, 2021, 6, 13153-13160.	1.6	9
7	Long-Term Dynamic Imaging of Cellular Processes Using an AIE Lipid Order Probe in the Dual-Color Mode. Analytical Chemistry, 2021, 93, 10272-10281.	3.2	21
8	Postâ€Synthetic Modification of Oligonucleotides Through Oxidative Amination of 4â€Thioâ€2â€2â€Deoxyuridin Current Protocols, 2021, 1, e274.	e. <sub>1.3</sub>	0
9	Simultaneously and Selectively Imaging a Cytoplasm Membrane and Mitochondria Using a Dual-Colored Aggregation-Induced Emission Probe. Analytical Chemistry, 2020, 92, 14494-14500.	3.2	37
10	Patterned, Wearable UV Indicators from Electrospun Photochromic Fibers and Yarns. Advanced Materials Technologies, 2020, 5, 2000564.	3.0	32
11	Orthogonal Activation of RNAâ€Cleaving DNAzymes in Live Cells by Reactive Oxygen Species. Angewandte Chemie, 2019, 131, 14305-14310.	1.6	17
12	Orthogonal Activation of RNAâ€Cleaving DNAzymes in Live Cells by Reactive Oxygen Species. Angewandte Chemie - International Edition, 2019, 58, 14167-14172.	7.2	65
13	Enhancing Catalytic Activity of Uranyl-Dependent DNAzyme by Flexible Linker Insertion for More Sensitive Detection of Uranyl Ion. Analytical Chemistry, 2019, 91, 6608-6615.	3.2	21
14	Tuning Emission Wavelength of Polymorphous Crystal via Controllable Alkyl Chain Stacking and Its Vapor―and Thermoâ€Responsive Fluorescence. Chemistry - A European Journal, 2019, 25, 8043-8052.	1.7	6
15	Selective and sensitive fluorescence "turn-on―detection of 4-thiouridine in nucleic acids <i>via</i> oxidative amination. Chemical Communications, 2019, 55, 13096-13099.	2.2	10
16	Photocaged G-Quadruplex DNAzyme and Aptamer by Post-Synthetic Modification on Phosphodiester Backbone. Bioconjugate Chemistry, 2017, 28, 549-555.	1.8	24
17	Mechanoresponsive Fluorescence of 2-Aminobenzophenone Derivatives Based on Amorphous Phase to Crystalline Transformation with High "Off–On―Contrast Ratio. Journal of Physical Chemistry C, 2017, 121, 21610-21615.	1.5	20
18	Photoactivatable aggregation-induced emission of triphenylmethanol. Chemical Communications, 2017, 53, 11130-11133.	2.2	14

#	Article	IF	CITATIONS
19	Fully integrated graphene electronic biosensor for label-free detection of lead (II) ion based on G-quadruplex structure-switching. Biosensors and Bioelectronics, 2017, 89, 758-763.	5.3	69
20	Integration of Solution-Based Assays onto Lateral Flow Device for One-Step Quantitative Point-of-Care Diagnostics Using Personal Glucose Meter. ACS Sensors, 2016, 1, 1091-1096.	4.0	57
21	Doseâ€Dependent Response of Personal Glucose Meters to Nicotinamide Coenzymes: Applications to Pointâ€ofâ€Care Diagnostics of Many Nonâ€Glucose Targets in a Single Step. Angewandte Chemie - International Edition, 2016, 55, 732-736.	7.2	88
22	Quantification of total phosphorothioate in bacterial DNA by a bromoimaneâ€based fluorescent method. Biotechnology Journal, 2016, 11, 824-830.	1.8	8
23	An electrochemical biosensor for double-stranded Wnt7B gene detection based on enzymatic isothermal amplification. Biosensors and Bioelectronics, 2016, 86, 75-82.	5.3	26
24	Label-free fluorescence detection of melamine with a truncated aptamer. Analyst, The, 2016, 141, 4511-4517.	1.7	40
25	Cationic Peptide Conjugation Enhances the Activity of Peroxidase-Mimicking DNAzymes. Bioconjugate Chemistry, 2016, 27, 621-627.	1.8	20
26	Postsynthetic Modification of DNA Phosphodiester Backbone for Photocaged DNAzyme. ACS Chemical Biology, 2016, 11, 444-451.	1.6	59
27	Practical, highly sensitive, and regenerable evanescent-wave biosensor for detection of Hg2+ and Pb2+ in water. Biosensors and Bioelectronics, 2016, 80, 265-272.	5.3	57
28	Aggregation-Induced Emission Luminogen-Embedded Silica Nanoparticles Containing DNA Aptamers for Targeted Cell Imaging. ACS Applied Materials & Samp; Interfaces, 2016, 8, 609-616.	4.0	68
29	Energy driven cascade recognition for selective detection of nucleic acids with high discrimination factor at room temperature. Biosensors and Bioelectronics, 2016, 79, 488-494.	5.3	18
30	Using a Personal Glucose Meter and Alkaline Phosphatase for Pointâ€ofâ€Care Quantification of Galactoseâ€1â€Phosphate Uridyltransferase in Clinical Galactosemia Diagnosis. Chemistry - an Asian Journal, 2015, 10, 2221-2227.	1.7	28
31	Fluorescence turn-on detection of cysteine over homocysteine and glutathione based on "ESIPT―and "AIE― Analytical Methods, 2015, 7, 5028-5033.	1.3	33
32	Photoactivatable Aggregationâ€Induced Emission Fluorophores with Multipleâ€Color Fluorescence and Wavelengthâ€Selective Activation. Chemistry - A European Journal, 2015, 21, 4326-4332.	1.7	54
33	Quadruple signal amplification strategy based on hybridization chain reaction and an immunoelectrode modified with graphene sheets, a hemin/G-quadruplex DNAzyme concatamer, and alcohol dehydrogenase: ultrasensitive determination of influenza virus subtype H7N9. Mikrochimica Acta, 2015, 182, 2377-2385.	2.5	16
34	How a novel tyrosine–heme cross-link fine-tunes the structure and functions of heme proteins: a direct comparitive study of L29H/F43Y myoglobin. Dalton Transactions, 2015, 44, 18815-18822.	1.6	23
35	A general approach for rational design of fluorescent DNA aptazyme sensors based on target-induced unfolding of DNA hairpins. Analytica Chimica Acta, 2015, 889, 179-186.	2.6	16
36	Fluorescence turn-on detection of pyrophosphate based on aggregation-induced emission property of 5-chlorosalicylaldehyde azine. Analytical Methods, 2015, 7, 753-758.	1.3	26

#	Article	IF	Citations
37	A label-free and sensitive fluorescent method for the detection of uracil-DNA glycosylase activity. Chemical Communications, 2015, 51, 929-932.	2.2	41
38	A reusable aptamer-based evanescent wave all-fiber biosensor for highly sensitive detection of Ochratoxin A. Biosensors and Bioelectronics, 2015, 66, 11-18.	5 <b>.</b> 3	95
39	Using the Widely Available Blood Glucose Meter to Monitor Insulin and HbA1c. Journal of Diabetes Science and Technology, 2014, 8, 855-858.	1.3	26
40	Readily accessible rhodamine B-based photoresponsive material. Science China Chemistry, 2014, 57, 248-251.	4.2	19
41	A ratiometric fluorescent chemosensor for Al3+ in aqueous solution based on aggregation-induced emission and its application in live-cell imaging. Analytica Chimica Acta, 2014, 829, 54-59.	2.6	80
42	A new colorimetric strategy for monitoring caspase 3 activity by HRP-mimicking DNAzyme–peptide conjugates. Analyst, The, 2014, 139, 1178-1183.	1.7	38
43	Reversible Photochromic System Based on Rhodamine B Salicylaldehyde Hydrazone Metal Complex. Journal of the American Chemical Society, 2014, 136, 1643-1649.	6.6	209
44	DNA as Sensors and Imaging Agents for Metal lons. Inorganic Chemistry, 2014, 53, 1925-1942.	1.9	136
45	DNAzyme-Functionalized Gold Nanoparticles for Biosensing. Advances in Biochemical Engineering/Biotechnology, 2013, 140, 93-120.	0.6	20
46	Expanding DNAzyme functionality through enzyme cascades with applications in single nucleotide repair and tunable DNA-directed assembly of nanomaterials. Chemical Science, 2013, 4, 398-404.	3.7	16
47	An invasive DNA approach toward a general method for portable quantification of metal ions using a personal glucose meter. Chemical Communications, 2013, 49, 585-587.	2.2	128
48	Expanding Targets of DNAzyme-Based Sensors through Deactivation and Activation of DNAzymes by Single Uracil Removal: Sensitive Fluorescent Assay of Uracil-DNA Glycosylase. Analytical Chemistry, 2012, 84, 9981-9987.	3.2	46
49	Label-Free Catalytic and Molecular Beacon Containing an Abasic Site for Sensitive Fluorescent Detection of Small Inorganic and Organic Molecules. Analytical Chemistry, 2012, 84, 2916-2922.	3.2	84
50	Using Commercially Available Personal Glucose Meters for Portable Quantification of DNA. Analytical Chemistry, 2012, 84, 1975-1980.	3.2	163
51	Portable and Quantitative Detection of Protein Biomarkers and Small Molecular Toxins Using Antibodies and Ubiquitous Personal Glucose Meters. Analytical Chemistry, 2012, 84, 4174-4178.	3.2	163
52	A ratiometric fluorescent pH probe based on aggregation-induced emission enhancement and its application in live-cell imaging. Journal of Materials Chemistry, 2011, 21, 13470.	6.7	115
53	Using personal glucose meters and functional DNA sensors to quantify a variety of analytical targets. Nature Chemistry, 2011, 3, 697-703.	6.6	615
54	Organic Crystalline Solids Response to Piezo/thermo Stimulus: Donor–Acceptor (D–A) Attached Salicylaldehyde Azine Derivatives. Journal of Physical Chemistry C, 2011, 115, 14353-14359.	1.5	55

#	ARTICLE	IF	CITATIONS
55	Label-Free Fluorescent Functional DNA Sensors Using Unmodified DNA: A Vacant Site Approach. Analytical Chemistry, 2010, 82, 4122-4129.	3.2	106
56	Abasic Site-Containing DNAzyme and Aptamer for Label-Free Fluorescent Detection of Pb <sup>2+</sup> and Adenosine with High Sensitivity, Selectivity, and Tunable Dynamic Range. Journal of the American Chemical Society, 2009, 131, 15352-15357.	6.6	334
57	Salicylaldehyde Azines as Fluorophores of Aggregation-Induced Emission Enhancement Characteristics. Journal of Organic Chemistry, 2009, 74, 2163-2166.	1.7	270
58	Ratiometric and selective fluorescent chemodosimeter for Cu(II) by Cu(II)â€induced oxidation. Luminescence, 2008, 23, 28-31.	1.5	60
59	Highly sensitive and selective optical chemosensor for determination of Cu2+ in aqueous solution. Talanta, 2008, 74, 1148-1153.	2.9	124
60	Sensitive and selective spectrofluorimetric determination of chromium(VI) in water by fluorescence enhancement. Analytica Chimica Acta, 2007, 581, 132-136.	2.6	110
61	A New Rhodamine-Based Chemosensor Exhibiting Selective Fell-Amplified Fluorescence. Organic Letters, 2006, 8, 1549-1552.	2.4	442
62	New Fluorescent Rhodamine Hydrazone Chemosensor for Cu(II) with High Selectivity and Sensitivity. Organic Letters, 2006, 8, 2863-2866.	2.4	650