

# Tsutomu Hatano

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5073713/publications.pdf>

Version: 2024-02-01

241  
papers

13,428  
citations

18436

62  
h-index

31759

101  
g-index

260  
all docs

260  
docs citations

260  
times ranked

10435  
citing authors

#	ARTICLE	IF	CITATIONS
1	Two new flavonoids and other constituents in licorice root. Their relative astringency and radical scavenging effects.. Chemical and Pharmaceutical Bulletin, 1988, 36, 2090-2097.	0.6	1,028
2	Effects of the interaction of tannins with Co-existing substances. VI. Effects of tannins and related polyphenols on superoxide anion radical, and on 1,1-diphenyl-2-picrylhydrazyl radical.. Chemical and Pharmaceutical Bulletin, 1989, 37, 2016-2021.	0.6	610
3	Production of bioactive triterpenes by <i>Eriobotrya japonica</i> calli. Phytochemistry, 2002, 59, 315-323.	1.4	265
4	Studies on the activities of tannins and related compounds from medicinal plants and drugs. I. Inhibitory effects on lipid peroxidation in mitochondria and microsomes of liver.. Chemical and Pharmaceutical Bulletin, 1983, 31, 1625-1631.	0.6	241
5	Studies on inhibition mechanism of autoxidation by tannins and flavonoids. V. Radical-scavenging effects of tannins and related polyphenols on 1,1-diphenyl-2-picrylhydrazyl radical.. Chemical and Pharmaceutical Bulletin, 1989, 37, 1919-1921.	0.6	225
6	Antibacterial Activity of Hydrolyzable Tannins Derived from Medicinal Plants against <i>Helicobacter pylori</i> . Microbiology and Immunology, 2004, 48, 251-261.	0.7	222
7	Analyses of Polyphenols in Cacao Liquor, Cocoa, and Chocolate by Normal-Phase and Reversed-Phase HPLC. Bioscience, Biotechnology and Biochemistry, 2000, 64, 2581-2587.	0.6	201
8	Ellagitannins as Active Constituents of Medicinal Plants. Planta Medica, 1989, 55, 117-122.	0.7	197
9	Inhibitory effects of polyphenols on human cytochrome P450 3A4 and 2C9 activity. Food and Chemical Toxicology, 2010, 48, 429-435.	1.8	191
10	New Methods of Analyzing Tannins. Journal of Natural Products, 1989, 52, 1-31.	1.5	187
11	Inhibition of herpes simplex virus infection by tannins and related compounds. Antiviral Research, 1989, 11, 285-297.	1.9	168
12	Proanthocyanidin glycosides and related polyphenols from cacao liquor and their antioxidant effects. Phytochemistry, 2002, 59, 749-758.	1.4	168
13	Antimicrobial Activity of Oleanolic Acid from <i>Salvia officinalis</i> and Related Compounds on Vancomycin-Resistant Enterococci (VRE). Biological and Pharmaceutical Bulletin, 2007, 30, 1147-1149.	0.6	161
14	Inhibition of human immunodeficiency viral replication by tannins and related compounds. Antiviral Research, 1992, 18, 91-103.	1.9	155
15	Phenolic Constituents of Cassia Seeds and Antibacterial Effect of Some Naphthalenes and Anthraquinones on Methicillin-Resistant <i>Staphylococcus aureus</i> .. Chemical and Pharmaceutical Bulletin, 1999, 47, 1121-1127.	0.6	155
16	Circular dichroism of hydrolysable tannins-I ellagitannins and gallotannins. Tetrahedron Letters, 1982, 23, 3937-3940.	0.7	154
17	Phenolic Constituents of Licorice. VIII. Structures of Glicophenone and Glicoisoflavanone, and Effects of Licorice Phenolics on Methicillin-Resistant <i>Staphylococcus aureus</i> .. Chemical and Pharmaceutical Bulletin, 2000, 48, 1286-1292.	0.6	136
18	Inhibitory Effects of Various Flavonoids Isolated from Leaves of Persimmon on Angiotensin-Converting Enzyme Activity. Journal of Natural Products, 1987, 50, 680-683.	1.5	134

#	ARTICLE	IF	CITATIONS
19	Marked Potentiation of Activity of $\beta$ -Lactams against Methicillin-Resistant <i>Staphylococcus aureus</i> by Corilagin. <i>Antimicrobial Agents and Chemotherapy</i> , 2001, 45, 3198-3201.	1.4	132
20	Effects of tannins and related polyphenols on methicillin-resistant <i>Staphylococcus aureus</i> . <i>Phytochemistry</i> , 2005, 66, 2047-2055.	1.4	129
21	Polyphenols from <i>Eriobotrya japonica</i> and Their Cytotoxicity against Human Oral Tumor Cell Lines.. <i>Chemical and Pharmaceutical Bulletin</i> , 2000, 48, 687-693.	0.6	124
22	Remarkable Synergies between Baicalein and Tetracycline, and Baicalein and $\beta$ -Lactams against Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Microbiology and Immunology</i> , 2005, 49, 391-396.	0.7	121
23	Marked Reduction in the Minimum Inhibitory Concentration (MIC) of $\beta$ -Lactams in Methicillin-Resistant <i>Staphylococcus aureus</i> Produced by Epicatechin Gallate, an Ingredient of Green Tea ( <i>Camellia sinensis</i> ).. <i>Biological and Pharmaceutical Bulletin</i> , 1999, 22, 1388-1390.	0.6	119
24	Phenolic constituents of licorice. II. Structures of licopyranocoumarin, licoaryl coumarin and glisoflavone, and inhibitory effects of licorice phenolics on xanthine oxidase.. <i>Chemical and Pharmaceutical Bulletin</i> , 1989, 37, 3005-3009.	0.6	117
25	Effects of interaction of tannins with co-existing substances. VII. Inhibitory effects of tannins and related polyphenols on xanthine oxidase.. <i>Chemical and Pharmaceutical Bulletin</i> , 1990, 38, 1224-1229.	0.6	115
26	Hydrolyzable Tannins and Related Polyphenols. Progress in the Chemistry of Organic Natural Products, 1995, 66, 1-117.	0.8	112
27	Classification of oligomeric hydrolysable tannins and specificity of their occurrence in plants. <i>Phytochemistry</i> , 1993, 32, 507-521.	1.4	111
28	Relationship of the structures of tannins to the binding activities with hemoglobin and methylene blue.. <i>Chemical and Pharmaceutical Bulletin</i> , 1985, 33, 1424-1433.	0.6	107
29	Relationship between the structures and the antitumor activities of tannins.. <i>Chemical and Pharmaceutical Bulletin</i> , 1987, 35, 814-822.	0.6	107
30	Tannins of cornaceous plants. I. Cornusins A, B and C, dimeric monomeric and trimeric hydrolyzable tannins from <i>Cornus officinalis</i> , and orientation of valoneoyl group in related tannins.. <i>Chemical and Pharmaceutical Bulletin</i> , 1989, 37, 2083-2090.	0.6	107
31	Constituents and their antioxidative effects in eucalyptus leaf extract used as a natural food additive. <i>Food Chemistry</i> , 2002, 77, 47-56.	4.2	103
32	Ellagitannins of the casuarinaceae, stachyuraceae and myrtaceae. <i>Phytochemistry</i> , 1980, 21, 2871-2874.	1.4	97
33	Studies on the activities of tannins and related compounds from medicinal plants and drugs. VII. Effects of extracts of leaves of <i>Artemisia</i> species, and caffeic acid and chlorogenic acid on lipid metabolic injury in rats fed peroxidized oil.. <i>Chemical and Pharmaceutical Bulletin</i> , 1985, 33, 2028-2034.	0.6	95
34	Anti-human immunodeficiency virus phenolics from licorice.. <i>Chemical and Pharmaceutical Bulletin</i> , 1988, 36, 2286-2288.	0.6	95
35	In vivo anti-inflammatory and antioxidant properties of ellagitannin metabolite urolithin A. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 5901-5904.	1.0	95
36	Hydrolysable tannins as chemotaxonomic markers in the rosaceae. <i>Phytochemistry</i> , 1992, 31, 3091-3096.	1.4	90

#	ARTICLE	IF	CITATIONS
37	Urinary Excretion of Anthocyanins in Humans after Cranberry Juice Ingestion. <i>Bioscience, Biotechnology and Biochemistry</i> , 2006, 70, 1681-1687.	0.6	87
38	Antitumor Activities of Ellagitannins against Sarcoma-180 in Mice.. <i>Biological and Pharmaceutical Bulletin</i> , 1993, 16, 379-387.	0.6	81
39	Anti-tumor promoting activity of polyphenols from <i>Cowania mexicana</i> and <i>Coleogyne ramosissima</i> . <i>Cancer Letters</i> , 1999, 143, 5-13.	3.2	79
40	The distribution of geraniin and mallotusinic acid in the order geraniales. <i>Phytochemistry</i> , 1980, 19, 547-551.	1.4	78
41	Correlation of oxidative transformations of hydrolyzable tannins and plant evolution. <i>Phytochemistry</i> , 2000, 55, 513-529.	1.4	78
42	Restoration of effectiveness of $\beta$ -lactams on methicillin-resistant <i>Staphylococcus aureus</i> by tellimagrandin I from rose red. <i>FEMS Microbiology Letters</i> , 2000, 185, 135-138.	0.7	78
43	Seasonal changes in the tannins of <i>Liquidambar formosana</i> reflecting their biogenesis. <i>Phytochemistry</i> , 1986, 25, 2787-2789.	1.4	77
44	Antitumor Activity of Compounds Isolated from Leaves of <i>Eriobotrya japonica</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 2400-2403.	2.4	76
45	Identification of Urinary and Intestinal Bacterial Metabolites of Ellagitannin Geraniin in Rats. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 393-400.	2.4	76
46	Constituents of <i>Geranium thunbergii</i> Sieb. et Zucc. Part 12. Hydrated stereostructure and equilibration of geraniin. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1982, , 9.	0.9	75
47	Carbonic Anhydrase Inhibitors from the Pericarps of <i>Punica granatum</i> L.. <i>Biological and Pharmaceutical Bulletin</i> , 1993, 16, 787-790.	0.6	75
48	Rugosin A, B, C and praecoxin A, tannins having a valoneoyl group.. <i>Chemical and Pharmaceutical Bulletin</i> , 1982, 30, 4230-4233.	0.6	74
49	Studies on the Activities of Tannins and Related Compounds, X. Effects of Caffeetannins and Related Compounds on Arachidonate Metabolism in Human Polymorphonuclear Leukocytes. <i>Journal of Natural Products</i> , 1987, 50, 392-399.	1.5	74
50	Flavan dimers with lipase inhibitory activity from <i>Cassia nomame</i> . <i>Phytochemistry</i> , 1997, 46, 893-900.	1.4	74
51	Transcriptional suppression of the HIV promoter by natural compounds. <i>Antiviral Research</i> , 2003, 58, 89-98.	1.9	72
52	Walnut Polyphenols Prevent Liver Damage Induced by Carbon Tetrachloride and Galactosamine: Hepatoprotective Hydrolyzable Tannins in the Kernel Pellicles of Walnut. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 4444-4449.	2.4	72
53	Two Novel Dicarboxylic Acid Derivatives and a New Dimeric Hydrolyzable Tannin from Walnuts. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 672-679.	2.4	70
54	Chlorogenic Acid and Its Metabolite Coumaric Acid Evoke Neurite Outgrowth in Hippocampal Neuronal Cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2008, 72, 885-888.	0.6	70

#	ARTICLE	IF	CITATIONS
55	Antitumor Activity of Oenothain B, a Unique Macrocyclic Ellagitannin. Japanese Journal of Cancer Research, 1993, 84, 99-103.	1.7	69
56	Oenothain B, a dimeric, hydrolysable tannin with macrocyclic structure, and accompanying tannins from <i>Oenothera erythrosepala</i> . Journal of the Chemical Society Perkin Transactions 1, 1990, , 2735.	0.9	68
57	Oligomeric Hydrolyzable Tannins, a New Class of Plant Polyphenols. Heterocycles, 1990, 30, 1195.	0.4	66
58	Spectral and chromatographic analyses of tannins. I. <sup>13</sup> C Nuclear magnetic resonance spectra of hydrolyzable tannins.. Chemical and Pharmaceutical Bulletin, 1984, 32, 1790-1799.	0.6	65
59	Potential of Antimicrobial Activity of Aminoglycosides by Carnosol from <i>Salvia officinalis</i> . Biological and Pharmaceutical Bulletin, 2007, 30, 287-290.	0.6	65
60	Effect of <i>Polygala tenuifolia</i> Root Extract on Scopolamine-Induced Impairment of Rat Spatial Cognition in an Eight-Arm Radial Maze Task. Biological and Pharmaceutical Bulletin, 2007, 30, 1727-1731.	0.6	65
61	Inhibitory Effects of Galloylated Flavonoids on Xanthine Oxidase. Planta Medica, 1991, 57, 83-84.	0.7	64
62	Effect of Polyphenol-Rich Extract from Walnut on Diet-Induced Hypertriglyceridemia in Mice via Enhancement of Fatty Acid Oxidation in the Liver. Journal of Agricultural and Food Chemistry, 2009, 57, 1786-1792.	2.4	64
63	Tannins and Related Polyphenols of Lythraceous Plants. Part2. Woodfordin D and Oenothain A, Trimeric Hydrolyzable Tannins of Macro-Ring Structure with Antitumor Activity.. Chemical and Pharmaceutical Bulletin, 1991, 39, 1157-1162.	0.6	62
64	Phenolic Constituents of Liquorice. VII. A New Chalcone with a Potent Radical Scavenging Activity and Accompanying Phenolics from Liquorice.. Chemical and Pharmaceutical Bulletin, 1997, 45, 1485-1492.	0.6	62
65	Antileishmanial Activity of Hydrolyzable Tannins and their Modulatory Effects on Nitric Oxide and Tumour Necrosis Factor- $\alpha$ Release in Macrophages in Vitro. Planta Medica, 2001, 67, 825-832.	0.7	62
66	Polyphenolic Constituent Structures of <i>Zanthoxylum piperitum</i> Fruit and the Antibacterial Effects of Its Polymeric Procyanidin on Methicillin-Resistant <i>Staphylococcus aureus</i> . Bioscience, Biotechnology and Biochemistry, 2006, 70, 1423-1431.	0.6	62
67	Molecular requirements of lignin-carbohydrate complexes for expression of unique biological activities. Phytochemistry, 2005, 66, 2108-2120.	1.4	61
68	Two macrocyclic hydrolysable tannin dimers from <i>Eugenia uniflora</i> . Phytochemistry, 1997, 44, 1343-1349.	1.4	59
69	Antioxidative Properties of Functional Polyphenols and Their Metabolites Assessed by an ORAC Assay. Bioscience, Biotechnology and Biochemistry, 2012, 76, 395-399.	0.6	59
70	Studies on the activities of tannins and related compounds from medicinal plants and drugs. VI. Inhibitory effects of caffeoylquinic acids on histamine release from rat peritoneal mast cells.. Chemical and Pharmaceutical Bulletin, 1985, 33, 690-696.	0.6	57
71	Phenolic Constituents of Licorice. III. Structures of Glicoricone and Licofuranone, and Inhibitory Effects of Licorice Constituents on Monoamine Oxidase.. Chemical and Pharmaceutical Bulletin, 1991, 39, 1238-1243.	0.6	54
72	Inhibitory effects of Korean medicinal plants and camelliatannin H from <i>Camellia japonica</i> on human immunodeficiency virus type 1 protease. Phytotherapy Research, 2002, 16, 422-426.	2.8	54

#	ARTICLE	IF	CITATIONS
73	Tannis of Medicinal Plants and Drugs. <i>Heterocycles</i> , 1981, 15, 1323.	0.4	54
74	Tannins and related compounds induce nitric oxide synthase and cytokines gene expressions in <i>Leishmania major</i> -infected macrophage-like RAW 264.7 cells. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 6470-6476.	1.4	53
75	Interaction of Polyphenols with Proteins: Binding of (-)-Epigallocatechin Gallate to Serum Albumin, Estimated by Induced Circular Dichroism. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 224-228.	0.6	52
76	Rugosin D, E, F and G, dimeric and trimeric hydrolyzable tannins.. <i>Chemical and Pharmaceutical Bulletin</i> , 1982, 30, 4234-4237.	0.6	51
77	Constituents of <i>Psoralea corylifolia</i> Fruits and Their Effects on Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Molecules</i> , 2015, 20, 12500-12511.	1.7	50
78	1,3,5-Tri-O-caffeoylquinic acid from <i>Xanthium strumarium</i> . <i>Phytochemistry</i> , 1993, 33, 508-509.	1.4	49
79	Anti-methicillin Resistant <i>Staphylococcus aureus</i> (MRSA) Compounds Isolated from <i>Laurus nobilis</i> . <i>Biological and Pharmaceutical Bulletin</i> , 2008, 31, 1794-1797.	0.6	49
80	Effects of Mace and Nutmeg on Human Cytochrome P450 3A4 and 2C9 Activity. <i>Biological and Pharmaceutical Bulletin</i> , 2010, 33, 1977-1982.	0.6	49
81	Guavins A, C and D, complex tannins from <i>Psidium guajava</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 1987, 35, 443-446.	0.6	48
82	Minor flavonoids from licorice. <i>Phytochemistry</i> , 2000, 55, 959-963.	1.4	48
83	Chemistry and function of vegetable polyphenols with high molecular weights. <i>BioFactors</i> , 2000, 13, 121-125.	2.6	48
84	Constituents of <i>Geranium thunbergii</i> Sieb. et Zucc. XIII Isolation of water-soluble tannins by centrifugal partition chromatography, and biomimetic synthesis of elaeocarpusin.. <i>Chemical and Pharmaceutical Bulletin</i> , 1986, 34, 4075-4082.	0.6	47
85	A tetrameric derivative of caffeic acid from <i>Rabdosia japonica</i> . <i>Phytochemistry</i> , 1989, 28, 2447-2450.	1.4	47
86	Proanthocyanidins and Related Compounds: Antileishmanial Activity and Modulatory Effects on Nitric Oxide and Tumor Necrosis Factor- $\alpha$ Release in the Murine Macrophage-Like Cell Line RAW 264.7.. <i>Biological and Pharmaceutical Bulletin</i> , 2001, 24, 1016-1021.	0.6	47
87	New antitumor sesquiterpenoids from <i>Santalum album</i> of Indian origin. <i>Tetrahedron</i> , 2006, 62, 6981-6989.	1.0	47
88	Hydrolysable tannins having enantiomeric dehydrohexahydroxydiphenoyl group: Revised structure of terchebin and structure of granatin B. <i>Tetrahedron Letters</i> , 1980, 21, 4361-4364.	0.7	46
89	Studies on the Activities of Tannins and Related Compounds; VI. Inhibitory Effects on Lipid Peroxidation in Mitochondria and Microsomes of Liver2. <i>Planta Medica</i> , 1984, 50, 473-477.	0.7	46
90	Tannins of aceraceous plants. Part II. Gallotannins having a 1,5-anhydro-D-glucitol core and some ellagitannins from <i>Acer</i> species.. <i>Chemical and Pharmaceutical Bulletin</i> , 1990, 38, 1902-1905.	0.6	46

#	ARTICLE	IF	CITATIONS
91	Tannins of rosaceous plants. VIII. Hydrolyzable tannin monomers having a valoneoyl group from flower petals of <i>Rosa rugosa</i> Thunb.. <i>Chemical and Pharmaceutical Bulletin</i> , 1990, 38, 3308-3313.	0.6	46
92	Conformational isomerism of phenolic procyanidins: preferred conformations in organic solvents and water. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1997, , 1035-1044.	0.9	46
93	Acylated flavonoid glycosides and accompanying phenolics from licorice. <i>Phytochemistry</i> , 1998, 47, 287-293.	1.4	46
94	Enhancement of antibacterial effects of epigallocatechin gallate, using ascorbic acid. <i>Phytochemistry</i> , 2008, 69, 3111-3116.	1.4	46
95	Synergistic Effect of Kaempferol Glycosides Purified from <i>Laurus nobilis</i> and Fluoroquinolones on Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Biological and Pharmaceutical Bulletin</i> , 2009, 32, 489-492.	0.6	46
96	A galloylated monoterpene glucoside and a dimeric hydrolysable tannin from <i>Cornus officinalis</i> . <i>Phytochemistry</i> , 1990, 29, 2975-2978.	1.4	45
97	Revised Structure of Isoterchebin, Isolated from <i>Cornus officinalis</i> . <i>Heterocycles</i> , 1981, 16, 1321.	0.4	45
98	Pharmacologically Active Tannins Isolated from Medicinal Plants. , 1992, 59, 539-569.		44
99	Cornusiin A, a dimeric ellagitannin forming four tautomers, and accompanying new tannins in <i>Cornus officinalis</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 1984, 32, 4662-4665.	0.6	43
100	A Macrocircular Ellagitannin, Oenothetin B, Suppresses Mouse Mammary Tumor Gene Expression via Inhibition of Poly(ADP-ribose) Glycohydrolase. <i>Biochemical and Biophysical Research Communications</i> , 1995, 210, 329-337.	1.0	43
101	Galloylglucoses and riccionidin A in <i>Rhus javanica</i> adventitious root cultures. <i>Phytochemistry</i> , 2000, 53, 357-363.	1.4	43
102	<sup>13</sup> C nuclear magnetic resonance spectra of hydrolyzable tannins. II. Tannins forming anomer mixtures.. <i>Chemical and Pharmaceutical Bulletin</i> , 1988, 36, 2925-2933.	0.6	42
103	Tannins of <i>Coriaria japonica</i> A. Gray. I Coriariins A and B, new dimeric and monomeric hydrolyzable tannins.. <i>Chemical and Pharmaceutical Bulletin</i> , 1986, 34, 4092-4097.	0.6	41
104	Tannins of theaceous plants. III. Camelliatannins A and B, two new complex tannins from <i>Camellia japonica</i> L.. <i>Chemical and Pharmaceutical Bulletin</i> , 1991, 39, 876-880.	0.6	41
105	Melitic Acids A and B, New Trimeric Caffeic Acid Derivatives from <i>Melissa officinalis</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 1993, 41, 1608-1611.	0.6	41
106	C-Glycosidic flavonoids from <i>Cassia occidentalis</i> . <i>Phytochemistry</i> , 1999, 52, 1379-1383.	1.4	41
107	Size exclusion chromatographic analysis of polyphenol-serum albumin complexes. <i>Phytochemistry</i> , 2003, 63, 817-823.	1.4	41
108	Liquidambin, an ellagitannin from <i>Liquidambar formosana</i> . <i>Phytochemistry</i> , 1987, 26, 2053-2055.	1.4	40

#	ARTICLE	IF	CITATIONS
109	Tannins of hamamelidaceous plants. III. Isorugosins A, B and D, new ellagitannins from <i>Liquidambar formosana</i> . Chemical and Pharmaceutical Bulletin, 1988, 36, 3920-3927.	0.6	39
110	Aliphatic acid amides of the fruits of <i>Zanthoxylum piperitum</i> . Phytochemistry, 2004, 65, 2599-2604.	1.4	39
111	Oligomeric Hydrolyzable Tannins – Their <sup>1</sup> H NMR Spectra and Partial Degradation. Heterocycles, 1992, 33, 463.	0.4	39
112	Tannins of rosaceous plants. IX. Rugosins D, E, F and G, dimeric and trimeric hydrolyzable tannins with valoneoyl group(s), from flower petals of <i>Rosa rugosa</i> Thunb.. Chemical and Pharmaceutical Bulletin, 1990, 38, 3341-3346.	0.6	38
113	Water-Soluble Complexes Formed by Natural Polyphenols and Bovine Serum Albumin: Evidence from Gel Electrophoresis. Bioscience, Biotechnology and Biochemistry, 2006, 70, 152-160.	0.6	38
114	Ellagitannins Renewed the Concept of Tannins. , 2009, , 1-54.		38
115	Galloylarbutin and other polyphenols from <i>Bergenia purpurascens</i> . Phytochemistry, 1987, 26, 515-517.	1.4	37
116	Chromatography of tannins. Journal of Chromatography A, 1986, 362, 375-381.	1.8	36
117	Tannins and related polyphenols of rosaceous medicinal plants, IV. Roxbins A and B from <i>Rosa roxburghii</i> fruits.. Chemical and Pharmaceutical Bulletin, 1987, 35, 1817-1822.	0.6	36
118	Novel inhibitors of poly(ADP-ribose) glycohydrolase. Biochimica Et Biophysica Acta - General Subjects, 1993, 1158, 251-256.	1.1	36
119	Megastigmane Glycosides and an Acylated Triterpenoid from <i>Eriobotrya japonica</i> . Journal of Natural Products, 2001, 64, 737-740.	1.5	36
120	Hydrolyzable Tannins of Tamaricaceous Plants. III. Hellinoyl- and Macrocyclic-Type Ellagitannins from <i>Tamarix nilotica</i> . Journal of Natural Products, 2010, 73, 870-879.	1.5	36
121	Three new flavonoids, proanthocyanidin, and accompanying phenolic constituents from <i>Feijoa sellowiana</i> . Bioscience, Biotechnology and Biochemistry, 2018, 82, 31-41.	0.6	36
122	The Components of Tannic Activities in Labiatae Plants. I. : Rosmarinic Acid from Labiatae Plants in Japan. Yakugaku Zasshi, 1986, 106, 1108-1111.	0.0	36
123	Praecoxin B,C,D and E, novel ellagitannins from <i>Stachyurus praecox</i> . Chemical and Pharmaceutical Bulletin, 1983, 31, 333-336.	0.6	35
124	Effect of condensed tannins and related compounds on reverse transcriptase. Phytotherapy Research, 1991, 5, 270-272.	2.8	35
125	Association of (+)-catechin and catechin-(4 $\beta$ -8)-catechin with oligopeptides. Chemical Communications, 1996, , 2537-2538.	2.2	35
126	Theasinensin A, a Tea Polyphenol Formed from (-)-Epigallocatechin Gallate, Suppresses Antibiotic Resistance of Methicillin-Resistant <i>Staphylococcus aureus</i> . Planta Medica, 2003, 69, 984-989.	0.7	35

#	ARTICLE	IF	CITATIONS
127	Circular dichroism of hydrolysable tannins-II dehydroellagitannins. <i>Tetrahedron Letters</i> , 1982, 23, 3941-3944.	0.7	34
128	Structures of isorugosin E and hirtellin B, dimeric hydrolyzable tannins having a trisgalloyl group. <i>Tetrahedron</i> , 1991, 47, 3575-3584.	1.0	34
129	Tannins of Theaceous Plants. V. Camelliatannins F, G and H, Three New Tannins from <i>Camellia japonica</i> L.. <i>Chemical and Pharmaceutical Bulletin</i> , 1994, 42, 1399-1409.	0.6	34
130	Inhibitory Effects of Flavonoids on Lipase.. <i>Journal of the Japanese Society for Food Science and Technology</i> , 1994, 41, 847-850.	0.2	34
131	Equilibrated stereostructures of hydrated geraniin and mallotusinic acid. <i>Tetrahedron Letters</i> , 1980, 21, 2561-2564.	0.7	33
132	Tannins of <i>Stachyurus</i> Species. II. Praecoxins A, B, C and D, Four New Hydrolyzable Tannins from <i>Stachyurus praecox</i> Leaves.. <i>Chemical and Pharmaceutical Bulletin</i> , 1991, 39, 1689-1693.	0.6	33
133	Modified limonoids from the leaves of <i>Sandoricum koetjape</i> . <i>Phytochemistry</i> , 2003, 64, 1345-1349.	1.4	33
134	Synergistic Effect of [10]-Gingerol and Aminoglycosides against Vancomycin-Resistant Enterococci (VRE). <i>Biological and Pharmaceutical Bulletin</i> , 2006, 29, 443-447.	0.6	32
135	Revised Structures of Gambiriins A1, A2, B1, and B2, Chalcane-Flavan Dimers from Gambir ( <i>Uncaria</i> ) Tj ETQq1 1 0.784314 rgBT/Overl 0.6 32	0.6	32
136	The Involvement of ATP Produced via (ADP-Ribose)n in the Maintenance of DNA Replication Apparatus during DNA Repair. <i>Biological and Pharmaceutical Bulletin</i> , 2007, 30, 447-450.	0.6	31
137	Flavonol glucuronides and C-glucosidic ellagitannins from <i>Melaleuca squarrosa</i> . <i>Phytochemistry</i> , 2008, 69, 3062-3069.	1.4	31
138	In vitro photochemical and phototoxicological characterization of major constituents in St. John's Wort ( <i>Hypericum perforatum</i> ) extracts. <i>Phytochemistry</i> , 2011, 72, 1814-1820.	1.4	31
139	Antioxidant Effects of Tannins and Related Polyphenols. <i>ACS Symposium Series</i> , 1992, , 87-97.	0.5	30
140	Tannins and Related Polyphenols from Elaeagnaceous Plants. Part 2. New Hydrolyzable Tannins, Shephagenins A and B, from <i>Shepherdia argentea</i> as HIV-1 Reverse Transcriptase Inhibitors.. <i>Chemical and Pharmaceutical Bulletin</i> , 1996, 44, 1436-1439.	0.6	28
141	Pseudouridine, an antimutagenic substance in beer towards N-methyl-N- $\epsilon^2$ -nitro-N-nitrosoguanidine (MNNG). <i>Food and Chemical Toxicology</i> , 2002, 40, 1165-1170.	1.8	28
142	Structural Diversity and Antimicrobial Activities of Ellagitannins. , 2009, , 55-93.		28
143	Interaction of Polyphenolic Metabolites with Human Serum Albumin: A Circular Dichroism Study. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 1019-1023.	0.6	28
144	Tannins of cornaceous plants. II. Cornusiins D, E and F, new dimeric and trimeric hydrolyzable tannins from <i>Cornus officinalis</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 1989, 37, 2665-2669.	0.6	27

#	ARTICLE	IF	CITATIONS
145	Trapanins A and B, oligomeric hydrolyzable tannins from <i>Trapa japonica</i> Flerov.. Chemical and Pharmaceutical Bulletin, 1990, 38, 2707-2711.	0.6	27
146	Effects of Chlorogenic Acid and Its Metabolites on Spontaneous Locomotor Activity in Mice. Bioscience, Biotechnology and Biochemistry, 2006, 70, 2560-2563.	0.6	27
147	Characterization and Antioxidative Properties of Oligomeric Proanthocyanidin from Prunes, Dried Fruit of <i>Prunus domestica</i> L.. Bioscience, Biotechnology and Biochemistry, 2008, 72, 1615-1618.	0.6	27
148	Polyphenolic Constituents of <i>Cynomorium songaricum</i> Rupr. and Antibacterial Effect of Polymeric Proanthocyanidin on Methicillin-Resistant <i>Staphylococcus aureus</i> . Journal of Agricultural and Food Chemistry, 2012, 60, 7297-7305.	2.4	27
149	Guavin B, an ellagitannin of novel type.. Chemical and Pharmaceutical Bulletin, 1984, 32, 3787-3788.	0.6	26
150	Oenothein B, a dimeric hydrolyzable tannin of cyclic structure.. Chemical and Pharmaceutical Bulletin, 1989, 37, 2269-2271.	0.6	26
151	Characterization of the Oxidation Products of (-)-Epigallocatechin Gallate, a Bioactive Tea Polyphenol, on Incubation in Neutral Solution. Heterocycles, 2004, 63, 1547.	0.4	26
152	Two New Analogues of Trijugin-Type Limonoids from the Leaves of <i>Sandoricum koetjape</i> . Chemical and Pharmaceutical Bulletin, 2004, 52, 1145-1147.	0.6	25
153	New isoflavone glycosides from <i>Iris spuria</i> L. (Calizona) cultivated in Egypt. Journal of Natural Medicines, 2009, 63, 91-95.	1.1	25
154	Camptothins A and B, new dimeric hydrolyzable tannins from <i>Camptotheca acuminata</i> DECNE.. Chemical and Pharmaceutical Bulletin, 1988, 36, 2017-2022.	0.6	24
155	Tannins and related polyphenols of euphorbiaceous plants. VIII. Eumaculin A and eusupinin A, and accompanying polyphenols from <i>Euphorbia maculata</i> L. and <i>E. supina</i> Rafin.. Chemical and Pharmaceutical Bulletin, 1991, 39, 881-883.	0.6	24
156	A dimeric hydrolysable tannin from <i>Camellia oleifera</i> . Phytochemistry, 1994, 37, 241-244.	1.4	24
157	Constituents of <i>Geranium thunbergii</i> Sieb. et Zucc.. Journal of Chromatography A, 1979, 171, 313-320.	1.8	23
158	Chromatography of tannins. Journal of Chromatography A, 1988, 435, 285-295.	1.8	23
159	Chromatography of tannins. Journal of Chromatography A, 1989, 467, 139-147.	1.8	23
160	Bisabolane- and Santalane-Type Sesquiterpenoids from <i>Santalum album</i> of Indian Origin. Journal of Natural Products, 2005, 68, 1805-1808.	1.5	23
161	High Molecular Weight Plant Polyphenols (Tannins): Prospective Functions. Recent Advances in Phytochemistry, 2005, 39, 163-190.	0.5	23
162	Macrocytic ellagitannin dimers, cuphiins D1 and D2, and accompanying tannins from <i>Cuphea hyssopifolia</i> . Phytochemistry, 1999, 50, 307-312.	1.4	22

#	ARTICLE	IF	CITATIONS
163	A macrocyclic ellagitannin trimer, oenotherin T1, from <i>Oenothera</i> species. <i>Phytochemistry</i> , 2002, 59, 191-195.	1.4	22
164	Monomeric and dimeric hydrolysable tannins of <i>Tamarix nilotica</i> . <i>Phytochemistry</i> , 2009, 70, 1286-1293.	1.4	22
165	Anti-genotoxic activity of <i>Vitis coignetiae</i> Pulliat towards heterocyclic amines and isolation and identification of caftaric acid as an antimutagenic component from the juice. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2011, 723, 182-189.	0.9	22
166	Hydrolyzable Tannins of Tamaricaceous Plants. V. Structures of Monomeric and Trimeric Tannins and Cytotoxicity of Macrocyclic-Type Tannins Isolated from <i>Tamarix nilotica</i> . <i>Journal of Natural Products</i> , 2013, 76, 947-956.	1.5	22
167	Roxbin B is Cuspinin: Structural Revision and Total Synthesis. <i>Journal of Organic Chemistry</i> , 2013, 78, 5410-5417.	1.7	22
168	Structures of New Phenolics Isolated from Licorice, and the Effectiveness of Licorice Phenolics on Vancomycin-Resistant Enterococci. <i>Molecules</i> , 2014, 19, 13027-13041.	1.7	22
169	Ellagitannins, gallotannins, and gallo-ellagitannins from the galls of <i>Tamarix aphylla</i> . <i>Fä-toterapÄ-Äç</i> , 2015, 104, 55-63.	1.1	22
170	Action mechanism of 6,6-dihydroxythiobinupharidine from <i>Nuphar japonicum</i> , which showed anti-MRSA and anti-VRE activities. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2015, 1850, 1245-1252.	1.1	22
171	Tannins of <i>Coriaria japonica</i> A. Gray. II Coriariins C, D, E and F, new dimeric and monomeric hydrolyzable tannins.. <i>Chemical and Pharmaceutical Bulletin</i> , 1986, 34, 4533-4539.	0.6	21
172	Chemical and biological perspectives of ellagitannin oligomers from medicinal plants. <i>Studies in Natural Products Chemistry</i> , 2000, 23, 395-453.	0.8	21
173	Hydrolysable Tannins Isolated from <i>Syzygium aromaticum</i> : Structure of a New C-Glucosidic Ellagitannin and Spectral Features of Tannins with a Tergalloyl Group. <i>Heterocycles</i> , 2012, 85, 365.	0.4	21
174	Structures of Two New Flavonoids and Effects of Licorice Phenolics on Vancomycin-Resistant Enterococcus Species. <i>Molecules</i> , 2014, 19, 3883-3897.	1.7	21
175	Fractionation of Pharmacologically Active Plant Polyphenols by Centrifugal Partition Chromatography. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1990, 13, 3637-3650.	0.9	20
176	Four new hydrolyzable tannins and an acylated flavonol glycoside from <i>Euphorbiamaculata</i> . <i>Canadian Journal of Chemistry</i> , 1997, 75, 727-733.	0.6	20
177	Different behavior of artemisinin and tetraoxane in the oxidative degradation of phospholipid. <i>Chemistry and Physics of Lipids</i> , 2009, 160, 114-120.	1.5	20
178	Ellagitannins of <i>Davidia involucrata</i> . I. Structure of Davicratinic Acid A and Effects of Davidia Tannins on Drug-Resistant Bacteria and Human Oral Squamous Cell Carcinomas. <i>Molecules</i> , 2017, 22, 470.	1.7	20
179	Tannins of <i>Stachyurus</i> Species. III. Stachyuranins A, B and C, Three New Complex Tannins from <i>Stachyurus praecox</i> Leaves.. <i>Chemical and Pharmaceutical Bulletin</i> , 1995, 43, 2109-2114.	0.6	19
180	Constituents of <i>Geranium thunbergii</i> SIEB. et Zucc. XV. Modified Dehydroellagitannins, Geraniinic Acids B and C, and Phyllathusiin F.. <i>Chemical and Pharmaceutical Bulletin</i> , 1999, 47, 1148-1151.	0.6	18

#	ARTICLE	IF	CITATIONS
181	Conjugated Ketonic Fatty Acids from <i>Pleurocybella porrigens</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2006, 54, 1213-1215.	0.6	17
182	Cypellogins A, B and C, Acylated Flavonol Glycosides from <i>Eucalyptus cypellocarpa</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2005, 53, 1345-1347.	0.6	16
183	Uncariagambiriine and Gambircatechol: Novel Constituents of <i>Uncaria gambir</i> Leaves. <i>Heterocycles</i> , 2009, 77, 793.	0.4	16
184	Application of Centrifugal Partition Chromatography to Tannins and Related Polyphenols. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1988, 11, 2447-2454.	0.9	15
185	Structures and Antibacterial Properties of Isorugosins [J], Oligomeric Ellagitannins from <i>Liquidambar formosana</i> with Characteristic Bridging Groups between Sugar Moieties. <i>Journal of Natural Products</i> , 2017, 80, 2723-2733.	1.5	15
186	Tannins of Euphorbiaceous Plants. XIII. New Hydrolyzable Tannins Having Phloroglucinol Residue from <i>Glochidion rubrum</i> BLUME.. <i>Chemical and Pharmaceutical Bulletin</i> , 1995, 43, 2088-2090.	0.6	14
187	Naturally Occurring Nanomolecules, Tannins -Their Structures and Functions-. <i>Yuki Gosei Kagaku Kyokaiishi/Journal of Synthetic Organic Chemistry</i> , 2004, 62, 500-507.	0.0	14
188	Isolation of (+)-pinitol and other constituents from the root bark of <i>Tamarindus indica</i> Linn.. <i>Journal of Natural Medicines</i> , 2007, 61, 355-356.	1.1	14
189	C-Glucosidic ellagitannin oligomers from <i>Melaleuca squarrosa</i> Donn ex Sm., Myrtaceae. <i>Phytochemistry</i> , 2008, 69, 3070-3079.	1.4	14
190	Antifungal and Ichthyotoxic Sesquiterpenoids from <i>Santalum album</i> Heartwood. <i>Molecules</i> , 2017, 22, 1139.	1.7	14
191	Ethyl acetate extract of <i>Ceiba pentandra</i> (L.) Gaertn. reduces methotrexate-induced renal damage in rats via antioxidant, anti-inflammatory, and antiapoptotic actions. <i>Journal of Traditional and Complementary Medicine</i> , 2020, 10, 478-486.	1.5	14
192	Characteristic Long-Chain Fatty Acid of <i>Pleurocybella porrigens</i> . <i>Shokuhin Eiseigaku Zasshi Journal of the Food Hygienic Society of Japan</i> , 2006, 47, 178-181.	0.1	13
193	New Dimeric Flavans from Gambir, an Extract of <i>Uncaria gambir</i> . <i>Heterocycles</i> , 2007, 74, 595.	0.4	13
194	Biomimetic Synthesis of Elaeocarpusin. <i>Heterocycles</i> , 1986, 24, 1841.	0.4	13
195	Constituents of <i>Geranium thunbergii</i> Sieb. et Zucc. Part 14. Structures of didehydrogeraniin, furosiniin, and furosiniin. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1989, , 2289.	0.9	12
196	Tannins of <i>Coriaria japonica</i> A. Gray.III. Structures of Coriariins G, H, I and J.. <i>Chemical and Pharmaceutical Bulletin</i> , 1992, 40, 1703-1710.	0.6	12
197	Induction of Apoptosis and Anti-HIV Activity by Tannin- and Lignin-Related Substances. , 1999, 66, 595-611.		12
198	Hydrolyzable tannins of tamaricaceous plants. IV: Micropropagation and ellagitannin production in shoot cultures of <i>Tamarix tetrandra</i> . <i>Phytochemistry</i> , 2011, 72, 1978-1989.	1.4	12

#	ARTICLE	IF	CITATIONS
199	Simultaneous Quantification of Ellagitannins and Related Polyphenols in <i>Geranium thunbergii</i> Using Quantitative NMR. <i>Molecules</i> , 2018, 23, 1346.	1.7	11
200	Ellagitannins and simple phenolics from the halophytic plant <i>Tamarix nilotica</i> . <i>Natural Product Research</i> , 2020, , 1-9.	1.0	11
201	Structure of Isorugosin B, and the Orientation of Valoneoyl Group in the Related Monomeric, Dimeric and Trimeric Hydrolyzable Tannins. <i>Heterocycles</i> , 1988, 27, 2081.	0.4	11
202	Accumulation of Hydrolyzable Tannins by <i>Aleurites fordii</i> Callus Culture. <i>Planta Medica</i> , 2002, 68, 1145-1146.	0.7	10
203	New Monomeric and Dimeric Hydrolyzable Tannins from <i>Tamarix nilotica</i> . <i>Heterocycles</i> , 2010, 80, 463.	0.4	10
204	Hydrolyzable Tannins of Tamaricaceous Plants. 7.1 Structures and Cytotoxic Properties of Oligomeric Ellagitannins from Leaves of <i>Tamarix nilotica</i> and Cultured Tissues of <i>Tamarix tetrandra</i> . <i>Journal of Natural Products</i> , 2016, 79, 984-995.	1.5	10
205	2,6-Dimethoxy-1,4-benzoquinone, isolation and identification of anti-carcinogenic, anti-mutagenic and anti-inflammatory component from the juice of <i>Vitis coignetiae</i> . <i>Food and Chemical Toxicology</i> , 2018, 122, 172-180.	1.8	10
206	Tannins from Theaceous Plants. VII. New .GAMMA.-Pyrone Glucoside, and Dimeric Ellagitannins from <i>Gordonia axillaris</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 1994, 42, 1922-1923.	0.6	9
207	Cowanin, a C-Glycosidic Ellagitannin Dimer Linked through Catechin from <i>Cowania mexicana</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 492-494.	0.6	9
208	Dimeric Flavans from Gambir and Their Structural Correlations with (+)-Catechin. <i>Heterocycles</i> , 2008, 76, 1171.	0.4	9
209	Phloroglucinol diglycosides accompanying hydrolyzable tannins from <i>Kunzea ambigua</i> . <i>Phytochemistry</i> , 2008, 69, 3080-3086.	1.4	8
210	Hydrolyzable Tannins having a Depsidone-forming Valoneoyl Group. <i>Heterocycles</i> , 1990, 31, 1221.	0.4	8
211	Hydrolysable Tannin Production in <i>Oenothera tetraptera</i> Shoot Tissue Culture.. <i>Plant Biotechnology</i> , 2002, 19, 357-363.	0.5	8
212	<sup>1</sup> H Quantitative NMR analyses of Î²-asarone and related compounds for quality control of <i>Acorus</i> rhizome herbal drugs in terms of the effects of their constituents on <i>in vitro</i> acetylcholine esterase activity. <i>Bioscience, Biotechnology and Biochemistry</i> , 2019, 83, 892-900.	0.6	7
213	High-performance liquid chromatographic profile and <sup>1</sup> H quantitative nuclear magnetic resonance analyses for quality control of a Xinjiang licorice extract. <i>Bioscience, Biotechnology and Biochemistry</i> , 2020, 84, 2128-2138.	0.6	7
214	Functional Analysis of Natural Polyphenols and Saponins as Alternative Medicines. , 2012, , .		6
215	Two new C-glycosidic ellagitannins and accompanying tannins from <i>Lawsonia inermis</i> leaves and their cytotoxic effects. <i>FÄ-toterapÄ-Äç</i> , 2021, 153, 104925.	1.1	6
216	Host-Mediated Anticancer Activities of Tannins. , 1999, 66, 643-663.		6

#	ARTICLE	IF	CITATIONS
217	Two-dimensional NMR spectra of hydrolysable tannins which form equilibrium mixtures. <i>Magnetic Resonance in Chemistry</i> , 1992, 30, S46-S55.	1.1	5
218	Anticarcinogenic Activities of Polyphenols in Foods and Herbs. <i>ACS Symposium Series</i> , 1997, , 245-259.	0.5	5
219	Production of Tannin by Tissue Culture of Woody Plants and Tannin Biosynthesis. <i>Mokuzai Gakkai Shi</i> , 2006, 52, 67-76.	0.2	5
220	Furosonin, a Novel Hydrolyzable Tannin from <i>Geranium thunbergii</i> . <i>Heterocycles</i> , 2012, 86, 1525.	0.4	5
221	Highly Oxidized Ellagitannins and Their Biological Activity. , 1999, 66, 127-144.		5
222	The Structural Variation in the Incubation Products of (-)-Epigallocatechin Gallate in Neutral Solution Suggests Its Breakdown Pathways. <i>Heterocycles</i> , 2005, 65, 303.	0.4	5
223	Near ultraviolet radiation-mediated reaction between N-nitrosoproline and DNA: Isolation and identification of two new adducts, (R)- and (S)-8-(2-pyrrolidyl)-2- $\alpha$ -deoxyguanosine. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2014, 276, 1-7.	2.0	4
224	Licorice as a Resource for Pharmacologically Active Phenolic Substances: Antioxidant and Antimicrobial Effects. , 0, , .		4
225	Design, Characterization, and Antimicrobial Evaluation of Copper Nanoparticles Utilizing Tamarixinin a Ellagitannin from Galls of <i>Tamarix aphylla</i> . <i>Pharmaceuticals</i> , 2022, 15, 216.	1.7	4
226	Antibacterial Effects of Guava Tannins and Related Polyphenols on <i>Vibrio</i> and <i>Aeromonas</i> Species. <i>Natural Product Communications</i> , 2008, 3, 1934578X0800300.	0.2	3
227	A New Trimeric Hydrolyzable Tannin, Oenotherin T2, Isolated from Aerial Parts of <i>Oenothera tetraptera</i> Cav.. <i>Heterocycles</i> , 2009, 79, 617.	0.4	3
228	Coriariin M, a trimeric hydrolysable tannin with dehydrodigalloyl and valoneoyl groups as linking units, and accompanying dimeric hydrolysable tannins from <i>Coriaria japonica</i> . <i>Phytochemistry</i> , 2018, 151, 110-118.	1.4	3
229	Structures, NMR Spectroscopic Features, and Cytotoxic Properties of Oligomeric Hellinoyl (<math>m</math>-GO-<math>m</math>-GOG)-Type Ellagitannins from the Galls of <i>Tamarix aphylla</i> . <i>Journal of Natural Products</i> , 2019, 82, 2682-2695.	1.5	3
230	Oligomeric Hydrolyzable Tannins From <i>Liquidambar Formosana</i> and Spectral Analysis of the Orientation of Valoneoyl Groups in Their Molecules. , 1992, , 195-207.		3
231	Herbal Drugs in Traditional Japanese Medicine. , 0, , .		2
232	Naturally Occurring Nanomolecules, Tannins – Their Structures and Functions. <i>ChemInform</i> , 2004, 35, no.	0.1	1
233	Interaction of the Aryl Hydrocarbon Receptor with Several Constituents from Spinach and Komatsuna Extracts Determined Using <i>In Vitro</i> Bioassay. <i>Journal of Health Science</i> , 2005, 51, 715-719.	0.9	1
234	Characterization of Adducts Formed in the Reaction of 2-Chloro-4-methylthiobutanoic Acid with 2- $\alpha$ -Deoxyguanosine. <i>Chemical Research in Toxicology</i> , 2005, 18, 1755-1761.	1.7	1

#	ARTICLE	IF	CITATIONS
235	Isolation and identification of photoproducts from UVA-irradiated mixture of N-nitrosoproline with 2'-deoxyadenosine. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2019, 377, 159-166.	2.0	1
236	Barricyclin D1 "a dimeric ellagitannin with a macrocyclic structure" and accompanying tannins from <i>Barringtonia racemosa</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2021, 85, 1609-1620.	0.6	1
237	New Oxidation Products from (-)-Epigallocatechin Gallate in Neutral Solution. <i>Heterocycles</i> , 2010, 82, 1685.	0.4	1
238	Effects of Tannins and Related Polyphenols on Methicillin-Resistant <i>Staphylococcus aureus</i> .. <i>ChemInform</i> , 2006, 37, no.	0.1	0
239	Molecular Requirements of Lignin "Carbohydrate Complexes for Expression of Unique Biological Activities.. <i>ChemInform</i> , 2006, 37, no.	0.1	0
240	Foreword. <i>Biological and Pharmaceutical Bulletin</i> , 2014, 37, 883-883.	0.6	0
241	Isolation of new photoadducts from UVA-irradiated N-nitrosoproline with 2'-deoxyadenosine and characterization of photoadducts from DNA irradiated with N-nitrosoproline. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2020, 400, 112621.	2.0	0