

Tsutomu Hatano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5073713/publications.pdf>

Version: 2024-02-01

241
papers

13,428
citations

18436

62
h-index

31759

101
g-index

260
all docs

260
docs citations

260
times ranked

10435
citing authors

#	ARTICLE	IF	CITATIONS
1	Design, Characterization, and Antimicrobial Evaluation of Copper Nanoparticles Utilizing Tamarixinin a Ellagitannin from Galls of <i>Tamarix aphylla</i> . <i>Pharmaceuticals</i> , 2022, 15, 216.	1.7	4
2	Barricyclin D1â€”a dimeric ellagitannin with a macrocyclic structureâ€”and accompanying tannins from <i>Barringtonia racemosa</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2021, 85, 1609-1620.	0.6	1
3	Two new C-glycosidic ellagitannins and accompanying tannins from <i>Lawsonia inermis</i> leaves and their cytotoxic effects. <i>FÃ—-toteraÃ—-Ã—</i> , 2021, 153, 104925.	1.1	6
4	Ethyl acetate extract of <i>Ceiba pentandra</i> (L.) Gaertn. reduces methotrexate-induced renal damage in rats via antioxidant, anti-inflammatory, and antiapoptotic actions. <i>Journal of Traditional and Complementary Medicine</i> , 2020, 10, 478-486.	1.5	14
5	Isolation of new photoadducts from UVA-irradiated N-nitrosoproline with 2'-deoxyadenosine and characterization of photoadducts from DNA irradiated with N-nitrosoproline. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2020, 400, 112621.	2.0	0
6	Ellagitannins and simple phenolics from the halophytic plant <i>Tamarix nilotica</i> . <i>Natural Product Research</i> , 2020, , 1-9.	1.0	11
7	High-performance liquid chromatographic profile and 1H quantitative nuclear magnetic resonance analyses for quality control of a Xinjiang licorice extract. <i>Bioscience, Biotechnology and Biochemistry</i> , 2020, 84, 2128-2138.	0.6	7
8	Structures, NMR Spectroscopic Features, and Cytotoxic Properties of Oligomeric Hellinoyl (<i>m</i>-GO-<i>m</i>-GOG)-Type Ellagitannins from the Galls of <i>Tamarix aphylla</i>. <i>Journal of Natural Products</i> , 2019, 82, 2682-2695.	1.5	3
9	Isolation and identification of photoproducts from UVA-irradiated mixture of N-nitrosoproline with 2'-deoxyadenosine. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2019, 377, 159-166.	2.0	1
10	1H Quantitative NMR analyses of Î²-asarone and related compounds for quality control of <i>Acorus</i> rhizome herbal drugs in terms of the effects of their constituents on <i>in vitro</i> acetylcholine esterase activity. <i>Bioscience, Biotechnology and Biochemistry</i> , 2019, 83, 892-900.	0.6	7
11	Coriariin M, a trimeric hydrolysable tannin with dehydrodigalloyl and valoneoyl groups as linking units, and accompanying dimeric hydrolysable tannins from <i>Coriaria japonica</i> . <i>Phytochemistry</i> , 2018, 151, 110-118.	1.4	3
12	Three new flavonoids, proanthocyanidin, and accompanying phenolic constituents from <i>Feijoa sellowiana</i>. <i>Bioscience, Biotechnology and Biochemistry</i> , 2018, 82, 31-41.	0.6	36
13	2,6-Dimethoxy-1,4-benzoquinone, isolation and identification of anti-carcinogenic, anti-mutagenic and anti-inflammatory component from the juice of <i>Vitis coignetiae</i> . <i>Food and Chemical Toxicology</i> , 2018, 122, 172-180.	1.8	10
14	Simultaneous Quantification of Ellagitannins and Related Polyphenols in <i>Geranium thunbergii</i> Using Quantitative NMR. <i>Molecules</i> , 2018, 23, 1346.	1.7	11
15	Structures and Antibacterial Properties of Isorugosins Hâ€”J, Oligomeric Ellagitannins from <i>Liquidambar formosana</i> with Characteristic Bridging Groups between Sugar Moieties. <i>Journal of Natural Products</i> , 2017, 80, 2723-2733.	1.5	15
16	Ellagitannins of <i>Davidia involucreta</i> . I. Structure of Davicratinic Acid A and Effects of <i>Davidia</i> Tannins on Drug-Resistant Bacteria and Human Oral Squamous Cell Carcinomas. <i>Molecules</i> , 2017, 22, 470.	1.7	20
17	Antifungal and Ichthyotoxic Sesquiterpenoids from <i>Santalum album</i> Heartwood. <i>Molecules</i> , 2017, 22, 1139.	1.7	14
18	Hydrolyzable Tannins of Tamaricaceous Plants. 7.1 Structures and Cytotoxic Properties of Oligomeric Ellagitannins from Leaves of <i>Tamarix nilotica</i> and Cultured Tissues of <i>Tamarix tetrandra</i>. <i>Journal of Natural Products</i> , 2016, 79, 984-995.	1.5	10

#	ARTICLE	IF	CITATIONS
19	Constituents of <i>Psoralea corylifolia</i> Fruits and Their Effects on Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Molecules</i> , 2015, 20, 12500-12511.	1.7	50
20	Ellagitannins, gallotannins, and gallo-ellagitannins from the galls of <i>Tamarix aphylla</i> . <i>FÄ-toterapÄ-Äç</i> , 2015, 104, 55-63.	1.1	22
21	Action mechanism of 6, 6â€²-dihydroxythiobinupharidine from <i>Nuphar japonicum</i> , which showed anti-MRSA and anti-VRE activities. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2015, 1850, 1245-1252.	1.1	22
22	Structures of New Phenolics Isolated from Licorice, and the Effectiveness of Licorice Phenolics on Vancomycin-Resistant Enterococci. <i>Molecules</i> , 2014, 19, 13027-13041.	1.7	22
23	Near ultraviolet radiation-mediated reaction between N-nitrosoproline and DNA: Isolation and identification of two new adducts, (R)- and (S)-8-(2-pyrrolidyl)-2â€²-deoxyguanosine. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2014, 276, 1-7.	2.0	4
24	Structures of Two New Flavonoids and Effects of Licorice Phenolics on Vancomycin-Resistant Enterococcus Species. <i>Molecules</i> , 2014, 19, 3883-3897.	1.7	21
25	Foreword. <i>Biological and Pharmaceutical Bulletin</i> , 2014, 37, 883-883.	0.6	0
26	Hydrolyzable Tannins of Tamaricaceous Plants. V. Structures of Monomericâ€”Trimeric Tannins and Cytotoxicity of Macrocyclic-Type Tannins Isolated from <i>Tamarix nilotica</i> . <i>Journal of Natural Products</i> , 2013, 76, 947-956.	1.5	22
27	Roxbin B is Cuspinin: Structural Revision and Total Synthesis. <i>Journal of Organic Chemistry</i> , 2013, 78, 5410-5417.	1.7	22
28	Antioxidative Properties of Functional Polyphenols and Their Metabolites Assessed by an ORAC Assay. <i>Bioscience, Biotechnology and Biochemistry</i> , 2012, 76, 395-399.	0.6	59
29	Furosonin, a Novel Hydrolyzable Tannin from <i>Geranium thunbergii</i> . <i>Heterocycles</i> , 2012, 86, 1525.	0.4	5
30	Polyphenolic Constituents of <i>Cynomorium songaricum</i> Rupr. and Antibacterial Effect of Polymeric Proanthocyanidin on Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 7297-7305.	2.4	27
31	Hydrolysable Tannins Isolated from <i>Syzygium aromaticum</i> : Structure of a New C-Glucosidic Ellagitannin and Spectral Features of Tannins with a Tergalloyl Group. <i>Heterocycles</i> , 2012, 85, 365.	0.4	21
32	Functional Analysis of Natural Polyphenols and Saponins as Alternative Medicines. , 2012, , .		6
33	Anti-genotoxic activity of <i>Vitis coignetiae</i> Pulliat towards heterocyclic amines and isolation and identification of caftaric acid as an antimutagenic component from the juice. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2011, 723, 182-189.	0.9	22
34	In vitro photochemical and phototoxicological characterization of major constituents in St. Johnâ€™s Wort (<i>Hypericum perforatum</i>) extracts. <i>Phytochemistry</i> , 2011, 72, 1814-1820.	1.4	31
35	Hydrolyzable tannins of tamaricaceous plants. IV: Micropropagation and ellagitannin production in shoot cultures of <i>Tamarix tetrandra</i> . <i>Phytochemistry</i> , 2011, 72, 1978-1989.	1.4	12
36	In vivo anti-inflammatory and antioxidant properties of ellagitannin metabolite urolithin A. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 5901-5904.	1.0	95

#	ARTICLE	IF	CITATIONS
37	Effects of Mace and Nutmeg on Human Cytochrome P450 3A4 and 2C9 Activity. <i>Biological and Pharmaceutical Bulletin</i> , 2010, 33, 1977-1982.	0.6	49
38	New Monomeric and Dimeric Hydrolyzable Tannins from <i>Tamarix nilotica</i> . <i>Heterocycles</i> , 2010, 80, 463.	0.4	10
39	Hydrolyzable Tannins of Tamaricaceous Plants. III. Hellinoyl- and Macrocyclic-Type Ellagitannins from <i>Tamarix nilotica</i> . <i>Journal of Natural Products</i> , 2010, 73, 870-879.	1.5	36
40	Inhibitory effects of polyphenols on human cytochrome P450 3A4 and 2C9 activity. <i>Food and Chemical Toxicology</i> , 2010, 48, 429-435.	1.8	191
41	New Oxidation Products from (-)-Epigallocatechin Gallate in Neutral Solution. <i>Heterocycles</i> , 2010, 82, 1685.	0.4	1
42	A New Trimeric Hydrolyzable Tannin, Oenotherin T2, Isolated from Aerial Parts of <i>Oenothera tetraptera</i> Cav.. <i>Heterocycles</i> , 2009, 79, 617.	0.4	3
43	Ellagitannins Renewed the Concept of Tannins. , 2009, , 1-54.		38
44	Structural Diversity and Antimicrobial Activities of Ellagitannins. , 2009, , 55-93.		28
45	New isoflavone glycosides from <i>Iris spuria</i> L. (Calizona) cultivated in Egypt. <i>Journal of Natural Medicines</i> , 2009, 63, 91-95.	1.1	25
46	Monomeric and dimeric hydrolysable tannins of <i>Tamarix nilotica</i> . <i>Phytochemistry</i> , 2009, 70, 1286-1293.	1.4	22
47	Different behavior of artemisinin and tetraoxane in the oxidative degradation of phospholipid. <i>Chemistry and Physics of Lipids</i> , 2009, 160, 114-120.	1.5	20
48	Effect of Polyphenol-Rich Extract from Walnut on Diet-Induced Hypertriglyceridemia in Mice via Enhancement of Fatty Acid Oxidation in the Liver. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 1786-1792.	2.4	64
49	Synergistic Effect of Kaempferol Glycosides Purified from <i>Laurus nobilis</i> and Fluoroquinolones on Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Biological and Pharmaceutical Bulletin</i> , 2009, 32, 489-492.	0.6	46
50	Interaction of Polyphenolic Metabolites with Human Serum Albumin: A Circular Dichroism Study. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 1019-1023.	0.6	28
51	Interaction of Polyphenols with Proteins: Binding of (-)-Epigallocatechin Gallate to Serum Albumin, Estimated by Induced Circular Dichroism. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 224-228.	0.6	52
52	Uncariagambiriine and Gambircatechol: Novel Constituents of <i>Uncaria gambir</i> Leaves. <i>Heterocycles</i> , 2009, 77, 793.	0.4	16
53	Flavonol glucuronides and C-glucosidic ellagitannins from <i>Melaleuca squarrosa</i> . <i>Phytochemistry</i> , 2008, 69, 3062-3069.	1.4	31
54	C-Glucosidic ellagitannin oligomers from <i>Melaleuca squarrosa</i> Donn ex Sm., Myrtaceae. <i>Phytochemistry</i> , 2008, 69, 3070-3079.	1.4	14

#	ARTICLE	IF	CITATIONS
55	Enhancement of antibacterial effects of epigallocatechin gallate, using ascorbic acid. <i>Phytochemistry</i> , 2008, 69, 3111-3116.	1.4	46
56	Phloroglucinol diglycosides accompanying hydrolyzable tannins from <i>Kunzea ambigua</i> . <i>Phytochemistry</i> , 2008, 69, 3080-3086.	1.4	8
57	Walnut Polyphenols Prevent Liver Damage Induced by Carbon Tetrachloride and α -Galactosamine: Hepatoprotective Hydrolyzable Tannins in the Kernel Pellicles of Walnut. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 4444-4449.	2.4	72
58	Identification of Urinary and Intestinal Bacterial Metabolites of Ellagitannin Geraniin in Rats. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 393-400.	2.4	76
59	Chlorogenic Acid and Its Metabolite <i>m</i> -Coumaric Acid Evoke Neurite Outgrowth in Hippocampal Neuronal Cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2008, 72, 885-888.	0.6	70
60	Characterization and Antioxidative Properties of Oligomeric Proanthocyanidin from Prunes, Dried Fruit of <i>Prunus domestica</i> L.. <i>Bioscience, Biotechnology and Biochemistry</i> , 2008, 72, 1615-1618.	0.6	27
61	Anti-methicillin Resistant <i>Staphylococcus aureus</i> (MRSA) Compounds Isolated from <i>Laurus nobilis</i> . <i>Biological and Pharmaceutical Bulletin</i> , 2008, 31, 1794-1797.	0.6	49
62	Antibacterial Effects of Guava Tannins and Related Polyphenols on <i>Vibrio</i> and <i>Aeromonas</i> Species. <i>Natural Product Communications</i> , 2008, 3, 1934578X0800300.	0.2	3
63	Dimeric Flavans from Gambir and Their Structural Correlations with (+)-Catechin. <i>Heterocycles</i> , 2008, 76, 1171.	0.4	9
64	Antimicrobial Activity of Oleanolic Acid from <i>Salvia officinalis</i> and Related Compounds on Vancomycin-Resistant Enterococci (VRE). <i>Biological and Pharmaceutical Bulletin</i> , 2007, 30, 1147-1149.	0.6	161
65	Potential of Antimicrobial Activity of Aminoglycosides by Carnosol from <i>Salvia officinalis</i> . <i>Biological and Pharmaceutical Bulletin</i> , 2007, 30, 287-290.	0.6	65
66	The Involvement of ATP Produced via (ADP-Ribose) _n in the Maintenance of DNA Replication Apparatus during DNA Repair. <i>Biological and Pharmaceutical Bulletin</i> , 2007, 30, 447-450.	0.6	31
67	Revised Structures of Gambiriins A1, A2, B1, and B2, Chalcane-Flavan Dimers from Gambir (<i>Uncaria</i>) Tj ETQq1 1 0.784314 rgBT/Overl 0.6 32	0.6	32
68	Cowaniin, a C-Glucosidic Ellagitannin Dimer Linked through Catechin from <i>Cowania mexicana</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 492-494.	0.6	9
69	Effect of <i>Polygala tenuifolia</i> Root Extract on Scopolamine-Induced Impairment of Rat Spatial Cognition in an Eight-Arm Radial Maze Task. <i>Biological and Pharmaceutical Bulletin</i> , 2007, 30, 1727-1731.	0.6	65
70	Two Novel Dicarboxylic Acid Derivatives and a New Dimeric Hydrolyzable Tannin from Walnuts. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 672-679.	2.4	70
71	Isolation of (+)-pinitol and other constituents from the root bark of <i>Tamarindus indica</i> Linn.. <i>Journal of Natural Medicines</i> , 2007, 61, 355-356.	1.1	14
72	New Dimeric Flavans from Gambir, an Extract of <i>Uncaria gambir</i> . <i>Heterocycles</i> , 2007, 74, 595.	0.4	13

#	ARTICLE	IF	CITATIONS
73	Production of Tannin by Tissue Culture of Woody Plants and Tannin Biosynthesis. Mokuzaï Gakkai Shi, 2006, 52, 67-76.	0.2	5
74	Synergistic Effect of [10]-Gingerol and Aminoglycosides against Vancomycin-Resistant Enterococci (VRE). Biological and Pharmaceutical Bulletin, 2006, 29, 443-447.	0.6	32
75	Conjugated Ketonic Fatty Acids from <i>Pleurocybella porrigens</i> . Chemical and Pharmaceutical Bulletin, 2006, 54, 1213-1215.	0.6	17
76	Characteristic Long-Chain Fatty Acid of <i>Pleurocybella porrigens</i> . Shokuhin Eiseigaku Zasshi Journal of the Food Hygienic Society of Japan, 2006, 47, 178-181.	0.1	13
77	New antitumor sesquiterpenoids from <i>Santalum album</i> of Indian origin. Tetrahedron, 2006, 62, 6981-6989.	1.0	47
78	Effects of Tannins and Related Polyphenols on Methicillin-Resistant <i>Staphylococcus aureus</i> .. ChemInform, 2006, 37, no.	0.1	0
79	Molecular Requirements of Ligninâ€”Carbohydrate Complexes for Expression of Unique Biological Activities.. ChemInform, 2006, 37, no.	0.1	0
80	Effects of Chlorogenic Acid and Its Metabolites on Spontaneous Locomotor Activity in Mice. Bioscience, Biotechnology and Biochemistry, 2006, 70, 2560-2563.	0.6	27
81	Urinary Excretion of Anthocyanins in Humans after Cranberry Juice Ingestion. Bioscience, Biotechnology and Biochemistry, 2006, 70, 1681-1687.	0.6	87
82	Water-Soluble Complexes Formed by Natural Polyphenols and Bovine Serum Albumin: Evidence from Gel Electrophoresis. Bioscience, Biotechnology and Biochemistry, 2006, 70, 152-160.	0.6	38
83	Polyphenolic Constituent Structures of <i>Zanthoxylum piperitum</i> Fruit and the Antibacterial Effects of Its Polymeric Procyanidin on Methicillin-Resistant <i>Staphylococcus aureus</i> . Bioscience, Biotechnology and Biochemistry, 2006, 70, 1423-1431.	0.6	62
84	Interaction of the Aryl Hydrocarbon Receptor with Several Constituents from Spinach and Komatsuna Extracts Determined Using in Vitro Bioassay. Journal of Health Science, 2005, 51, 715-719.	0.9	1
85	Cypellogins A, B and C, Acylated Flavonol Glycosides from <i>Eucalyptus cypellocarpa</i> . Chemical and Pharmaceutical Bulletin, 2005, 53, 1345-1347.	0.6	16
86	Effects of tannins and related polyphenols on methicillin-resistant <i>Staphylococcus aureus</i> . Phytochemistry, 2005, 66, 2047-2055.	1.4	129
87	Molecular requirements of ligninâ€”carbohydrate complexes for expression of unique biological activities. Phytochemistry, 2005, 66, 2108-2120.	1.4	61
88	Tannins and related compounds induce nitric oxide synthase and cytokines gene expressions in <i>Leishmania major</i> -infected macrophage-like RAW 264.7 cells. Bioorganic and Medicinal Chemistry, 2005, 13, 6470-6476.	1.4	53
89	Remarkable Synergies between Baicalein and Tetracycline, and Baicalein and Î²-â€”Lactams against Methicillinâ€”Resistant <i>Staphylococcus aureus</i> . Microbiology and Immunology, 2005, 49, 391-396.	0.7	121
90	Bisabolane- and Santalane-Type Sesquiterpenoids from <i>Santalum album</i> of Indian Origin. Journal of Natural Products, 2005, 68, 1805-1808.	1.5	23

#	ARTICLE	IF	CITATIONS
91	Characterization of Adducts Formed in the Reaction of 2-Chloro-4-methylthiobutanoic Acid with 2'-Deoxyguanosine. <i>Chemical Research in Toxicology</i> , 2005, 18, 1755-1761.	1.7	1
92	High Molecular Weight Plant Polyphenols (Tannins): Prospective Functions. <i>Recent Advances in Phytochemistry</i> , 2005, 39, 163-190.	0.5	23
93	The Structural Variation in the Incubation Products of (-)-Epigallocatechin Gallate in Neutral Solution Suggests Its Breakdown Pathways. <i>Heterocycles</i> , 2005, 65, 303.	0.4	5
94	Naturally Occurring Nanomolecules, Tannins -Their Structures and Functions-. Yuki Gosei Kagaku Kyokaiishi/ <i>Journal of Synthetic Organic Chemistry</i> , 2004, 62, 500-507.	0.0	14
95	Antibacterial Activity of Hydrolyzable Tannins Derived from Medicinal Plants against <i>Helicobacter pylori</i> . <i>Microbiology and Immunology</i> , 2004, 48, 251-261.	0.7	222
96	Characterization of the Oxidation Products of (-)-Epigallocatechin Gallate, a Bioactive Tea Polyphenol, on Incubation in Neutral Solution. <i>Heterocycles</i> , 2004, 63, 1547.	0.4	26
97	Naturally Occurring Nanomolecules, Tannins – Their Structures and Functions. <i>ChemInform</i> , 2004, 35, no.	0.1	1
98	Aliphatic acid amides of the fruits of <i>Zanthoxylum piperitum</i> . <i>Phytochemistry</i> , 2004, 65, 2599-2604.	1.4	39
99	Two New Analogues of Trijugin-Type Limonoids from the Leaves of <i>Sandoricum koetjape</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2004, 52, 1145-1147.	0.6	25
100	Transcriptional suppression of the HIV promoter by natural compounds. <i>Antiviral Research</i> , 2003, 58, 89-98.	1.9	72
101	Size exclusion chromatographic analysis of polyphenol-serum albumin complexes. <i>Phytochemistry</i> , 2003, 63, 817-823.	1.4	41
102	Modified limonoids from the leaves of <i>Sandoricum koetjape</i> . <i>Phytochemistry</i> , 2003, 64, 1345-1349.	1.4	33
103	Theasinensin A, a Tea Polyphenol Formed from (-)-Epigallocatechin Gallate, Suppresses Antibiotic Resistance of Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Planta Medica</i> , 2003, 69, 984-989.	0.7	35
104	Accumulation of Hydrolyzable Tannins by <i>Aleurites fordii</i> Callus Culture. <i>Planta Medica</i> , 2002, 68, 1145-1146.	0.7	10
105	Antitumor Activity of Compounds Isolated from Leaves of <i>Eriobotrya japonica</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 2400-2403.	2.4	76
106	Pseudouridine, an antimutagenic substance in beer towards N-methyl-N ² -nitro-N-nitrosoguanidine (MNNG). <i>Food and Chemical Toxicology</i> , 2002, 40, 1165-1170.	1.8	28
107	Constituents and their antioxidative effects in eucalyptus leaf extract used as a natural food additive. <i>Food Chemistry</i> , 2002, 77, 47-56.	4.2	103
108	Inhibitory effects of Korean medicinal plants and camelliatannin H from <i>Camellia japonica</i> on human immunodeficiency virus type 1 protease. <i>Phytotherapy Research</i> , 2002, 16, 422-426.	2.8	54

#	ARTICLE	IF	CITATIONS
109	A macrocyclic ellagitannin trimer, oenotherin T1, from <i>Oenothera</i> species. <i>Phytochemistry</i> , 2002, 59, 191-195.	1.4	22
110	Production of bioactive triterpenes by <i>Eriobotrya japonica</i> calli. <i>Phytochemistry</i> , 2002, 59, 315-323.	1.4	265
111	Proanthocyanidin glycosides and related polyphenols from cacao liquor and their antioxidant effects. <i>Phytochemistry</i> , 2002, 59, 749-758.	1.4	168
112	Hydrolysable Tannin Production in <i>Oenothera tetraptera</i> Shoot Tissue Culture.. <i>Plant Biotechnology</i> , 2002, 19, 357-363.	0.5	8
113	Megastigmane Glycosides and an Acylated Triterpenoid from <i>Eriobotrya japonica</i> . <i>Journal of Natural Products</i> , 2001, 64, 737-740.	1.5	36
114	Marked Potentiation of Activity of β -Lactams against Methicillin-Resistant <i>Staphylococcus aureus</i> by Corilagin. <i>Antimicrobial Agents and Chemotherapy</i> , 2001, 45, 3198-3201.	1.4	132
115	Proanthocyanidins and Related Compounds: Antileishmanial Activity and Modulatory Effects on Nitric Oxide and Tumor Necrosis Factor- α -Release in the Murine Macrophage-Like Cell Line RAW 264.7.. <i>Biological and Pharmaceutical Bulletin</i> , 2001, 24, 1016-1021.	0.6	47
116	Antileishmanial Activity of Hydrolyzable Tannins and their Modulatory Effects on Nitric Oxide and Tumour Necrosis Factor- α Release in Macrophages in Vitro. <i>Planta Medica</i> , 2001, 67, 825-832.	0.7	62
117	Phenolic Constituents of Licorice. VIII. Structures of Glicophenone and Glicoisoflavanone, and Effects of Licorice Phenolics on Methicillin-Resistant <i>Staphylococcus aureus</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 2000, 48, 1286-1292.	0.6	136
118	Polyphenols from <i>Eriobotrya japonica</i> and Their Cytotoxicity against Human Oral Tumor Cell Lines.. <i>Chemical and Pharmaceutical Bulletin</i> , 2000, 48, 687-693.	0.6	124
119	Galloylglucoses and riccionidin A in <i>Rhus javanica</i> adventitious root cultures. <i>Phytochemistry</i> , 2000, 53, 357-363.	1.4	43
120	Correlation of oxidative transformations of hydrolyzable tannins and plant evolution. <i>Phytochemistry</i> , 2000, 55, 513-529.	1.4	78
121	Minor flavonoids from licorice. <i>Phytochemistry</i> , 2000, 55, 959-963.	1.4	48
122	Restoration of effectiveness of β -lactams on methicillin-resistant <i>Staphylococcus aureus</i> by tellimagrandin I from rose red. <i>FEMS Microbiology Letters</i> , 2000, 185, 135-138.	0.7	78
123	Chemistry and function of vegetable polyphenols with high molecular weights. <i>BioFactors</i> , 2000, 13, 121-125.	2.6	48
124	Chemical and biological perspectives of ellagitannin oligomers from medicinal plants. <i>Studies in Natural Products Chemistry</i> , 2000, 23, 395-453.	0.8	21
125	Analyses of Polyphenols in Cacao Liquor, Cocoa, and Chocolate by Normal-Phase and Reversed-Phase HPLC. <i>Bioscience, Biotechnology and Biochemistry</i> , 2000, 64, 2581-2587.	0.6	201
126	Macrocyclic ellagitannin dimers, cuphiins D1 and D2, and accompanying tannins from <i>Cuphea hyssopifolia</i> . <i>Phytochemistry</i> , 1999, 50, 307-312.	1.4	22

#	ARTICLE	IF	CITATIONS
127	C-Glycosidic flavonoids from <i>Cassia occidentalis</i> . <i>Phytochemistry</i> , 1999, 52, 1379-1383.	1.4	41
128	Anti-tumor promoting activity of polyphenols from <i>Cowania mexicana</i> and <i>Coleogyne ramosissima</i> . <i>Cancer Letters</i> , 1999, 143, 5-13.	3.2	79
129	Induction of Apoptosis and Anti-HIV Activity by Tannin- and Lignin-Related Substances. , 1999, 66, 595-611.		12
130	Marked Reduction in the Minimum Inhibitory Concentration(MIC) of .BETA.-Lactams in Methicillin-Resistant <i>Staphylococcus aureus</i> Produced by Epicatechin Gallate, an Ingredient of Green Tea (<i>Camellia sinensis</i>).. <i>Biological and Pharmaceutical Bulletin</i> , 1999, 22, 1388-1390.	0.6	119
131	Constituents of <i>Geranium thunbergii</i> SIEB. et Zucc. XV. Modified Dehydroellagitannins, Geraniinic Acids B and C, and Phyllathusiin F.. <i>Chemical and Pharmaceutical Bulletin</i> , 1999, 47, 1148-1151.	0.6	18
132	Phenolic Constituents of Cassia Seeds and Antibacterial Effect of Some Naphthalenes and Anthraquinones on Methicillin-Resistant <i>Staphylococcus aureus</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 1999, 47, 1121-1127.	0.6	155
133	Host-Mediated Anticancer Activities of Tannins. , 1999, 66, 643-663.		6
134	Highly Oxidized Ellagitannins and Their Biological Activity. , 1999, 66, 127-144.		5
135	Acylated flavonoid glycosides and accompanying phenolics from licorice. <i>Phytochemistry</i> , 1998, 47, 287-293.	1.4	46
136	Phenolic Constituents of Liquorice. VII. A New Chalcone with a Potent Radical Scavenging Activity and Accompanying Phenolics from Liquorice.. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 1485-1492.	0.6	62
137	Anticarcinogenic Activities of Polyphenols in Foods and Herbs. <i>ACS Symposium Series</i> , 1997, , 245-259.	0.5	5
138	Conformational isomerism of phenolic procyanidins: preferred conformations in organic solvents and water. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1997, , 1035-1044.	0.9	46
139	Four new hydrolyzable tannins and an acylated flavonol glycoside from <i>Euphorbiamaculata</i> . <i>Canadian Journal of Chemistry</i> , 1997, 75, 727-733.	0.6	20
140	Two macrocyclic hydrolysable tannin dimers from <i>Eugenia uniflora</i> . <i>Phytochemistry</i> , 1997, 44, 1343-1349.	1.4	59
141	Flavan dimers with lipase inhibitory activity from <i>Cassia nomame</i> . <i>Phytochemistry</i> , 1997, 46, 893-900.	1.4	74
142	Association of (+)-catechin and catechin-(4 β -8)-catechin with oligopeptides. <i>Chemical Communications</i> , 1996, , 2537-2538.	2.2	35
143	Tannins and Related Polyphenols from Elaeagnaceous Plants. Part 2. New Hydrolyzable Tannins, Shephagenins A and B, from <i>Shepherdia argentea</i> as HIV-1 Reverse Transcriptase Inhibitors.. <i>Chemical and Pharmaceutical Bulletin</i> , 1996, 44, 1436-1439.	0.6	28
144	Tannins of Euphorbiaceous Plants. XIII. New Hydrolyzable Tannins Having Phloroglucinol Residue from <i>Glochidion rubrum</i> BLUME.. <i>Chemical and Pharmaceutical Bulletin</i> , 1995, 43, 2088-2090.	0.6	14

#	ARTICLE	IF	CITATIONS
145	Tannins of Stachyurus Species. III. Stachyuranins A, B and C, Three New Complex Tannins from Stachyurus praecox Leaves.. Chemical and Pharmaceutical Bulletin, 1995, 43, 2109-2114.	0.6	19
146	A Macrocircular Ellagitannin, Oenothien B, Suppresses Mouse Mammary Tumor Gene Expression via Inhibition of Poly(ADP-ribose) Glycohydrolase. Biochemical and Biophysical Research Communications, 1995, 210, 329-337.	1.0	43
147	Hydrolyzable Tannins and Related Polyphenols. Progress in the Chemistry of Organic Natural Products, 1995, 66, 1-117.	0.8	112
148	A dimeric hydrolysable tannin from Camellia oleifera. Phytochemistry, 1994, 37, 241-244.	1.4	24
149	Tannins of Theaceous Plants. V. Camelliatannins F, G and H, Three New Tannins from Camellia japonica L.. Chemical and Pharmaceutical Bulletin, 1994, 42, 1399-1409.	0.6	34
150	Tannins from Theaceous Plants. VII. New .GAMMA.-Pyrone Glucoside, and Dimeric Ellagitannins from Gordonia axillaris.. Chemical and Pharmaceutical Bulletin, 1994, 42, 1922-1923.	0.6	9
151	Inhibitory Effects of Flavonoids on Lipase.. Journal of the Japanese Society for Food Science and Technology, 1994, 41, 847-850.	0.2	34
152	1,3,5-Tri-O-caffeoylquinic acid from Xanthium strumarium. Phytochemistry, 1993, 33, 508-509.	1.4	49
153	Classification of oligomeric hydrolysable tannins and specificity of their occurrence in plants. Phytochemistry, 1993, 32, 507-521.	1.4	111
154	Antitumor Activity of Oenothien B, a Unique Macrocyclic Ellagitannin. Japanese Journal of Cancer Research, 1993, 84, 99-103.	1.7	69
155	Novel inhibitors of poly(ADP-ribose) glycohydrolase. Biochimica Et Biophysica Acta - General Subjects, 1993, 1158, 251-256.	1.1	36
156	Melitic Acids A and B, New Trimeric Caffeic Acid Derivatives from Melissa officinalis.. Chemical and Pharmaceutical Bulletin, 1993, 41, 1608-1611.	0.6	41
157	Antitumor Activities of Ellagitannins against Sarcoma-180 in Mice.. Biological and Pharmaceutical Bulletin, 1993, 16, 379-387.	0.6	81
158	Carbonic Anhydrase Inhibitors from the Pericarps of Punica granatum L.. Biological and Pharmaceutical Bulletin, 1993, 16, 787-790.	0.6	75
159	Tannis of Coriaria japonica A. Gray.III. Structures of Coriariins G, H, I and J.. Chemical and Pharmaceutical Bulletin, 1992, 40, 1703-1710.	0.6	12
160	Antioxidant Effects of Tannins and Related Polyphenols. ACS Symposium Series, 1992, , 87-97.	0.5	30
161	Inhibition of human immunodeficiency viral replication by tannins and related compounds. Antiviral Research, 1992, 18, 91-103.	1.9	155
162	Pharmacologically Active Tannins Isolated from Medicinal Plants. , 1992, 59, 539-569.		44

#	ARTICLE	IF	CITATIONS
163	Hydrolysable tannins as chemotaxonomic markers in the rosaceae. <i>Phytochemistry</i> , 1992, 31, 3091-3096.	1.4	90
164	Two-dimensional NMR spectra of hydrolysable tannins which form equilibrium mixtures. <i>Magnetic Resonance in Chemistry</i> , 1992, 30, S46-S55.	1.1	5
165	Oligomeric Hydrolyzable Tannins From Liquidambar Formosana and Spectral Analysis of the Orientation of Valoneoyl Groups in Their Molecules. , 1992, , 195-207.		3
166	Oligomeric Hydrolyzable Tannins " Their 1H NMR Spectra and Partial Degradation. <i>Heterocycles</i> , 1992, 33, 463.	0.4	39
167	Tannins and Related Polyphenols of Lythraceous Plants. Part2. Woodfordin D and Oenothain A, Trimeric Hydrolyzable Tannins of Macro-Ring Structure with Antitumor Activity.. <i>Chemical and Pharmaceutical Bulletin</i> , 1991, 39, 1157-1162.	0.6	62
168	Tannins of theaceous plants. III. Camelliatannins A and B, two new complex tannins from <i>Camellia japonica</i> L.. <i>Chemical and Pharmaceutical Bulletin</i> , 1991, 39, 876-880.	0.6	41
169	Phenolic Constituents of Licorice. III. Structures of Glicoricone and Licofuranone, and Inhibitory Effects of Licorice Constituents on Monoamine Oxidase.. <i>Chemical and Pharmaceutical Bulletin</i> , 1991, 39, 1238-1243.	0.6	54
170	Tannins of <i>Stachyurus</i> Species. II. Praecoxins A, B, C and D, Four New Hydrolyzable Tannins from <i>Stachyurus praecox</i> Leaves.. <i>Chemical and Pharmaceutical Bulletin</i> , 1991, 39, 1689-1693.	0.6	33
171	Tannins and related polyphenols of euphorbiaceous plants. VIII. Eumaculin A and eusupinin A, and accomapanying polyphenols from <i>Euphorbia maculata</i> L. and <i>E. supina</i> Rafin.. <i>Chemical and Pharmaceutical Bulletin</i> , 1991, 39, 881-883.	0.6	24
172	Structures of isorugosin E and hirtellin B, dimeric hydrolyzable tannins having a trisgalloyl group. <i>Tetrahedron</i> , 1991, 47, 3575-3584.	1.0	34
173	Effect of condensed tannins and related compounds on reverse transcriptase. <i>Phytotherapy Research</i> , 1991, 5, 270-272.	2.8	35
174	Inhibitory Effects of Galloylated Flavonoids on Xanthine Oxidase. <i>Planta Medica</i> , 1991, 57, 83-84.	0.7	64
175	Oligomeric Hydrolyzable Tannins, a New Class of Plant Polyphenols. <i>Heterocycles</i> , 1990, 30, 1195.	0.4	66
176	Effects of interaction of tannins with co-existing substances. VII. Inhibitory effects of tannins and related polyphenols on xanthine oxidase.. <i>Chemical and Pharmaceutical Bulletin</i> , 1990, 38, 1224-1229.	0.6	115
177	Tannins of aceraceous plants. Part II. Gallotannins having a 1,5-anhydro-D-glucitol core and some ellagitannins from <i>Acer</i> species.. <i>Chemical and Pharmaceutical Bulletin</i> , 1990, 38, 1902-1905.	0.6	46
178	Trapanins A and B, oligomeric hydrolyzable tannins from <i>Trapa japonica</i> Flerov.. <i>Chemical and Pharmaceutical Bulletin</i> , 1990, 38, 2707-2711.	0.6	27
179	Tannins of rosaceous plants. VIII. Hydrolyzable tannin monomers having a valoneoyl group from flower petals of <i>Rosa rugosa</i> Thunb.. <i>Chemical and Pharmaceutical Bulletin</i> , 1990, 38, 3308-3313.	0.6	46
180	Tannins of rosaceous plants. IX. Rugosins D, E, F and G, dimeric and trimeric hydrolyzable tannins with valoneoyl group(s), from flower petals of <i>Rosa rugosa</i> Thunb.. <i>Chemical and Pharmaceutical Bulletin</i> , 1990, 38, 3341-3346.	0.6	38

#	ARTICLE	IF	CITATIONS
181	A galloylated monoterpene glucoside and a dimeric hydrolysable tannin from <i>Cornus officinalis</i> . <i>Phytochemistry</i> , 1990, 29, 2975-2978.	1.4	45
182	Fractionation of Pharmacologically Active Plant Polyphenols by Centrifugal Partition Chromatography. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1990, 13, 3637-3650.	0.9	20
183	Oenothin B, a dimeric, hydrolysable tannin with macrocyclic structure, and accompanying tannins from <i>Oenothera erythrosepala</i> . <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1990, , 2735.	0.9	68
184	Hydrolyzable Tannins having a Depsidone-forming Valoneoyl Group. <i>Heterocycles</i> , 1990, 31, 1221.	0.4	8
185	Ellagitannins as Active Constituents of Medicinal Plants. <i>Planta Medica</i> , 1989, 55, 117-122.	0.7	197
186	Chromatography of tannins. <i>Journal of Chromatography A</i> , 1989, 467, 139-147.	1.8	23
187	A tetrameric derivative of caffeic acid from <i>Rabdosia japonica</i> . <i>Phytochemistry</i> , 1989, 28, 2447-2450.	1.4	47
188	New Methods of Analyzing Tannins. <i>Journal of Natural Products</i> , 1989, 52, 1-31.	1.5	187
189	Inhibition of herpes simplex virus infection by tannins and related compounds. <i>Antiviral Research</i> , 1989, 11, 285-297.	1.9	168
190	Constituents of <i>Geranium thunbergii</i> Sieb. et Zucc. Part 14. Structures of didehydrogeraniin, furosinin, and furosin. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1989, , 2289.	0.9	12
191	Studies on inhibition mechanism of autoxidation by tannins and flavonoids. V. Radical-scavenging effects of tannins and related polyphenols on 1,1-diphenyl-2-picrylhydrazyl radical.. <i>Chemical and Pharmaceutical Bulletin</i> , 1989, 37, 1919-1921.	0.6	225
192	Effects of the interaction of tannins with Co-existing substances. VI. Effects of tannins and related polyphenols on superoxide anion radical, and on 1,1-diphenyl-2-picrylhydrazyl radical.. <i>Chemical and Pharmaceutical Bulletin</i> , 1989, 37, 2016-2021.	0.6	610
193	Tannins of cornaceous plants. I. Cornusiins A, B and C, dimeric monomeric and trimeric hydrolyzable tannins from <i>Cornus officinalis</i> , and orientation of valoneoyl group in related tannins.. <i>Chemical and Pharmaceutical Bulletin</i> , 1989, 37, 2083-2090.	0.6	107
194	Oenothin B, a dimeric hydrolyzable tannin of cyclic structure.. <i>Chemical and Pharmaceutical Bulletin</i> , 1989, 37, 2269-2271.	0.6	26
195	Tannins of cornaceous plants. II. Cornusiins D, E and F, new dimeric and trimeric hydrolyzable tannins from <i>Cornus officinalis</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 1989, 37, 2665-2669.	0.6	27
196	Phenolic constituents of licorice. II. Structures of licopyranocoumarin, licoaryl coumarin and glisoflavone, and inhibitory effects of licorice phenolics on xanthine oxidase.. <i>Chemical and Pharmaceutical Bulletin</i> , 1989, 37, 3005-3009.	0.6	117
197	Chromatography of tannins. <i>Journal of Chromatography A</i> , 1988, 435, 285-295.	1.8	23
198	Application of Centrifugal Partition Chromatography to Tannins and Related Polyphenols. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1988, 11, 2447-2454.	0.9	15

#	ARTICLE	IF	CITATIONS
199	¹³ C nuclear magnetic resonance spectra of hydrolyzable tannins. II. Tannins forming anomer mixtures.. Chemical and Pharmaceutical Bulletin, 1988, 36, 2925-2933.	0.6	42
200	Camptothins A and B, new dimeric hydrolyzable tannins from <i>Camptotheca acuminata</i> DECNE.. Chemical and Pharmaceutical Bulletin, 1988, 36, 2017-2022.	0.6	24
201	Two new flavonoids and other constituents in licorice root. Their relative astringency and radical scavenging effects.. Chemical and Pharmaceutical Bulletin, 1988, 36, 2090-2097.	0.6	1,028
202	Tannins of hamamelidaceous plants. III. Isorugosins A, B and D, new ellagitannins from <i>Liquidambar formosana</i> .. Chemical and Pharmaceutical Bulletin, 1988, 36, 3920-3927.	0.6	39
203	Anti-human immunodeficiency virus phenolics from licorice.. Chemical and Pharmaceutical Bulletin, 1988, 36, 2286-2288.	0.6	95
204	Structure of Isorugosin B, and the Orientation of Valoneoyl Group in the Related Monomeric, Dimeric and Trimeric Hydrolyzable Tannins. Heterocycles, 1988, 27, 2081.	0.4	11
205	Tannins and related polyphenols of rosaceous medicinal plants. IV. Roxbins A and B from <i>Rosa roxburghii</i> fruits.. Chemical and Pharmaceutical Bulletin, 1987, 35, 1817-1822.	0.6	36
206	Guavins A, C and D, complex tannins from <i>Psidium guajava</i> .. Chemical and Pharmaceutical Bulletin, 1987, 35, 443-446.	0.6	48
207	Relationship between the structures and the antitumor activities of tannins.. Chemical and Pharmaceutical Bulletin, 1987, 35, 814-822.	0.6	107
208	Studies on the Activities of Tannins and Related Compounds, X. Effects of Caffeetannins and Related Compounds on Arachidonate Metabolism in Human Polymorphonuclear Leukocytes. Journal of Natural Products, 1987, 50, 392-399.	1.5	74
209	Inhibitory Effects of Various Flavonoids Isolated from Leaves of Persimmon on Angiotensin-Converting Enzyme Activity. Journal of Natural Products, 1987, 50, 680-683.	1.5	134
210	Galloylarbutin and other polyphenols from <i>Bergenia purpurascens</i> †. Phytochemistry, 1987, 26, 515-517.	1.4	37
211	Liquidambin, an ellagitannin from <i>Liquidambar formosana</i> . Phytochemistry, 1987, 26, 2053-2055.	1.4	40
212	Constituents of <i>Geranium thunbergii</i> Sieb. et Zucc. XIII Isolation of water-soluble tannins by centrifugal partition chromatography, and biomimetic synthesis of elaeocarpusin.. Chemical and Pharmaceutical Bulletin, 1986, 34, 4075-4082.	0.6	47
213	Tannins of <i>Coriaria japonica</i> A. Gray. I Coriariins A and B, new dimeric and monomeric hydrolyzable tannins.. Chemical and Pharmaceutical Bulletin, 1986, 34, 4092-4097.	0.6	41
214	Tannins of <i>Coriaria japonica</i> A. Gray. II Coriariins C, D, E and F, new dimeric and monomeric hydrolyzable tannins.. Chemical and Pharmaceutical Bulletin, 1986, 34, 4533-4539.	0.6	21
215	Seasonal changes in the tannins of <i>Liquidambar formosana</i> reflecting their biogenesis. Phytochemistry, 1986, 25, 2787-2789.	1.4	77
216	Chromatography of tannins. Journal of Chromatography A, 1986, 362, 375-381.	1.8	36

#	ARTICLE	IF	CITATIONS
217	The Components of Tannic Activities in Labiatae Plants. I. : Rosmarinic Acid from Labiatae Plants in Japan. <i>Yakugaku Zasshi</i> , 1986, 106, 1108-1111.	0.0	36
218	Biomimetic Synthesis of Elaeocarpusin. <i>Heterocycles</i> , 1986, 24, 1841.	0.4	13
219	Relationship of the structures of tannins to the binding activities with hemoglobin and methylene blue.. <i>Chemical and Pharmaceutical Bulletin</i> , 1985, 33, 1424-1433.	0.6	107
220	Studies on the activities of tannins and related compounds from medicinal plants and drugs. VII. Effects of extracts of leaves of <i>Artemisia</i> species, and caffeic acid and chlorogenic acid on lipid metabolic injury in rats fed peroxidized oil.. <i>Chemical and Pharmaceutical Bulletin</i> , 1985, 33, 2028-2034.	0.6	95
221	Studies on the activities of tannins and related compounds from medicinal plants and drugs. VI. Inhibitory effects of caffeoylquinic acids on histamine release from rat peritoneal mast cells.. <i>Chemical and Pharmaceutical Bulletin</i> , 1985, 33, 690-696.	0.6	57
222	Studies on the Activities of Tannins and Related Compounds; VI. Inhibitory Effects on Lipid Peroxidation in Mitochondria and Microsomes of Liver2. <i>Planta Medica</i> , 1984, 50, 473-477.	0.7	46
223	Guavin B, an ellagitannin of novel type.. <i>Chemical and Pharmaceutical Bulletin</i> , 1984, 32, 3787-3788.	0.6	26
224	Cornusiin A, a dimeric ellagitannin forming four tautomers, and accompanying new tannins in <i>Cornus officinalis</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 1984, 32, 4662-4665.	0.6	43
225	Spectral and chromatographic analyses of tannins. I. ¹³ C Nuclear magnetic resonance spectra of hydrolyzable tannins.. <i>Chemical and Pharmaceutical Bulletin</i> , 1984, 32, 1790-1799.	0.6	65
226	Studies on the activities of tannins and related compounds from medicinal plants and drugs. I. Inhibitory effects on lipid peroxidation in mitochondria and microsomes of liver.. <i>Chemical and Pharmaceutical Bulletin</i> , 1983, 31, 1625-1631.	0.6	241
227	Praecoxin B,C,D and E, novel ellagitannins from <i>Stachyurus praecox</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 1983, 31, 333-336.	0.6	35
228	Rugosin A, B, C and praecoxin A, tannins having a valoneoyl group.. <i>Chemical and Pharmaceutical Bulletin</i> , 1982, 30, 4230-4233.	0.6	74
229	Rugosin D, E, F and G, dimeric and trimeric hydrolyzable tannins.. <i>Chemical and Pharmaceutical Bulletin</i> , 1982, 30, 4234-4237.	0.6	51
230	Constituents of <i>Geranium thunbergii</i> Sieb. et Zucc. Part 12. Hydrated stereostructure and equilibration of geraniin. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1982, , 9.	0.9	75
231	Circular dichroism of hydrolysable tannins-I ellagitannins and gallotannins. <i>Tetrahedron Letters</i> , 1982, 23, 3937-3940.	0.7	154
232	Circular dichroism of hydrolysable tannins-II dehydroellagitannins. <i>Tetrahedron Letters</i> , 1982, 23, 3941-3944.	0.7	34
233	Revised Structure of Isoterchebin, Isolated from <i>Cornus officinalis</i> . <i>Heterocycles</i> , 1981, 16, 1321.	0.4	45
234	Tannis of Medicinal Plants and Drugs. <i>Heterocycles</i> , 1981, 15, 1323.	0.4	54

#	ARTICLE	IF	CITATIONS
235	Equilibrated stereostructures of hydrated geraniin and mallotusinic acid. <i>Tetrahedron Letters</i> , 1980, 21, 2561-2564.	0.7	33
236	Ellagitannins of the casuarinaceae, stachyuraceae and myrtaceae. <i>Phytochemistry</i> , 1980, 21, 2871-2874.	1.4	97
237	The distribution of geraniin and mallotusinic acid in the order geraniales. <i>Phytochemistry</i> , 1980, 19, 547-551.	1.4	78
238	Hydrolysable tannins having enantiomeric dehydrohexahydroxydiphenoyl group: Revised structure of terchebin and structure of granatin B. <i>Tetrahedron Letters</i> , 1980, 21, 4361-4364.	0.7	46
239	Constituents of <i>Geranium thunbergii</i> Sieb. et Zucc.. <i>Journal of Chromatography A</i> , 1979, 171, 313-320.	1.8	23
240	Herbal Drugs in Traditional Japanese Medicine. , 0, , .		2
241	Licorice as a Resource for Pharmacologically Active Phenolic Substances: Antioxidant and Antimicrobial Effects. , 0, , .		4