

# Vitor Leite Fernandes

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/507584/vitor-leite-fernandes-publications-by-year.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

25  
papers

196  
citations

8  
h-index

12  
g-index

27  
ext. papers

236  
ext. citations

4  
avg, IF

2.5  
L-index

#	Paper	IF	Citations
25	In vitro inhibition of phosphodiesterase type 4 enhances rat corpus cavernosum nerve-mediated relaxation induced by gasotransmitters.. <i>Life Sciences</i> , <b>2022</b> , 296, 120432	6.8	
24	Adhesion G protein-coupled receptor Gpr126/Adgrg6 is essential for placental development. <i>Science Advances</i> , <b>2021</b> , 7, eabj5445	14.3	1
23	The bitter taste receptor agonist-induced negative chronotropic effects on the Langendorff-perfused isolated rat hearts. <i>European Journal of Pharmacology</i> , <b>2020</b> , 876, 173063	5.3	3
22	Bladder Dysfunction in an Obese Zucker Rat: The Role of TRPA1 Channels, Oxidative Stress, and Hydrogen Sulfide. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2019</b> , 2019, 5641645	6.7	3
21	Phosphodiesterase type 4 inhibition enhances nitric oxide- and hydrogen sulfide-mediated bladder neck inhibitory neurotransmission. <i>Scientific Reports</i> , <b>2018</b> , 8, 4711	4.9	6
20	Role of endogenous hydrogen sulfide in nerve-evoked relaxation of pig terminal bronchioles. <i>Pulmonary Pharmacology and Therapeutics</i> , <b>2016</b> , 41, 1-10	3.5	2
19	Constitutively active PKA regulates neuronal acetylcholine release and contractility of guinea pig urinary bladder smooth muscle. <i>American Journal of Physiology - Renal Physiology</i> , <b>2016</b> , 310, F1377-84	4.3	2
18	Impaired Excitatory Neurotransmission in the Urinary Bladder from the Obese Zucker Rat: Role of Cannabinoid Receptors. <i>PLoS ONE</i> , <b>2016</b> , 11, e0157424	3.7	1
17	BK channel regulation by phosphodiesterase type 1: a novel signaling pathway controlling human detrusor smooth muscle function. <i>American Journal of Physiology - Renal Physiology</i> , <b>2016</b> , 310, F994-9	4.3	7
16	Pre- and post-junctional bradykinin B2 receptors regulate smooth muscle tension to the pig intravesical ureter. <i>Neurourology and Urodynamics</i> , <b>2016</b> , 35, 115-21	2.3	6
15	The Role of Nitric Oxide and Hydrogen Sulfide in Urinary Tract Function. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2016</b> , 119 Suppl 3, 34-41	3.1	16
14	Novel mechanism of hydrogen sulfide-induced guinea pig urinary bladder smooth muscle contraction: role of BK channels and cholinergic neurotransmission. <i>American Journal of Physiology - Cell Physiology</i> , <b>2015</b> , 309, C107-16	5.4	19
13	Neuronal and non-neuronal bradykinin receptors are involved in the contraction and/or relaxation to the pig bladder neck smooth muscle. <i>Neurourology and Urodynamics</i> , <b>2014</b> , 33, 558-65	2.3	4
12	Underlying mechanisms involved in progesterone-induced relaxation to the pig bladder neck. <i>European Journal of Pharmacology</i> , <b>2014</b> , 723, 246-52	5.3	3
11	Constitutive PKA activity is essential for maintaining the excitability and contractility in guinea pig urinary bladder smooth muscle: role of the BK channel. <i>American Journal of Physiology - Cell Physiology</i> , <b>2014</b> , 307, C1142-50	5.4	11
10	Powerful relaxation of phosphodiesterase type 4 inhibitor rolipram in the pig and human bladder neck. <i>Journal of Sexual Medicine</i> , <b>2014</b> , 11, 930-941	1.1	10
9	Hydrogen sulfide plays a key role in the inhibitory neurotransmission to the pig intravesical ureter. <i>PLoS ONE</i> , <b>2014</b> , 9, e113580	3.7	19

8	Endogenous hydrogen sulfide has a powerful role in inhibitory neurotransmission to the pig bladder neck. <i>Journal of Urology</i> , <b>2013</b> , 189, 1567-73	2.5	21
7	Hydrogen sulfide mediated inhibitory neurotransmission to the pig bladder neck: role of KATP channels, sensory nerves and calcium signaling. <i>Journal of Urology</i> , <b>2013</b> , 190, 746-56	2.5	28
6	Mechanisms involved in endothelin-1-induced contraction of the pig urinary bladder neck. <i>Neurourology and Urodynamics</i> , <b>2012</b> , 31, 156-61	2.3	3
5	Mechanisms involved in testosterone-induced relaxation to the pig urinary bladder neck. <i>Steroids</i> , <b>2012</b> , 77, 394-402	2.8	14
4	Endothelin ET(B) receptors are involved in the relaxation to the pig urinary bladder neck. <i>Neurourology and Urodynamics</i> , <b>2012</b> , 31, 688-94	2.3	3
3	Role of calcitonin gene-related peptide in inhibitory neurotransmission to the pig bladder neck. <i>Journal of Urology</i> , <b>2011</b> , 186, 728-35	2.5	5
2	Mechanisms involved in the adenosine-induced vasorelaxation to the pig prostatic small arteries. <i>Purinergic Signalling</i> , <b>2011</b> , 7, 413-25	3.8	4
1	Mechanisms involved in the nitric oxide-induced vasorelaxation in porcine prostatic small arteries. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>2011</b> , 384, 245-53	3.4	5