

Jiansheng Huang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5076716/jiansheng-huang-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

17
papers

352
citations

10
h-index

18
g-index

21
ext. papers

498
ext. citations

7.5
avg, IF

4.03
L-index

#	Paper	IF	Citations
17	Scavenging Reactive Lipids to Prevent Oxidative Injury. <i>Annual Review of Pharmacology and Toxicology</i> , 2021 , 61, 291-308	17.9	7
16	Kidney injury-mediated disruption of intestinal lymphatics involves dicarbonyl-modified lipoproteins. <i>Kidney International</i> , 2021 , 100, 585-596	9.9	1
15	Cardiovascular protective effect of black pepper (<i>Piper nigrum</i> L.) and its major bioactive constituent piperine. <i>Trends in Food Science and Technology</i> , 2020 , 117, 34-34	15.3	1
14	Reactive Dicarbonyl Scavenging Effectively Reduces MPO-Mediated Oxidation of HDL and Restores PON1 Activity. <i>Nutrients</i> , 2020 , 12,	6.7	4
13	Roles of Reconstituted High-Density Lipoprotein Nanoparticles in Cardiovascular Disease: A New Paradigm for Drug Discovery. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
12	SR-BI as a target of natural products and its significance in cancer. <i>Seminars in Cancer Biology</i> , 2020 ,	12.7	10
11	Pharmacological Therapeutics Targeting RNA-Dependent RNA Polymerase, Proteinase and Spike Protein: From Mechanistic Studies to Clinical Trials for COVID-19. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	87
10	Scavenging of reactive dicarbonyls with 2-hydroxybenzylamine reduces atherosclerosis in hypercholesterolemic Ldlr mice. <i>Nature Communications</i> , 2020 , 11, 4084	17.4	16
9	Immunological strategies against spike protein: Neutralizing antibodies and vaccine development for COVID-19. <i>Clinical and Translational Medicine</i> , 2020 , 10, e184	5.7	7
8	The Significance of Natural Product Derivatives and Traditional Medicine for COVID-19. <i>Processes</i> , 2020 , 8, 937	2.9	10
7	IL-1 Inhibition and Function of the HDL-Containing Fraction of Plasma in Patients with Stages 3 to 5 CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 702-711	6.9	13
6	Modification by isolevuglandins, highly reactive α -ketoaldehydes, deleteriously alters high-density lipoprotein structure and function. <i>Journal of Biological Chemistry</i> , 2018 , 293, 9176-9187	5.4	29
5	Loss of in Monocyte/Macrophages Suppresses Their Proliferation and Viability Reducing Atherosclerosis in LDLR Null Mice. <i>Frontiers in Immunology</i> , 2018 , 9, 215	8.4	14
4	Macrophage Apoptosis and Efferocytosis in the Pathogenesis of Atherosclerosis. <i>Circulation Journal</i> , 2016 , 80, 2259-2268	2.9	91
3	Methods for measuring myeloperoxidase activity toward assessing inhibitor efficacy in living systems. <i>Journal of Leukocyte Biology</i> , 2016 , 99, 541-8	6.5	31
2	Inactivation of myeloperoxidase by benzoic acid hydrazide. <i>Archives of Biochemistry and Biophysics</i> , 2015 , 570, 14-22	4.1	10
1	Ordered cleavage of myeloperoxidase ester bonds releases active site heme leading to inactivation of myeloperoxidase by benzoic acid hydrazide analogs. <i>Archives of Biochemistry and Biophysics</i> , 2014 , 548, 74-85	4.1	12

