Tsutomu Kobayashi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5076911/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prognostic impact of resistance to bortezomib and/or lenalidomide in carfilzomibâ€based therapies for relapsed/refractory multiple myeloma: The Kyoto Clinical Hematology Study Group, multicenter, pilot, prospective, observational study in Asian patients. Cancer Reports, 2022, 5, e1476.	1.4	6
2	Gastric Myeloid Sarcoma Mimicking a Scirrhous Gastric Cancer. Internal Medicine, 2022, 61, 1231-1235.	0.7	1
3	Lymphoma during pregnancy in Japan: a multicenter retrospective cohort study. International Journal of Hematology, 2022, 115, 382.	1.6	3
4	Clinical impacts of frailty, poor performance status, and advanced age in carfilzomib-containing treatment for relapsed/refractory multiple myeloma: post hoc investigation of the KOTOSG multicenter pilot prospective observational study. International Journal of Hematology, 2022, 115, 350-362.	1.6	5
5	Pretreatment serum level of interleukin-6 predicts carfilzomib-induced hypertension in relapsed/refractory multiple myeloma. Leukemia and Lymphoma, 2022, 63, 1678-1685.	1.3	1
6	Prognostic value of the Kyoto Prognostic Index in higher-risk diffuse large B-cell lymphomas treated by upfront autologous stem cell transplantation in JCOG0908 trial. Japanese Journal of Clinical Oncology, 2022, , .	1.3	1
7	Patients with B-cell lymphoma receiving anti-CD20 monoclonal antibody-containing chemotherapies and seroreactive patterns in response to COVID-19 vaccination. International Journal of Hematology, 2022, , 1.	1.6	0
8	A case of peripheral Ti¼cell lymphoma unspecified following lymphomatoid papulosis. Skin Cancer, 2022, 37, 58-64.	0.0	0
9	Hematopoietic stem cell transplantation for diffuse large Bâ€cell lymphoma having 8q24/ <i>MYC</i> rearrangement in Japan. Hematological Oncology, 2021, 39, 66-74.	1.7	2
10	EWSR1 overexpression is a pro-oncogenic event in multiple myeloma. International Journal of Hematology, 2021, 113, 381-394.	1.6	5
11	Durable Remission of Chemotherapy-Refractory Myeloid Sarcoma by Azacitidine. Tohoku Journal of Experimental Medicine, 2021, 254, 101-105.	1.2	5
12	Successful management of acquired hemophilia A onset during pregnancy: A case report. Journal of Obstetrics and Gynaecology Research, 2021, 47, 4060-4066.	1.3	2
13	Iguratimod triggers the relapse of methotrexate-associated lymphoproliferative disorder. Annals of Hematology, 2021, 100, 2849-2850.	1.8	1
14	Combination of Bone Marrow Biopsy and Flow Cytometric Analysis: The Prognostically Relevant Central Approach for Detecting Bone Marrow Invasion in Diffuse Large B-Cell Lymphoma. Diagnostics, 2021, 11, 1724.	2.6	3
15	Genomic Analysis Focusing on RUNX1-RUNX1T1 in Japanese Patients with AML: HM-Screen-Japan 01. Blood, 2021, 138, 4464-4464.	1.4	1
16	Properties and Distribution of IDH-1/2 Mutations in Acute Myeloid Leukemia By the Comprehensive Genomic Analysis. Blood, 2021, 138, 4447-4447.	1.4	0
17	Hematologic Malignancies (HM)-Screen-Japan 01: A Mutation Profiling Multicenter Study on Patients with Acute Myeloid Leukemia. Blood, 2021, 138, 4457-4457.	1.4	4
18	Clinical Significance of FLT3 Mutations in a Comprehensive NGS Multicenter Study of AML: HM-Screen-Japan 01. Blood, 2021, 138, 2313-2313.	1.4	1

#	Article	IF	CITATIONS
19	Genomic Analysis of <i>NPM1</i> Mutation and <i>KMT2A</i> (<i>MLL</i>)-Rearrangement/Amplification in Japanese Patients with Acute Myeloid Leukemia: Hematologic Malignancies (HM)-Screen-Japan 01. Blood, 2021, 138, 4460-4460.	1.4	0
20	Sequential therapy of four cycles of bortezomib, melphalan, and prednisolone followed by continuous lenalidomide and dexamethasone for transplant-ineligible newly diagnosed multiple myeloma. Annals of Hematology, 2020, 99, 137-145.	1.8	5
21	Analysis of Japanese patients from the AUGMENT phase III study of lenalidomide + rituximab (R2) vs. rituximab + placebo in relapsed/refractory indolent non-Hodgkin lymphoma. International Journal of Hematology, 2020, 111, 409-416.	1.6	6
22	<p>Chronic Invasive Fungal Rhinosinusitis with Atypical Clinical Presentation in an Immunocompromised Patient</p> . Infection and Drug Resistance, 2020, Volume 13, 3225-3232.	2.7	3
23	Toward further simplification of elotuzumab therapy by subcutaneous administration. International Journal of Hematology, 2020, 112, 427-428.	1.6	1
24	Aberrant BUB1 Overexpression Promotes Mitotic Segregation Errors and Chromosomal Instability in Multiple Myeloma. Cancers, 2020, 12, 2206.	3.7	18
25	Second primary malignancy after rituximab-containing immunochemotherapy for diffuse large B cell lymphoma. Leukemia and Lymphoma, 2020, 61, 3378-3386.	1.3	2
26	Serineâ€227 in the Nâ€ŧerminal kinase domain of RSK2 is a potential therapeutic target for mantle cell lymphoma. Cancer Medicine, 2020, 9, 5185-5199.	2.8	8
27	Lenalidomide and pomalidomide potently interfere with induction of myeloidâ€derived suppressor cells in multiple myeloma. British Journal of Haematology, 2020, 191, 784-795.	2.5	28
28	Tumor-specific transcript variants of cyclin D1 in mantle cell lymphoma and multiple myeloma with chromosome 11q13 abnormalities. Experimental Hematology, 2020, 84, 45-53.e1.	0.4	3
29	Treatment-free remission after first-line dasatinib discontinuation in patients with chronic myeloid leukaemia (first-line DADI trial): a single-arm, multicentre, phase 2 trial. Lancet Haematology,the, 2020, 7, e218-e225.	4.6	65
30	Tuberculosis Peritonitis During Treatment of Polycythemia Vera with Ruxolitinib. Infection and Drug Resistance, 2020, Volume 13, 1017-1021.	2.7	3
31	Genetic Features of AML with MLL-Rearrangement and NPM1 Mutation: An Interim-Analysis of HM-Screen-Japan 01. Blood, 2020, 136, 35-36.	1.4	Ο
32	Interim Analysis of Hematologic Malignancies (HM)-Screen-Japan 01: A Mutation Profiling Multicenter Study of Patients with AML. Blood, 2020, 136, 2-3.	1.4	2
33	Genomic Analysis of <i>FLT3</i> Mutations in a Comprehensive NGS Multicenter Study of AML: HM-Screen-Japan 01. Blood, 2020, 136, 32-34.	1.4	Ο
34	Dual targeting of bromodomain-containing 4 by AZD5153 and BCL2 by AZD4320 against B-cell lymphomas concomitantly overexpressing c-MYC and BCL2. Investigational New Drugs, 2019, 37, 210-222.	2.6	26
35	Clinical features of immuneâ€'related thyroid dysfunction and its association with outcomes in patients with advanced malignancies treated by PDâ€'1 blockade. Oncology Letters, 2019, 18, 2140-2147.	1.8	35
36	Prediction of delayed platelet engraftment after autologous stem cell transplantation for B-cell non-Hodgkin lymphoma. Leukemia and Lymphoma, 2019, 60, 3434-3441.	1.3	5

Тѕитоми Ковауаѕні

#	Article	IF	CITATIONS
37	Primary intraocular natural killer-cell lymphoma successfully treated using a multidisciplinary strategy. Annals of Hematology, 2019, 98, 2617-2619.	1.8	3
38	Immunosuppressive therapy with rabbit antithymocyte globulin therapy for acquired aplastic anemia: a multi-institutional retrospective study in Japanese adult patients. International Journal of Hematology, 2019, 109, 278-285.	1.6	9
39	Combined rituximab, bendamustine, and dexamethasone chemotherapy for relapsed or refractory indolent B-cell non-Hodgkin lymphoma and mantle cell lymphoma: a multicenter phase II study. International Journal of Hematology, 2019, 110, 77-85.	1.6	6
40	Diffuse large B cell lymphoma with chromosomal translocation t(14;19)(q32;q13) occurring in IgG4-related disease. Annals of Hematology, 2019, 98, 1785-1787.	1.8	7
41	Epstein-Barr virus-associated lymphoproliferative disease during imatinib mesylate treatment for chronic myeloid leukemia. Haematologica, 2019, 104, e376-e379.	3.5	5
42	A novel method of amplified fluorescent in situ hybridization for detection of chromosomal microdeletions in B cell lymphoma. International Journal of Hematology, 2019, 109, 593-602.	1.6	4
43	Prognostic impact of a past or synchronous second cancer in diffuse large B cell lymphoma. Blood Cancer Journal, 2018, 8, 1.	6.2	51
44	Phosphoinositide-dependent protein kinase 1 is a potential novel therapeutic target in mantle cell lymphoma. Experimental Hematology, 2018, 59, 72-81.e2.	0.4	9
45	Chromosomal abnormality variation detected by Gâ€banding is associated with prognosis of diffuse large Bâ€cell lymphoma treated by Râ€ <scp>CHOP</scp> â€based therapy. Cancer Medicine, 2018, 7, 655-664.	2.8	5
46	Phase I study of panobinostat and 5-azacitidine in Japanese patients with myelodysplastic syndrome or chronic myelomonocytic leukemia. International Journal of Hematology, 2018, 107, 83-91.	1.6	9
47	Human herpesvirus-6 pneumonitis in a patient with follicular lymphoma following immunochemotherapy with rituximab. Infection and Drug Resistance, 2018, Volume 11, 701-705.	2.7	6
48	Establishment and Characteristics of a Novel Mantle Cell Lymphoma-derived Cell Line and a Bendamustine-resistant Subline. Cancer Genomics and Proteomics, 2018, 15, 213-223.	2.0	6
49	ONSET OF ACQUIRED HEMOPHILIA A DURING ORAL ANTICOAGULANT ADMINISTRATION - A CONCERN ABOUT DELAYED DIAGNOSIS. Japanese Journal of Transfusion and Cell Therapy, 2018, 64, 540-544.	0.2	0
50	A New Prediction System for Platelet Recovery after Autologous Stem Cell Transplantation in B-Cell Non-Hodgkin Lymphomas. Blood, 2018, 132, 2137-2137.	1.4	0
51	Epigenetic repression of miRâ€375 is the dominant mechanism for constitutive activation of the <scp>PDPK</scp> 1/ <scp>RPS</scp> KA3 signalling axis in multiple myeloma. British Journal of Haematology, 2017, 178, 534-546.	2.5	24
52	Multicenter phase <scp>II</scp> study of nivolumab in Japanese patients with relapsed or refractory classical Hodgkin lymphoma. Cancer Science, 2017, 108, 1007-1012.	3.9	55
53	Detection of chromosomal abnormalities by G-banding and prognostic impact in follicular lymphoma in the rituximab era. International Journal of Hematology, 2017, 105, 658-667.	1.6	4
54	High-risk follicular lymphomas harbour more somatic mutations including those in the AID-motif. Scientific Reports, 2017, 7, 14039.	3.3	13

Тѕитоми Ковауаѕні

#	Article	IF	CITATIONS
55	Extranodal marginal zone lymphoma of the uterine cervix with concomitant copy number gains of the MALT1 and BCL2 genes: A case report. Oncology Letters, 2017, 13, 3641-3645.	1.8	7
56	A Novel Diagnostic and Prognostic Biomarker Panel for Endothelial Cell Damage–Related Complications in Allogeneic Transplantation. Biology of Blood and Marrow Transplantation, 2016, 22, 1573-1581.	2.0	25
57	Phase II study of nivolumab in Japanese patients with relapsed or refractory Hodgkin lymphoma previously treated with brentuximab vedotin (ONO-4538-15): An interim analysis Journal of Clinical Oncology, 2016, 34, e19018-e19018.	1.6	4
58	More Somatic Mutations Including Those in the Aid-Motif with High-Risk, Histologically Non-Transformed Follicular Lymphomas. Blood, 2016, 128, 4116-4116.	1.4	0
59	The Abnormal Repression of Mir-375 Expression By Overlapping Epigenetic Dysregulations in Myelomas. Blood, 2016, 128, 4460-4460.	1.4	0
60	Transcriptional dysregulation of the deleted in colorectal carcinoma gene in multiple myeloma and monoclonal gammopathy of undetermined significance. Genes Chromosomes and Cancer, 2015, 54, 788-795.	2.8	6
61	Prognostic indicators of lenalidomide for multiple myeloma: consensus and controversy. Expert Review of Anticancer Therapy, 2015, 15, 787-804.	2.4	5
62	Impact of early use of lenalidomide and low-dose dexamethasone on clinical outcomes in patients with relapsed/refractory multiple myeloma. International Journal of Hematology, 2015, 101, 37-45.	1.6	10
63	The longitudinal analysis of large granular lymphocytosis in patients with Philadelphia chromosome-positive leukemia treated with dasatinib. International Journal of Hematology, 2015, 102, 426-433.	1.6	5
64	Phosphoinositide Protein Kinase PDPK1 Is a Crucial Cell Signaling Mediator in Multiple Myeloma. Cancer Research, 2014, 74, 7418-7429.	0.9	28
65	NS-018, a selective JAK2 inhibitor, preferentially inhibits CFU-GM colony formation by bone marrow mononuclear cells from high-risk myelodysplastic syndrome patients. Leukemia Research, 2014, 38, 619-624.	0.8	3
66	Suppression of SERPINA1-albumin complex formation by galectin-3 overexpression leads to paracrine growth promotion of chronic myelogenous leukemia cells. Leukemia Research, 2014, 38, 103-108.	0.8	12
67	Reduced-Intensity Allogeneic Stem Cell Transplantation for Co-Emergence of Chemotherapy-Refractory Follicular Lymphoma and Therapy-Related Myelodysplastic Syndrome. Case Reports in Oncology, 2014, 7, 188-194.	0.7	2
68	3-Phosphoinositide-Dependent Protein Kinase 1 (PDPK1) Is a Pivotal Cell Signaling Mediator in Multiple Myeloma. Blood, 2014, 124, 4728-4728.	1.4	0
69	Chromosomal Translocation (14;16)-Positive Multiple Myeloma Shows Negativity for CD56 Expression and Unfavorable Outcome Even in the Era of Novel Drugs. Blood, 2014, 124, 3349-3349.	1.4	Ο
70	FTY720 induces apoptosis of chronic myelogenous leukemia cells via dual activation of BIM and BID and overcomes various types of resistance to tyrosine kinase inhibitors. Apoptosis: an International Journal on Programmed Cell Death, 2013, 18, 1437-1446.	4.9	31
71	The Response to Second-line Induction with Bortezomib and Dexamethasone is Predictive of Long-term Outcomes Prior to High-dose Chemotherapy with Autologous Stem Cell Transplantation for Multiple Myeloma. Internal Medicine, 2013, 52, 961-968.	0.7	4
72	Successful Treatment of Chemotherapy-Refractory Angioimmunoblastic T Cell Lymphoma with Cyclosporin A. Acta Haematologica, 2012, 127, 10-15.	1.4	7

Тѕитоми Ковауаѕні

#	Article	IF	CITATIONS
73	Double-hit Lymphomas Constitute a Highly Aggressive Subgroup in Diffuse Large B-cell Lymphomas in the Era of Rituximab. Japanese Journal of Clinical Oncology, 2012, 42, 1035-1042.	1.3	18
74	Monosomy 13 in metaphase spreads is a predictor of poor long-term outcome after bortezomib plus dexamethasone treatment for relapsed/refractory multiple myeloma. International Journal of Hematology, 2012, 95, 516-526.	1.6	15
75	Fingolimod (FTY720) Overcomes the Resistance to Tyrosine Kinase Inhibitors Via Dual Activation of BIM and BID in Chronic Myelogenous Leukemia. Blood, 2012, 120, 3744-3744.	1.4	Ο
76	RSK2Ser227 Is a Therapeutic Target of Myeloma Cells Regardless of Upstream Signalings Blood, 2012, 120, 2945-2945.	1.4	10
77	Galectin-3 Is the Molecular Target for Overcoming Multidrug Resistance Due to the Cell Protection by Bone Marrow Leukemia Microenvironment in Chronic Myeloid Leukemia,. Blood, 2011, 118, 3746-3746.	1.4	Ο
78	Leukemia Microenvironment-Specific Galectin-3 Expression of Leukemic Cells Promotes Malignant Niche Formation and Bone Marrow Lodgment of Leukemic Cells in Chronic Myelogenous Leukemia. Blood, 2011, 118, 1678-1678.	1.4	0
79	Bortezomib plus dexamethasone for relapsed or treatment refractory multiple myeloma: the collaborative study at six institutes in Kyoto and Osaka. International Journal of Hematology, 2010, 92, 579-586.	1.6	16
80	Identification and Functional Significance of Novel Type of Structurally Aberrant Transcripts of DCC In B-Cell Malignancies Blood, 2010, 116, 3623-3623.	1.4	0
81	Galectin-9 Overcomes Various Types of Treatment Resistance through ATF-3/Noxa Pathway-Mediated Apoptosis In Chronic Myelogenous Leukemia. Blood, 2010, 116, 4930-4930.	1.4	0
82	Anti-Myeloma Activity of Modified Galectin-9 through JNK and p38 MAPK Pathways Blood, 2009, 114, 952-952.	1.4	8
83	Transient dermatomyositis complicated with interstitial pneumonia. APLAR Journal of Rheumatology, 2007, 10, 160-163.	0.2	0
84	Clinical Implication of the Effect of the Production of Neutralizing Antibodies Against SARS-Cov-2 for Chronic Immune Thrombocytopenia Flare-Up Associated with COVID-19 Infection: A Case Report and the Review of Literature. Infection and Drug Resistance, 0, Volume 15, 2723-2728.	2.7	1