
## Kumi Hirokawa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5078259/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Associations Between Occupational Status, Support at Work, and Salivary Cortisol Levels. International Journal of Behavioral Medicine, 2022, 29, 299-307.	0.8	3
2	Andropause symptoms and sickness absence in Japanese male workers: a prospective study. Aging Male, 2020, 23, 1545-1552.	0.9	0
3	Cardiovascular reactivity to acute stress associated with sickness absence among Japanese men and women: A prospective study. Brain and Behavior, 2020, 10, e01541.	1.0	3
4	Associations Between Broader Autism Phenotype and Dietary Intake: A Cross-Sectional Study (Japan) Tj ETQqO O 2698-2709.	0 rgBT /O 1.7	verlock 10 Tf 8
5	Job stress factors measured by Brief Job Stress Questionnaire and sickness absence among Japanese workers: A longitudinal study. Fukushima Journal of Medical Sciences, 2020, 66, 88-96.	0.1	5
6	Associations between broader autism phenotype (BAP) and maternal attachment are moderated by maternal postpartum depression when infants are one month old: A prospective study of the Japan environment & children's study. Journal of Affective Disorders, 2019, 243, 485-493.	2.0	18
7	Association Between Cortisol to DHEA-s Ratio and Sickness Absence in Japanese Male Workers. International Journal of Behavioral Medicine, 2018, 25, 362-367.	0.8	1
8	Relationship between the Second to Fourth Finger Length Ratio and Calcaneus Quantitative Ultrasound. Scientific Reports, 2018, 8, 14603.	1.6	1
9	Moderating effects of salivary testosterone levels on associations between job demand and psychological stress response in Japanese medical workers. Industrial Health, 2016, 54, 194-203.	0.4	5
10	Associations of workplace bullying and harassment with stress reactions: a two-year follow-up study. Industrial Health, 2016, 54, 131-138.	0.4	24
11	Occupational status and job stress in relation to cardiovascular stress reactivity in Japanese workers. Preventive Medicine Reports, 2016, 4, 61-67.	0.8	19
12	Dehydroepiandrosterone-sulfate is associated with cardiovascular reactivity to stress in women. Psychoneuroendocrinology, 2016, 69, 116-122.	1.3	9
13	Modification Effects of Changes in Job Demands on Associations Between Changes in Testosterone Levels and Andropause Symptoms: 2-Year Follow-up Study in Male Middle-Aged Japanese Workers. International Journal of Behavioral Medicine, 2016, 23, 464-472.	0.8	4
14	A survey on psychiatric services for an occupational mental health program in Osaka prefecture. Journal of Occupational Safety and Health, 2016, 9, 9-15.	0.0	0
15	Job Stress and Agentic–Communal Personality Traits Related to Serum Cortisol Levels of Male Workers in a Japanese Medium-Sized Company: A Cross-Sectional Study. International Journal of Behavioral Medicine, 2015, 22, 11-17.	0.8	3
16	Menopausal Status in Relation to Cardiovascular Stress Reactivity in Healthy Japanese Participants. Psychosomatic Medicine, 2014, 76, 701-708.	1.3	11
17	Mortality risks in relation to occupational category and position among the Japanese working population: the Jichi Medical School (JMS) cohort study. BMJ Open, 2013, 3, e002690.	0.8	16
18	Associations of Workplace Bullying and Harassment with Pain. International Journal of Environmental Research and Public Health, 2013, 10, 4560-4570.	1.2	23

Kumi Hirokawa

#	Article	IF	CITATIONS
19	Eye-Blink Behaviors in 71 Species of Primates. PLoS ONE, 2013, 8, e66018.	1.1	41
20	Effects of Lavender Aroma on Sleep Quality in Healthy Japanese Students. Perceptual and Motor Skills, 2012, 114, 111-122.	0.6	36
21	Job demands as a potential modifier of the association between testosterone deficiency and andropause symptoms in Japanese middle-aged workers: A cross-sectional study. Maturitas, 2012, 73, 225-229.	1.0	11
22	Effects of a Stress Management Program for Hospital Staffs on Their Coping Strategies and Interpersonal Behaviors. Industrial Health, 2012, 50, 487-498.	0.4	11
23	Premenstrual Symptoms in Young Japanese Women: Agency, Communion and Lifestyle Habits. Sex Roles, 2011, 65, 56-68.	1.4	4
24	Assessment of Workplace Bullying and Harassment: Reliability and Validity of a Japanese Version of the Negative Acts Questionnaire. Journal of Occupational Health, 2010, 52, 74-81.	1.0	26
25	Workplace Bullying could Play Important Roles in the Relationships between Job Strain and Symptoms of Depression and Sleep Disturbance. Journal of Occupational Health, 2010, 52, 367-374.	1.0	64
26	Relationships between serum estradiol, follicle-stimulating hormone concentrations, and gender-related identity: A study of perimenopausal women. Personality and Individual Differences, 2009, 46, 744-747.	1.6	1
27	Occupation and plasma fibrinogen in Japanese male and female workers: The Jichi Medical School Cohort study. Social Science and Medicine, 2009, 68, 1091-1097.	1.8	12
28	Gendered information on sensory, hedonic and familiarity ratings of green tea by female Japanese students. Appetite, 2008, 51, 343-346.	1.8	3
29	Psychosocial job characteristics and plasma fibrinogen in Japanese male and female workers: the Jichi Medical School cohort study. Atherosclerosis, 2008, 198, 468-476.	0.4	7
30	Effects of Communication Skills on Stress Responses While Speaking Japanese and English. Psychological Reports, 2008, 103, 3-10.	0.9	2
31	Rationality/Anti-emotionality Personality and Dietary Habits in a Community Population in Japan. Journal of Epidemiology, 2008, 18, 183-190.	1.1	2
32	Evaluation of an Internetâ€Based Selfâ€Help Program for Better Quality of Sleep among Japanese Workers: A Randomized Controlled Trial. Journal of Occupational Health, 2008, 50, 387-399.	1.0	60
33	EFFECTS OF COMMUNICATION SKILLS ON STRESS RESPONSES WHILE SPEAKING JAPANESE AND ENGLISH. Psychological Reports, 2008, 103, 3.	0.9	1
34	Sex Differences in Preferences for Coffee Sweetness among Japanese Students. Perceptual and Motor Skills, 2007, 105, 403-404.	0.6	1
35	Agency and Communion Related to Mental Health in Japanese Young Adults. Sex Roles, 2007, 56, 517-524.	1.4	16
36	Relationship between masculinity-femininity and concession in an experimental collaborative eyewitness testimony. Asian Journal of Social Psychology, 2006, 9, 132-139.	1.1	10

Kumi Hirokawa

#	Article	IF	CITATIONS
37	An Examination of Sex and Masculinity/Femininity as Related to the Taste Sensitivity of Japanese Students. Sex Roles, 2006, 55, 429-433.	1.4	8
38	Impacts of educational level and employment status on mortality for Japanese women and men: the Jichi Medical School cohort study. European Journal of Epidemiology, 2006, 21, 641-651.	2.5	29
39	Job strain and sick leave among Japanese employees: a longitudinal study. International Archives of Occupational and Environmental Health, 2006, 79, 213-219.	1.1	31
40	Psychosocial job characteristics and risk of mortality in a Japanese community-based working population: The Jichi Medical School Cohort Study. Social Science and Medicine, 2006, 63, 1276-1288.	1.8	30
41	The effects of gender differences in pairs of eyewitnesses on recall memory. The Japanese Journal of Cognitive Psychology, 2005, 3, 83-94.	0.1	1
42	Comparison of Blinking Behavior during Listening to and Speaking in Japanese and English. Perceptual and Motor Skills, 2004, 98, 463-472.	0.6	15
43	AN EXAMINATION OF MASCULINITY-FEMININITY TRAITS AND THEIR RELATIONSHIPS TO COMMUNICATION SKILLS AND STRESS-COPING SKILLS. Social Behavior and Personality, 2004, 32, 731-740.	0.3	2
44	Soy, fat and other dietary factors in relation to premenstrual symptoms in Japanese women. BJOC: an International Journal of Obstetrics and Gynaecology, 2004, 111, 594-599.	1.1	45
45	An Experimental Examination of the Effects of Sex and Masculinity/Femininity on Psychological, Physiological, and Behavioral Responses During Communication Situations. Sex Roles, 2004, 51, 91-99.	1.4	5
46	The relationships of a rationality/antiemotionality personality scale to mortalities of cancer and cardiovascular disease in a community population in Japan. Journal of Psychosomatic Research, 2004, 56, 103-111.	1.2	14
47	EFFECTS OF STRESS COPING STRATEGIES ON PSYCHOLOGICAL AND PHYSIOLOGICAL RESPONSES DURING SPEECHES IN JAPANESE AND ENGLISH. Social Behavior and Personality, 2002, 30, 203-212.	0.3	2
48	Japanese social workers' healthy behaviours as related to masculinity: Focus on mental health workers and caregivers of children and nursing home residents. International Journal of Psychology, 2002, 37, 353-359.	1.7	1
49	EFFECT OF GENDER-TYPES ON INTERPERSONAL STRESS MEASURED BY BLINK RATE AND QUESTIONNAIRES: FOCUSING ON STEREOTYPICALLY SEX-TYPED AND ANDROGYNOUS TYPES. Social Behavior and Personality, 2001, 29, 375-384.	0.3	10
50	Comparison of French and Japanese Individuals with Reference to Hofstede's Concepts of Individualism and Masculinity. Psychological Reports, 2001, 89, 243-251.	0.9	7
51	The effects of sex, self gender type, and partner's gender type on interpersonal adjustment during a first encounter: androgynous and stereotypically sex-typed couples. Japanese Psychological Research, 2000, 42, 102-111.	0.4	4
52	AN EXAMINATION OF THE EFFECTS OF LINGUISTIC ABILITIES ON COMMUNICATION STRESS, MEASURED BY BLINKING AND HEART RATE, DURING A TELEPHONE SITUATION. Social Behavior and Personality, 2000, 28, 343-353.	0.3	11