

S A R Nouraei

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5078641/s-a-r-nouraei-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126
papers

3,419
citations

33
h-index

54
g-index

126
ext. papers

4,040
ext. citations

2.8
avg, IF

5.46
L-index

#	Paper	IF	Citations
126	Should twin-mode white-light and virtual chromoendoscopy of pre-defined mucosal stations be considered a standard of care for Transnasal Panendoscopy?. <i>Clinical Otolaryngology</i> , 2021 , 46, 915-917	1.8	
125	Long-term intubation and high rate of tracheostomy in COVID-19 patients might determine an unprecedented increase of airway stenoses: a call to action from the European Laryngological Society. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 1-7	3.5	54
124	European white paper: oropharyngeal dysphagia in head and neck cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 577-616	3.5	16
123	Apnoeic ventilation for shared airway surgery during the COVID-19 pandemic. <i>Anaesthesia Reports</i> , 2020 , 8, e12082	0.6	0
122	A multidisciplinary approach for managing the infraglottic difficult airway in the setting of the Coronavirus pandemic. <i>Operative Techniques in Otolaryngology - Head and Neck Surgery</i> , 2020 , 31, 128-137	0.4	2
121	Interspecialty referral of oesophagogastric and pharyngolaryngeal cancers delays diagnosis and reduces patient survival: A matched case-control study. <i>Clinical Otolaryngology</i> , 2020 , 45, 370-379	1.8	3
120	Carbon dioxide clearance during apnoea. A reply. <i>Anaesthesia</i> , 2019 , 74, 818-819	6.6	
119	A physiological study to determine the mechanism of carbon dioxide clearance during apnoea when using transnasal humidified rapid insufflation ventilatory exchange (THRIVE). <i>Anaesthesia</i> , 2019 , 74, 441-449	6.6	43
118	Vocal fold fixation due to proximal stenosis progression complicating idiopathic subglottic stenosis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019 , 276, 2293-2300	3.5	1
117	An estimation of smoking history in patients who consume loose and smokeless tobacco products. <i>Clinical Otolaryngology</i> , 2019 , 44, 1201-1202	1.8	1
116	Outcomes of Treating Early Glottic Neoplasms With a Potassium Titanyl Phosphate Laser. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2019 , 128, 85-95	2.1	2
115	An anatomically consistent approach for performing transthyrohyoid injection laryngoplasty. <i>Clinical Otolaryngology</i> , 2019 , 44, 487-489	1.8	1
114	Aortopexy for the treatment of tracheobronchomalacia in 100 children: a 10-year single-centre experience. <i>European Journal of Cardio-thoracic Surgery</i> , 2018 , 54, 585-592	3	10
113	A patient-centred multidomain instrument for improving the clarity of outcomes reporting and documentation in complex airway surgery. <i>Clinical Otolaryngology</i> , 2018 , 43, 1634-1639	1.8	2
112	Oesophageal causes of dysphagia localised only to the pharynx: Implications for the suspected head and neck cancer pathway. <i>Clinical Otolaryngology</i> , 2018 , 43, 1088-1096	1.8	6
111	Management of posterior glottic stenosis using the Combined Glottic Reconstruction procedure. <i>Clinical Otolaryngology</i> , 2018 , 43, 1415-1418	1.8	2
110	A stratified analysis of the perioperative outcome of 17623 patients undergoing major head and neck cancer surgery in England over 10 years: Towards an Informatics-based Outcomes Surveillance Framework. <i>Clinical Otolaryngology</i> , 2017 , 42, 11-28	1.8	7

109	Impact of developing a multidisciplinary coded dataset standard on administrative data accuracy for septoplasty, septorhinoplasty and nasal trauma surgery. <i>Journal of Laryngology and Otology</i> , 2017 , 131, 341-346	1.8	5
108	Vocal palsy increases the risk of lower respiratory tract infection in low-risk, low-morbidity patients undergoing thyroidectomy for benign disease: A big data analysis. <i>Clinical Otolaryngology</i> , 2017 , 42, 1259-1266 ²²	1.8	5
107	Impact of the method and success of pharyngeal reconstruction on the outcome of treating laryngeal and hypopharyngeal cancers with pharyngolaryngectomy: A national analysis. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2017 , 70, 628-638	1.7	11
106	A randomised controlled trial comparing transnasal humidified rapid insufflation ventilatory exchange (THRIVE) pre-oxygenation with facemask pre-oxygenation in patients undergoing rapid sequence induction of anaesthesia. <i>Anaesthesia</i> , 2017 , 72, 439-443	6.6	185
105	Patterns, timing and consequences of post-thyroidectomy haemorrhage. <i>Annals of the Royal College of Surgeons of England</i> , 2017 , 99, 60-62	1.4	16
104	Prosthetic reconstruction of the trachea: A historical perspective. <i>World Journal of Clinical Cases</i> , 2017 , 5, 128-133	1.6	10
103	Role of reinnervation in the management of recurrent laryngeal nerve injury: current state and advances. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2017 , 25, 480-485	2	15
102	Validation of the Airway-Dyspnoea-Voice-Swallow (ADVS) scale and Patient-Reported Outcome Measure (PROM) as disease-specific instruments in paediatric laryngotracheal stenosis. <i>Clinical Otolaryngology</i> , 2017 , 42, 283-294	1.8	6
101	A national analysis of trends, outcomes and volume-outcome relationships in thyroid surgery. <i>Clinical Otolaryngology</i> , 2017 , 42, 354-365	1.8	33
100	Accuracy of clinician-clinical coder information handover following acute medical admissions: implication for using administrative datasets in clinical outcomes management. <i>Journal of Public Health</i> , 2016 , 38, 352-62	3.5	24
99	Disease homogeneity and treatment heterogeneity in idiopathic subglottic stenosis. <i>Laryngoscope</i> , 2016 , 126, 1390-6	3.6	69
98	Non-invasive Assessment and Symptomatic Improvement of the Obstructed Nose (NASION): a physiology-based patient-centred approach to treatment selection and outcomes assessment in nasal obstruction. <i>Clinical Otolaryngology</i> , 2016 , 41, 327-40	1.8	6
97	Transnasal Humidified Rapid-Insufflation Ventilatory Exchange (THRIVE): a physiological method of increasing apnoea time in patients with difficult airways. <i>Anaesthesia</i> , 2015 , 70, 323-9	6.6	440
96	Role of reconstructive surgery in the management of head and neck cancer: a national outcomes analysis of 11,841 reconstructions. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2015 , 68, 469-78 ¹⁷	1.7	12
95	A reply. <i>Anaesthesia</i> , 2015 , 70, 755-6	6.6	1
94	A Study of Clinical Coding Accuracy in Surgery: Implications for the Use of Administrative Big Data for Outcomes Management. <i>Annals of Surgery</i> , 2015 , 261, 1096-107	7.8	42
93	The influence of stents on microbial colonization of the airway in children after slide tracheoplasty: a 14-year single-center experience. <i>Pediatric Pulmonology</i> , 2015 , 50, 79-84	3.5	4
92	An estimation of the population incidence of adult unilateral vocal fold mobility impairment in England. <i>Logopedics Phoniatrics Vocology</i> , 2015 , 40, 93-4	1.3	10

91	A classification system for airway compromise due to bilateral vocal fold mobility impairment. <i>Logopedics Phoniatrics Vocology</i> , 2015 , 40, 95-7	1.3	1
90	Bedside saccadometry as an objective and quantitative measure of hemisphere-specific neurological function in patients undergoing cranial surgery. <i>Journal of Clinical Neuroscience</i> , 2015 , 22, 280-5	2.2	0
89	Audit of accuracy of clinical coding in oral surgery. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2014 , 52, 735-9	1.4	18
88	Physiology-based minimum clinically important difference thresholds in adult laryngotracheal stenosis. <i>Laryngoscope</i> , 2014 , 124, 2313-20	3.6	17
87	Impact of unilateral vocal fold mobility impairment on laryngopulmonary physiology. <i>Clinical Otolaryngology</i> , 2014 , 39, 210-5	1.8	5
86	Management and prognosis of primary tracheal cancer: a national analysis. <i>Laryngoscope</i> , 2014 , 124, 145-50	3.6	43
85	Not always asthma: clinical and legal consequences of delayed diagnosis of laryngotracheal stenosis. <i>Case Reports in Otolaryngology</i> , 2014 , 2014, 325048	0.6	7
84	Multilevel radiofrequency ablation to the soft palate and tongue base: tips and pitfalls. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014 , 271, 1809-13	3.5	8
83	Outcome of endoscopic resection tracheoplasty for treating lambdoid tracheal stomal stenosis. <i>Laryngoscope</i> , 2013 , 123, 1735-41	3.6	4
82	A national analysis of the outcome of major head and neck cancer surgery: implications for surgeon-level data publication. <i>Clinical Otolaryngology</i> , 2013 , 38, 502-11	1.8	31
81	Diagnosis of laryngotracheal stenosis from routine pulmonary physiology using the expiratory disproportion index. <i>Laryngoscope</i> , 2013 , 123, 3099-104	3.6	36
80	An audit of the nature and impact of clinical coding subjectivity variability and error in otolaryngology. <i>Clinical Otolaryngology</i> , 2013 , 38, 512-24	1.8	11
79	Treatment of airway compromise due to laryngeal venous malformations: our experience of four patients. <i>Clinical Otolaryngology</i> , 2013 , 38, 174-7	1.8	5
78	Development and validation of a health informatics algorithm for identifying major head and neck cancer surgery amidst Hospital Episode Statistics data. <i>Clinical Otolaryngology</i> , 2013 , 38, 186-8	1.8	7
77	Use of pressure-volume loops for physiological assessment of adult laryngotracheal stenosis. <i>Laryngoscope</i> , 2013 , 123, 2735-41	3.6	6
76	Outcome of a multimodality approach to the management of idiopathic subglottic stenosis. <i>Laryngoscope</i> , 2013 , 123, 2474-84	3.6	58
75	Remote ischemic preconditioning in percutaneous coronary revascularization: a double-blind randomized controlled clinical trial. <i>Asian Cardiovascular and Thoracic Annals</i> , 2012 , 20, 548-54	0.6	35
74	Reducing treatment delay by improving information flow within the multidisciplinary team: a muticycle audit spiral in head and neck cancer. <i>Clinical Otolaryngology</i> , 2012 , 37, 427-8	1.8	3

73	Towards a classification system for complex craniofacial fractures. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2012 , 50, 490-4	1.4	34
72	Interaction between education and household wealth on the risk of obesity in women in Egypt. <i>PLoS ONE</i> , 2012 , 7, e39507	3.7	34
71	Impact of long-term nasopharyngeal airway on health-related quality of life of children with obstructive sleep apnea caused by syndromic craniosynostosis. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 125-8	1.2	21
70	A proposed system for documenting the functional outcome of paediatric laryngotracheal stenosis. <i>Clinical Otolaryngology</i> , 2011 , 36, 284-6	1.8	2
69	Outcome of treating airway compromise due to bronchial stenosis with intralesional corticosteroids and cutting-balloon bronchoplasty. <i>Otolaryngology - Head and Neck Surgery</i> , 2011 , 145, 623-7	5.5	10
68	Endoscopic airway management of laryngeal sarcoidosis. <i>JAMA Otolaryngology</i> , 2010 , 136, 251-5		31
67	Remote ischemic preconditioning for cerebral and cardiac protection during carotid endarterectomy: results from a pilot randomized clinical trial. <i>Vascular and Endovascular Surgery</i> , 2010 , 44, 434-9	1.4	88
66	Financial and clinical governance implications of clinical coding accuracy in neurosurgery: a multidisciplinary audit. <i>British Journal of Neurosurgery</i> , 2010 , 24, 191-5	1	30
65	Objective assessment of the hemisphere-specific neurological outcome of carotid endarterectomy: a quantitative saccadometric analysis. <i>Neurosurgery</i> , 2010 , 67, 1534-41	3.2	3
64	Further anatomical approaches to parotid surgery. <i>European Archives of Oto-Rhino-Laryngology</i> , 2010 , 267, 793-800	3.5	21
63	Laryngeal and Esophageal Trauma 2010 , 933-942		1
62	A multidisciplinary audit of clinical coding accuracy in otolaryngology: financial, managerial and clinical governance considerations under payment-by-results. <i>Clinical Otolaryngology</i> , 2009 , 34, 43-51	1.8	46
61	Calculating the risk of occurrence of an adverse outcome given a historical zero numerator. <i>Clinical Otolaryngology</i> , 2009 , 34, 394-5	1.8	
60	Response to Carr and Pillai. <i>Clinical Otolaryngology</i> , 2009 , 34, 260-261	1.8	
59	Validation of the Clinical COPD Questionnaire as a psychophysical outcome measure in adult laryngotracheal stenosis. <i>Clinical Otolaryngology</i> , 2009 , 34, 343-8	1.8	25
58	Payment by results: financial implications of clinical coding errors in urology. <i>BJU International</i> , 2009 , 104, 1043-6	5.6	16
57	Basal cell carcinoma of the nipple-areola complex. <i>Dermatologic Surgery</i> , 2009 , 35, 1771-5	1.7	14
56	The stylomastoid artery as an anatomical landmark to the facial nerve during parotid surgery: a clinico-anatomic study. <i>World Journal of Surgical Oncology</i> , 2009 , 7, 71	3.4	22

55	Impact of rhinoplasty on objective measurement and psychophysical appreciation of facial symmetry. <i>Archives of Facial Plastic Surgery</i> , 2009 , 11, 198-202		21
54	Impact of Rhinoplasty on Objective Measurement and Psychophysical Appreciation of Facial Symmetry. <i>Archives of Facial Plastic Surgery</i> , 2009 , 11, 198-202		12
53	Variations in paranasal sinus anatomy: implications for the pathophysiology of chronic rhinosinusitis and safety of endoscopic sinus surgery. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2009 , 38, 32-7	5.4	19
52	The prefabricated sternohyoid myocartilagenous flap: a reconstructive option for treating recalcitrant adult laryngotracheal stenosis. <i>Laryngoscope</i> , 2008 , 118, 687-91	3.6	4
51	Role of planned postchemoradiotherapy selective neck dissection in the multimodality management of head and neck cancer. <i>Laryngoscope</i> , 2008 , 118, 797-803	3.6	27
50	Analysis of complications following surgical treatment of benign parotid disease. <i>ANZ Journal of Surgery</i> , 2008 , 78, 134-8	1	48
49	Perioperative myocardial injury after elective open abdominal aortic aneurysm repair predicts outcome. <i>European Journal of Vascular and Endovascular Surgery</i> , 2008 , 35, 413-9	2.3	32
48	Physiological comparison of spontaneous and positive-pressure ventilation in laryngotracheal stenosis. <i>British Journal of Anaesthesia</i> , 2008 , 101, 419-23	5.4	47
47	Results of endoscopic surgery and intralesional steroid therapy for airway compromise due to tracheobronchial Wegener's granulomatosis. <i>European Respiratory Review</i> , 2008 , 17, 30-32	9.8	3
46	Results of endoscopic surgery and intralesional steroid therapy for airway compromise due to tracheobronchial Wegener's granulomatosis. <i>Thorax</i> , 2008 , 63, 49-52	7.3	36
45	An approach to the management of paroxysmal laryngospasm. <i>Journal of Laryngology and Otology</i> , 2008 , 122, 57-60	1.8	14
44	Impact of oxygen concentration and laser power on occurrence of intraluminal fires during shared-airway surgery: an investigation. <i>Journal of Laryngology and Otology</i> , 2008 , 122, 1335-8	1.8	9
43	Otogenic cranial base osteomyelitis: a proposed prognosis-based system for disease classification. <i>Otology and Neurotology</i> , 2008 , 29, 666-72	2.6	44
42	A four-point suture fixation technique for securing surgical tracheostomies. <i>Clinical Otolaryngology</i> , 2008 , 33, 196-7	1.8	2
41	Development of a planimetry software for digitising printed graphs and historical clinical investigations. <i>Clinical Otolaryngology</i> , 2008 , 33, 506-7	1.8	
40	Development of a software for objective assessment of facial symmetry. <i>Clinical Otolaryngology</i> , 2008 , 33, 637-8	1.8	2
39	Sensitivity and responsiveness of the Medical Research Council dyspnoea scale to the presence and treatment of adult laryngotracheal stenosis. <i>Clinical Otolaryngology</i> , 2008 , 33, 575-80	1.8	30
38	The Asplund-Davies vertical scar breast reduction technique preserves the sub-areolar skin thickness in the long term: a matched comparative study with the inverted T technique. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2007 , 60, 1309-12	1.7	1

37	Reducing referral-to-treatment waiting times in cancer patients using a multidisciplinary database. <i>Annals of the Royal College of Surgeons of England</i> , 2007 , 89, 113-7	1.4	8
36	Quantifying the physiology of laryngotracheal stenosis: changes in pulmonary dynamics in response to graded extrathoracic resistive loading. <i>Laryngoscope</i> , 2007 , 117, 581-8	3.6	27
35	Outcome of endoscopic treatment of adult postintubation tracheal stenosis. <i>Laryngoscope</i> , 2007 , 117, 1073-9	3.6	43
34	Outcome of endoscopic sphenopalatine artery occlusion for intractable epistaxis: a 10-year experience. <i>Laryngoscope</i> , 2007 , 117, 1452-6	3.6	50
33	Incidence and Significance of Myocardial Injury After Surgical Treatment of Head and Neck Cancer. <i>Laryngoscope</i> , 2007 , 117, 1581-1587	3.6	12
32	Incidence and significance of myocardial injury after surgical treatment of head and neck cancer. <i>Laryngoscope</i> , 2007 , 117, 1581-7	3.6	2
31	Primary hyperparathyroidism: do perioperative biochemical variables correlate with parathyroid adenoma weight or volume?. <i>Clinical Otolaryngology</i> , 2007 , 32, 179-84	1.8	37
30	Screening patients with sensorineural hearing loss for vestibular schwannoma using a Bayesian classifier. <i>Clinical Otolaryngology</i> , 2007 , 32, 248-54	1.8	15
29	Endonasal endoscopic approach to the petrous apex: an image-guided quantitative anatomical study. <i>Clinical Otolaryngology</i> , 2007 , 32, 255-60	1.8	30
28	A proposed system for documenting the functional outcome of adult laryngotracheal stenosis. <i>Clinical Otolaryngology</i> , 2007 , 32, 407-9	1.8	28
27	Estimating the population incidence of adult post-intubation laryngotracheal stenosis. <i>Clinical Otolaryngology</i> , 2007 , 32, 411-2	1.8	75
26	Results of endoscopic tracheoplasty for treating tracheostomy-related airway stenosis. <i>Clinical Otolaryngology</i> , 2007 , 32, 471-5	1.8	14
25	The remucosalizing alar cartilage flap: a reconstructive option for repairing nasal septal perforations. <i>European Journal of Plastic Surgery</i> , 2007 , 30, 153-157	0.6	1
24	Surgical treatment of chronic parotid sialadenitis. <i>Journal of Laryngology and Otology</i> , 2007 , 121, 880-4	1.8	8
23	Remote ischemic preconditioning reduces myocardial and renal injury after elective abdominal aortic aneurysm repair: a randomized controlled trial. <i>Circulation</i> , 2007 , 116, 198-105	16.7	316
22	Objective assessment of facial asymmetry in rhinoplasty patients. <i>Archives of Facial Plastic Surgery</i> , 2007 , 9, 184-7		35
21	Subclavian cannulation improves outcome of surgery for type a aortic dissection. <i>Asian Cardiovascular and Thoracic Annals</i> , 2007 , 15, 118-22	0.6	14
20	Objective assessment of keloid scars with three-dimensional imaging: quantifying response to intralesional steroid therapy. <i>Plastic and Reconstructive Surgery</i> , 2007 , 119, 556-61	2.7	51

19	A novel approach to the diagnosis and management of meralgia paresthetica. <i>Neurosurgery</i> , 2007 , 60, 696-700; discussion 700	3.2	66
18	Bacterial colonization of airway stents: a promoter of granulation tissue formation following laryngotracheal reconstruction. <i>JAMA Otolaryngology</i> , 2006 , 132, 1086-90		43
17	Metastasizing pleomorphic salivary adenoma. <i>JAMA Otolaryngology</i> , 2006 , 132, 788-93		63
16	Long-term outcome of skull base surgery with microvascular reconstruction for malignant disease. <i>Plastic and Reconstructive Surgery</i> , 2006 , 118, 1151-1158	2.7	18
15	An instrument for precise cartilage excision in nasal septal surgery. <i>Annals of Plastic Surgery</i> , 2006 , 56, 467-8	1.7	
14	Botulinum toxin in the management of sialorrhoea: a systematic review. <i>Clinical Otolaryngology</i> , 2006 , 31, 267-72		39
13	An anatomical comparison of Blair and facelift incisions for parotid surgery. <i>Clinical Otolaryngology</i> , 2006 , 31, 531-4		42
12	Changes in pulmonary dynamics in response to graded extrathoracic inspiratory resistive loading. <i>Clinical Otolaryngology</i> , 2006 , 31, 579-579		
11	Haemodynamic instability during thyroid surgery: a baroreflex-mediated neurogenic phenomenon?. <i>Anaesthesia</i> , 2006 , 61, 282-4	6.6	4
10	Objective sizing of upper airway stenosis: a quantitative endoscopic approach. <i>Laryngoscope</i> , 2006 , 116, 12-7	3.6	25
9	Early endoscopic treatment of acute inflammatory airway lesions improves the outcome of postintubation airway stenosis. <i>Laryngoscope</i> , 2006 , 116, 1417-21	3.6	61
8	Uses and abuses of digital imaging in plastic surgery. <i>International Journal of Surgery</i> , 2005 , 3, 254-7	7.5	12
7	Carotid endarterectomy impairs blood pressure homeostasis by reducing the physiologic baroreflex reserve. <i>Journal of Vascular Surgery</i> , 2005 , 41, 631-7	3.5	53
6	Carcinoma ex benign pleomorphic adenoma of the parotid gland. <i>Plastic and Reconstructive Surgery</i> , 2005 , 116, 1206-13	2.7	63
5	Measurement of absolute dimensions in endoscopic sinus surgery. <i>Laryngoscope</i> , 2005 , 115, 889-93	3.6	3
4	How we do it: transnasal fiberoptic oesophagoscopy. <i>Clinical Otolaryngology</i> , 2005 , 30, 547-50	1.8	15
3	Dose-related effect of sevoflurane sedation on higher control of eye movements and decision making. <i>British Journal of Anaesthesia</i> , 2003 , 91, 175-83	5.4	18
2	Cervicofacial necrotising fasciitis: management with neck dissection and topical negative pressure. <i>Journal of Wound Care</i> , 2003 , 12, 147-9	2.2	10

- 1 Neuropsychological and quantitative oculometric study of a case of sporadic Creutzfeldt-Jakob disease at predementia stage. *Journal of Neurology, Neurosurgery and Psychiatry*, **2002**, 73, 56-8 5.5 13