

Toshiaki Asakai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5079466/publications.pdf>

Version: 2024-02-01

42
papers

272
citations

1040056

9
h-index

1125743

13
g-index

42
all docs

42
docs citations

42
times ranked

114
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterization of oxyanions of chlorine by multipath titrimetric approach for drinking water quality control. <i>Journal of Physics: Conference Series</i> , 2022, 2192, 012015.	0.4	4
2	Applicable Measuring Range of Two-Electrode Type Commercial Electrolytic Conductivity Meter for Accurate Determination of Electrolytic Conductivity. <i>Journal of Chemistry</i> , 2022, 2022, 1-6.	1.9	1
3	Reliability in Standardization of Iron(III) and Titanium(III) Solutions in Volumetric Analysis. <i>ACS Omega</i> , 2021, 6, 21147-21152.	3.5	1
4	Final report on CCQM-K19.2018 key comparison on pH of an unknown borate buffer. <i>Metrologia</i> , 2021, 58, 08020.	1.2	1
5	Consideration in potential titration paths to assay osmium compounds: toward the establishment of the mono-elemental standard solution. <i>Accreditation and Quality Assurance</i> , 2020, 25, 293-302.	0.8	1
6	Perchlorate ion standard solution: multipath titrimetric approach using three different stoichiometric reactions towards the establishment of SI traceable chemical standards. <i>Metrologia</i> , 2020, 57, 035005.	1.2	7
7	Final report on APMP.QM-K18.2016 key comparison on pH measurement of carbonate buffer. <i>Metrologia</i> , 2020, 58, 08003.	1.2	1
8	Report of the CCQM-K152. Assay of potassium iodate. <i>Metrologia</i> , 2020, 58, 08005.	1.2	4
9	Nitrogen content of amidosulfuric acid assayed by coulometric titration with electrogenerated hypobromite ions: establishment of SI traceability of nitrogen involving amidosulfuric acid, ammonium chloride and sodium chloride. <i>Metrologia</i> , 2019, 56, 044003.	1.2	1
10	Characterization of water in methylcyclohexane as a certified reference material for determination of trace water content in liquids. <i>Metrologia</i> , 2019, 56, 034004.	1.2	3
11	High-throughput and precise measurement method for electrolytic conductivity in a higher conductivity range (10 S m^{-1} to 0.1 S m^{-1}) by chromatography system with conductivity detector. <i>Microchemical Journal</i> , 2018, 143, 312-318.	4.5	3
12	Chlorate ion standard solution established by multipath titration techniques. <i>Microchemical Journal</i> , 2018, 142, 9-16.	4.5	9
13	New Japanese certified reference materials for electrolytic conductivity measurements. <i>Accreditation and Quality Assurance</i> , 2017, 22, 73-81.	0.8	11
14	Final report of the key comparison APMP.QM-K91: APMP comparison on pH measurement of phthalate buffer. <i>Metrologia</i> , 2017, 54, 08002-08002.	1.2	4
15	Electrolytic conductivity at 0.5 S m^{-1} and 5 mS m^{-1} . <i>Metrologia</i> , 2017, 54, 08032-08032.	1.2	1
16	Key comparison on pH of an unknown phosphate buffer. <i>Metrologia</i> , 2016, 53, 08007-08007.	1.2	0
17	Report of the key comparison APMP.QM-K19. APMP comparison on pH measurement of borate buffer. <i>Metrologia</i> , 2015, 52, 08003-08003.	1.2	0
18	Reliability in standardization of sodium thiosulfate with potassium dichromate. <i>Microchemical Journal</i> , 2015, 123, 9-14.	4.5	11

#	ARTICLE	IF	CITATIONS
19	International comparison on Ag AgCl electrodes for pH measurement. Measurement: Journal of the International Measurement Confederation, 2015, 66, 131-138.	5.0	4
20	Final report of key comparison CCQM - K105 'Electrolytic conductivity at 5.3 Sâ€¦m ⁻¹ '. Metrologia, 2014, 51, 08016-08016.	1.2	6
21	SI traceable assay of periodate compounds. Accreditation and Quality Assurance, 2014, 19, 105-109.	0.8	5
22	Certified reference material for ammonium ions in high-purity ammonium chloride: Influence of pH on coulometric titration of ammonium ions with electrogenerated hypobromite. Microchemical Journal, 2014, 114, 203-209.	4.5	7
23	Certification of water content in NMIJ CRM 4222-a, water standard solution 0.1 mg g ⁻¹ , by coulometric and volumetric Karl Fischer titration. Analytical Methods, 2014, 6, 2785-2790.	2.7	16
24	Potassium bromate assay by primary methods through iodine liberation reaction. Analytical Methods, 2013, 5, 6240.	2.7	10
25	Assay of high-purity sodium oxalate traceable to the international system of units by coulometric titration and gravimetric titration. Microchemical Journal, 2013, 108, 24-31.	4.5	6
26	Final report on CCQM-K91: Key comparison on pH of an unknown phthalate buffer. Metrologia, 2013, 50, 08016-08016.	1.2	2
27	Final report on key comparison CCQM-K73: Amount content of H ⁺ in hydrochloric acid (0.1 mol kg ⁻¹). Metrologia, 2013, 50, 08001-08001.	1.2	4
28	Evaluation of the Stability of Iron(II) Solutions by Precise Coulometric Titration with Electrogenerated Cerium(IV). Analytical Sciences, 2012, 28, 601-605.	1.6	4
29	Temporal stability of standard potentials of silver-silver chloride reference electrodes. Accreditation and Quality Assurance, 2012, 17, 529-533.	0.8	5
30	Precise coulometric titration of cerium(iv) as an oxidising agent with electrogenerated iron(ii) and reliability in cerium(iv) standardisation with sodium thiosulfate. Analytical Methods, 2012, 4, 3478.	2.7	9
31	Comparison of three electrochemical end-point detection methods to assay potassium dichromate by coulometric titration. Accreditation and Quality Assurance, 2012, 17, 45-52.	0.8	14
32	Investigation of iodine liberation process in redox titration of potassium iodate with sodium thiosulfate. Analytica Chimica Acta, 2011, 689, 34-38.	5.4	19
33	Investigation on drying conditions and assays of amidosulfuric acid and sodium carbonate by acidimetric coulometric titration and gravimetric titration. Accreditation and Quality Assurance, 2010, 15, 391-399.	0.8	16
34	Scheme and studies of reference materials for volumetric analysis in Japan. Accreditation and Quality Assurance, 2008, 13, 351-360.	0.8	10
35	Investigation of Drying Conditions for High-Purity Sodium Carbonate. Bunseki Kagaku, 2008, 57, 49-53.	0.2	3
36	Precise coulometric titration of sodium thiosulfate and development of potassium iodate as a redox standard. Talanta, 2007, 73, 346-351.	5.5	17

#	ARTICLE	IF	CITATIONS
37	Determination of the purity of acidimetric standards by constant-current coulometry, and the intercomparison between CRMs. Accreditation and Quality Assurance, 2007, 12, 151-155.	0.8	7
38	Investigation of the Drying Conditions for Amidosulfuric Acid. Analytical Sciences, 2006, 22, 461-463.	1.6	7
39	Influence of AgCl Precipitates on the Precipitation Titration of Sodium Chloride by Constant-Current Coulometry. Analytical Sciences, 2006, 22, 1121-1124.	1.6	11
40	Evaluation of certified reference materials for oxidation-reduction titration by precise coulometric titration and volumetric analysis. Analytica Chimica Acta, 2006, 567, 269-276.	5.4	21
41	Controlling Packing Structure of Hydrophobic Alkyl Tails of Monolayered Films of Ion-Paired Macrocyclic Amphiphiles as Studied by Sum-Frequency Generation Spectroscopy. Journal of Physical Chemistry B, 2002, 106, 3855-3859.	2.6	5
42	Feasible stoichiometric reactions for SI traceable bromate assays. Accreditation and Quality Assurance, 0, , .	0.8	1