

Pontus Karling

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5080070/publications.pdf>

Version: 2024-02-01

49
papers

1,679
citations

331670

21
h-index

289244

40
g-index

49
all docs

49
docs citations

49
times ranked

2662
citing authors

#	ARTICLE	IF	CITATIONS
1	Dietary Patterns and Risk of Inflammatory Bowel Disease in Europe. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 345-354.	1.9	207
2	Cancer-associated fecal microbial markers in colorectal cancer detection. <i>International Journal of Cancer</i> , 2017, 141, 2528-2536.	5.1	139
3	Loss-of-Function of the Voltage-Gated Sodium Channel NaV1.5 (Channelopathies) in Patients With Irritable Bowel Syndrome. <i>Gastroenterology</i> , 2014, 146, 1659-1668.	1.3	120
4	Functional variants in the sucrase-isomaltase gene associate with increased risk of irritable bowel syndrome. <i>Gut</i> , 2018, 67, 263-270.	12.1	120
5	Association of TNFSF15 polymorphism with irritable bowel syndrome. <i>Gut</i> , 2011, 60, 1671-1677.	12.1	109
6	Long-term effectiveness of vedolizumab in inflammatory bowel disease: a national study based on the Swedish National Quality Registry for Inflammatory Bowel Disease (SWIBREG). <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 722-729.	1.5	97
7	Fibre intake and the development of inflammatory bowel disease: A European prospective multi-centre cohort study (EPIC-IBD). <i>Journal of Crohn's and Colitis</i> , 2018, 12, 129-136.	1.3	79
8	Dairy Products, Dietary Calcium, and Risk of Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 1403-1411.	1.9	74
9	Increased Prevalence of Rare Sucrase-isomaltase Pathogenic Variants in Irritable Bowel Syndrome Patients. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 1673-1676.	4.4	64
10	Systemic Inflammation in Preclinical Ulcerative Colitis. <i>Gastroenterology</i> , 2021, 161, 1526-1539.e9.	1.3	58
11	Female-Specific Association Between Variants on Chromosome 9 and Self-Reported Diagnosis of Irritable Bowel Syndrome. <i>Gastroenterology</i> , 2018, 155, 168-179.	1.3	55
12	Relative Hypo- and Hypercortisolism Are Both Associated with Depression and Lower Quality of Life in Bipolar Disorder: A Cross-Sectional Study. <i>PLoS ONE</i> , 2014, 9, e98682.	2.5	52
13	Genetic variants in <i>CDC42</i> and <i>NXPH1</i> as susceptibility factors for constipation and diarrhoea predominant irritable bowel syndrome. <i>Gut</i> , 2014, 63, 1103-1111.	12.1	49
14	Diagnosing colorectal cancer and inflammatory bowel disease in primary care: The usefulness of tests for faecal haemoglobin, faecal calprotectin, anaemia and iron deficiency. A prospective study. <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 69-75.	1.5	44
15	The Relationship between the Val158Met Catechol-o-Methyltransferase (COMT) Polymorphism and Irritable Bowel Syndrome. <i>PLoS ONE</i> , 2011, 6, e18035.	2.5	39
16	Proton pump inhibitor use is associated with elevated faecal calprotectin levels. A cross-sectional study on subjects referred for colonoscopy. <i>Scandinavian Journal of Gastroenterology</i> , 2019, 54, 152-157.	1.5	38
17	<i>TRPM8</i> polymorphisms associated with increased risk of IBS-C and IBS-M. <i>Gut</i> , 2017, 66, 1725-1727.	12.1	36
18	The use of ICD codes to identify IBD subtypes and phenotypes of the Montreal classification in the Swedish National Patient Register. <i>Scandinavian Journal of Gastroenterology</i> , 2020, 55, 430-435.	1.5	34

#	ARTICLE	IF	CITATIONS
19	Smoking is associated with risk for developing inflammatory bowel disease including late onset ulcerative colitis: a prospective study. <i>Scandinavian Journal of Gastroenterology</i> , 2018, 53, 173-178.	1.5	31
20	Swedish Inflammatory Bowel Disease Register (SWIBREG) – a nationwide quality register. <i>Scandinavian Journal of Gastroenterology</i> , 2019, 54, 1089-1101.	1.5	31
21	Immunochemical faecal occult blood tests in primary care and the risk of delay in the diagnosis of colorectal cancer. <i>Scandinavian Journal of Primary Health Care</i> , 2013, 31, 209-214.	1.5	21
22	Gastrointestinal symptoms are associated with hypothalamic-pituitary-adrenal axis suppression in healthy individuals. <i>Scandinavian Journal of Gastroenterology</i> , 2007, 42, 1294-1301.	1.5	20
23	Hyper- and hypocortisolism in bipolar disorder - A beneficial influence of lithium on the HPA-axis?. <i>Journal of Affective Disorders</i> , 2017, 213, 161-167.	4.1	15
24	Hypothalamus-Pituitary-Adrenal Axis Hypersuppression Is Associated with Gastrointestinal Symptoms in Major Depression. <i>Journal of Neurogastroenterology and Motility</i> , 2016, 22, 292-303.	2.4	14
25	Relative hypocortisolism is associated with obesity and the metabolic syndrome in recurrent affective disorders. <i>Journal of Affective Disorders</i> , 2016, 204, 187-196.	4.1	14
26	Function and dysfunction of the colon and anorectum in adults: Working team report of the Swedish Motility Group (SMoG). <i>Scandinavian Journal of Gastroenterology</i> , 2009, 44, 646-660.	1.5	13
27	Self-monitoring with home based fecal calprotectin is associated with increased medical treatment. A randomized controlled trial on patients with inflammatory bowel disease. <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 38-45.	1.5	13
28	Patient-reported and doctor-reported symptoms when faecal immunochemical tests are requested in primary care in the diagnosis of colorectal cancer and inflammatory bowel disease: a prospective study. <i>BMC Family Practice</i> , 2020, 21, 129.	2.9	12
29	Radiation exposure in patients with inflammatory bowel disease and irritable bowel syndrome in the years 2001–2011. <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 300-305.	1.5	11
30	The clinical course after glucocorticoid treatment in patients with inflammatory bowel disease is linked to suppression of the hypothalamic–pituitary–adrenal axis: a retrospective observational study. <i>Therapeutic Advances in Gastroenterology</i> , 2017, 10, 829-836.	3.2	9
31	Outcome of gastric emptying and gastrointestinal symptoms after liver transplantation for hereditary transthyretin amyloidosis. <i>BMC Gastroenterology</i> , 2015, 15, 51.	2.0	8
32	Improved monitoring of inflammatory activity in patients with ulcerative colitis by combination of faecal tests for haemoglobin and calprotectin. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019, 79, 341-346.	1.2	7
33	Patients developing inflammatory bowel disease have iron deficiency and lower plasma ferritin years before diagnosis: a nested case-control study. <i>European Journal of Gastroenterology and Hepatology</i> , 2020, 32, 1147-1153.	1.6	6
34	Elevated Faecal Calprotectin in Patients with a Normal Colonoscopy: Does It Matter in Clinical Practice? A Retrospective Observational Study. <i>Inflammatory Intestinal Diseases</i> , 2021, 6, 101-108.	1.9	6
35	Association Between Inflammatory Bowel Disease and Spondyloarthritis: Findings from a Nationwide Study in Sweden. <i>Journal of Crohn's and Colitis</i> , 2022, 16, 1540-1550.	1.3	6
36	Elevated plasma cotinine is associated with an increased risk of developing IBD, especially among users of combusted tobacco. <i>PLoS ONE</i> , 2020, 15, e0235536.	2.5	5

#	ARTICLE	IF	CITATIONS
37	Increased incidence of late-onset inflammatory bowel disease and microscopic colitis after a <i>Cryptosporidium hominis</i> outbreak. <i>Scandinavian Journal of Gastroenterology</i> , 2022, 57, 1443-1449.	1.5	4
38	Irritable bowel syndrome-like symptoms in treated microscopic colitis patients compared with controls: a cross-sectional study. <i>Gastroenterology Report</i> , 2020, 8, 374-380.	1.3	3
39	Pre-diagnostic faecal calprotectin levels in patients with colorectal cancer: a retrospective study. <i>BMC Cancer</i> , 2022, 22, 315.	2.6	3
40	Self-reported gastrointestinal symptoms are more common in liver transplanted transthyretin amyloidosis patients than in healthy controls and in patients transplanted for end-stage liver disease. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2019, 26, 47-48.	3.0	2
41	Increased chronic pain in patients with ulcerative colitis is mostly associated to increased disease activity. A cross-sectional case-control study. <i>Scandinavian Journal of Gastroenterology</i> , 2020, 55, 1193-1199.	1.5	2
42	Long-term postoperative opioid prescription after cholecystectomy or gastric by-pass surgery: a retrospective observational study. <i>Scandinavian Journal of Pain</i> , 2021, 21, 569-576.	1.3	2
43	A more frequent disease monitoring but no increased disease activity in patients with inflammatory bowel disease during the first year of the SARS-CoV-2 pandemic. A retrospective study. <i>Scandinavian Journal of Gastroenterology</i> , 2021, , 1-6.	1.5	2
44	Preclinical Markers in Inflammatory Bowel Disease. A Nested Caseâ€“Control Study. <i>Crohn's & Colitis</i> 360, 2021, 3, .	1.1	2
45	The Risk of Serious Infections Before and After Anti-TNF Therapy in Inflammatory Bowel Disease: A Retrospective Cohort Study. <i>Inflammatory Bowel Diseases</i> , 2023, 29, 339-348.	1.9	2
46	Impact of treatment with immunomodulators and tumour necrosis factor antagonists on the incidence of infectious events in patients with inflammatory bowel disease. <i>Upsala Journal of Medical Sciences</i> , 2022, 127, .	0.9	1
47	Title is missing!. , 2020, 15, e0235536.		0
48	Title is missing!. , 2020, 15, e0235536.		0
49	Title is missing!. , 2020, 15, e0235536.		0