

Stefano Schiaffino

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5080366/stefano-schiaffino-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89
papers

18,582
citations

53
h-index

93
g-index

93
ext. papers

20,705
ext. citations

7.7
avg, IF

6.6
L-index

#	Paper	IF	Citations
89	The proteomic profile of the human myotendinous junction.. <i>IScience</i> , 2022 , 25, 103836	6.1	0
88	Protein profile of fiber types in human skeletal muscle: a single-fiber proteomics study. <i>Skeletal Muscle</i> , 2021 , 11, 24	5.1	10
87	Molecular Mechanisms of Skeletal Muscle Hypertrophy. <i>Journal of Neuromuscular Diseases</i> , 2021 , 8, 169-183	4.83	14
86	Fiber type diversity in skeletal muscle explored by mass spectrometry-based single fiber proteomics. <i>Histology and Histopathology</i> , 2020 , 35, 239-246	1.4	11
85	Muscle hypertrophy and muscle strength: dependent or independent variables? A provocative review. <i>European Journal of Translational Myology</i> , 2020 , 30, 9311	2.1	9
84	The Role of Omics Approaches in Muscle Research 2019 , 1-6		
83	Knockout of human muscle genes revealed by large scale whole-exome studies. <i>Molecular Genetics and Metabolism</i> , 2018 , 123, 411-415	3.7	1
82	Transcriptional programming of lipid and amino acid metabolism by the skeletal muscle circadian clock. <i>PLoS Biology</i> , 2018 , 16, e2005886	9.7	70
81	Developing a toolkit for the assessment and monitoring of musculoskeletal ageing. <i>Age and Ageing</i> , 2018 , 47, iv1-iv19	3	20
80	Muscle fiber type diversity revealed by anti-myosin heavy chain antibodies. <i>FEBS Journal</i> , 2018 , 285, 3688-3694	5.9	59
79	Losing pieces without disintegrating: Contractile protein loss during muscle atrophy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 1753-1755	11.5	5
78	Single Muscle Fiber Proteomics Reveals Fiber-Type-Specific Features of Human Muscle Aging. <i>Cell Reports</i> , 2017 , 19, 2396-2409	10.6	133
77	Regulatory T cells and skeletal muscle regeneration. <i>FEBS Journal</i> , 2017 , 284, 517-524	5.7	76
76	The functional significance of the skeletal muscle clock: lessons from knockout models. <i>Skeletal Muscle</i> , 2016 , 6, 33	5.1	38
75	MRF4 negatively regulates adult skeletal muscle growth by repressing MEF2 activity. <i>Nature Communications</i> , 2016 , 7, 12397	17.4	57
74	Letter to the editor: Comments on Stuart et al. (2016): "Myosin content of individual human muscle fibers isolated by laser capture microdissection". <i>American Journal of Physiology - Cell Physiology</i> , 2016 , 311, C1048-C1049	5.4	2
73	Changes in skeletal muscle fiber types induced by chronic kidney disease. <i>Kidney International</i> , 2015 , 88, 412	9.9	3

72	Developmental myosins: expression patterns and functional significance. <i>Skeletal Muscle</i> , 2015 , 5, 22	5.1	209
71	The calcineurin-NFAT pathway controls activity-dependent circadian gene expression in slow skeletal muscle. <i>Molecular Metabolism</i> , 2015 , 4, 823-33	8.8	43
70	Single muscle fiber proteomics reveals unexpected mitochondrial specialization. <i>EMBO Reports</i> , 2015 , 16, 387-95	6.5	124
69	Muscle insulin sensitivity and glucose metabolism are controlled by the intrinsic muscle clock. <i>Molecular Metabolism</i> , 2014 , 3, 29-41	8.8	242
68	Mechanisms modulating skeletal muscle phenotype. <i>Comprehensive Physiology</i> , 2013 , 3, 1645-87	7.7	122
67	Mechanisms regulating skeletal muscle growth and atrophy. <i>FEBS Journal</i> , 2013 , 280, 4294-314	5.7	790
66	Muscle type and fiber type specificity in muscle wasting. <i>International Journal of Biochemistry and Cell Biology</i> , 2013 , 45, 2191-9	5.6	303
65	Signalling pathways regulating muscle mass in ageing skeletal muscle: the role of the IGF1-Akt-mTOR-FoxO pathway. <i>Biogerontology</i> , 2013 , 14, 303-23	4.5	219
64	Tubular aggregates in skeletal muscle: just a special type of protein aggregates?. <i>Neuromuscular Disorders</i> , 2012 , 22, 199-207	2.9	57
63	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012 , 8, 445-544.2	4.2	2783
62	Skeletal Muscle Fiber Types 2012 , 855-867		2
61	Adaptation of mouse skeletal muscle to long-term microgravity in the MDS mission. <i>PLoS ONE</i> , 2012 , 7, e33232	3.7	116
60	No evidence for inositol 1,4,5-trisphosphate-dependent Ca ²⁺ release in isolated fibers of adult mouse skeletal muscle. <i>Journal of General Physiology</i> , 2012 , 140, 235-41	3.4	23
59	Regulation of skeletal muscle growth by the IGF1-Akt/PKB pathway: insights from genetic models. <i>Skeletal Muscle</i> , 2011 , 1, 4	5.1	447
58	Fiber types in mammalian skeletal muscles. <i>Physiological Reviews</i> , 2011 , 91, 1447-531	47.9	1490
57	Translational suppression of atrophic regulators by microRNA-23a integrates resistance to skeletal muscle atrophy. <i>Journal of Biological Chemistry</i> , 2011 , 286, 38456-38465	5.4	145
56	Fibre types in skeletal muscle: a personal account. <i>Acta Physiologica</i> , 2010 , 199, 451-63	5.6	136
55	Two novel/ancient myosins in mammalian skeletal muscles: MYH14/7b and MYH15 are expressed in extraocular muscles and muscle spindles. <i>Journal of Physiology</i> , 2010 , 588, 353-64	3.9	92

54	Regeneration of mammalian skeletal muscle. Basic mechanisms and clinical implications. <i>Current Pharmaceutical Design</i> , 2010 , 16, 906-14	3.3	251
53	Eccentric contractions lead to myofibrillar dysfunction in muscular dystrophy. <i>Journal of Applied Physiology</i> , 2010 , 108, 105-11	3.7	32
52	NFAT isoforms control activity-dependent muscle fiber type specification. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 13335-40	11.5	112
51	Inducible activation of Akt increases skeletal muscle mass and force without satellite cell activation. <i>FASEB Journal</i> , 2009 , 23, 3896-905	0.9	176
50	Multiple signalling pathways redundantly control glucose transporter GLUT4 gene transcription in skeletal muscle. <i>Journal of Physiology</i> , 2009 , 587, 4319-27	3.9	40
49	Autophagy is required to maintain muscle mass. <i>Cell Metabolism</i> , 2009 , 10, 507-15	24.6	1332
48	Cardiac interstitial cells express GATA4 and control dedifferentiation and cell cycle re-entry of adult cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2009 , 46, 653-62	5.8	44
47	Characterization of a Human Perinatal Myosin Heavy-Chain Transcript. <i>FEBS Journal</i> , 2008 , 230, 1001-1006		
46	Innervation of Regenerating Muscle 2008 , 303-334		12
45	Akt activation prevents the force drop induced by eccentric contractions in dystrophin-deficient skeletal muscle. <i>Human Molecular Genetics</i> , 2008 , 17, 3686-96	5.6	62
44	The role of autophagy in neonatal tissues: just a response to amino acid starvation?. <i>Autophagy</i> , 2008 , 4, 727-30	10.2	55
43	Downstream of Akt: FoxO3 and mTOR in the regulation of autophagy in skeletal muscle. <i>Autophagy</i> , 2008 , 4, 524-6	10.2	211
42	GATA elements control repression of cardiac troponin I promoter activity in skeletal muscle cells. <i>BMC Molecular Biology</i> , 2007 , 8, 78	4.5	9
41	Activity-dependent signaling pathways controlling muscle diversity and plasticity. <i>Physiology</i> , 2007 , 22, 269-78	9.8	178
40	Expression and activity of cyclooxygenase isoforms in skeletal muscles and myocardium of humans and rodents. <i>Journal of Applied Physiology</i> , 2007 , 103, 1412-8	3.7	35
39	FoxO3 controls autophagy in skeletal muscle in vivo. <i>Cell Metabolism</i> , 2007 , 6, 458-71	24.6	1393
38	FoxO3 coordinately activates protein degradation by the autophagic/lysosomal and proteasomal pathways in atrophying muscle cells. <i>Cell Metabolism</i> , 2007 , 6, 472-83	24.6	1141
37	NFATc1 nucleocytoplasmic shuttling is controlled by nerve activity in skeletal muscle. <i>Journal of Cell Science</i> , 2006 , 119, 1604-11	5.3	76

36	Hybrid cardiomyocytes derived by cell fusion in heterotopic cardiac xenografts. <i>FASEB Journal</i> , 2006 , 20, 2534-6	0.9	14
35	Computational reconstruction of the human skeletal muscle secretome. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 62, 776-92	4.2	96
34	Signaling Pathways Controlling Muscle Fiber Size and Type In Response To Nerve Activity 2006 , 91-119		2
33	NFAT is a nerve activity sensor in skeletal muscle and controls activity-dependent myosin switching. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 10590-5	11.5	165
32	Heart morphogenesis is not affected by overexpression of the Sh3bgr gene mapping to the Down syndrome heart critical region. <i>Human Genetics</i> , 2004 , 114, 517-9	6.3	6
31	Foxo transcription factors induce the atrophy-related ubiquitin ligase atrogin-1 and cause skeletal muscle atrophy. <i>Cell</i> , 2004 , 117, 399-412	56.2	2133
30	A protein kinase B-dependent and rapamycin-sensitive pathway controls skeletal muscle growth but not fiber type specification. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 9213-8	11.5	303
29	Chapter 4 Fiber type specification in vertebrate skeletal muscle. <i>Advances in Developmental Biology and Biochemistry</i> , 2002 , 11, 75-95		
28	Calcineurin signaling and neural control of skeletal muscle fiber type and size. <i>Trends in Pharmacological Sciences</i> , 2002 , 23, 569-75	13.2	137
27	Regulatory elements governing transcription in specialized myofiber subtypes. <i>Journal of Biological Chemistry</i> , 2001 , 276, 17361-6	5.4	41
26	Ras is involved in nerve-activity-dependent regulation of muscle genes. <i>Nature Cell Biology</i> , 2000 , 2, 142-7, 3.4		179
25	Acute quadriplegia and loss of muscle myosin in patients treated with nondepolarizing neuromuscular blocking agents and corticosteroids: mechanisms at the cellular and molecular levels. <i>Critical Care Medicine</i> , 2000 , 28, 34-45	1.4	227
24	Developmental expression of the SH3BGR gene, mapping to the Down syndrome heart critical region. <i>Mechanisms of Development</i> , 2000 , 90, 313-6	1.7	24
23	Comparative sequence analysis of the complete human sarcomeric myosin heavy chain family: implications for functional diversity. <i>Journal of Molecular Biology</i> , 1999 , 290, 61-75	6.5	177
22	Early decrease of IIX myosin heavy chain transcripts in Duchenne muscular dystrophy. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 255, 466-9	3.4	31
21	A Cardiac-Specific Troponin I Promoter. Distinctive Patterns of Regulation in Cultured Fetal Cardiomyocytes, Adult Heart and Transgenic Mice. <i>Developments in Cardiovascular Medicine</i> , 1999 , 17-25		
20	Isoform transitions of the myosin binding protein C family in developing human and mouse muscles: lack of isoform transcomplementation in cardiac muscle. <i>Circulation Research</i> , 1998 , 82, 124-9	15.7	89
19	Combinatorial cis-acting elements control tissue-specific activation of the cardiac troponin I gene in vitro and in vivo. <i>Journal of Biological Chemistry</i> , 1998 , 273, 25371-80	5.4	65

18	Myosin heavy chain gene expression changes in the diaphragm of patients with chronic lung hyperinflation. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 1998 , 274, L527-34 ⁸	5.8	32
17	Molecular diversity of myofibrillar proteins: isoforms analysis at the protein and mRNA level. <i>Methods in Cell Biology</i> , 1997 , 52, 349-69	1.8	21
16	Fibre type-specific and nerve-dependent regulation of myosin light chain 1 slow promoter in regenerating muscle. <i>Journal of Muscle Research and Cell Motility</i> , 1997 , 18, 369-73	3.5	19
15	Early myosin switching induced by nerve activity in regenerating slow skeletal muscle. <i>Cell Structure and Function</i> , 1997 , 22, 147-53	2.2	56
14	Binding of cytosolic proteins to myofibrils in ischemic rat hearts. <i>Circulation Research</i> , 1996 , 78, 821-8	15.7	64
13	Gene transfer in regenerating muscle. <i>Human Gene Therapy</i> , 1994 , 5, 11-8	4.8	168
12	Contractile Protein Isoforms in Sarcomeric Muscles: Distribution, Function and Control of Gene Expression 1994 , 271-299		
11	Regional differences in troponin I isoform switching during rat heart development. <i>Developmental Biology</i> , 1993 , 156, 253-64	3.1	67
10	Modification of the dystrophic phenotype after transient neonatal denervation: role of MHC isoforms. <i>Journal of Neurobiology</i> , 1992 , 23, 751-65		2
9	Electrophoretic separation and immunological identification of type 2X myosin heavy chain in rat skeletal muscle. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1990 , 1035, 109-12	4	81
8	Three myosin heavy chain isoforms in type 2 skeletal muscle fibres. <i>Journal of Muscle Research and Cell Motility</i> , 1989 , 10, 197-205	3.5	733
7	Myosin heavy-chain isoforms in human smooth muscle. <i>FEBS Journal</i> , 1989 , 179, 79-85		44
6	A combined histochemical and immunohistochemical study on the dynamics of fast-to-slow fiber transformation in chronically stimulated rabbit muscle. <i>Cell and Tissue Research</i> , 1988 , 254, 59-68	4.2	63
5	Embryonic and neonatal myosin heavy chain in denervated and paralyzed rat skeletal muscle. <i>Developmental Biology</i> , 1988 , 127, 1-11	3.1	186
4	Heart conduction system: a neural crest derivative?. <i>Brain Research</i> , 1988 , 457, 360-6	3.7	102
3	Fetal myosin immunoreactivity in human dystrophic muscle. <i>Muscle and Nerve</i> , 1986 , 9, 51-8	3.4	74
2	Fast-white and fast-red isomyosins in guinea pig muscles. <i>Biochemical and Biophysical Research Communications</i> , 1980 , 96, 1662-70	3.4	54
1	Studies on the effect of denervation in developing muscle. II. The lysosomal system. <i>Journal of Ultrastructure Research</i> , 1972 , 39, 1-14		89

