

# Carsten Schmuck

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/508103/carsten-schmuck-publications-by-citations.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151  
papers

3,219  
citations

29  
h-index

51  
g-index

158  
ext. papers

3,531  
ext. citations

7.1  
avg, IF

5.68  
L-index

#	Paper	IF	Citations
151	How to improve guanidinium cations for oxoanion binding in aqueous solution?. <i>Coordination Chemistry Reviews</i> , <b>2006</b> , 250, 3053-3067	23.2	178
150	Highly stable self-assembly in water: ion pair driven dimerization of a guanidiniocarbonyl pyrrole carboxylate zwitterion. <i>Journal of the American Chemical Society</i> , <b>2003</b> , 125, 452-9	16.4	178
149	Peptide functionalized polydiacetylene liposomes act as a fluorescent turn-on sensor for bacterial lipopolysaccharide. <i>Journal of the American Chemical Society</i> , <b>2011</b> , 133, 9720-3	16.4	158
148	Carboxylate binding by 2-(guanidiniocarbonyl)pyrrole receptors in aqueous solvents: improving the binding properties of guanidinium cations through additional hydrogen bonds. <i>Chemistry - A European Journal</i> , <b>2000</b> , 6, 709-18	4.8	158
147	A molecular flytrap for the selective binding of citrate and other tricarboxylates in water. <i>Journal of the American Chemical Society</i> , <b>2005</b> , 127, 3373-9	16.4	144
146	A molecular peptide beacon for the ratiometric sensing of nucleic acids. <i>Journal of the American Chemical Society</i> , <b>2012</b> , 134, 1958-61	16.4	130
145	Dipeptide binding in water by a de novo designed guanidiniocarbonylpyrrole receptor. <i>Journal of the American Chemical Society</i> , <b>2004</b> , 126, 8898-9	16.4	100
144	A tailor-made specific anion-binding motif in the side chain transforms a tetrapeptide into an efficient vector for gene delivery. <i>Angewandte Chemie - International Edition</i> , <b>2015</b> , 54, 2941-4	16.4	83
143	Side chain selective binding of N-acetyl- $\alpha$ -amino acid carboxylates by a 2-(guanidiniocarbonyl)pyrrole receptor in aqueous solvents. <i>Chemical Communications</i> , <b>1999</b> , 843-844	5.8	73
142	A supramolecular gel from a quadruple zwitterion that responds to both acid and base. <i>Angewandte Chemie - International Edition</i> , <b>2013</b> , 52, 12550-4	16.4	69
141	"Knock-out" analogues as a tool to quantify supramolecular processes: a theoretical study of molecular interactions in guanidiniocarbonyl pyrrole carboxylate dimers. <i>Journal of the American Chemical Society</i> , <b>2005</b> , 127, 11115-24	16.4	63
140	Incorporation of a Non-Natural Arginine Analogue into a Cyclic Peptide Leads to Formation of Positively Charged Nanofibers Capable of Gene Transfection. <i>Angewandte Chemie - International Edition</i> , <b>2016</b> , 55, 598-601	16.4	61
139	Highly Stable Self-Association of 5-(Guanidiniocarbonyl)-1H-pyrrole-2-carboxylate in DMSO The Importance of Electrostatic Interactions. <i>European Journal of Organic Chemistry</i> , <b>1999</b> , 1999, 2397-2403	3.2	60
138	Cooperative self-assembly of discoid dimers: hierarchical formation of nanostructures with a pH switch. <i>Journal of the American Chemical Society</i> , <b>2013</b> , 135, 8342-9	16.4	58
137	NRalkylated guanidiniocarbonyl pyrroles: NR receptors for amino acid recognition in water. <i>Organic Letters</i> , <b>2003</b> , 5, 4579-81	6.2	58
136	Nucleotide recognition in water by a guanidinium-based artificial tweezer receptor. <i>Chemistry - A European Journal</i> , <b>2011</b> , 17, 5311-8	4.8	57
135	Ion pair driven self-assembly of a flexible bis-zwitterion in polar solution: formation of discrete nanometer-sized cyclic dimers. <i>Journal of the American Chemical Society</i> , <b>2006</b> , 128, 1430-1	16.4	55

- 134 Recognition of anionic carbohydrates by an artificial receptor in water. *Organic Letters*, **2005**, 7, 3517-206.2 53
- 133 Efficient complexation of N-acetyl amino acid carboxylates in water by an artificial receptor: unexpected cooperativity in the binding of glutamate but not aspartate. *Journal of the American Chemical Society*, **2005**, 127, 10486-7 16.4 50
- 132 A metal-free fluorescence turn-on molecular probe for detection of nucleoside triphosphates. *Chemical Communications*, **2016**, 53, 208-211 5.8 44
- 131 From Supramolecular Vesicles to Micelles: Controllable Construction of Tumor-Targeting Nanocarriers Based on Host-Guest Interaction between a Pillar[5]arene-Based Prodrug and a RGD-Sulfonate Guest. *Small*, **2018**, 14, e1803952 11 44
- 130 A Facile and Efficient Multi-Gram Synthesis of N-Protected 5-(Guanidinocarbonyl)-1H-pyrrole-2-carboxylic Acids. *European Journal of Organic Chemistry*, **2008**, 2008, 324-329 3.2 41
- 129 Utilizing combinatorial chemistry and rational design: peptidic tweezers with nanomolar affinity to DNA can be transformed into efficient vectors for gene delivery by addition of a lipophilic tail. *Angewandte Chemie - International Edition*, **2013**, 52, 14016-20 16.4 38
- 128 A Tailor-Made Specific Anion-Binding Motif in the Side Chain Transforms a Tetrapeptide into an Efficient Vector for Gene Delivery. *Angewandte Chemie*, **2015**, 127, 2984-2987 3.6 37
- 127 Charge interactions do the job: a combined statistical and combinatorial approach to finding artificial receptors for binding tetrapeptides in water. *Angewandte Chemie - International Edition*, **2005**, 44, 7208-12 16.4 37
- 126 pH-switchable vesicles from a serine-derived guanidiniocarbonyl pyrrole carboxylate zwitterion in DMSO. *Angewandte Chemie - International Edition*, **2010**, 49, 8747-50 16.4 34
- 125 Morphology-Dependent Cell Imaging by Using a Self-Assembled Diacetylene Peptide Amphiphile. *Angewandte Chemie - International Edition*, **2017**, 56, 14526-14530 16.4 33
- 124 Direct experimental observation of the aggregation of amino acids into 100-200 nm clusters in aqueous solution. *RSC Advances*, **2012**, 2, 4690 3.7 32
- 123 Guanidiniocarbonylpyrrole-aryl derivatives: structure tuning for spectrophotometric recognition of specific DNA and RNA sequences and for antiproliferative activity. *Chemistry - A European Journal*, **2010**, 16, 3036-56 4.8 31
- 122 Non-viral transfection vectors: are hybrid materials the way forward?. *MedChemComm*, **2019**, 10, 1692-1718 29
- 121 Efficient gene delivery into cells by a surprisingly small three-armed peptide ligand. *Chemical Science*, **2012**, 3, 996 9.4 29
- 120 Discovery of potent inhibitors of human Eryptase from pre-equilibrated dynamic combinatorial libraries. *Chemical Science*, **2015**, 6, 1792-1800 9.4 27
- 119 Transforming polyethylenimine into a pH-switchable hydrogel by additional supramolecular interactions. *Chemical Communications*, **2014**, 50, 10464-7 5.8 27
- 118 A dual pH-responsive supramolecular gelator with aggregation-induced emission properties. *Soft Matter*, **2018**, 14, 6166-6170 3.6 26
- 117 Diverse Properties of Guanidiniocarbonyl Pyrrole-Based Molecules: Artificial Analogues of Arginine. *Accounts of Chemical Research*, **2019**, 52, 1709-1720 24.3 24

116	Interactions of multicationic bis(guanidiniocarbonylpyrrole) receptors with double-stranded nucleic acids: syntheses, binding studies, and atomic force microscopy imaging. <i>Chemistry - A European Journal</i> , <b>2012</b> , 18, 1352-63	4.8	24
115	A novel pyrene-guanidiniocarbonyl-pyrrole cation efficiently differentiates between ds-DNA and ds-RNA by two independent, sensitive spectroscopic methods. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2008</b> , 18, 2977-81	2.9	24
114	Design and synthesis of a new class of arginine analogues with an improved anion binding site in the side chain. <i>Chemical Communications</i> , <b>2005</b> , 772-4	5.8	23
113	A Supramolecular Gel from a Quadruple Zwitterion that Responds to Both Acid and Base. <i>Angewandte Chemie</i> , <b>2013</b> , 125, 12782-12786	3.6	22
112	Reversible and noncompetitive inhibition of beta-tryptase by protein surface binding of tetravalent peptide ligands identified from a combinatorial split-mix library. <i>Angewandte Chemie - International Edition</i> , <b>2010</b> , 49, 4113-6	16.4	22
111	Screening of a combinatorial library reveals peptide-based catalysts for phosphoester cleavage in water. <i>Organic Letters</i> , <b>2007</b> , 9, 5389-92	6.2	21
110	Use of an Octapeptide-Guanidiniocarbonylpyrrole Conjugate for the Formation of a Supramolecular $\beta$ -Helix that Self-Assembles into pH-Responsive Fibers. <i>Angewandte Chemie - International Edition</i> , <b>2016</b> , 55, 13015-13018	16.4	20
109	Fluorescent Peptide Beacons for the Selective Ratiometric Detection of Heparin. <i>Chemistry - A European Journal</i> , <b>2016</b> , 22, 13156-61	4.8	19
108	A new approach to inhibit human $\beta$ -tryptase by protein surface binding of four-armed peptide ligands with two different sets of arms. <i>Organic and Biomolecular Chemistry</i> , <b>2013</b> , 11, 1631-9	3.9	19
107	Utilizing Combinatorial Chemistry and Rational Design: Peptidic Tweezers with Nanomolar Affinity to DNA Can Be Transformed into Efficient Vectors for Gene Delivery by Addition of a Lipophilic Tail. <i>Angewandte Chemie</i> , <b>2013</b> , 125, 14266-14270	3.6	19
106	Formation of Twisted $\beta$ -Sheet Tapes from a Self-Complementary Peptide Based on Novel Pillararene-GCP Host-Guest Interaction with Gene Transfection Properties. <i>Chemistry - A European Journal</i> , <b>2018</b> , 24, 9754-9759	4.8	19
105	Hydrolytic activity of histidine-containing octapeptides in water identified by quantitative screening of a combinatorial library. <i>Organic and Biomolecular Chemistry</i> , <b>2009</b> , 7, 4362-8	3.9	18
104	UV resonance Raman spectroscopic monitoring of supramolecular complex formation: peptide recognition in aqueous solution. <i>Physical Chemistry Chemical Physics</i> , <b>2007</b> , 9, 4598-603	3.6	18
103	Impact of Modified Silica Beads on Methane Hydrate Formation in a Fixed-Bed Reactor. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2019</b> , 58, 16687-16695	3.9	17
102	Preparation and antimalarial activity of a novel class of carbohydrate-derived, fused thiochromans. <i>European Journal of Medicinal Chemistry</i> , <b>2014</b> , 87, 197-202	6.8	17
101	Quantitative label-free monitoring of peptide recognition by artificial receptors: a comparative FT-IR and UV resonance Raman spectroscopic study. <i>Chemical Science</i> , <b>2012</b> , 3, 3371	9.4	17
100	Downsizing of enzymes by chemical methods: arginine mimics with low pKa values increase the rates of hydrolysis of RNA model compounds. <i>Angewandte Chemie - International Edition</i> , <b>2009</b> , 48, 6722-5	16.4	17
99	Two-Component Self-Assembly: Hierarchical Formation of pH-Switchable Supramolecular Networks by $\beta$ -Induced Aggregation of Ion Pairs. <i>Chemistry - A European Journal</i> , <b>2016</b> , 22, 15242-15247	4.8	16

98	Site-specific pKa determination of the carboxylate-binding subunit in artificial peptide receptors. <i>Chemical Communications</i> , <b>2010</b> , 46, 2133-5	5.8	16
97	Chapter 8:Synthetic Receptors for Amino Acids and Peptides. <i>Monographs in Supramolecular Chemistry</i> , <b>2015</b> , 326-368	1.1	16
96	Multi-Stimuli-Responsive Supramolecular Polymers Based on Noncovalent and Dynamic Covalent Bonds. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 2107-2115	9.5	16
95	Incorporation of a Non-Natural Arginine Analogue into a Cyclic Peptide Leads to Formation of Positively Charged Nanofibers Capable of Gene Transfection. <i>Angewandte Chemie</i> , <b>2016</b> , 128, 608-611	3.6	15
94	β-Amino Acids in Nature <b>2004</b> , 63-89		15
93	Ladungswechselwirkungen machen es möglich: ein kombinierter statistischer und kombinatorischer Ansatz zur Auffindung künstlicher Rezeptoren für die Bindung von Tetrapeptiden in Wasser. <i>Angewandte Chemie</i> , <b>2005</b> , 117, 7374-7379	3.6	15
92	Cancer-Cell-Specific Drug Delivery by a Tumor-Homing CPP-Gossypol Conjugate Employing a Tracelessly Cleavable Linker. <i>Chemistry - A European Journal</i> , <b>2020</b> , 26, 3010-3015	4.8	15
91	Efficient Gene Transfection through Inhibition of β-Sheet (Amyloid Fiber) Formation of a Short Amphiphilic Peptide by Gold Nanoparticles. <i>Angewandte Chemie - International Edition</i> , <b>2017</b> , 56, 8083-8088	16.4	14
90	Characterization of guanidiniocarbonyl pyrroles in water by pH-dependent UV Raman spectroscopy and component analysis. <i>Physical Chemistry Chemical Physics</i> , <b>2008</b> , 10, 6770-5	3.6	14
89	Guanidiniocarbonyl pyrrole (GCP) conjugated PAMAM-G2, a highly efficient vector for gene delivery: the importance of DNA condensation. <i>Chemical Communications</i> , <b>2016</b> , 52, 12446-12449	5.8	14
88	Development of a Surface-Active Coating for Promoted Gas Hydrate Formation. <i>Chemie-Ingenieur-Technik</i> , <b>2019</b> , 91, 85-91	0.8	14
87	DNA/RNA recognition controlled by the glycine linker and the guanidine moiety of phenanthridine peptides. <i>International Journal of Biological Macromolecules</i> , <b>2019</b> , 134, 422-434	7.9	13
86	A FRET-enabled molecular peptide beacon with a significant red shift for the ratiometric detection of nucleic acids. <i>Chemical Communications</i> , <b>2016</b> , 52, 6134-7	5.8	13
85	A Branched Tripeptide with an Anion-Binding Motif as a New Delivery Carrier for Efficient Gene Transfection. <i>ChemBioChem</i> , <b>2019</b> , 20, 1410-1416	3.8	12
84	pH-Controlled Formation of a Stable β-Sheet and Amyloid-like Fibers from an Amphiphilic Peptide: The Importance of a Tailor-Made Binding Motif for Secondary Structure Formation. <i>Angewandte Chemie - International Edition</i> , <b>2016</b> , 55, 15287-15291	16.4	12
83	Norbornane-based cationic antimicrobial peptidomimetics targeting the bacterial membrane. <i>European Journal of Medicinal Chemistry</i> , <b>2018</b> , 160, 9-22	6.8	12
82	Peptide-Based Probes with an Artificial Anion-Binding Motif for Direct Fluorescence "Switch-On" Detection of Nucleic Acid in Cells. <i>Chemistry - A European Journal</i> , <b>2017</b> , 23, 17356-17362	4.8	11
81	Combinatorial Methods for the Discovery of Catalysts <b>2004</b> , 436-445		11

80	Functional Disruption of the Cancer-Relevant Interaction between Survivin and Histone H3 with a Guanidiniocarbonyl Pyrrole Ligand. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 5567-5571	16.4	11
79	A Supramolecular Stabilizer of the 14-3-3 $\beta$ ERF Protein-Protein Interaction with a Synergistic Mode of Action. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 5284-5287	16.4	11
78	Multivalent Ligands with Tailor-Made Anion Binding Motif as Stabilizers of Protein-Protein Interactions. <i>ChemBioChem</i> , <b>2019</b> , 20, 2921-2926	3.8	10
77	Arginine mimetic appended peptide-based probes for fluorescence turn-on detection of 14-3-3 proteins. <i>Organic and Biomolecular Chemistry</i> , <b>2019</b> , 17, 4359-4363	3.9	10
76	Rational Design, Binding Studies, and Crystal-Structure Evaluation of the First Ligand Targeting the Dimerization Interface of the 14-3-3 $\beta$ Adapter Protein. <i>ChemBioChem</i> , <b>2018</b> , 19, 591-595	3.8	10
75	Guanidiniocarbonyl-pyrrole-aryl conjugates as inhibitors of human dipeptidyl peptidase III: combined experimental and computational study. <i>RSC Advances</i> , <b>2016</b> , 6, 83044-83052	3.7	10
74	Quantitative, label-free and site-specific monitoring of molecular recognition: a multivariate resonance Raman approach. <i>Chemical Communications</i> , <b>2011</b> , 47, 568-70	5.8	10
73	A Systematic Structure-Activity Study of a New Type of Small Peptidic Transfection Vector Reveals the Importance of a Special Oxo-Anion-Binding Motif for Gene Delivery. <i>ChemBioChem</i> , <b>2017</b> , 18, 2268-2279	3.8	9
72	A Selective Cucurbit[8]uril-Peptide Beacon Ensemble for the Ratiometric Fluorescence Detection of Peptides. <i>Chemistry - A European Journal</i> , <b>2019</b> , 25, 13088-13093	4.8	9
71	A stimuli responsive two component supramolecular hydrogelator with aggregation-induced emission properties. <i>Soft Matter</i> , <b>2019</b> , 15, 7117-7121	3.6	9
70	Two-component self-assembly of a tetra-guanidiniocarbonyl pyrrole cation and Na <sub>4</sub> EDTA: formation of pH switchable supramolecular networks. <i>Chemical Communications</i> , <b>2015</b> , 51, 16065-7	5.8	9
69	Dual pH-Induced Reversible Self-Assembly of Gold Nanoparticles by Surface Functionalization with Zwitterionic Ligands. <i>Small</i> , <b>2020</b> , 16, e2001044	11	9
68	Use of an Octapeptide Guanidiniocarbonylpyrrole Conjugate for the Formation of a Supramolecular $\beta$ -Helix that Self-Assembles into pH-Responsive Fibers. <i>Angewandte Chemie</i> , <b>2016</b> , 128, 13209-13212	3.6	9
67	Reversible and Noncompetitive Inhibition of $\beta$ -Tryptase by Protein Surface Binding of Tetravalent Peptide Ligands Identified from a Combinatorial Split-Mix Library. <i>Angewandte Chemie</i> , <b>2010</b> , 122, 4207-4210	2.6	9
66	Artificial Molecular Rotary Motors Based on Rotaxanes <b>2004</b> , 526-539		9
65	Synthesis and Application of Proline and PIPecolic Acid Derivatives: Tools for Stabilization of Peptide Secondary Structures <b>2004</b> , 18-30		9
64	Introduction of a tailor made anion receptor into the side chain of small peptides allows fine-tuning the thermodynamic signature of peptide-DNA binding. <i>Organic and Biomolecular Chemistry</i> , <b>2016</b> , 14, 8800-8803	3.9	8
63	Incorporation of arginine mimetic residue into peptides for recognition of double stranded nucleic acid structure: Binding and aggregation studies. <i>Bioorganic and Medicinal Chemistry</i> , <b>2017</b> , 25, 1875-1880	3.4	7



62	A new class of supramolecular ligands stabilizes 14-3-3 protein-protein interactions by up to two orders of magnitude. <i>Chemical Communications</i> , <b>2018</b> , 55, 111-114	5.8	7
61	Dimensional control of supramolecular assemblies of diacetylene-derived peptide gemini amphiphile: from spherical micelles to foamlike networks. <i>Soft Matter</i> , <b>2018</b> , 14, 5565-5571	3.6	7
60	pH-Controlled Formation of a Stable $\beta$ -Sheet and Amyloid-like Fibers from an Amphiphilic Peptide: The Importance of a Tailor-Made Binding Motif for Secondary Structure Formation. <i>Angewandte Chemie</i> , <b>2016</b> , 128, 15513-15517	3.6	6
59	Self-Assembly of a Tripodal Trizwitterion Forms a pH-Switchable Hydrogel that Can Reversibly Encapsulate Hydrophobic Guests in Water. <i>Chemistry - A European Journal</i> , <b>2017</b> , 23, 320-326	4.8	6
58	Nucleobase-Guanidiniocarbonyl-Pyrrole Conjugates as Novel Fluorimetric Sensors for Single Stranded RNA. <i>Molecules</i> , <b>2017</b> , 22,	4.8	6
57	Morphology-Dependent Cell Imaging by Using a Self-Assembled Diacetylene Peptide Amphiphile. <i>Angewandte Chemie</i> , <b>2017</b> , 129, 14718-14722	3.6	5
56	Water-Soluble, pH Responsive Polymeric Nanoparticles: A Modular Approach. <i>ACS Applied Polymer Materials</i> , <b>2020</b> , 2, 2499-2503	4.3	5
55	A dipeptide with enhanced anion binding affinity enables cell uptake and protein delivery. <i>Organic and Biomolecular Chemistry</i> , <b>2018</b> , 16, 2312-2317	3.9	5
54	Molecular recognition of carboxylates in the protein leucine zipper by a multivalent supramolecular ligand: residue-specific, sensitive and label-free probing by UV resonance Raman spectroscopy. <i>Physical Chemistry Chemical Physics</i> , <b>2018</b> , 20, 1817-1820	3.6	5
53	Downsizing of Enzymes by Chemical Methods: Arginine Mimics with Low pKa Values Increase the Rates of Hydrolysis of RNA Model Compounds. <i>Angewandte Chemie</i> , <b>2009</b> , 121, 6850-6853	3.6	5
52	Foldamer Hybrids: Defined Supramolecular Structures from Flexible Molecules 109-146		5
51	Cyclopeptides As Macrocyclic Host Molecules for Charged Guests <b>2004</b> , 124-139		5
50	Fluorescent cyanine-guanidiniocarbonyl-pyrrole conjugate with pH-dependent DNA/RNA recognition and DPP III fluorescent labelling and inhibition properties. <i>Monatshefte Für Chemie</i> , <b>2018</b> , 149, 1307-1313	1.4	4
49	Hierarchical self-assembly of a small monomer with two orthogonal binding sites: from discrete hexagonal containers to a stimuli-responsive supramolecular gel. <i>Supramolecular Chemistry</i> , <b>2018</b> , 30, 395-403	1.8	4
48	Smart Glycopolymetric Nanoparticles for Multivalent Lectin Binding and Stimuli-Controlled Guest Release. <i>Biomacromolecules</i> , <b>2020</b> , 21, 2356-2364	6.9	4
47	Synthetic Approaches to Study Multivalent CarbohydrateLectin Interactions <b>2004</b> , 203-213		3
46	Microbially Produced Functionalized Cyclohexadiene-Trans-Diols As a New Class of Chiral Building Block in Organic Synthesis: On the Way to Green and Combinatorial Chemistry <b>2004</b> , 511-525		3
45	A Metallosupramolecular Coordination Polymer for the Turn-onFluorescence Detection of Hydrogen Sulfide. <i>ChemistryOpen</i> , <b>2020</b> , 9, 786-792	2.3	3

44	The guanidiniocarbonylpyrrole-fluorophore conjugates as theragnostic tools for dipeptidyl peptidase III monitoring and inhibition. <i>Journal of Biomolecular Structure and Dynamics</i> , <b>2020</b> , 38, 3790-3800	3.6	3
43	Guanidiniocarbonyl Pyrrole Cation (GCP) [A New Guest for Cucurbit[8]uril: Application to the Synthesis of Supramolecular Polymers Based on CB[8]@2GCP Complex Formation. <i>European Journal of Organic Chemistry</i> , <b>2018</b> , 2018, 6515-6518	3.2	3
42	Efficient Gene Transfection through Inhibition of $\beta$ Sheet (Amyloid Fiber) Formation of a Short Amphiphilic Peptide by Gold Nanoparticles. <i>Angewandte Chemie</i> , <b>2017</b> , 129, 8195-8200	3.6	2
41	Funktionelle Inhibition der krebsrelevanten Interaktion von Survivin und Histon H3 mit einem Guanidiniumcarbonylpyrrol-Liganden. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 5614-5619	3.6	2
40	Formation of Polymeric Particles by Direct Polymerization on the Surface of a Supramolecular Template. <i>Chemistry - A European Journal</i> , <b>2018</b> , 24, 9061-9065	4.8	2
39	Locating Large, Flexible Ligands on Proteins. <i>Journal of Chemical Information and Modeling</i> , <b>2018</b> , 58, 315-327	6.1	2
38	Force field-based conformational searches: efficiency and performance for peptide receptor complexes. <i>Molecular Physics</i> , <b>2013</b> , 111, 2489-2500	1.7	2
37	Guanidinium Based Anion Receptors <b>2010</b> , 273-317		2
36	Aspartic Proteases Involved in Alzheimer's Disease <b>2004</b> , 262-276		2
35	Homogeneous DNA Detection <b>2004</b> , 311-328		2
34	Charge Transfer in DNA <b>2004</b> , 369-385		2
33	Evaluation of the DNA-Binding Properties of Cationic Dyes by Absorption and Emission Spectroscopy <b>2004</b> , 172-190		2
32	Linkers for Solid-Phase Synthesis <b>2004</b> , 447-484		2
31	An inverted supramolecular amphiphile and its step-wise self-assembly into vesicular networks. <i>Soft Matter</i> , <b>2017</b> , 13, 8108-8112	3.6	1
30	Artificial Peptide and Protein Receptors <b>2019</b> , 79-113		1
29	Twin Ribozymes <b>2004</b> , 404-421		1
28	Carbohydrate Recognition by Artificial Receptors <b>2004</b> , 107-123		1
27	Building a Bridge between Chemistry and Biology [Molecular Forceps That Inhibit the Farnesylation of RAS <b>2004</b> , 215-226		1



26	Small Molecule Arrays <b>2004</b> , 485-500		1
25	Protease-Catalyzed Formation of C?N Bonds <b>2004</b> , 387-403		1
24	Biosynthesis of $\beta$ Amino Acids <b>2004</b> , 90-106		1
23	Conformational Restriction of Sphingolipids <b>2004</b> , 48-62		1
22	Biotechnological Production of D-Pantothenic Acid and Its Precursor D-Pantolactone <b>2004</b> , 501-510		1
21	Selective Disruption of Survivin $\beta$ Protein-Protein Interactions: A Supramolecular Approach Based on Guanidiniocarbonylpyrrole.. <i>ChemBioChem</i> , <b>2022</b> , e202100618	3.8	1
20	Fluorimetric and CD Recognition between Various ds-DNA/RNA Depends on a Cyanine Connectivity in Cyanine-guanidiniocarbonyl-pyrrole Conjugate. <i>Molecules</i> , <b>2020</b> , 25,	4.8	1
19	Supramolecular polymers with reversed viscosity/temperature profile for application in motor oils. <i>Beilstein Journal of Organic Chemistry</i> , <b>2021</b> , 17, 105-114	2.5	1
18	Structure optimization of lipopeptide assemblies for aldol reactions in an aqueous medium. <i>Physical Chemistry Chemical Physics</i> , <b>2021</b> , 23, 10953-10963	3.6	1
17	Stabilization of Peptide Microstructures by Coordination of Metal Ions <b>2004</b> , 31-47		0
16	Artificial Receptors for the Stabilization of $\beta$ Sheet Structures <b>2004</b> , 155-171		0
15	Preparation of Novel Steroids by Microbiological and Combinatorial Chemistry <b>2004</b> , 242-247		0
14	Chemical Approaches for the Preparation of Biologically-Inspired Supramolecular Architectures and Advanced Polymeric Materials <b>2004</b> , 540-559		0
13	Novel Polymer and Linker Reagents for the Preparation of Protease-Inhibitor Libraries <b>2004</b> , 277-295		0
12	Enantiomeric Nucleic Acids $\beta$ Spiegelmers <b>2004</b> , 248-261		0
11	Bioorganic Receptors for Amino Acids and Peptides: Combining Rational Design with Combinatorial Chemistry <b>2004</b> , 140-154		0
10	Naphthalene diimide bis-guanidinio-carbonyl-pyrrole as a pH-switchable threading DNA intercalator. <i>Beilstein Journal of Organic Chemistry</i> , <b>2020</b> , 16, 2201-2211	2.5	0
9	RNA As a Catalyst: The Diels-Alderase Ribozyme <b>2004</b> , 422-435		

8 Interaction of Nitrogen Monoxide and Peroxynitrite with Hemoglobin and Myoglobin **2004**, 191-202

7 Labeling of Fusion Proteins with Small Molecules in Vivo **2004**, 344-351

6 Selectivity of DNA Replication **2004**, 297-310

5 Inhibitors against Human Mast Cell Tryptase: A Potential Approach to Attack Asthma? **2004**, 227-241

4 Exploring the Capabilities of Nucleic Acid Polymerases by Use of Directed Evolution **2004**, 329-343

3 Oxidative Splitting of Pyrimidine Cyclobutane Dimers **2004**, 352-368

2 Equilibria of RNA Secondary Structures **2004**, 1-17

1 A Supramolecular Stabilizer of the 14-3-3/ERP Protein-Protein Interaction with a Synergistic Mode of Action. *Angewandte Chemie*, **2020**, 132, 5322-5325

3.6