

Carlos Arturo Avila

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5081614/carlos-arturo-avila-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

697
papers

24,222
citations

64
h-index

131
g-index

737
ext. papers

28,580
ext. citations

5
avg, IF

3.63
L-index

#	Paper	IF	Citations
697	Evidence for $X(3872)$ in Pb-Pb Collisions and Studies of its Prompt Production at $\sqrt{s_{NN}}=5.02$ TeV.. <i>Physical Review Letters</i> , 2022 , 128, 032001	7.4	1
696	Fragmentation of jets containing a prompt J/ψ meson in PbPb and pp collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022 , 825, 136842	4.2	1
695	Search for W resonances in proton-proton collisions at $\sqrt{s}=13$ TeV using hadronic decays of Lorentz-boosted W bosons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022 , 826, 136888	4.2	0
694	Measurement of the Inclusive and Differential Higgs Boson Production Cross Sections in the Decay Mode to a Pair of Leptons in pp Collisions at $\sqrt{s}=13$ TeV.. <i>Physical Review Letters</i> , 2022 , 128, 081805	7.4	0
693	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
692	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	1
691	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 153	4.2	0
690	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
689	Using Z Boson Events to Study Parton-Medium Interactions in Pb-Pb Collisions.. <i>Physical Review Letters</i> , 2022 , 128, 122301	7.4	0
688	A new calibration method for charm jet identification validated with proton-proton collision events at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2022 , 17, P03014	1	0
687	Search for strongly interacting massive particles generating trackless jets in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 213	4.2	0
686	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 290	4.2	0
685	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
684	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
683	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
682	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
681	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0

680	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5-4	0
679	Measurement of the inclusive $\overline{t}t$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5-4	
678	Measurements of the Electroweak Diboson Production Cross Sections in Proton-Proton Collisions at $\sqrt{s}=5.02$ TeV Using Leptonic Decays. <i>Physical Review Letters</i> , 2021 , 127, 191801	7-4	0
677	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 970	4-2	3
676	Measurement of differential $t\bar{t}$ production cross sections in the full kinematic range using lepton+jets events from proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2021 , 104,	4-9	1
675	Measurement of the electroweak production of Z and two jets in proton-proton collisions at $s=13$ TeV and constraints on anomalous quartic gauge couplings. <i>Physical Review D</i> , 2021 , 104,	4-9	1
674	Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	2
673	Study of Contrast-to-Noise Ratio performance of a Medipix3RX CdTe detector for low dose mammography imaging. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2021 , 992, 165000	1-2	0
672	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2021 , 81, 200	4-2	5
671	Measurement of the inclusive and differential Higgs boson production cross sections in the leptonic WW decay mode at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	3
670	Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	4
669	Search for new physics in top quark production with additional leptons in proton-proton collisions at (\sqrt{s}) = 13 TeV using effective field theory. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	4
668	Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	1
667	Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	6
666	Development and validation of HERWIG tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , 2021 , 81, 312	4-2	1
665	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , 2021 , 81, 378	4-2	5
664	Electron and photon reconstruction and identification with the CMS experiment at the CERN LHC. <i>Journal of Instrumentation</i> , 2021 , 16, P05014	1	11
663	Measurement of prompt D0 and D*0 meson azimuthal anisotropy and search for strong electric fields in PbPb collisions at $s_{NN}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 816, 136253	4-2	2

662	Measurement of b jet shapes in proton-proton collisions at (\sqrt{s}) = 5.02 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
661	Measurement of the CP-violating phase ϕ_s in the $B_s^0 \rightarrow J/\psi(1020) \rightarrow \mu\mu + K_S^0$ channel in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 816, 136188	4.2	1
660	Measurements of the differential cross sections of the production of Z + jets and τ jets and of Z boson emission collinear with a jet in pp collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	
659	Measurement of the Z boson differential production cross section using its invisible decay mode ($Z \rightarrow (\nu \overline{\nu})$) in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	
658	Measurement of the W Production Cross Section in Proton-Proton Collisions at $\sqrt{s}=13$ TeV and Constraints on Effective Field Theory Coefficients. <i>Physical Review Letters</i> , 2021 , 126, 252002	7.4	0
657	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 488	4.2	5
656	Observation of a New Excited Beauty Strange Baryon Decaying to $\Lambda_b^+ \rightarrow \Lambda^0 \mu^+ \mu^-$. <i>Physical Review Letters</i> , 2021 , 126, 252003	7.4	1
655	Performance of the CMS muon trigger system in proton-proton collisions at (\sqrt{s}) = 13. <i>Journal of Instrumentation</i> , 2021 , 16, P07001	1	2
654	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
653	Search for resonant and nonresonant new phenomena in high-mass dilepton final states at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	5
652	Measurements of production cross sections of polarized same-sign W boson pairs in association with two jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 812, 136018	4.2	6
651	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 13	4.2	7
650	Evidence for Higgs boson decay to a pair of muons. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	14
649	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , 2021 , 81, 3	4.2	5
648	Studies of charm and beauty hadron long-range correlations in pp and pPb collisions at LHC energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 813, 136036	4.2	1
647	Search for long-lived particles using displaced jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2021 , 104,	4.9	4
646	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 629	4.2	4
645	Search for the rare decay of the W boson into a pion and a photon in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136409	4.2	0

644	Constraints on the Initial State of Pb-Pb Collisions via Measurements of Z-Boson Yields and Azimuthal Anisotropy at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2021 , 127, 102002	7.4	1
643	Odderon Exchange from Elastic Scattering Differences between pp and $\bar{p}p$ Data at 1.96 TeV and from pp Forward Scattering Measurements. <i>Physical Review Letters</i> , 2021 , 127, 062003	7.4	4
642	Search for a heavy vector resonance decaying to a γ boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 688	4.2	0
641	Measurement of the azimuthal anisotropy of π^0 and mesons in PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136385	4.2	1
640	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 723	4.2	3
639	Search for lepton-flavor violating decays of the Higgs boson in the $\tau\tau$ and $e\tau$ final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2021 , 104,	4.9	2
638	Search for singly and pair-produced leptoquarks coupling to third-generation fermions in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136446	4.2	8
637	Search for W^\pm bosons decaying to a top and a bottom quark at $\sqrt{s}=13$ TeV in the hadronic final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 820, 136535	4.2	2
636	First measurement of the cross section for top quark pair production with additional charm jets using dileptonic final states in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 820, 136565	4.2	0
635	Constraints on anomalous Higgs boson couplings to vector bosons and fermions in its production and decay using the four-lepton final state. <i>Physical Review D</i> , 2021 , 104,	4.9	3
634	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , 2021 , 81, 852	4.2	0
633	Observation of Forward Neutron Multiplicity Dependence of Dimuon Acoplanarity in Ultraperipheral Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2021 , 127, 122001	7.4	1
632	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , 2021 , 81, 800	4.2	7
631	Search for top squark production in fully hadronic final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2021 , 104,	4.9	4
630	Evidence for electroweak production of four charged leptons and two jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 812, 135992	4.2	4
629	Search for Long-Lived Particles Decaying in the CMS End Cap Muon Detectors in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2021 , 127, 261804	7.4	0
628	Two years test of a temperature sensing system based on fibre Bragg grating technology for the CMS GE1/1 detectors. <i>Journal of Physics: Conference Series</i> , 2020 , 1561, 012006	0.3	1
627	Pileup mitigation at CMS in 13 TeV data. <i>Journal of Instrumentation</i> , 2020 , 15, P09018-P09018	1	14

626	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P10017-P10017	1	23
625	Search for decays of the 125 GeV Higgs boson into a Z boson and a $\bar{b}b'$ meson. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	2
624	Measurements of the W boson rapidity, helicity, double-differential cross sections, and charge asymmetry in pp collisions at $\sqrt{s} = 13$ TeV. <i>Physical Review D</i> , 2020 , 102,	4-9	4
623	Measurement of the top quark Yukawa coupling from $t\bar{t}$ kinematic distributions in the dilepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Physical Review D</i> , 2020 , 102,	4-9	4
622	Evidence for Top Quark Production in Nucleus-Nucleus Collisions. <i>Physical Review Letters</i> , 2020 , 125, 222001	7-4	1
621	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	12
620	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	20
619	Search for bottom-type, vectorlike quark pair production in a fully hadronic final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Physical Review D</i> , 2020 , 102,	4-9	3
618	Identification of heavy, energetic, hadronically decaying particles using machine-learning techniques. <i>Journal of Instrumentation</i> , 2020 , 15, P06005-P06005	1	18
617	Triple-GEM discharge probability studies at CHARM: simulations and experimental results. <i>Journal of Instrumentation</i> , 2020 , 15, P10013-P10013	1	2
616	Search for supersymmetry in proton-proton collisions at $(\sqrt{s}) = 13$ TeV in events with high-momentum Z bosons and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	1
615	Search for resonant pair production of Higgs bosons in the $b\bar{b}ZZ$ channel in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Physical Review D</i> , 2020 , 102,	4-9	4
614	Search for a light charged Higgs boson in the $H_{\pm} \rightarrow cs$ channel in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Physical Review D</i> , 2020 , 102,	4-9	6
613	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	8
612	Running of the top quark mass from proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135263	4-2	9
611	Search for dijet resonances using events with three jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 805, 135448	4-2	1
610	Spectral X-ray phase contrast imaging with a CdTe photon-counting detector. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2020 , 971, 164098	1-2	0
609	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	1

608	Search for disappearing tracks in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 806, 135502	4.2	14
607	Search for new neutral Higgs bosons through the $(\text{H})\rightarrow\text{ZA}\rightarrow\{\ell\}^+\{\ell\}^-\overline{\text{b}}\text{b})$ process in pp collisions at $(\sqrt{s}) = 13\text{TeV}$. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	10
606	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 189	4.2	3
605	Multiparticle correlation studies in pPb collisions at $\sqrt{s_{NN}}=8.16\text{TeV}$. <i>Physical Review C</i> , 2020 , 101,	2.7	2
604	RPC upgrade project for CMS Phase II. <i>Journal of Instrumentation</i> , 2020 , 15, C05072-C05072	1	1
603	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , 2020 , 80, 534	4.2	6
602	Investigation of CdTe, GaAs, Se and Si as Sensor Materials for Mammography. <i>IEEE Transactions on Medical Imaging</i> , 2020 , 39, 3766-3778	11.7	7
601	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at $(\sqrt{\text{mathrm{s}}}) = 13\text{TeV}$ and constraints on anomalous quartic couplings. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
600	Determination of the strong coupling constant $\alpha_S(m_Z)$ from measurements of inclusive $W\pm$ and Z boson production cross sections in proton-proton collisions at $(\sqrt{\text{mathrm{s}}}) = 7$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
599	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at $(\sqrt{s}) = 13\text{TeV}$. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
598	Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 43	4.2	6
597	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at $(\sqrt{s}) = 13\text{TeV}$. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
596	Search for Supersymmetry with a Compressed Mass Spectrum in Events with a Soft Lepton, a Highly Energetic Jet, and Large Missing Transverse Momentum in Proton-Proton Collisions at $\sqrt{s}=13\text{TeV}$. <i>Physical Review Letters</i> , 2020 , 124, 041803	7.4	3
595	Evidence for $(W)W$ production from double-parton interactions in proton-proton collisions at $(\sqrt{s} = 13, \text{TeV})$. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
594	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 75	4.2	24
593	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 3	4.2	16
592	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4	4.2	61
591	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $\mu\tau$ and $e\mu$ in proton-proton collisions at $(\sqrt{s}) = 13\text{TeV}$. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6

590	A search for the standard model Higgs boson decaying to charm quarks. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	9
589	Study of J/ψ meson production inside jets in pp collisions at $\sqrt{s}=8\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 804, 135409	4-2	3
588	Search for a Narrow Resonance Lighter than 200GeV Decaying to a Pair of Muons in Proton-Proton Collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review Letters</i> , 2020 , 124, 131802	7-4	12
587	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	11
586	Study of excited B_0 states decaying to $B_0\pi\pi$ in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135345	4-2	19
585	A measurement of the Higgs boson mass in the diphoton decay channel. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 805, 135425	4-2	25
584	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at ($\sqrt{\text{mathrm}\{s\}}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	7
583	A multi-dimensional search for new heavy resonances decaying to boosted $\gamma\gamma$ or boson pairs in the dijet final state at 13TeV . <i>European Physical Journal C</i> , 2020 , 80, 237	4-2	10
582	Production of \bar{b} baryons in proton-proton and lead-lead collisions at $\sqrt{s_{NN}}=5.02\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135328	4-2	11
581	Measurement of single-diffractive dijet production in proton-proton collisions at $\sqrt{s}=13\text{TeV}$ with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2020 , 80, 1164	4-2	0
580	Measurement of differential cross sections and charge ratios for γ -channel single top quark production in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>European Physical Journal C</i> , 2020 , 80, 370	4-2	4
579	Measurement of $(\text{hbox}\{t\}\{\bar{\text{hbox}\{t\}}\})$ normalised multi-differential cross sections in $(\text{p})\{\text{p}\}$ collisions at $(\sqrt{s}=13,\{\text{TeV}\})$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical Journal C</i> , 2020 , 80, 1164	4-2	13
578	Interstrip capacitances of the readout board used in large triple-GEM detectors for the CMS Muon Upgrade. <i>Journal of Instrumentation</i> , 2020 , 15, P12019-P12019	1	0
577	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at ($\sqrt{\text{mathrm}\{s\}}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	16
576	Dependence of inclusive jet production on the anti-kT distance parameter in pp collisions at ($\sqrt{\text{mathrm}\{s\}}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	3
575	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	1
574	Observation of the $B_0 \rightarrow J/\psi$ decay in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 802, 135203	4-2	5
573	Observation of electroweak production of $W\gamma$ with two jets in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 811, 135988	4-2	3

572	Connecting particle physics and cosmology: Measuring the dark matter relic density in compressed supersymmetry models at the LHC. <i>Physics of the Dark Universe</i> , 2020 , 27, 100430	4.4	1
571	Observation of nuclear modifications in $W\Xi$ boson production in pPb collisions at $\sqrt{s_{NN}}=8.16\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135048	4.2	9
570	Search for light pseudoscalar boson pairs produced from decays of the 125 GeV Higgs boson in final states with two muons and two nearby tracks in pp collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135087	4.2	15
569	Measurement of the single top quark and antiquark production cross sections in the t channel and their ratio in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135042	4.2	8
568	Observation of the Production of Three Massive Gauge Bosons at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review Letters</i> , 2020 , 125, 151802	7.4	2
567	Measurements of production cross sections of WZ and same-sign WW boson pairs in association with two jets in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 809, 135710	4.2	14
566	Strange hadron production in pp and pPb collisions at $\sqrt{s_{NN}}=5.02\text{ TeV}$. <i>Physical Review C</i> , 2020 , 101,	2.7	1
565	The production of isolated photons in PbPb and pp collisions at $(\sqrt{s_{\text{NN}}}) = 5.02\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
564	Performance of prototype GE11 chambers for the CMS muon spectrometer upgrade. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2020 , 972, 164104	1.2	2
563	Measurement of CKM matrix elements in single top quark t-channel production in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 808, 135609	4.2	3
562	Investigation into the event-activity dependence of $\langle n_S \rangle$ relative production in proton-proton collisions at $(\sqrt{s}) = 7\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
561	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , 2020 , 4, 10	6	3
560	$W+W\Xi$ boson pair production in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review D</i> , 2020 , 102,	4.9	4
559	Search for electroweak production of a vector-like T quark using fully hadronic final states. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
558	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at $(\sqrt{s}) = 13\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
557	Measurement of properties of $(\text{B})_{\text{S}}^0 \rightarrow \Xi\Xi$ decays and search for $B_0 \rightarrow \Xi\Xi$ with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	10
556	Search for a light pseudoscalar Higgs boson in the boosted Ξ final state in proton-proton collisions at $(\sqrt{s}) = 13\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
555	Measurements of $t\bar{t}H$ Production and the CP Structure of the Yukawa Interaction between the Higgs Boson and Top Quark in the Diphoton Decay Channel. <i>Physical Review Letters</i> , 2020 , 125, 061801	7.4	15

554	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P02027-P02027	1	11
553	Detector Control System for the GE1/1 slice test. <i>Journal of Instrumentation</i> , 2020 , 15, P05023-P05023	1	3
552	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	4
551	Measurement of the cross section for $(\overline{t}t)$ production with additional jets and b jets in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	1
550	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	13
549	Measurement of the $Y(1S)$ pair production cross section and search for resonances decaying to $Y(1S)\eta$ in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 808, 135578	4-2	10
548	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	18
547	Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P05002-P05002	1	
546	Search for supersymmetry in pp collisions at $s=13$ TeV with 137 fb^{-1} in final states with a single lepton using the sum of masses of large-radius jets. <i>Physical Review D</i> , 2020 , 101,	4-9	6
545	Measurement of the Jet Mass Distribution and Top Quark Mass in Hadronic Decays of Boosted Top Quarks in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2020 , 124, 202001	7-4	2
544	Observation of the $B_{s}^{0} \rightarrow X(3872)\gamma$ Decay. <i>Physical Review Letters</i> , 2020 , 125, 152001	7-4	4
543	Measurement of the associated production of a Z boson with charm or bottom quark jets in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2020 , 102,	4-9	6
542	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 752	4-2	2
541	Studies of Charm Quark Diffusion inside Jets Using Pb-Pb and pp Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2020 , 125, 102001	7-4	3
540	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	8
539	Measurement of the top quark pair production cross section in dilepton final states containing one lepton in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	0
538	Measurement of the $t\bar{t}b\bar{b}$ production cross section in the all-jet final state in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135285	4-2	5
537	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 773	4-2	0

536	Search for a Light Charged Higgs Boson Decaying to a W Boson and a CP-Odd Higgs Boson in Final States with e $\bar{\nu}_\tau$ in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 123, 131802	7.4	6
535	Studies of Beauty Suppression via Nonprompt D ⁰ Mesons in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2019 , 123, 022001	7.4	7
534	Search for charged Higgs bosons in the H \bar{H} \rightarrow $\mu\bar{\mu}$ decay channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	24
533	Production of a light top-squark pair in association with a light non-SM Higgs boson within the NMSSM from proton-proton collisions at $s = 13$ TeV and 33 TeV. <i>International Journal of Modern Physics A</i> , 2019 , 34, 1950125	1.2	2
532	Evidence for light-by-light scattering and searches for axion-like particles in ultraperipheral PbPb collisions at $s_{NN}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 797, 134826	4.2	35
531	Measurement of electroweak WZ boson production and search for new physics in WZ + two jets events in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 281-307	4.2	19
530	Search for Higgs and Z boson decays to J/ ψ γ pairs in the four-muon final state in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 797, 134811	4.2	4
529	A search for pair production of new light bosons decaying into muons in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 796, 131-154	4.2	16
528	Measurement of Bs ⁰ meson production in pp and PbPb collisions at $s_{NN}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 796, 168-190	4.2	5
527	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
526	Search for Dark Matter Particles Produced in Association with a Top Quark Pair at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 011803	7.4	7
525	Search for the Higgs Boson Decaying to Two Muons in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 021801	7.4	22
524	Search for supersymmetric partners of electrons and muons in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 140-166	4.2	24
523	Non-Gaussian elliptic-flow fluctuations in PbPb collisions at $s_{NN}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 643-665	4.2	17
522	Measurement and interpretation of differential cross sections for Higgs boson production at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 792, 369-396	4.2	18
521	Search for an L \bar{L} gauge boson using Z \rightarrow 4 ℓ events in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 792, 345-368	4.2	29
520	Longevity studies on the CMS-RPC system. <i>Journal of Instrumentation</i> , 2019 , 14, C05012-C05012	1	
519	Search for a low-mass χ resonance in association with a bottom quark in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4

518	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV via Higgs boson decays to $\ell\ell$ leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	3
517	Search for the pair production of light top squarks in the $e\bar{e}$ final state in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	4
516	Measurement of associated production of a boson and a charm quark in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 269	4-2	9
515	Observation of prompt J/ψ meson elliptic flow in high-multiplicity pPb collisions at $\sqrt{s_{NN}}=8.16$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 791, 172-194	4-2	14
514	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 421	4-2	153
513	Search for supersymmetry in events with a photon, jets, \cancel{E}_T jets, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 444	4-2	1
512	Measurements of the Higgs boson width and anomalous HVV couplings from on-shell and off-shell production in the four-lepton final state. <i>Physical Review D</i> , 2019 , 99,	4-9	42
511	Measurements of the $pp \rightarrow WZ$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	10
510	Measurements of properties of the Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 791, 96-129	4-2	27
509	Search for a $W^?$ boson decaying to a ℓ lepton and a neutrino in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 792, 107-131	4-2	15
508	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , 2019 , 79, 368	4-2	27
507	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at $(\sqrt{s} = 13, \text{TeV})$. <i>European Physical Journal C</i> , 2019 , 79, 1	4-2	7
506	X-ray and gamma imaging with Medipix and Timepix detectors in medical research. <i>Radiation Measurements</i> , 2019 , 127, 106104	1-5	17
505	. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	2
504	Search for nonresonant Higgs boson pair production in the $(\overline{b}b)(\overline{b}b)$ final state at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	4
503	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 280	4-2	12
502	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	8
501	Search for a standard model-like Higgs boson in the mass range between 70 and 110 GeV in the diphoton final state in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 320-347	4-2	21

500	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 364	4.2	18
499	Search for invisible decays of a Higgs boson produced through vector boson fusion in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 520-551	4.2	86
498	Combination of Searches for Higgs Boson Pair Production in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 121803	7.4	35
497	Jet Shapes of Isolated Photon-Tagged Jets in Pb-Pb and pp Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 152001	7.4	8
496	Search for W Boson Decays to Three Charged Pions. <i>Physical Review Letters</i> , 2019 , 122, 151802	7.4	1
495	Measurement of prompt (ΥS) production cross sections in proton-lead and proton-proton collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 509-532	4.2	6
494	Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 90	4.2	6
493	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 123	4.2	4
492	Search for rare decays of and Higgs bosons to and a photon in proton-proton collisions at $\sqrt{s}=13$. <i>European Physical Journal C</i> , 2019 , 79, 94	4.2	7
491	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
490	Search for long-lived particles decaying into displaced jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	24
489	Measurements of ($\overline{\text{t}}\text{t}$) differential cross sections in proton-proton collisions at ($\sqrt{s}=13$) TeV using events containing two leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15
488	Search for ($\overline{\text{t}}\text{t}\text{H}$) production in the ($\text{H}\text{to}\overline{\text{b}}\text{b}$) decay channel with leptonic ($\overline{\text{t}}\text{t}$) decays in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	17
487	Search for Narrow H Resonances in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 081804	7.4	1
486	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
485	Search for resonant ($\overline{\text{t}}\text{t}$) production in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	13
484	Observation of Single Top Quark Production in Association with a Z Boson in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 132003	7.4	6
483	Observation of Two Excited B_{c}^{+} States and Measurement of the $B_{c}^{+}(2S)$ Mass in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 132001	7.4	31

482	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	7
481	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	7
480	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	14
479	Measurement of nuclear modification factors of $\rho(1S)$, $\rho(2S)$, and $\rho(3S)$ mesons in PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 270-293	4-2	40
478	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 20	4-2	4
477	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two τ leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	18
476	Search for a W' boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	4
475	Search for top quark partners with charge $5/3$ in the same-sign dilepton and single-lepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	9
474	Inclusive search for supersymmetry in pp collisions at ($\sqrt{s}=13$) TeV using razor variables and boosted object identification in zero and one lepton final states. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	2
473	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	8
472	Search for excited leptons in τ final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	2
471	Search for new particles decaying to a jet and an emerging jet. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	15
470	Centrality and pseudorapidity dependence of the transverse energy density in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review C</i> , 2019 , 100,	2-7	2
469	Search for the production of $W^{\pm}W^{\pm}W^{\pm}$ events at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4-9	3
468	Properties of $Zc^{\pm}(3900)$ produced in pp collisions. <i>Physical Review D</i> , 2019 , 100,	4-9	8
467	Search for associated production of a Higgs boson and a single top quark in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4-9	13
466	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at ($\sqrt{s} = 13, \text{TeV}$). <i>European Physical Journal C</i> , 2019 , 79, 1	4-2	6
465	Search for pair production of second-generation leptoquarks at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4-9	20

464	Search for pair production of first-generation scalar leptoquarks at $s=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	15
463	Measurement of exclusive Υ photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 702	4.2	13
462	Search for dark matter in events with a leptoquark and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 76-99	4.2	2
461	Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 277	4.2	19
460	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , 2019 , 79, 564	4.2	20
459	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state with two muons and two b quarks in pp collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 398-423	4.2	17
458	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
457	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , 2019 , 79, 313	4.2	13
456	Search for long-lived particles using nonprompt jets and missing transverse momentum with proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 797, 134876	4.2	15
455	Combination of CMS searches for heavy resonances decaying to pairs of bosons or leptons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134952	4.2	10
454	Search for anomalous electroweak production of vector boson pairs in association with two jets in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134985	4.2	16
453	Search for MSSM Higgs bosons decaying to $\mu\mu$ in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134992	4.2	11
452	An embedding technique to determine Υ backgrounds in proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P06032-P06032	1	5
451	Performance of missing transverse momentum reconstruction in proton-proton collisions at $\sqrt{s} = 13$ TeV using the CMS detector. <i>Journal of Instrumentation</i> , 2019 , 14, P07004-P07004	1	39
450	Measurement of the top quark Yukawa coupling from $t\bar{t}$ kinematic distributions in the lepton+jets final state in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	5
449	Charged-particle angular correlations in XeXe collisions at $s_{NN}=5.44$ TeV. <i>Physical Review C</i> , 2019 , 100,	2.7	14
448	RPC radiation background simulations for the high luminosity phase in the CMS experiment. <i>Journal of Instrumentation</i> , 2019 , 14, C09045-C09045	1	2
447	High voltage calibration method for the CMS RPC detector. <i>Journal of Instrumentation</i> , 2019 , 14, C09046-C09046		

446	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	7
445	Search for supersymmetry using Higgs boson to diphoton decays at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	2
444	Measurements of differential Z boson production cross sections in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	11
443	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	9
442	Study of the $(\mathbf{B}^+ \rightarrow \mathbf{J}/\psi \overline{\Lambda} \mathbf{p})$ decay in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	1
441	Search for low-mass resonances decaying into bottom quark-antiquark pairs in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4-9	12
440	Search for pair-produced three-jet resonances in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4-9	2
439	Search for resonances decaying to a pair of Higgs bosons in the $b(\overline{\mathbf{b}})q(\overline{\mathbf{q}})$ final state in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	5
438	High Rate RPC detector for LHC. <i>Journal of Instrumentation</i> , 2019 , 14, C10037-C10037	1	
437	RE3/1 & RE4/1 RPC chambers integration in the inner region of the forward muon spectrometer in the CMS experiment. <i>Journal of Instrumentation</i> , 2019 , 14, C10027-C10027	1	1
436	The CMS RPC detector performance and stability during LHC RUN-2. <i>Journal of Instrumentation</i> , 2019 , 14, C11012-C11012	1	5
435	CMS RPC efficiency measurement using the tag-and-probe method. <i>Journal of Instrumentation</i> , 2019 , 14, C10020-C10020	1	
434	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 969	4-2	1
433	R&D of a real-size mosaic MRPC within the framework of the CMS muon upgrade. <i>Journal of Instrumentation</i> , 2019 , 14, C10042-C10042	1	1
432	Pseudorapidity distributions of charged hadrons in xenon-xenon collisions at $\sqrt{s_{NN}}=5.44$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 799, 135049	4-2	5
431	Search for Heavy Stable Charged Particles in the CMS Experiment using the RPC Phase II upgraded detectors. <i>Journal of Instrumentation</i> , 2019 , 14, C11011-C11011	1	
430	Search for vectorlike leptons in multilepton final states in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4-9	14
429	Search for pair production of vectorlike quarks in the fully hadronic final state. <i>Physical Review D</i> , 2019 , 100,	4-9	18

428	Measurement of the top quark polarization and tt spin correlations using dilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	13
427	Constraints on anomalous HVV couplings from the production of Higgs bosons decaying to dilepton pairs. <i>Physical Review D</i> , 2019 , 100,	4.9	11
426	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	10
425	Probing the chiral magnetic wave in pPb and PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV using charge-dependent azimuthal anisotropies. <i>Physical Review C</i> , 2019 , 100,	2.7	5
424	Measurement of the differential Drell-Yan cross section in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	6
423	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
422	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 893	4.2	6
421	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
420	Search for Physics beyond the Standard Model in Events with Overlapping Photons and Jets. <i>Physical Review Letters</i> , 2019 , 123, 241801	7.4	
419	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 886	4.2	6
418	Search for long-lived particles using delayed photons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	7
417	Search for Low-Mass Quark-Antiquark Resonances Produced in Association with a Photon at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 123, 231803	7.4	7
416	Search for Higgs boson pair production in the bb final state in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 788, 7-36	4.2	24
415	Measurement of differential cross sections for Z boson pair production in association with jets at $\sqrt{s}=8$ and 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 19-44	4.2	3
414	Layout and assembly technique of the GEM chambers for the upgrade of the CMS first muon endcap station. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2019 , 918, 67-75	1.2	10
413	Inclusive Search for a Highly Boosted Higgs Boson Decaying to a Bottom Quark-Antiquark Pair. <i>Physical Review Letters</i> , 2018 , 120, 071802	7.4	30
412	Observation of Electroweak Production of Same-Sign W Boson Pairs in the Two Jet and Two Same-Sign Lepton Final State in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 081801	7.4	50
411	Observation of Correlated Azimuthal Anisotropy Fourier Harmonics in pp and p+Pb Collisions at the LHC. <i>Physical Review Letters</i> , 2018 , 120, 092301	7.4	27

410	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 242	4.2	4
409	Measurement of the Splitting Function in pp and Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 142302	7.4	27
408	Measurement of quarkonium production cross sections in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 251-272	4.2	20
407	Observation of the Higgs boson decay to a pair of τ leptons with the CMS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 283-316	4.2	78
406	Suppression of Excited χ States Relative to the Ground State in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 142301	7.4	12
405	Search for heavy resonances decaying to a top quark and a bottom quark in the lepton+jets final state in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 777, 39-63	4.2	14
404	Measurements of $t\bar{t}$ cross sections in association with b jets and inclusive jets and their ratio using dilepton final states in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 355-378	4.2	12
403	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s}=13$. <i>European Physical Journal C</i> , 2018 , 78, 291	4.2	17
402	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2018 , 78, 165	4.2	29
401	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 287	4.2	11
400	Measurement of the inclusive ($\overline{\sigma}(\mathit{t})$) cross section in pp collisions at ($\sqrt{s}=5.02$) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
399	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
398	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	45
397	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	40
396	Measurement of differential cross sections in the kinematic angular variable ϕ^* for inclusive Z boson production in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	2
395	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at ($\sqrt{s_{NN}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
394	Measurement of normalized differential ($\overline{\sigma}(\mathit{t})$) cross sections in the dilepton channel from pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
393	Search for ZZ resonances in the 2τ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3

392	Search for massive resonances decaying into WW, WZ, ZZ, qW, and qZ with dijet final states at $s=13$ TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	20
391	Measurement of the B polarization and angular parameters in $B \rightarrow J/\psi$ decays from pp collisions at $s=7$ and 8 TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	6
390	Search for gauge-mediated supersymmetry in events with at least one photon and missing transverse momentum in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 118-143	4.2	9
389	Bose-Einstein correlations in pp, pPb, and PbPb collisions at $s_{NN}=0.9$ TeV. <i>Physical Review C</i> , 2018 , 97,	2.7	15
388	Measurement of differential cross sections for the production of top quark pairs and of additional jets in lepton+jets events from pp collisions at $s=13$ TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	20
387	Search for new physics in final states with an energetic jet or a hadronically decaying W or Z boson and transverse momentum imbalance at $s=13$ TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	51
386	Jet properties in PbPb and pp collisions at ($\sqrt{s_{\mathrm{N};\mathrm{N}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
385	Search for supersymmetry with Higgs boson to diphoton decays using the razor variables at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 166-190	4.2	4
384	Search for pair production of vector-like quarks in the bWb^*W channel from proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 82-106	4.2	29
383	Measurement of the associated production of a single top quark and a Z boson in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 358-384	4.2	11
382	Search for new long-lived particles at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 432-454	4.2	20
381	Search for supersymmetry in events with one lepton and multiple jets exploiting the angular correlation between the lepton and the missing transverse momentum in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 224-232	4.2	2
380	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22
379	Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P06015-P06015	1	118
378	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140	4.2	20
377	Elliptic Flow of Charm and Strange Hadrons in High-Multiplicity p+Pb Collisions at $\sqrt{s_{\mathrm{NN}}}=8.16$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 082301	7.4	35
376	Measurement of b hadron lifetimes in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 457	4.2	9
375	Study of jet quenching with isolated-photon+jet correlations in PbPb and pp collisions at $s_{NN}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 785, 14-39	4.2	21

374	Search for top squarks and dark matter particles in opposite-charge dilepton final states at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	26
373	Constraining Gluon Distributions in Nuclei Using Dijets in Proton-Proton and Proton-Lead Collisions at $\sqrt{s_{\text{NN}}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 062002	7.4	8
372	Observation of $t\bar{t}\overline{\text{H}}$ Production. <i>Physical Review Letters</i> , 2018 , 120, 231801	7.4	96
371	Search for Physics Beyond the Standard Model in Events with High-Momentum Higgs Bosons and Missing Transverse Momentum in Proton-Proton Collisions at $13\sqrt{\text{TeV}}$. <i>Physical Review Letters</i> , 2018 , 120, 241801	7.4	9
370	Search for Heavy Neutral Leptons in Events with Three Charged Leptons in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 221801	7.4	62
369	Measurement of the Effective Weak Mixing Angle in $pp\overline{\text{H}}\rightarrow Z/\text{H}^{(*)}\rightarrow\ell^{+}\ell^{-}$ Events. <i>Physical Review Letters</i> , 2018 , 120, 241802	7.4	3
368	Search for vectorlike light-flavor quark partners in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	6
367	Search for single production of a vector-like T quark decaying to a Z boson and a top quark in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 574-600	4.2	24
366	Search for a massive resonance decaying to a pair of Higgs bosons in the four b quark final state in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 244-269	4.2	22
365	Search for the $X(5568)$ State Decaying into $B_{\text{s}}^{0}\overline{\text{H}}$ in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 202005	7.4	36
364	Measurements of the $(\text{p})\text{p}\rightarrow\text{Z}\text{p}$ production cross section and the $(\text{Z})\rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at $(\sqrt{s} = 13, \text{TeV})$ 2018 , 78, 1		3
363	Azimuthal anisotropy of charged particles with transverse momentum up to $100\sqrt{\text{GeV}/c}$ in PbPb collisions at $\sqrt{s_{\text{NN}}}=5.02\sqrt{\text{TeV}}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 195-216	4.2	27
362	Search for $(\text{t})\overline{\text{H}}$ production in the all-jet final state in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13
361	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at $(\sqrt{s}=8)$ and 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
360	Measurement of the groomed jet mass in PbPb and pp collisions at $(\sqrt{s_{\text{NN}}}=5.02)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	5
359	Search for pair-produced resonances decaying to quark pairs in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	8
358	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
357	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14

356	Search for natural and split supersymmetry in proton-proton collisions at ($\sqrt{s}=13$) TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	39
355	Pseudorapidity and transverse momentum dependence of flow harmonics in pPb and PbPb collisions. <i>Physical Review C</i> , 2018 , 98,	2.7	6
354	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
353	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two leptons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
352	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
351	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
350	Charged-particle nuclear modification factors in XeXe collisions at ($\sqrt{s_{\mathrm{NN}}}=5.44$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
349	Precision measurement of the structure of the CMS inner tracking system using nuclear interactions. <i>Journal of Instrumentation</i> , 2018 , 13, P10034-P10034	1	7
348	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , 2018 , 78, 891	4.2	13
347	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
346	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	37
345	Event shape variables measured using multijet final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
344	Search for physics beyond the standard model in high-mass diphoton events from proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	14
343	Search for Leptoquarks Coupled to Third-Generation Quarks in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 241802	7.4	20
342	Search for long-lived particles with displaced vertices in multijet events in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	12
341	Measurement of jet substructure observables in tt events from proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	12
340	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
339	Search for narrow and broad dijet resonances in proton-proton collisions at ($\sqrt{s}=13$) TeV and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	50

338	Search for $Z\bar{\nu}$ resonances using leptonic and hadronic final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	11
337	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	5
336	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	9
335	Search for supersymmetry in events with a Δ lepton pair and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	14
334	Observation of Medium-Induced Modifications of Jet Fragmentation in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV Using Isolated Photon-Tagged Jets. <i>Physical Review Letters</i> , 2018 , 121, 242301	7-4	15
333	Search for the decay of a Higgs boson in the Δ channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	11
332	Performance of reconstruction and identification of Δ leptons decaying to hadrons and ν_{μ} in pp collisions at $\sqrt{s}=13$ TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P10005-P10005	1	29
331	Evidence for the Associated Production of a Single Top Quark and a Photon in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 221802	7-4	6
330	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , 2018 , 78, 707	4-2	23
329	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 965	4-2	19
328	Studies of Δ and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 939	4-2	12
327	Fast timing measurement for CMS RPC Phase-II upgrade. <i>Journal of Instrumentation</i> , 2018 , 13, C09001-C09001	2	
326	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $Z\bar{q}$ final states at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
325	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 697	4-2	9
324	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\bar{\nu}$ final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
323	Long-term performance and longevity studies of the CMS Resistive Plate Chambers. <i>Journal of Instrumentation</i> , 2018 , 13, P08024-P08024	1	3
322	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , 2018 , 78, 789	4-2	19
321	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at ($\sqrt{s}=13$) TeV. <i>European Physical Journal C</i> , 2018 , 78, 1	4-2	4

320	Search for high-mass resonances in final states with a lepton and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	15
319	Evidence for $Zc\bar{c}(3900)$ in semi-inclusive decays of b-flavored hadrons. <i>Physical Review D</i> , 2018 , 98,	4.9	17
318	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
317	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
316	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , 2018 , 78, 708	4.2	5
315	Search for vector-like T and B quark pairs in final states with leptons at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	29
314	Search for dark matter produced in association with a Higgs boson decaying to $\bar{b}r + \bar{b}t$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
313	Search for additional neutral MSSM Higgs bosons in the $\bar{b}b$ final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	42
312	Search for Pair-Produced Resonances Each Decaying into at Least Four Quarks in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 141802	7.4	1
311	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
310	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	20
309	Search for a heavy resonance decaying into a Z boson and a vector boson in the ($\nu \bar{\nu} \mathit{q} \bar{\mathit{q}}$) final state. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
308	Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P05011-P05011	1	152
307	Tevatron Run II combination of the effective leptonic electroweak mixing angle. <i>Physical Review D</i> , 2018 , 97,	4.9	15
306	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	18
305	Search for beyond the standard model Higgs bosons decaying into a ($\bar{b}b$) pair in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
304	Observation of the $\chi_{b1}(3P)$ and $\chi_{b2}(3P)$ and Measurement of their Masses. <i>Physical Review Letters</i> , 2018 , 121, 092002	7.4	16
303	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , 2018 , 78, 701	4.2	25

302	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , 2018 , 78, 509	4.2	37
301	Search for lepton flavour violating decays of the Higgs boson to $\mu\bar{\nu}$ and $e\nu$ in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
300	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying μ leptons at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
299	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state with two b quarks and two μ leptons in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 785, 462-488	4.2	28
298	Observation of Higgs Boson Decay to Bottom Quarks. <i>Physical Review Letters</i> , 2018 , 121, 121801	7.4	79
297	. <i>IEEE Transactions on Nuclear Science</i> , 2018 , 65, 2808-2816	1.7	2
296	Constraints on models of scalar and vector leptoquarks decaying to a quark and a neutrino at $s=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	26
295	Electroweak production of two jets in association with a Z boson in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>European Physical Journal C</i> , 2018 , 78, 1	4.2	12
294	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
293	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
292	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
291	Search for a singly produced third-generation scalar leptoquark decaying to a μ lepton and a bottom quark in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
290	Study of the $X_B(5568)$ state with semileptonic decays of the B_s^0 meson. <i>Physical Review D</i> , 2018 , 97,	4.9	18
289	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
288	Measurement of the inelastic proton-proton cross section at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	41
287	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	24
286	Search for high-mass resonances in dilepton final states in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	63
285	Search for Narrow Resonances in the b-Tagged Dijet Mass Spectrum in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 201801	7.4	13

284	Search for Higgs boson pair production in events with two bottom quarks and two tau leptons in proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 778, 101-127	4.2	35
283	Search for the pair production of third-generation squarks with two-body decays to a bottom or charm quark and a neutralino in proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 778, 263-291	4.2	12
282	Constraints on the chiral magnetic effect using charge-dependent azimuthal correlations in pPb and PbPb collisions at the CERN Large Hadron Collider. <i>Physical Review C</i> , 2018 , 97,	2.7	40
281	Measurement of Prompt D^0 Meson Azimuthal Anisotropy in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02\text{ TeV}$. <i>Physical Review Letters</i> , 2018 , 120, 202301	7.4	39
280	Search for pair production of excited top quarks in the lepton + jets final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 778, 349-370	4.2	6
279	Search for excited quarks of light and heavy flavor in b -jet final states in proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 390-411	4.2	5
278	Search for supersymmetry in proton-proton collisions at 13 TeV using identified top quarks. <i>Physical Review D</i> , 2018 , 97,	4.9	16
277	Evidence for the Higgs boson decay to a bottom quark-antiquark pair. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 501-532	4.2	47
276	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28
275	Nuclear modification factor of D^0 mesons in PbPb collisions at $s_{NN}=5.02\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 782, 474-496	4.2	61
274	Search for R-parity violating supersymmetry in pp collisions at $s=13\text{TeV}$ using b jets in a final state with a single lepton, many jets, and high sum of large-radius jet masses. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 783, 114-139	4.2	8
273	Search for new physics in events with two soft oppositely charged leptons and missing transverse momentum in proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 782, 440-467	4.2	34
272	Measurement of the WZ production cross section in pp collisions at $s=13\text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 766, 268-290	4.2	22
271	Measurements of the $[Formula: see text]$ production cross section in lepton+jets final states in pp collisions at 8 $[Formula: see text]$ and ratio of 8 to 7 $[Formula: see text]$ cross sections. <i>European Physical Journal C</i> , 2017 , 77, 15	4.2	19
270	Measurement of the $[Formula: see text]$ production cross section using events in the $[Formula: see text]$ final state in pp collisions at $[Formula: see text]$. <i>European Physical Journal C</i> , 2017 , 77, 172	4.2	22
269	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at ($\sqrt{s}=8$) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	34
268	Search for electroweak production of charginos in final states with two τ leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
267	Measurement of prompt and nonprompt $[Formula: see text]$ production in $[Formula: see text]$ and $[Formula: see text]$ collisions at $[Formula: see text]$. <i>European Physical Journal C</i> , 2017 , 77, 269	4.2	26

266	Suppression of $\chi(1S)$, $\chi(2S)$, and $\chi(3S)$ quarkonium states in PbPb collisions at $\sqrt{s_{NN}}=2.76\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 357-379	4.2	57
265	Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV. <i>Journal of Instrumentation</i> , 2017 , 12, P02014-P02014	1	149
264	A search for new phenomena in pp collisions at $\sqrt{s}=13\text{TeV}$ in final states with missing transverse momentum and at least one jet using the \cancel{E}_T variable. <i>European Physical Journal C</i> , 2017 , 77, 294	4.2	21
263	Measurement of the cross section for electroweak production of $Z\gamma$ association with two jets and constraints on anomalous quartic gauge couplings in proton-proton collisions at $\sqrt{s}=8\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 380-402	4.2	22
262	The CMS trigger system. <i>Journal of Instrumentation</i> , 2017 , 12, P01020-P01020	1	210
261	Search for top squark pair production in compressed-mass-spectrum scenarios in proton-proton collisions at $\sqrt{s}=8\text{TeV}$ using the \cancel{E}_T variable. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 767, 403-430	4.2	15
260	Search for dijet resonances in proton-proton collisions at $\sqrt{s}=13\text{TeV}$ and constraints on dark matter and other models. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 769, 520-542	4.2	74
259	Evidence for collectivity in pp collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 765, 193-220	4.2	171
258	Measurement of the $B^{\{u,d\}}$ Meson Nuclear Modification Factor in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02\text{TeV}$. <i>Physical Review Letters</i> , 2017 , 119, 152301	7.4	37
257	Measurement of the differential cross sections for the associated production of a W boson and jets in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physical Review D</i> , 2017 , 96,	4.9	15
256	Measurement of inclusive jet cross sections in pp and PbPb collisions at $\sqrt{s_{NN}}=2.76\text{TeV}$. <i>Physical Review C</i> , 2017 , 96,	2.7	39
255	Measurement of double-differential cross sections for top quark pair production in pp collisions at $\sqrt{s}=13\text{TeV}$ and impact on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 459	4.2	16
254	Measurement of the jet mass in highly boosted χ events from pp collisions at $\sqrt{s}=13\text{TeV}$. <i>European Physical Journal C</i> , 2017 , 77, 467	4.2	14
253	Measurement of the top quark mass in the dileptonic $t\bar{t}$ decay channel using the mass observables $M_{b\ell}$, M_{T2} , and $M_{b\ell}$ in pp collisions at $\sqrt{s}=8\text{TeV}$. <i>Physical Review D</i> , 2017 , 96,	4.9	8
252	Search for supersymmetry in multijet events with missing transverse momentum in proton-proton collisions at 13 TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	50
251	Search for Charged Higgs Bosons Produced via Vector Boson Fusion and Decaying into a Pair of W and Z Bosons Using pp Collisions at $\sqrt{s}=13\text{TeV}$. <i>Physical Review Letters</i> , 2017 , 119, 141802	7.4	28
250	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , 2017 , 77, 751	4.2	15
249	Study of Jet Quenching with Z+jet Correlations in Pb-Pb and pp Collisions at $\sqrt{s_{NN}}=5.02\text{TeV}$. <i>Physical Review Letters</i> , 2017 , 119, 082301	7.4	22

248	Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 111802	7.4	21
247	Charged-particle nuclear modification factors in PbPb and pPb collisions at ($\sqrt{s_{\mathrm{N};\mathrm{N}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	64
246	Search for high-mass Z resonances in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV using jet substructure techniques. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 363-387	4.2	10
245	Coherent J/ψ photoproduction in ultra-peripheral PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the CMS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 489-511	4.2	58
244	Cross section measurement of t-channel single top quark production in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 752-776	4.2	32
243	Measurement of differential cross sections for top quark pair production using the lepton+jets final state in proton-proton collisions at 13 TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	41
242	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	26
241	Constraints on anomalous Higgs boson couplings using production and decay information in the four-lepton final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 1-24	4.2	32
240	Measurement of the semileptonic ($\overline{t}t$) + ψ production cross section in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
239	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 710	4.2	54
238	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
237	Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 252	4.2	58
236	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , 2017 , 77, 327	4.2	17
235	Relative Modification of Prompt $\psi(2S)$ and J/ψ yields from pp to PbPb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2017 , 118, 162301	7.4	18
234	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 845	4.2	22
233	Search for Evidence of the Type-III Seesaw Mechanism in Multilepton Final States in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 221802	7.4	23
232	Measurement of electroweak-induced production of $W\psi$ with two jets in pp collisions at ($\sqrt{s}=8$) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
231	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5

230	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
229	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20
228	Search for top squark pair production in pp collisions at ($\sqrt{s}=13$) TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25
227	Measurement of the ($\overline{\text{t}}\text{t}$) production cross section using events with one lepton and at least one jet in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	14
226	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 578	4.2	21
225	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	21
224	Search for new physics with dijet angular distributions in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
223	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	35
222	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , 2017 , 77, 636	4.2	20
221	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
220	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	77
219	Particle-flow reconstruction and global event description with the CMS detector. <i>Journal of Instrumentation</i> , 2017 , 12, P10003-P10003	1	234
218	Search for Narrow Resonances in Dijet Final States at $\sqrt{s}=8$ TeV with the Novel CMS Technique of Data Scouting. <i>Physical Review Letters</i> , 2016 , 117, 031802	7.4	57
217	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 439	4.2	34
216	Measurements of $t\bar{t}$ spin correlations and top quark polarization using dilepton final states in pp collisions at $s=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	21
215	Measurement of the top quark mass using charged particles in pp collisions at $s=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	10
214	Evidence for a $B_{\{s\}^0}$ State. <i>Physical Review Letters</i> , 2016 , 117, 022003	7.4	110
213	Search for pair production of first and second generation leptoquarks in proton-proton collisions at $s=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	39

212	Measurement of the top quark mass using proton-proton data at $\sqrt{s}=7$ and 8 TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	69
211	Measurement of the Top Quark Pair Production Cross Section in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 052002	7.4	28
210	Measurement of dijet azimuthal decorrelation in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 536	4.2	6
209	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $(\sqrt{s}=7)$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	15
208	Measurement of the $(\overline{\text{t}}\text{t})$ production cross section in the $e\bar{e}$ channel in proton-proton collisions at $(\sqrt{s}=7)$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	30
207	Search for new physics with the M_{T2} variable in all-jets final states produced in pp collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
206	Probing the stau-neutralino coannihilation region at the LHC with a soft tau lepton and a jet from initial state radiation. <i>Physical Review D</i> , 2016 , 94,	4.9	8
205	Measurement of the inclusive $t\bar{t}$ production cross section in pp collisions at $\sqrt{s}=1.96$ TeV and determination of the top quark pole mass. <i>Physical Review D</i> , 2016 , 94,	4.9	9
204	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 379	4.2	20
203	Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 469	4.2	37
202	Correlations between jets and charged particles in PbPb and pp collisions at $(\sqrt{s_{\text{NN}}}=2.76)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
201	Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 128	4.2	21
200	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016 , 76, 155	4.2	250
199	Measurement of the CP-violating weak phase ϕ_s and the decay width difference $\Delta\Gamma$ using the $B_s^0 \rightarrow J/\psi(1020)$ decay channel in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 97-120	4.2	26
198	Search for heavy Majorana neutrinos in $e\bar{e}\mu^+\mu^+$ jets and $e\bar{e}\tau^+\tau^+$ jets events in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	28
197	Search for Narrow Resonances Decaying to Dijets in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 071801	7.4	96
196	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\tau\tau$ leptons in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
195	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 13	4.2	35

194	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
193	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 451	4.2	36
192	Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeV and limits on anomalous gauge couplings. <i>European Physical Journal C</i> , 2016 , 76, 401	4.2	38
191	Search for long-lived charged particles in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	55
190	Studies of inclusive four-jet production with two b-tagged jets in proton-proton collisions at 7 TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	3
189	Measurement of the ZZ production cross section and $Z \rightarrow \mu\mu$ branching fraction in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 280-303	4.2	22
188	Measurement of the integrated and differential $t\bar{t}$ production cross sections for high-pT top quarks in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	21
187	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
186	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	6
185	$\langle n \rangle$ polarizations versus particle multiplicity in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 761, 31-52	4.2	5
184	B_s^0 lifetime measurement in the CP-odd decay channel $B_s^0 \rightarrow J/\psi \phi(980)$. <i>Physical Review D</i> , 2016 , 94,	4.9	5
183	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
182	Search for quark contact interactions and extra spatial dimensions using dijet angular distributions in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 746, 79-99	4.2	21
181	Measurement of the cross section ratio $\sigma(t\bar{t}b\bar{b})/\sigma(t\bar{t}j)$ in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 746, 132-153	4.2	15
180	Measurements of jet multiplicity and differential production cross sections of Z+jets events in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	24
179	Search for long-lived particles that decay into final states containing two electrons or two muons in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	62
178	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , 2015 , 75, 251	4.2	55
177	Search for displaced supersymmetry in events with an electron and a muon with large impact parameters. <i>Physical Review Letters</i> , 2015 , 114, 061801	7.4	39

176	Study of vector boson scattering and search for new physics in events with two same-sign leptons and two jets. <i>Physical Review Letters</i> , 2015 , 114, 051801	7.4	62
175	Search for resonances and quantum black holes using dijet mass spectra in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	152
174	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
173	Measurement of the ratio of the production cross sections times branching fractions of $B \rightarrow J/\psi \mu^+ \mu^-$ and $B \rightarrow J/\psi \mu^+ \mu^-$ and $(\text{mathcal{B}}\left(\text{mathcal{B}} \rightarrow \text{mathcal{J}}/\psi \text{pi}^{\pm} \text{pi}^{\pm} \right)/\text{mathcal{B}}\left(\text{mathcal{B}} \rightarrow \text{mathcal{J}}/\psi \text{pi}^{\pm} \text{pi}^{\mp} \right))$ in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	13
172	Search for disappearing tracks in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	35
171	Study of Z production in PbPb and pp collisions at $(\sqrt{s_{\text{NN}}}=2.76)$ TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
170	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	69
169	Pseudorapidity distribution of charged hadrons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 751, 143-163	4.2	34
168	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 325	4.2	24
167	Evidence for transverse-momentum- and pseudorapidity-dependent event-plane fluctuations in PbPb and pPb collisions. <i>Physical Review C</i> , 2015 , 92,	2.7	104
166	Search for the standard model Higgs boson produced through vector boson fusion and decaying to $b\bar{b}$. <i>Physical Review D</i> , 2015 , 92,	4.9	37
165	Measurement of diffractive dissociation cross sections in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2015 , 92,	4.9	29
164	Constraints on the spin-parity and anomalous HVV couplings of the Higgs boson in proton collisions at 7 and 8 TeV. <i>Physical Review D</i> , 2015 , 92,	4.9	142
163	Limits on the Higgs boson lifetime and width from its decay to four charged leptons. <i>Physical Review D</i> , 2015 , 92,	4.9	37
162	Search for a pseudoscalar boson decaying into a Z boson and the 125 GeV Higgs boson in $\mu\mu\gamma\gamma$ final states. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 748, 221-243	4.2	48
161	Search for third-generation scalar leptoquarks in the $t\bar{t}$ channel in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
160	Search for heavy Majorana neutrinos in $\mu\mu + \text{jets}$ events in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 748, 144-166	4.2	58
159	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	26

158	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	33
157	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	73
156	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8[Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 212	4-2	399
155	Measurements of the [Formula: see text][Formula: see text] production cross sections in the [Formula: see text] channel in proton-proton collisions at [Formula: see text] and [Formula: see text] and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , 2015 , 75, 511	4-2	25
154	Search for direct production of pairs of stops at . <i>Nuclear and Particle Physics Proceedings</i> , 2015 , 267-269, 290-293	0-4	
153	Comparison of the $Z/\bar{\chi} + \text{jets}$ to $\bar{\chi}$ jets cross sections in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	5
152	Long-range two-particle correlations of strange hadrons with charged particles in pPb and PbPb collisions at LHC energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 742, 200-224	4-2	64
151	Measurement of the (\overline{t}) production cross section in the dilepton channel in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	43
150	Measurement of associated W + charm production in pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	37
149	Constraints on the Higgs boson width from off-shell production and decay to Z-boson pairs. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 736, 64-85	4-2	116
148	Event activity dependence of (Υ)(nS) production in ($\sqrt{\{s_{NN}\}}$) = 5.02 TeV pPb and (\sqrt{s}) = 2.76 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	42
147	Evidence for the 125 GeV Higgs boson decaying to a pair of τ leptons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	101
146	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	15
145	Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2014 , 74, 2758	4-2	21
144	Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2901	4-2	13
143	Modification of jet shapes in PbPb collisions at $s_{NN}=2.76\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 730, 243-263	4-2	124
142	Observation of the associated production of a single top quark and a W boson in pp collisions at $\sqrt{s} = 8$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 231802	7-4	62
141	Observation of a peaking structure in the J/ψ mass spectrum from $B_{\psi} \rightarrow J/\psi K_{\psi}$ decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 734, 261-281	4-2	83

140	Measurement of prompt (τ) to J/ψ yield ratios in Pb-Pb and p-p collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review Letters</i> , 2014 , 113, 262301	7.4	38
139	Searches for electroweak neutralino and chargino production in channels with Higgs, Z, and W bosons in pp collisions at 8 TeV. <i>Physical Review D</i> , 2014 , 90,	4.9	62
138	Search for heavy neutrinos and [Formula: see text] bosons with right-handed couplings in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3149	4.2	149
137	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	70
136	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at ($\sqrt{s} = 8$) TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	37
135	Search for pair production of third-generation scalar leptoquarks and top squarks in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 739, 229-249	4.2	56
134	Measurement of jet fragmentation in PbPb and pp collisions at $s_{NN}=2.76$ TeV. <i>Physical Review C</i> , 2014 , 90,	2.7	89
133	Measurement of higher-order harmonic azimuthal anisotropy in PbPb collisions at $s_{NN}=2.76$ TeV. <i>Physical Review C</i> , 2014 , 89,	2.7	109
132	Search for top squark and Higgsino production using diphoton Higgs boson decays. <i>Physical Review Letters</i> , 2014 , 112, 161802	7.4	38
131	Measurement of inclusive W and Z boson production cross sections in pp collisions at $\sqrt{s} = 8$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 191802	7.4	54
130	Measurements of tt spin correlations and top-quark polarization using dilepton final states in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 182001	7.4	49
129	Measurement of the W and Z inclusive cross sections in pp collisions at $s=7$ TeV and limits on anomalous triple gauge boson couplings. <i>Physical Review D</i> , 2014 , 89,	4.9	28
128	Measurement of the muon charge asymmetry in inclusive $pp \rightarrow W+X$ production at $s=7$ TeV and an improved determination of light parton distribution functions. <i>Physical Review D</i> , 2014 , 90,	4.9	63
127	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , 2014 , 74, 3076	4.2	239
126	Evidence of b-jet quenching in PbPb collisions at ($\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review Letters</i> , 2014 , 113, 132301	7.4	62
125	Measurement of four-jet production in proton-proton collisions at $s=7$ TeV. <i>Physical Review D</i> , 2014 , 89,	4.9	23
124	Measurement of the properties of a Higgs boson in the four-lepton final state. <i>Physical Review D</i> , 2014 , 89,	4.9	260
123	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	45

122	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	32
121	Determination of the top-quark pole mass and strong coupling constant from the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 728, 496-517	4-2	64
120	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	144
119	Search for the associated production of the Higgs boson with a top-quark pair 2014 , 2014, 1		6
118	Observation of a new boson with mass near 125 GeV in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	261
117	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	35
116	Study of the underlying event at forward rapidity in pp collisions at ($\sqrt{s}=0.9, 2.76, \text{and } 7 \text{ TeV}$). <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	39
115	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2469	4-2	49
114	Measurement of the combined rapidity and . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 721, 212-219	4-2	9
113	Observation of a diffractive contribution to dijet production in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013 , 87,	4-9	20
112	Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2494	4-2	37
111	Search for top-squark pair production in the single-lepton final state in pp collisions at ($\sqrt{s}=8 \text{ TeV}$). <i>European Physical Journal C</i> , 2013 , 73, 1	4-2	162
110	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	37
109	Measurement of the ZZ production cross section and search for anomalous couplings in $2\mu\mu$ final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	39
108	Measurement of the inelastic proton-proton cross section at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 722, 5-27	4-2	74
107	Search for a . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 1229-1251	4-2	31
106	Search for a non-standard-model Higgs boson decaying to a pair of new light bosons in four-muon final states. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 726, 564-586	4-2	26
105	Multiplicity and transverse momentum dependence of two- and four-particle correlations in pPb and PbPb collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 724, 213-240	4-2	315

104	Study of the mass and spin-parity of the Higgs boson candidate via its decays to Z boson pairs. <i>Physical Review Letters</i> , 2013 , 110, 081803	7.4	235
103	Studies of jet quenching using isolated-photon + jet correlations in PbPb and pp collisions at $\sqrt{s_{NN}}=2.76\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 773-794	4.2	109
102	Observation of long-range, near-side angular correlations in pPb collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 795-814	4.2	452
101	Search for narrow resonances using the dijet mass spectrum in pp collisions at $\sqrt{s}=8\text{ TeV}$. <i>Physical Review D</i> , 2013 , 87,	4.9	63
100	Interpretation of searches for supersymmetry with simplified models. <i>Physical Review D</i> , 2013 , 88,	4.9	52
99	Measurement of the differential cross section of photon plus jet production in pp collisions at $\sqrt{s}=1.96\text{ TeV}$. <i>Physical Review D</i> , 2013 , 88,	4.9	9
98	Measurement of the elliptic anisotropy of charged particles produced in PbPb collisions at $\sqrt{s_{NN}}=2.76\text{ TeV}$. <i>Physical Review C</i> , 2013 , 87,	2.7	148
97	Measurement of direct CP violation parameters in $B_{\pm} \rightarrow J/\psi K_{\pm}$ and $B_{\pm} \rightarrow J/\psi K_{\pm}^*$ decays with 10.4 fb ⁻¹ of Tevatron data. <i>Physical Review Letters</i> , 2013 , 110, 241801	7.4	11
96	Measurement of the semileptonic charge asymmetry using $B(s)(0) \rightarrow D(s)K$ decays. <i>Physical Review Letters</i> , 2013 , 110, 011801	7.4	36
95	Jet momentum dependence of jet quenching in PbPb collisions at $\sqrt{s_{NN}}=2.76\text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 712, 176-197	4.2	144
94	Search for supersymmetry in hadronic final states using M T2 in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	92
93	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at ($\sqrt{s_{\mathbb{N}\mathbb{N}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	73
92	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at ($\sqrt{s}=7$;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	12
91	Measurement of the top-quark mass in ($\overline{\text{t}}\text{t}$) events with lepton+jets final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30
90	Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 716, 30-61	4.2	5161
89	Search for heavy neutrinos and W(R) bosons with right-handed couplings in a left-right symmetric model in pp collisions at $\sqrt{s}=7\text{ TeV}$. <i>Physical Review Letters</i> , 2012 , 109, 261802	7.4	42
88	A new boson with a mass of 125 GeV observed with the CMS experiment at the Large Hadron Collider. <i>Science</i> , 2012 , 338, 1569-75	33.3	71
87	Combination of searches for anomalous top quark couplings with 5.4fb ⁻¹ of pp collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 713, 165-171	4.2	23

86	Study of W boson production in PbPb and pp collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 715, 66-87	4.2	76
85	Search for physics beyond the standard model in events with a Z boson, jets, and missing transverse energy in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 716, 260-284	4.2	23
84	Search for heavy Majorana neutrinos in $\mu\mu$ +jets and $e\mu$ +jets events in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 717, 109-128	4.2	41
83	Azimuthal anisotropy of charged particles at high transverse momenta in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV. <i>Physical Review Letters</i> , 2012 , 109, 022301	7.4	95
82	Evidence for a particle produced in association with weak bosons and decaying to a bottom-antibottom quark pair in higgs boson searches at the tevatron. <i>Physical Review Letters</i> , 2012 , 109, 071804	7.4	175
81	Observation of sequential Λ suppression in PbPb collisions. <i>Physical Review Letters</i> , 2012 , 109, 222301	7.4	172
80	Determination of the pole and γ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 703, 422-427	4.2	52
79	Search for first generation leptoquark pair production in the electron + missing energy + jets final state. <i>Physical Review D</i> , 2011 , 84,	4.9	14
78	Search for $W^{\pm} \rightarrow tb$ resonances with left- and right-handed couplings to fermions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 699, 145-150	4.2	42
77	Search for flavor changing neutral currents via quark-gluon couplings in single top quark production using 2.3 fb ⁻¹ of $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010 , 693, 81-87	4.2	45
76	Measurement of the angular and lifetime parameters of the decays $B_d^0 \rightarrow J/\psi K^*0$ and $B_s^0 \rightarrow J/\psi \phi$. <i>Physical Review Letters</i> , 2009 , 102, 032001	7.4	11
75	Search for large extra spatial dimensions in the dielectron and diphoton channels in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 102, 051601	7.4	28
74	Search for long-lived charged massive particles with the D0 detector. <i>Physical Review Letters</i> , 2009 , 102, 161802	7.4	46
73	Measurement of the lifetime of the $B_c^{+/-}$ meson in the semileptonic decay channel. <i>Physical Review Letters</i> , 2009 , 102, 092001	7.4	42
72	Search for resonant pair production of neutral long-lived particles decaying to bb in pp collisions at square root(S)=1.96 TeV. <i>Physical Review Letters</i> , 2009 , 103, 071801	7.4	40
71	Evidence for the decay $B_s^0 \rightarrow D_s^{(*)} D_s^{(*)}$ and a measurement of $\Delta\Gamma_{CP}/\Gamma$. <i>Physical Review Letters</i> , 2009 , 102, 091801	7.4	11
70	Measurement of the $Z\gamma \rightarrow \nu\bar{\nu}\gamma$ production cross section and limits on anomalous ZZ γ and Z $\gamma\gamma$ couplings in pp collisions at $\sqrt{s} = 1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 102, 201802	7.4	17
69	Search for associated W and Higgs Boson production in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 102, 051803	7.4	18

68	Search for charged higgs bosons decaying into top and bottom quarks in pp collisions. <i>Physical Review Letters</i> , 2009 , 102, 191802	7.4	28
67	Search for dark photons from supersymmetric hidden valleys. <i>Physical Review Letters</i> , 2009 , 103, 081802	7.4	25
66	Search for the standard model Higgs boson in tau final states. <i>Physical Review Letters</i> , 2009 , 102, 251801	7.4	14
65	Measurement of $\gamma+b+X$ and $\gamma+c+X$ Production Cross Sections in pp Collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 102, 192002	7.4	37
64	Search for resonant diphoton production with the D0 detector. <i>Physical Review Letters</i> , 2009 , 102, 231801	7.4	29
63	Search for next-to-minimal supersymmetric Higgs bosons in the $h \rightarrow a\bar{a}$ channels using pp collisions at $\sqrt{s} = 1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 103, 061801	7.4	52
62	Search for neutral Higgs Bosons at high $\tan\beta$ in the $b(h/H/A) \rightarrow b\tau^+\tau^-$ channel. <i>Physical Review Letters</i> , 2009 , 102, 051804	7.4	11
61	Search for anomalous top-quark couplings with the D0 detector. <i>Physical Review Letters</i> , 2009 , 102, 092002	7.4	18
60	Measurement of the semileptonic branching ratio of $B_{s;0}$ to an orbitally excited $D_{s;0}^{**}$ state: $Br(B_{s;0} \rightarrow D_{s1}^{**} \mu^+ \nu_X)$. <i>Physical Review Letters</i> , 2009 , 102, 051801	7.4	25
59	Evidence of WW and WZ production with lepton + jets final states in pp collisions at square root $s=1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 102, 161801	7.4	15
58	Measurement of $\sigma(pp \rightarrow Z+X)Br(Z \rightarrow \mu\mu)$ at $s=1.96$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 670, 292-299	4.2	24
57	Search for a scalar or vector particle decaying into $Z\eta$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 671, 349-355	4.2	15
56	Search for pair production of second generation scalar leptoquarks. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 671, 224-232	4.2	22
55	Search for admixture of scalar top quarks in the η . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 674, 4-10	4.2	15
54	Search for the lightest scalar top quark in events with two leptons in pp collisions at $s=1.96$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 675, 289-296	4.2	22
53	Measurements of differential cross sections of η . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 678, 45-54	4.2	28
52	Measurement of the η . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 679, 177-185	4.2	28
51	Search for squark production in events with jets, hadronically decaying tau leptons and missing transverse energy at $s=1.96$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 680, 24-33	4.2	7

50	Search for associated production of charginos and neutralinos in the trilepton final state using 2.3 fb ⁻¹ of data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 680, 34-43	4.2	58
49	Relative rates of B meson decays into $\Upsilon(2S)$ and J/ψ mesons. <i>Physical Review D</i> , 2009 , 79,	4.9	4
48	Search for excited electrons in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2008 , 77,	4.9	18
47	$ZZ \rightarrow l+l$ production in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2008 , 78,	4.9	11
46	Search for the standard model Higgs boson in the missing energy and acoplanar b-jet topology at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2008 , 101, 251802	7.4	1
45	Search for third generation scalar leptoquarks decaying into taub. <i>Physical Review Letters</i> , 2008 , 101, 241802	7.4	21
44	Search for Higgs bosons decaying to tau pairs in pp collisions with the D0 detector. <i>Physical Review Letters</i> , 2008 , 101, 071804	7.4	31
43	Measurement of B_s^0 mixing parameters from the flavor-tagged decay $B_s^0 \rightarrow J/\psi \phi$. <i>Physical Review Letters</i> , 2008 , 101, 241801	7.4	156
42	Observation of the B_c meson in the exclusive decay $B_c \rightarrow J/\psi \pi$. <i>Physical Review Letters</i> , 2008 , 101, 012001	7.4	72
41	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2008 , 100, 192004	7.4	31
40	Observation of the doubly strange b baryon Ω_{cb}^- . <i>Physical Review Letters</i> , 2008 , 101, 232002	7.4	64
39	Measurement of the inclusive jet cross section in pp collisions at square root $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2008 , 101, 062001	7.4	148
38	Search for pair production of doubly charged Higgs bosons in the $H^{++}H^{--} \rightarrow \mu^+ \mu^+ \mu^- \mu^-$ final state. <i>Physical Review Letters</i> , 2008 , 101, 071803	7.4	43
37	Measurement of the electron charge asymmetry in pp collisions $\rightarrow W+X \rightarrow e\nu+X$ events at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2008 , 101, 211801	7.4	48
36	Observation and properties of the orbitally excited $B_{(s2)}^*$ meson. <i>Physical Review Letters</i> , 2008 , 100, 082002	7.4	57
35	Precise measurement of the top-quark mass from lepton + jets events. <i>Physical Review Letters</i> , 2008 , 101, 182001	7.4	23
34	Observation of ZZ production in p-p collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2008 , 101, 171803	7.4	16
33	Measurement of the polarization of the $\Upsilon(1S)$ and $\Upsilon(2S)$ states in pp collisions at square root $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2008 , 101, 182004	7.4	48

32	Search for anomalous Wtb couplings in single top quark production. <i>Physical Review Letters</i> , 2008 , 101, 221801	7.4	25
31	Study of direct CP violation in $B(+/-) \rightarrow J/\psi K(+/-) (\pi(+/-))$ decays. <i>Physical Review Letters</i> , 2008 , 100, 211802	7.4	17
30	Search for decay of a fermiophobic Higgs boson $h_f \rightarrow \gamma\gamma$ with the D0 detector at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2008 , 101, 051801	7.4	15
29	Search for neutral Higgs bosons in multi-b-jet events in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2008 , 101, 221802	7.4	15
28	Search for long-lived particles decaying into electron or photon pairs with the D0 detector. <i>Physical Review Letters</i> , 2008 , 101, 111802	7.4	18
27	A combined search for the standard model Higgs boson at $s=1.96$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2008 , 663, 26-36	4.2	15
26	Measurement of the ratio of the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2008 , 666, 23-30	4.2	25
25	Measurement of the differential cross section for the production of an isolated photon with associated jet in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2008 , 666, 435-445	4.2	24
24	Search for tt resonances in the lepton plus jets final state in pp collisions at $s=1.96$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2008 , 668, 98-104	4.2	37
23	Search for scalar leptoquarks and T-odd quarks in the acoplanar jet topology using of collision data at. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2008 , 668, 357-363	4.2	19
22	Measurement of differential . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2008 , 669, 278-286	4.2	38
21	Search for third-generation scalar leptoquarks in pp at square root $s=1.96$ TeV. <i>Physical Review Letters</i> , 2007 , 99, 061801	7.4	21
20	Helicity of the W boson in lepton+jets . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2005 , 617, 1-10	4.2	46
19	Contrast cancellation technique applied to digital x-ray imaging using silicon strip detectors. <i>Medical Physics</i> , 2005 , 32, 3755-66	4.4	13
18	Measurement of dijet azimuthal decorrelations at central rapidities in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2005 , 94, 221801	7.4	64
17	Search for new particles in the two-jet decay channel with the D0 detector. <i>Physical Review D</i> , 2004 , 69,	4.9	48
16	Combination of CDF and D0 results on the W boson mass and width. <i>Physical Review D</i> , 2004 , 70,	4.9	41
15	A precision measurement of the mass of the top quark. <i>Nature</i> , 2004 , 429, 638-42	50.4	202

14	Pion and kaon parton distribution functions in a meson-cloud model. <i>Physical Review D</i> , 2003 , 67,	4.9	5
13	Hard single diffraction in p p collisions at $\sqrt{s}=630$ and $1800\sqrt{\text{GeV}}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002 , 531, 52-60	4.2	18
12	The ratio, ρ , of the real to the imaginary part of the p p forward elastic scattering amplitude at $\sqrt{s}=1.8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002 , 537, 41-44	4.2	28
11	Low Q^2 wave functions of pions and kaons and their parton distribution functions. <i>Physical Review D</i> , 2002 , 66,	4.9	3
10	A measurement of the proton-antiproton total cross section at $\sqrt{s}=1.8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 445, 419-422	4.2	82
9	Elastic scattering tracking at the Tevatron. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1995 , 360, 80-82	1.2	3
8	Antiproton-proton elastic scattering at $(\sqrt{s})=1020\text{ GeV}$. 1993 , 106, 123-129		7
7	Diffraction dissociation in collisions at $\sqrt{s}=1.8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1993 , 301, 313-316	4.2	47
6	Measurement of ρ , the ratio of the real to the imaginary part of the p-bar p forward elastic-scattering amplitude, at $\sqrt{s}=1.8$ TeV. <i>Physical Review Letters</i> , 1992 , 68, 2433-2436	7.4	123
5	Status of EO1-2 at the SSC. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1992 , 25, 261-265		
4	A luminosity-independent measurement of the total cross section at $\sqrt{s}=1.8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1990 , 243, 158-164	4.2	130
3	Antiproton-proton elastic scattering at from $ t = 0.034$ to 0.65 $(\text{GeV}/c)^2$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1990 , 247, 127-130	4.2	122
2	Status report on Fermilab E-710. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1990 , 12, 9-17		
1	Measurement of the p-bar p total cross section at $\sqrt{s}=1.8$ TeV. <i>Physical Review Letters</i> , 1989 , 63, 2784-2786	7.4	68