

Shui-Long Shen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5081865/publications.pdf>

Version: 2024-02-01

331
papers

17,269
citations

8732

75
h-index

22764

112
g-index

345
all docs

345
docs citations

345
times ranked

5870
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term settlement behaviour of metro tunnels in the soft deposits of Shanghai. <i>Tunnelling and Underground Space Technology</i> , 2014, 40, 309-323.	3.0	484
2	Numerical evaluation of land subsidence induced by groundwater pumping in Shanghai. <i>Canadian Geotechnical Journal</i> , 2011, 48, 1378-1392.	1.4	318
3	Strength development in clay-fly ash geopolymer. <i>Construction and Building Materials</i> , 2013, 40, 566-574.	3.2	300
4	Flood risk assessment in metro systems of mega-cities using a GIS-based modeling approach. <i>Science of the Total Environment</i> , 2018, 626, 1012-1025.	3.9	287
5	Longitudinal structural modelling of shield tunnels considering shearing dislocation between segmental rings. <i>Tunnelling and Underground Space Technology</i> , 2015, 50, 317-323.	3.0	260
6	Generalized Approach for Prediction of Jet Grout Column Diameter. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2013, 139, 2060-2069.	1.5	236
7	Optimization techniques for identifying soil parameters in geotechnical engineering: Comparative study and enhancement. <i>International Journal for Numerical and Analytical Methods in Geomechanics</i> , 2018, 42, 70-94.	1.7	216
8	High calcium fly ash geopolymer stabilized lateritic soil and granulated blast furnace slag blends as a pavement base material. <i>Journal of Hazardous Materials</i> , 2018, 341, 257-267.	6.5	215
9	Perspectives for flood risk assessment and management for mega-city metro system. <i>Tunnelling and Underground Space Technology</i> , 2019, 84, 31-44.	3.0	207
10	Estimation of lateral displacement induced by jet grouting in clayey soils. <i>Geotechnique</i> , 2017, 67, 621-630.	2.2	197
11	Land subsidence due to groundwater drawdown in Shanghai. <i>Geotechnique</i> , 2004, 54, 143-147.	2.2	194
12	Inundation risk assessment of metro system using AHP and TFN-AHP in Shenzhen. <i>Sustainable Cities and Society</i> , 2020, 56, 102103.	5.1	194
13	Risk Assessment Using a New Consulting Process in Fuzzy AHP. <i>Journal of Construction Engineering and Management - ASCE</i> , 2020, 146, .	2.0	180
14	Factors influencing strength development in clay-fly ash geopolymer. <i>Construction and Building Materials</i> , 2013, 47, 1125-1136.	3.2	169
15	Jet grouting with a newly developed technology: The Twin-Jet method. <i>Engineering Geology</i> , 2013, 152, 87-95.	2.9	167
16	Assessment and management of lake eutrophication: A case study in Lake Erhai, China. <i>Science of the Total Environment</i> , 2021, 751, 141618.	3.9	167
17	Characteristics of dewatering induced drawdown curve under blocking effect of retaining wall in aquifer. <i>Journal of Hydrology</i> , 2016, 539, 554-566.	2.3	161
18	Simple Method of Modeling PVD-Improved Subsoil. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2001, 127, 965-972.	1.5	160

#	ARTICLE	IF	CITATIONS
19	Geological and hydrogeological environment in Shanghai with geohazards to construction and maintenance of infrastructures. <i>Engineering Geology</i> , 2009, 109, 241-254.	2.9	156
20	An efficient optimization method for identifying parameters of soft structured clay by an enhanced genetic algorithm and elastic-viscoplastic model. <i>Acta Geotechnica</i> , 2017, 12, 849-867.	2.9	156
21	Soil-tunnel interaction modelling for shield tunnels considering shearing dislocation in longitudinal joints. <i>Tunnelling and Underground Space Technology</i> , 2018, 78, 168-177.	3.0	155
22	Analysis of shearing effect on tunnel induced by load transfer along longitudinal direction. <i>Tunnelling and Underground Space Technology</i> , 2008, 23, 421-430.	3.0	153
23	Analysis of field performance of embankments on soft clay deposit with and without PVD-improvement. <i>Geotextiles and Geomembranes</i> , 2005, 23, 463-485.	2.3	148
24	The state of land subsidence and prediction approaches due to groundwater withdrawal in China. <i>Natural Hazards</i> , 2008, 45, 123-135.	1.6	146
25	Ground Response to Multiple Parallel Microtunneling Operations in Cemented Silty Clay and Sand. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2016, 142, .	1.5	145
26	Interpretation of increased deformation rate in aquifer IV due to groundwater pumping in Shanghai. <i>Canadian Geotechnical Journal</i> , 2013, 50, 1129-1142.	1.4	144
27	Laboratory evaluation on the effectiveness of polypropylene fibers on the strength of fiber-reinforced and cement-stabilized Shanghai soft clay. <i>Geotextiles and Geomembranes</i> , 2015, 43, 515-523.	2.3	144
28	Stabilisation of marginal lateritic soil using high calcium fly ash-based geopolymer. <i>Road Materials and Pavement Design</i> , 2016, 17, 877-891.	2.0	144
29	Identification of Tunnel Settlement Caused by Land Subsidence in Soft Deposit of Shanghai. <i>Journal of Performance of Constructed Facilities</i> , 2017, 31, .	1.0	139
30	Three-dimensional numerical modelling on localised leakage in segmental lining of shield tunnels. <i>Computers and Geotechnics</i> , 2020, 122, 103549.	2.3	137
31	Deep Mixing Induced Property Changes in Surrounding Sensitive Marine Clays. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2008, 134, 845-854.	1.5	136
32	Calculation of head difference at two sides of a cut-off barrier during excavation dewatering. <i>Computers and Geotechnics</i> , 2017, 91, 192-202.	2.3	136
33	Analysis of urbanisation-induced land subsidence in Shanghai. <i>Natural Hazards</i> , 2012, 63, 1255-1267.	1.6	134
34	Experimental investigation of influence of acid rain on leaching and hydraulic characteristics of cement-based solidified/stabilized lead contaminated clay. <i>Journal of Hazardous Materials</i> , 2012, 225-226, 195-201.	6.5	130
35	A field trial of horizontal jet grouting using the composite-pipe method in the soft deposits of Shanghai. <i>Tunnelling and Underground Space Technology</i> , 2013, 35, 142-151.	3.0	129
36	Investigation of field-installation effects of horizontal twin-jet grouting in Shanghai soft soil deposits. <i>Canadian Geotechnical Journal</i> , 2013, 50, 288-297.	1.4	127

#	ARTICLE	IF	CITATIONS
37	Prediction of Disc Cutter Life During Shield Tunneling with AI via the Incorporation of a Genetic Algorithm into a GMDH-Type Neural Network. <i>Engineering</i> , 2021, 7, 238-251.	3.2	126
38	Analysis of Factors in Land Subsidence in Shanghai: A View Based on a Strategic Environmental Assessment. <i>Sustainability</i> , 2016, 8, 573.	1.6	124
39	Risk assessment of mega-city infrastructures related to land subsidence using improved trapezoidal FAHP. <i>Science of the Total Environment</i> , 2020, 717, 135310.	3.9	124
40	Leaking behavior of shield tunnels under the Huangpu River of Shanghai with induced hazards. <i>Natural Hazards</i> , 2014, 70, 1115-1132.	1.6	120
41	Improved prediction of slope stability using a hybrid stacking ensemble method based on finite element analysis and field data. <i>Journal of Rock Mechanics and Geotechnical Engineering</i> , 2021, 13, 188-201.	3.7	119
42	Evaluation of the blocking effect of retaining walls on groundwater seepage in aquifers with different insertion depths. <i>Engineering Geology</i> , 2014, 183, 254-264.	2.9	118
43	Risk assessment and management of excavation system based on fuzzy set theory and machine learning methods. <i>Automation in Construction</i> , 2021, 122, 103490.	4.8	117
44	Chinese karst geology and measures to prevent geohazards during shield tunnelling in karst region with caves. <i>Natural Hazards</i> , 2015, 77, 129-152.	1.6	116
45	Selection of sand models and identification of parameters using an enhanced genetic algorithm. <i>International Journal for Numerical and Analytical Methods in Geomechanics</i> , 2016, 40, 1219-1240.	1.7	116
46	Dewatering-Induced Building Settlement around a Deep Excavation in Soft Deposit in Tianjin, China. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2019, 145, .	1.5	112
47	Assessment of Geohazards and Preventative Countermeasures Using AHP Incorporated with GIS in Lanzhou, China. <i>Sustainability</i> , 2018, 10, 304.	1.6	109
48	Evaluation of hydraulic parameters from pumping tests in multi-aquifers with vertical leakage in Tianjin. <i>Computers and Geotechnics</i> , 2015, 68, 196-207.	2.3	108
49	Evaluation of land subsidence by considering underground structures that penetrate the aquifers of Shanghai, China. <i>Hydrogeology Journal</i> , 2012, 20, 1623-1634.	0.9	107
50	Flood risk assessment of metro systems in a subsiding environment using the interval FAHP-FCA approach. <i>Sustainable Cities and Society</i> , 2019, 50, 101682.	5.1	107
51	Characteristics of groundwater seepage with cut-off wall in gravel aquifer. I: Field observations. <i>Canadian Geotechnical Journal</i> , 2015, 52, 1526-1538.	1.4	105
52	Evaluation of hydraulic conductivity for both marine and deltaic deposits based on piezocone testing. <i>Ocean Engineering</i> , 2015, 110, 174-182.	1.9	104
53	Enhancing discharge of spoil to mitigate disturbance induced by horizontal jet grouting in clayey soil: Theoretical model and application. <i>Computers and Geotechnics</i> , 2019, 111, 222-228.	2.3	103
54	Evaluation of the Strength Increase of Marine Clay under Staged Embankment Loading: A Case Study. <i>Marine Georesources and Geotechnology</i> , 2015, 33, 532-541.	1.2	101

#	ARTICLE	IF	CITATIONS
55	Characteristics of groundwater seepage with cut-off wall in gravel aquifer. II: Numerical analysis. Canadian Geotechnical Journal, 2015, 52, 1539-1549.	1.4	99
56	Dynamic prediction of jet grouted column diameter in soft soil using Bi-LSTM deep learning. Acta Geotechnica, 2021, 16, 303-315.	2.9	99
57	Inundation analysis of metro systems with the storm water management model incorporated into a geographical information system: a case study in Shanghai. Hydrology and Earth System Sciences, 2019, 23, 4293-4307.	1.9	98
58	Analyses of leakage effect of waterproof curtain during excavation dewatering. Journal of Hydrology, 2020, 583, 124582.	2.3	96
59	Semi-analytical solution to pumping test data with barrier, wellbore storage, and partial penetration effects. Engineering Geology, 2017, 226, 44-51.	2.9	94
60	Analytical approach for time-dependent groundwater inflow into shield tunnel face in confined aquifer. International Journal for Numerical and Analytical Methods in Geomechanics, 2018, 42, 655-673.	1.7	94
61	Prediction Model of TBM Disc Cutter Wear During Tunnelling in Heterogeneous Ground. Rock Mechanics and Rock Engineering, 2018, 51, 3599-3611.	2.6	94
62	Evaluation of effect of basal geotextile reinforcement under embankment loading on soft marine deposits. Geotextiles and Geomembranes, 2015, 43, 506-514.	2.3	93
63	Design of sponge city: Lessons learnt from an ancient drainage system in Ganzhou, China. Journal of Hydrology, 2018, 563, 900-908.	2.3	92
64	Prediction Model of Shield Performance During Tunneling via Incorporating Improved Particle Swarm Optimization Into ANFIS. IEEE Access, 2020, 8, 39659-39671.	2.6	92
65	Marginal Lateritic Soil Stabilized with Calcium Carbide Residue and Fly Ash Geopolymers as a Sustainable Pavement Base Material. Journal of Materials in Civil Engineering, 2017, 29, .	1.3	88
66	Strength assessment of spent coffee grounds-geopolymer cement utilizing slag and fly ash precursors. Construction and Building Materials, 2016, 115, 565-575.	3.2	86
67	Application of LSTM approach for modelling stress-strain behaviour of soil. Applied Soft Computing Journal, 2021, 100, 106959.	4.1	86
68	Engineering properties of recycled Calcium Carbide Residue stabilized clay as fill and pavement materials. Construction and Building Materials, 2013, 46, 203-210.	3.2	85
69	Experimental investigation on the blocking of groundwater seepage from a waterproof curtain during pumped dewatering in an excavation. Hydrogeology Journal, 2019, 27, 2659-2672.	0.9	85
70	Modelling the cutoff behavior of underground structure in multi-aquifer-aquitard groundwater system. Natural Hazards, 2013, 66, 731-748.	1.6	84
71	Estimation of critical state-related formula in advanced constitutive modeling of granular material. Acta Geotechnica, 2017, 12, 1329-1351.	2.9	84
72	Approach based on TOPSIS and Monte Carlo simulation methods to evaluate lake eutrophication levels. Water Research, 2020, 187, 116437.	5.3	82

#	ARTICLE	IF	CITATIONS
73	Performance of embankments with and without reinforcement on soft subsoil. Canadian Geotechnical Journal, 2002, 39, 838-848.	1.4	81
74	Vacuum-drain consolidation induced pressure distribution and ground deformation. Geotextiles and Geomembranes, 2010, 28, 525-535.	2.3	81
75	Optimization of EPB Shield Performance with Adaptive Neuro-Fuzzy Inference System and Genetic Algorithm. Applied Sciences (Switzerland), 2019, 9, 780.	1.3	80
76	Investigation into factors affecting jacking force: a case study. Proceedings of the Institution of Civil Engineers: Geotechnical Engineering, 2017, 170, 322-334.	0.9	77
77	Evaluation of soil liquefaction using AI technology incorporating a coupled ENN / t-SNE model. Soil Dynamics and Earthquake Engineering, 2020, 130, 105988.	1.9	77
78	Evolutionary hybrid neural network approach to predict shield tunneling-induced ground settlements. Tunnelling and Underground Space Technology, 2020, 106, 103594.	3.0	77
79	Tunneling induced geohazards in mylonitic rock faults with rich groundwater: A case study in Guangzhou. Tunnelling and Underground Space Technology, 2018, 74, 262-272.	3.0	76
80	Analysis and GIS Mapping of Flooding Hazards on 10 May 2016, Guangzhou, China. Water (Switzerland), 2016, 8, 447.	1.2	75
81	Nonlinearity of one-dimensional creep characteristics of soft clays. Acta Geotechnica, 2016, 11, 887-900.	2.9	75
82	Evaluation of ground loss ratio with moving trajectories induced in double-O-tube (DOT) tunnelling. Canadian Geotechnical Journal, 2018, 55, 894-902.	1.4	75
83	Evaluation of optimized depth of waterproof curtain to mitigate negative impacts during dewatering. Journal of Hydrology, 2019, 577, 123969.	2.3	75
84	Interaction mechanism between deep mixing column and surrounding clay during installation. Canadian Geotechnical Journal, 2003, 40, 293-307.	1.4	74
85	Investigation into MOGA for identifying parameters of a critical-state-based sand model and parameters correlation by factor analysis. Acta Geotechnica, 2016, 11, 1131-1145.	2.9	74
86	Evaluation of the hydraulic conductivity of aquifers with piles. Hydrogeology Journal, 2014, 22, 371-382.	0.9	70
87	Experimental and Analytical Modeling of Shield Segment under Cyclic Loading. International Journal of Geomechanics, 2017, 17, .	1.3	70
88	Estimation of Bearing Capacity of Piles in Cohesionless Soil Using Optimised Machine Learning Approaches. Geotechnical and Geological Engineering, 2020, 38, 2271-2291.	0.8	70
89	Numerical investigation of the failure of a building in Shanghai, China. Computers and Geotechnics, 2014, 55, 482-493.	2.3	69
90	Centrifuge investigation into the effect of new shield tunnelling on an existing underlying large-diameter tunnel. Tunnelling and Underground Space Technology, 2014, 42, 59-66.	3.0	69

#	ARTICLE	IF	CITATIONS
91	Durability against wetting and drying cycles of sustainable Lightweight Cellular Cemented construction material comprising clay and fly ash wastes. <i>Construction and Building Materials</i> , 2015, 77, 41-49.	3.2	68
92	Consolidation analysis of clayey deposits under vacuum pressure with horizontal drains. <i>Geotextiles and Geomembranes</i> , 2014, 42, 437-444.	2.3	67
93	New Policy and Implementation of Municipal Solid Waste Classification in Shanghai, China. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3099.	1.2	65
94	A new hybrid real-coded genetic algorithm and its application to parameters identification of soils. <i>Inverse Problems in Science and Engineering</i> , 2017, 25, 1343-1366.	1.2	63
95	Excess pore water pressure caused by the installation of jet grouting columns in clay. <i>Computers and Geotechnics</i> , 2020, 125, 103667.	2.3	63
96	Sustainable development and environmental restoration in Lake Erhai, China. <i>Journal of Cleaner Production</i> , 2020, 258, 120758.	4.6	61
97	Environmental protection using dewatering technology in a deep confined aquifer beneath a shallow aquifer. <i>Engineering Geology</i> , 2015, 196, 59-70.	2.9	60
98	Compressive strength and microstructural properties of spent coffee grounds-bagasse ash based geopolymers with slag supplements. <i>Journal of Cleaner Production</i> , 2017, 162, 1491-1501.	4.6	60
99	A three-dimensional fluid-solid coupled numerical modeling of the barrier leakage below the excavation surface due to dewatering. <i>Hydrogeology Journal</i> , 2020, 28, 1449-1463.	0.9	60
100	Tornado hazards on June 23 in Jiangsu Province, China: preliminary investigation and analysis. <i>Natural Hazards</i> , 2017, 85, 597-604.	1.6	59
101	Modelling the performance of EPB shield tunnelling using machine and deep learning algorithms. <i>Geoscience Frontiers</i> , 2021, 12, 101177.	4.3	59
102	Evaluation of the effect of rolling correction of double-o-tunnel shields via one-side loading. <i>Canadian Geotechnical Journal</i> , 2010, 47, 1060-1070.	1.4	58
103	Geological and hydrogeological environment in Tianjin with potential geohazards and groundwater control during excavation. <i>Environmental Earth Sciences</i> , 2018, 77, 1.	1.3	57
104	Real-time prediction of shield moving trajectory during tunnelling. <i>Acta Geotechnica</i> , 2022, 17, 1533-1549.	2.9	57
105	Field performance of concrete pipes during jacking in cemented sandy silt. <i>Tunnelling and Underground Space Technology</i> , 2015, 49, 336-344.	3.0	56
106	Mitigation of geohazards during deep excavations in karst regions with caverns: A case study. <i>Engineering Geology</i> , 2015, 195, 16-27.	2.9	56
107	Lessons learnt from unusual ground settlement during Double-O-Tube tunnelling in soft ground. <i>Tunnelling and Underground Space Technology</i> , 2015, 49, 79-91.	3.0	56
108	Geological formation and geo-hazards during subway construction in Guangzhou. <i>Environmental Earth Sciences</i> , 2016, 75, 1.	1.3	56

#	ARTICLE	IF	CITATIONS
109	Calculation of groundwater head distribution with a close barrier during excavation dewatering in confined aquifer. <i>Geoscience Frontiers</i> , 2021, 12, 791-803.	4.3	56
110	Timoshenko beam solution for the response of existing tunnels because of tunneling underneath. <i>International Journal for Numerical and Analytical Methods in Geomechanics</i> , 2016, 40, 766-784.	1.7	55
111	Deep learning analysis for energy consumption of shield tunneling machine drive system. <i>Tunnelling and Underground Space Technology</i> , 2022, 123, 104405.	3.0	55
112	Contaminant mitigating performance of Chinese standard municipal solid waste landfill liner systems. <i>Geotextiles and Geomembranes</i> , 2009, 27, 232-239.	2.3	54
113	Analysis of the behavior of DOT tunnel lining caused by rolling correction operation. <i>Tunnelling and Underground Space Technology</i> , 2009, 24, 84-90.	3.0	54
114	Evaluation of foam conditioning effect on groundwater inflow at tunnel cutting face. <i>International Journal for Numerical and Analytical Methods in Geomechanics</i> , 2019, 43, 463-481.	1.7	53
115	Effect of fine content on the pullout resistance mechanism of bearing reinforcement embedded in cohesive-frictional soils. <i>Geotextiles and Geomembranes</i> , 2015, 43, 107-117.	2.3	52
116	Evolutionary polynomial regression based modelling of clay compressibility using an enhanced hybrid real-coded genetic algorithm. <i>Engineering Geology</i> , 2016, 210, 158-167.	2.9	52
117	Predicting the performance of embankments on PVD-improved subsoils. <i>Computers and Geotechnics</i> , 2018, 93, 222-231.	2.3	52
118	Real-Time Dynamic Earth-Pressure Regulation Model for Shield Tunneling by Integrating GRU Deep Learning Method With GA Optimization. <i>IEEE Access</i> , 2020, 8, 64310-64323.	2.6	52
119	Novel model for risk identification during karst excavation. <i>Reliability Engineering and System Safety</i> , 2021, 209, 107435.	5.1	52
120	Risk and impacts on the environment of free-phase biogas in quaternary deposits along the Coastal Region of Shanghai. <i>Ocean Engineering</i> , 2017, 137, 129-137.	1.9	51
121	Measurement and prediction of tunnelling-induced ground settlement in karst region by using expanding deep learning method. <i>Measurement: Journal of the International Measurement Confederation</i> , 2021, 183, 109700.	2.5	51
122	Indices and models of surface water quality assessment: Review and perspectives. <i>Environmental Pollution</i> , 2022, 308, 119611.	3.7	51
123	Behaviour of a PVD unit cell under vacuum pressure and a new method for consolidation analysis. <i>Computers and Geotechnics</i> , 2020, 120, 103415.	2.3	50
124	Prediction of geological characteristics from shield operational parameters by integrating grid search and K-fold cross validation into stacking classification algorithm. <i>Journal of Rock Mechanics and Geotechnical Engineering</i> , 2022, 14, 1292-1303.	3.7	50
125	Investigation into performance of deep excavation in sand covered karst: A case report. <i>Soils and Foundations</i> , 2018, 58, 1042-1058.	1.3	49
126	Investigation on Performance of Neural Networks Using Quadratic Relative Error Cost Function. <i>IEEE Access</i> , 2019, 7, 106642-106652.	2.6	49

#	ARTICLE	IF	CITATIONS
127	Comparison in Undrained Shear Strength between Undisturbed and Remolded Ariake Clays. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2006, 132, 272-275.	1.5	48
128	Enhancement of neural networks with an alternative activation function tanhLU. <i>Expert Systems With Applications</i> , 2022, 199, 117181.	4.4	48
129	Cutter-disc consumption during earth pressure balance tunnelling in mixed strata. <i>Proceedings of the Institution of Civil Engineers: Geotechnical Engineering</i> , 2018, 171, 363-376.	0.9	47
130	Risk assessment of geohazards along Cheng-Kun railway using fuzzy AHP incorporated into GIS. <i>Geomatics, Natural Hazards and Risk</i> , 2021, 12, 1508-1531.	2.0	47
131	Investigation into subsidence hazards due to groundwater pumping from Aquifer II in Changzhou, China. <i>Natural Hazards</i> , 2015, 78, 281-296.	1.6	46
132	Analysis of disc cutter failure in shield tunnelling using 3D circular cutting theory. <i>Engineering Failure Analysis</i> , 2018, 90, 23-35.	1.8	46
133	Estimation of Land Subsidence Based on Groundwater Flow Model. <i>Marine Georesources and Geotechnology</i> , 2006, 24, 149-167.	1.2	45
134	Enhancing behavior of large volume underground concrete structure using expansive agents. <i>Construction and Building Materials</i> , 2016, 114, 49-55.	3.2	45
135	Risk Assessment of Earthquake-Triggered Geohazards Surrounding Wenchuan, China. <i>Natural Hazards Review</i> , 2020, 21, .	0.8	44
136	Material properties of the seal gasket for shield tunnels: A review. <i>Construction and Building Materials</i> , 2018, 191, 877-890.	3.2	43
137	The use of tunnelling parameters and spoil characteristics to assess soil types: a case study from alluvial deposits at a pipejacking project site. <i>Bulletin of Engineering Geology and the Environment</i> , 2019, 78, 2933-2942.	1.6	43
138	Calculation of pressure on the shallow-buried twin-tunnel in layered strata. <i>Tunnelling and Underground Space Technology</i> , 2020, 103, 103465.	3.0	43
139	Optimum model for bearing capacity of concrete-steel columns with AI technology via incorporating the algorithms of IWO and ABC. <i>Engineering With Computers</i> , 2021, 37, 797-807.	3.5	43
140	Automatic control of groundwater balance to combat dewatering during construction of a metro system. <i>Automation in Construction</i> , 2021, 123, 103536.	4.8	43
141	Jet grouting for mitigation of installation disturbance. <i>Proceedings of the Institution of Civil Engineers: Geotechnical Engineering</i> , 2014, 167, 526-536.	0.9	42
142	Simple Method to Predict Ground Displacements Caused by Installing Horizontal Jet-Grouting Columns. <i>Mathematical Problems in Engineering</i> , 2018, 2018, 1-11.	0.6	42
143	Time-series prediction of shield movement performance during tunneling based on hybrid model. <i>Tunnelling and Underground Space Technology</i> , 2022, 119, 104245.	3.0	42
144	Ground fissures in Xi'an and measures to prevent damage to the Metro tunnel system due to geohazards. <i>Environmental Earth Sciences</i> , 2016, 75, 1.	1.3	41

#	ARTICLE	IF	CITATIONS
145	Structural Responses of Existing Metro Stations to Adjacent Deep Excavations in Suzhou, China. <i>Journal of Performance of Constructed Facilities</i> , 2016, 30, .	1.0	41
146	Evaluation of Effective Depth of PVD Improvement in Soft Clay Deposit: A Field Case Study. <i>Marine Georesources and Geotechnology</i> , 2016, 34, 420-430.	1.2	40
147	Recent Advances in Horizontal Jet Grouting (HJG): An Overview. <i>Arabian Journal for Science and Engineering</i> , 2018, 43, 1543-1560.	1.7	40
148	Distribution characteristics and utilization of shallow geothermal energy in China. <i>Energy and Buildings</i> , 2020, 229, 110479.	3.1	40
149	Variation of hydro-environment during past four decades with underground sponge city planning to control flash floods in Wuhan, China: An overview. <i>Underground Space (China)</i> , 2020, 5, 184-198.	3.4	39
150	Artificial neural network optimized by differential evolution for predicting diameters of jet grouted columns. <i>Journal of Rock Mechanics and Geotechnical Engineering</i> , 2021, 13, 1500-1512.	3.7	38
151	Laboratory Studies on Property Changes in Surrounding Clays Due to Installation of Deep Mixing Columns. <i>Marine Georesources and Geotechnology</i> , 2003, 21, 15-35.	1.2	37
152	Modeling of Permeation and Fracturing Grouting in Sand: Laboratory Investigations. <i>Journal of Testing and Evaluation</i> , 2018, 46, 2067-2082.	0.4	37
153	Mining-induced geo-hazards with environmental protection measures in Yunnan, China: an overview. <i>Bulletin of Engineering Geology and the Environment</i> , 2015, 74, 141-150.	1.6	36
154	A micro-mechanical model for unsaturated soils based on DEM. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2020, 368, 113183.	3.4	36
155	Evaluation of allowable withdrawn volume of groundwater based on observed data. <i>Natural Hazards</i> , 2013, 67, 513-522.	1.6	35
156	Evaluation of train-load-induced settlement in metro tunnels. <i>Proceedings of the Institution of Civil Engineers: Geotechnical Engineering</i> , 2015, 168, 396-406.	0.9	35
157	Lessons Learnt from Bridge Collapse: A View of Sustainable Management. <i>Sustainability</i> , 2020, 12, 1205.	1.6	35
158	The development of IFN-SPA: A new risk assessment method of urban water quality and its application in Shanghai. <i>Journal of Cleaner Production</i> , 2021, 282, 124542.	4.6	35
159	Risk evaluation of excavation based on fuzzy decision-making model. <i>Automation in Construction</i> , 2022, 136, 104143.	4.8	33
160	Field performance of underground structures during shield tunnel construction. <i>Tunnelling and Underground Space Technology</i> , 2012, 28, 272-277.	3.0	32
161	Engineering properties of lightweight cellular cemented clay-fly ash material. <i>Soils and Foundations</i> , 2015, 55, 471-483.	1.3	32
162	Experimental Evaluation of Aging Characteristics of EPDM as a Sealant for Undersea Shield Tunnels. <i>Journal of Materials in Civil Engineering</i> , 2020, 32, .	1.3	32

#	ARTICLE	IF	CITATIONS
163	Assessment of safety status of shield tunnelling using operational parameters with enhanced SPA. <i>Tunnelling and Underground Space Technology</i> , 2022, 123, 104428.	3.0	32
164	A brief report on the March 21, 2019 explosions at a chemical factory in Xiangshui, China. <i>Process Safety Progress</i> , 2019, 38, e12060.	0.4	31
165	Construction efficiency of shield tunnelling through soft deposit in Tianjin, China. <i>Tunnelling and Underground Space Technology</i> , 2021, 112, 103917.	3.0	31
166	Hydrogeochemical environment of aquifer groundwater in Shanghai and potential hazards to underground infrastructures. <i>Natural Hazards</i> , 2015, 78, 753-774.	1.6	30
167	Predicting self-healing ratio of GCL with a damage hole. <i>Geotextiles and Geomembranes</i> , 2016, 44, 761-769.	2.3	30
168	Protection of neighbour buildings due to construction of shield tunnel in mixed ground with sand over weathered granite. <i>Environmental Earth Sciences</i> , 2016, 75, 1.	1.3	30
169	Prediction of Ground Deformation during Pipe-Jacking Considering Multiple Factors. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 1051.	1.3	30
170	Investigation on inspection scheduling for the maintenance of tunnel with different degradation modes. <i>Tunnelling and Underground Space Technology</i> , 2020, 106, 103589.	3.0	29
171	Long-term settlement behavior of ground around shield tunnel due to leakage of water in soft deposit of Shanghai. <i>Frontiers of Architecture and Civil Engineering in China</i> , 2011, 5, 194-198.	0.4	28
172	Geohazards induced by anthropic activities of geoconstruction: a review of recent failure cases. <i>Arabian Journal of Geosciences</i> , 2016, 9, 1.	0.6	27
173	Estimating unconfined compressive strength of unsaturated cemented soils using alternative evolutionary approaches. <i>Transportation Geotechnics</i> , 2021, 29, 100591.	2.0	27
174	Durability against wetting-drying cycles for cement-stabilized reclaimed asphalt pavement blended with crushed rock. <i>Soils and Foundations</i> , 2018, 58, 333-343.	1.3	26
175	Assessment of Social-Economic Risk of Chinese Dual Land Use System Using Fuzzy AHP. <i>Sustainability</i> , 2018, 10, 2451.	1.6	26
176	Geological and hydrogeological environment with geohazards during underground construction in Hangzhou: a review. <i>Arabian Journal of Geosciences</i> , 2018, 11, 1.	0.6	26
177	Modelling prefabricated vertical drain improved ground in plane strain analysis. <i>Proceedings of the Institution of Civil Engineers: Ground Improvement</i> , 2013, 166, 65-77.	0.7	25
178	Land Subsidence Control Zone and Policy for the Environmental Protection of Shanghai. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2729.	1.2	25
179	Analysis of Production Safety in the Construction Industry of China in 2018. <i>Sustainability</i> , 2019, 11, 4537.	1.6	25
180	Investigation of a large ground collapse and countermeasures during mountain tunnelling in Hangzhou: a case study. <i>Bulletin of Engineering Geology and the Environment</i> , 2019, 78, 991-1003.	1.6	25

#	ARTICLE	IF	CITATIONS
181	A diffusion model for backfill grout behind shield tunnel lining. <i>International Journal for Numerical and Analytical Methods in Geomechanics</i> , 2021, 45, 457-477.	1.7	25
182	Soil Fracturing of the Surrounding Clay during Deep Mixing Column Installation. <i>Soils and Foundations</i> , 1999, 39, 13-22.	1.3	24
183	A numerical approach for predicting shakedown limit in ratcheting behavior of materials. <i>Materials & Design</i> , 2013, 47, 106-114.	5.1	24
184	Factors influencing unit weight and strength of lightweight cemented clay. <i>Quarterly Journal of Engineering Geology and Hydrogeology</i> , 2014, 47, 101-109.	0.8	24
185	Rapid field evaluation of the strength of cement-stabilized clayey soil. <i>Bulletin of Engineering Geology and the Environment</i> , 2015, 74, 991-999.	1.6	24
186	Investigation into pluvial flooding hazards caused by heavy rain and protection measures in Shanghai, China. <i>Natural Hazards</i> , 2016, 83, 1301-1320.	1.6	24
187	Prediction of lateral continuous wear of cutter ring in soft ground with quartz sand. <i>Computers and Geotechnics</i> , 2018, 103, 86-92.	2.3	24
188	Numerical evaluation of the ground response induced by dewatering in a multi-aquifer system. <i>Geoscience Frontiers</i> , 2021, 12, 101209.	4.3	24
189	Laboratory evaluation of long-term sealing behaviors of two water-swelling materials for shield tunnel gasket. <i>Construction and Building Materials</i> , 2020, 249, 118711.	3.2	23
190	Loss of soil structure for natural sedimentary clays. <i>Proceedings of the Institution of Civil Engineers: Geotechnical Engineering</i> , 2007, 160, 153-159.	0.9	22
191	Assessment of internal forces for intermediate anchorage zone of post-tensioned concrete structure. <i>Construction and Building Materials</i> , 2014, 64, 370-378.	3.2	22
192	Geological difficulties and countermeasures for socket diaphragm walls in weathered granite in Shenzhen, China. <i>Bulletin of Engineering Geology and the Environment</i> , 2016, 75, 263-273.	1.6	22
193	Strength of sandy and clayey soils cemented with single and double fluid jet grouting. <i>Soils and Foundations</i> , 2019, 59, 942-954.	1.3	22
194	Comprehensive environmental impact evaluation for concrete mixing station (CMS) based on improved TOPSIS method. <i>Sustainable Cities and Society</i> , 2021, 69, 102838.	5.1	22
195	Identification of geological characteristics from construction parameters during shield tunnelling. <i>Acta Geotechnica</i> , 2023, 18, 535-551.	2.9	22
196	Estimation of the Diameter of Jet-Grouted Column Based on Turbulent Kinematic Flow Theory. , 2012, , .		21
197	Environmental impacts caused by phosphate mining and ecological restoration: a case history in Kunming, China. <i>Natural Hazards</i> , 2014, 74, 755-770.	1.6	21
198	Recycled concrete aggregate/municipal glass blends as a low-carbon resource material for footpaths. <i>Road Materials and Pavement Design</i> , 2018, 19, 727-740.	2.0	21

#	ARTICLE	IF	CITATIONS
199	Geo-hazards with characteristics and prevention measures along the coastal regions of China. <i>Natural Hazards</i> , 2009, 49, 479-500.	1.6	20
200	Field Evaluation on the Strength Increase of Marine Clay under Staged Construction of Embankment. <i>Marine Georesources and Geotechnology</i> , 2011, 29, 317-332.	1.2	20
201	Prediction of lateral displacement of soil behind the reaction wall caused by pipe jacking operation. <i>Tunnelling and Underground Space Technology</i> , 2014, 40, 210-217.	3.0	20
202	Automatic pressure-control equipment for horizontal jet-grouting. <i>Automation in Construction</i> , 2016, 69, 11-20.	4.8	20
203	NChina16: A stable geodetic reference frame for geological hazard studies in North China. <i>Journal of Geodynamics</i> , 2018, 115, 10-22.	0.7	20
204	Detection and Monitoring of Tunneling-Induced Riverbed Deformation Using GPS and BeiDou: A Case Study. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 2759.	1.3	20
205	Investigation of the geological and hydrogeological environment with relation to metro system construction in Jinan, China. <i>Bulletin of Engineering Geology and the Environment</i> , 2019, 78, 1005-1024.	1.6	20
206	Geological environment problems during metro shield tunnelling in Shenzhen, China. <i>Arabian Journal of Geosciences</i> , 2020, 13, 1.	0.6	20
207	An extended TODIM-based model for evaluating risks of excavation system. <i>Acta Geotechnica</i> , 2022, 17, 1053-1069.	2.9	20
208	Evaluation of Interface Shear Strength Properties of Geogrid Reinforced Foamed Recycled Glass Using a Large-Scale Direct Shear Testing Apparatus. <i>Advances in Materials Science and Engineering</i> , 2015, 2015, 1-8.	1.0	19
209	Millimeter-Accuracy Structural Deformation Monitoring Using Stand-Alone GPS: Case Study in Beijing, China. <i>Journal of Surveying Engineering, - ASCE</i> , 2018, 144, .	1.0	19
210	A multi-objective optimization algorithm for forecasting the compressive strength of RAC with pozzolanic materials. <i>Journal of Cleaner Production</i> , 2021, 327, 129355.	4.6	19
211	Cone penetration-induced pore pressure distribution and dissipation. <i>Computers and Geotechnics</i> , 2014, 57, 105-113.	2.3	18
212	Investigation and improvement of strut-and-tie model for design of end anchorage zone in post-tensioned concrete structure. <i>Construction and Building Materials</i> , 2017, 136, 482-494.	3.2	18
213	Evaluation of the uplift behavior of plate anchor in structured marine clay. <i>Marine Georesources and Geotechnology</i> , 2017, 35, 758-768.	1.2	18
214	Fractal Prediction of Grouting Volume for Treating Karst Caverns along a Shield Tunneling Alignment. <i>Applied Sciences (Switzerland)</i> , 2017, 7, 652.	1.3	18
215	An analytical method for estimating horizontal transition probability matrix of coupled Markov chain for simulating geological uncertainty. <i>Computers and Geotechnics</i> , 2021, 129, 103871.	2.3	18
216	Characteristics of clay deposits in Saga Plain, Japan. <i>Proceedings of the Institution of Civil Engineers: Geotechnical Engineering</i> , 2017, 170, 548-558.	0.9	17

#	ARTICLE	IF	CITATIONS
217	Dynamic brittle fracture with eigenerosion enhanced material point method. International Journal for Numerical Methods in Engineering, 2020, 121, 3768-3794.	1.5	17
218	Experimental investigation of water-swelling characteristics of polymer materials for tunnel sealing gasket. Construction and Building Materials, 2020, 256, 119473.	3.2	17
219	Real-time analysis and prediction of shield cutterhead torque using optimized gated recurrent unit neural network. Journal of Rock Mechanics and Geotechnical Engineering, 2022, 14, 1232-1240.	3.7	17
220	A design approach for the interior anchorage zone of post-tensioned concrete structure. KSCE Journal of Civil Engineering, 2011, 15, 487-495.	0.9	16
221	Investigation of hydraulic parameters of a weathered mylonite fault from field pumping tests: A case study. Bulletin of Engineering Geology and the Environment, 2017, 76, 1431-1448.	1.6	16
222	Investigation of Collapsed Building Incidents on Soft Marine Deposit: Both from Social and Technical Perspectives. Land, 2018, 7, 20.	1.2	16
223	Current Activity of the Long Point Fault in Houston, Texas Constrained by Continuous GPS Measurements (2013â€“2018). Remote Sensing, 2019, 11, 1213.	1.8	16
224	Effect of initial water content and pore water chemistry on intrinsic compression behavior. Marine Georesources and Geotechnology, 2019, 37, 417-423.	1.2	16
225	Non-linear spring model for backfill grout-consolidation behind shield tunnel lining. Computers and Geotechnics, 2021, 136, 104235.	2.3	16
226	Evaluation of a Dike Damaged by Pile Driving in Soft Clay. Journal of Performance of Constructed Facilities, 2005, 19, 300-307.	1.0	15
227	An efficient parameter identification procedure for soft sensitive clays. Journal of Zhejiang University: Science A, 2016, 17, 76-88.	1.3	15
228	Evaluation of Environmental Risk Due to Metro System Construction in Jinan, China. International Journal of Environmental Research and Public Health, 2017, 14, 1114.	1.2	15
229	Hydraulic Properties of Polymerized Bentonites. Journal of Materials in Civil Engineering, 2018, 30, .	1.3	15
230	Data in flood risk assessment of metro systems in a subsiding environment using the interval FAHPâ€“FCA approach. Data in Brief, 2019, 26, 104468.	0.5	15
231	Numerical evaluation of segmental tunnel lining with voids in outside backfill. Underground Space (China), 2022, 7, 786-797.	3.4	15
232	Evaluation of Deep-Seated Slope Stability of Embankments over Deep Mixed Foundations. , 2004, , 945.		14
233	Mitigation of levee failures using deep mixed columns and geosynthetics. Geomechanics and Geoenvironment, 2010, 5, 49-55.	0.9	14
234	Closed-form solution for shear lag with derived flange deformation function. Journal of Constructional Steel Research, 2014, 102, 104-110.	1.7	14

#	ARTICLE	IF	CITATIONS
235	Nanoindentation Characterization of a Ternary Clay-Based Composite Used in Ancient Chinese Construction. <i>Materials</i> , 2016, 9, 866.	1.3	14
236	Concrete wedge and coarse sand coating shear connection system in GFRP concrete composite deck. <i>Construction and Building Materials</i> , 2016, 114, 650-655.	3.2	14
237	Platform collapse incident of a power plant in Jiangxi, China. <i>Natural Hazards</i> , 2017, 87, 1259-1265.	1.6	14
238	Investigation on fatal accidents in Chinese construction industry between 2004 and 2016. <i>Natural Hazards</i> , 2018, 94, 655-670.	1.6	14
239	Mechanism of tunneling-induced cave-in of a busy road in Fukuoka city, Japan. <i>Underground Space (China)</i> , 2018, 3, 140-149.	3.4	14
240	Evaluation of the hydrochemistry of groundwater at Jhelum Basin, Punjab, Pakistan. <i>Environmental Earth Sciences</i> , 2021, 80, 1.	1.3	14
241	Modelling unsaturated soil-structure interfacial behavior by using DEM. <i>Computers and Geotechnics</i> , 2021, 137, 104305.	2.3	14
242	Ensemble model for risk status evaluation of excavation. <i>Automation in Construction</i> , 2021, 132, 103943.	4.8	14
243	An Approach to Evaluate Hydraulic Conductivity of Soil Based on CPTU Test. <i>Marine Georesources and Geotechnology</i> , 2013, 31, 242-253.	1.2	13
244	Deformation behaviour of clay under repeated one-dimensional unloading”reloading. <i>Canadian Geotechnical Journal</i> , 2015, 52, 1035-1044.	1.4	13
245	Pullout resistance of bearing reinforcement embedded in marginal lateritic soil at molding water contents. <i>Geotextiles and Geomembranes</i> , 2016, 44, 475-483.	2.3	13
246	Foundation Pit Collapse on 8 June 2019 in Nanning, China: A Brief Report. <i>Safety</i> , 2019, 5, 68.	0.9	13
247	Predicting Swelling Behavior of a Na ⁺ -Bentonite Used in GCLs. <i>International Journal of Geosynthetics and Ground Engineering</i> , 2018, 4, 1.	0.9	12
248	Truncated hierarchical B-spline material point method for large deformation geotechnical problems. <i>Computers and Geotechnics</i> , 2021, 134, 104097.	2.3	12
249	Fractal-based model for maximum penetration distance of grout slurry flowing through soils with different dry densities. <i>Computers and Geotechnics</i> , 2022, 141, 104526.	2.3	12
250	Evaluation of Property Changes in Surrounding Clays due to Installation of Deep Mixing Columns. , 2003, , 634.		11
251	Numerical Modeling of Laterally Loaded Pile Groups in Soft Clay Improved by Jet Grouting. , 2012, ,		11
252	Numerical simulation of spudcan-soil interaction using an improved smoothed particle hydrodynamics (SPH) method. <i>Marine Structures</i> , 2019, 66, 213-226.	1.6	11

#	ARTICLE	IF	CITATIONS
253	Earthquake effects on civil engineering structures and perspective mitigation solutions: a review. <i>Arabian Journal of Geosciences</i> , 2021, 14, 1.	0.6	11
254	Evaluation of train-load-induced settlement in metro tunnels. <i>Proceedings of the Institution of Civil Engineers: Geotechnical Engineering</i> , 2015, 168, 396-406.	0.9	10
255	Pore pressures induced by piezocone penetration. <i>Canadian Geotechnical Journal</i> , 2016, 53, 540-550.	1.4	10
256	Centrifuge evaluation of the influential factors in the uplift capacity of suction foundations in clay. <i>Marine Georesources and Geotechnology</i> , 2017, 35, 456-465.	1.2	10
257	Numerical Investigation of the Undrained Compression and Pull-Out Capacity of Suction Foundations in Clay. <i>Polish Maritime Research</i> , 2015, 22, 126-135.	0.6	9
258	Micromechanical Properties of Nanostructured Clay-Oxide Multilayers Synthesized by Layer-by-Layer Self-Assembly. <i>Nanomaterials</i> , 2016, 6, 204.	1.9	9
259	Geotechnical characteristics of weathered granitic gneiss with geo-hazards investigation of pit excavation in Guangzhou, China. <i>Bulletin of Engineering Geology and the Environment</i> , 2017, 76, 681-694.	1.6	9
260	Investigation of Landslides that Occurred in August on the Chengdu-Kunming Railway, Sichuan, China. <i>Geosciences (Switzerland)</i> , 2019, 9, 497.	1.0	9
261	Influence of different strain rates on hydro-mechanical behaviour of reconstituted unsaturated soil. <i>Acta Geotechnica</i> , 2020, 15, 3415-3431.	2.9	9
262	Mechanical, flame-retarding, and creep-recovery properties of ethylene-propylene diene monomer enhanced with nano-hydroxide for undersea tunnel sealing gasket. <i>Journal of Applied Polymer Science</i> , 2021, 138, 49946.	1.3	9
263	China20: A Stable Geodetic Reference Frame for Ground Movement and Structural Deformation Monitoring in South China. <i>Journal of Surveying Engineering, - ASCE</i> , 2021, 147, .	1.0	9
264	Improvement Efficacy of RJP Method in Shanghai Soft Deposit. , 2009, , .		8
265	A Brief Report of Pingdi Landslide (23 July 2019) in Guizhou Province, China. <i>Geosciences (Switzerland)</i> , 2019, 9, 368.	1.0	8
266	Challenges of earth-pressure-balance tunnelling in weathered granite with boulders. <i>Proceedings of the Institution of Civil Engineers: Geotechnical Engineering</i> , 0, , 1-37.	0.9	8
267	A deep-learning method for evaluating shaft resistance of the cast-in-site pile on reclaimed ground using field data. <i>Journal of Zhejiang University: Science A</i> , 2020, 21, 496-508.	1.3	8
268	Data on performance and variation index for shield tunnelling through soft deposit. <i>Data in Brief</i> , 2021, 36, 107103.	0.5	8
269	Method for a new risk assessment of urban water quality: IFN-SPA. <i>MethodsX</i> , 2021, 8, 101237.	0.7	8
270	Laboratory Evaluation of Mixing Energy Consumption and Its Influence on Soil-Cement Strength. <i>Transportation Research Record</i> , 2004, 1868, 23-30.	1.0	7

#	ARTICLE	IF	CITATIONS
271	Impact of laver treatment practices on the geoenvironmental properties of sediments in the Ariake Sea. <i>Marine Pollution Bulletin</i> , 2014, 81, 41-48.	2.3	7
272	Environmentally sustainable groundwater control during dewatering with barriers: A case study in Shanghai. <i>Underground Space (China)</i> , 2021, 6, 12-23.	3.4	7
273	Rapid Land Subsidence in Tianjin, China Derived from Continuous GPS Observations (2010â€“2019). <i>Proceedings of the International Association of Hydrological Sciences</i> , 0, 382, 241-247.	1.0	7
274	Numerical Analysis of Embankment Stability over Deep Mixed Foundations. , 2004, , 1385.		6
275	Analysis of Settlement Due to Withdrawal of Groundwater Around an Unexcavated Foundation Pit. , 2006, , 377.		6
276	Application of fuzzy analytic hierarchy process model on determination of optimized pile-type. <i>Frontiers of Architecture and Civil Engineering in China</i> , 2010, 4, 252-257.	0.4	6
277	A Ten-Year Review on the Development of Soil Mixing Technologies in China. , 2012, , .		6
278	Current State of the Art in Jet Grouting for Stabilizing Soft Soil. , 2014, , .		6
279	Discussion: Challenges of earth pressure balance tunnelling in weathered granite with boulders. <i>Proceedings of the Institution of Civil Engineers: Geotechnical Engineering</i> , 2021, 174, 91-95.	0.9	6
280	Investigation of Crack Control of Underground Concrete Structure with Expansive Additives. <i>Journal of Materials in Civil Engineering</i> , 2021, 33, .	1.3	6
281	Investigation of Time-Dependent Characteristics of EPDM Rubber Gasket Used for Shield Tunnels. <i>Journal of Materials in Civil Engineering</i> , 2021, 33, .	1.3	6
282	State-of-the-Art of Land Subsidence Prediction due to Groundwater Withdrawal in China. , 2006, , 58.		5
283	Reducing differential settlements of approach embankments. <i>Proceedings of the Institution of Civil Engineers: Geotechnical Engineering</i> , 2007, 160, 215-226.	0.9	5
284	Identification of Soil Stratigraphy of Soft Deposit in Shanghai from CPTU Test. , 2010, , .		5
285	Experimental Evidence on the Strength of Soil Treated with Single and Double Fluid Jet Grouting. , 2017, , .		5
286	Data on evolutionary hybrid neural network approach to predict shield tunneling-induced ground settlements. <i>Data in Brief</i> , 2020, 33, 106432.	0.5	5
287	Energy sources evaluation based on multi-criteria decision support approach in China. , 2022, 2, 100017.		5
288	Direction Deviation Control During Double-O-Tube (DOT) Tunnel Construction. , 2006, , 185.		4

#	ARTICLE	IF	CITATIONS
289	Analysis on Environmental Impact of Deep Excavation in Shenzhen, China. , 2014, , .		4
290	Numerical and sensitivity analysis of Bearing Reinforcement Earth (BRE) wall. KSCE Journal of Civil Engineering, 2017, 21, 195-208.	0.9	4
291	Low friction coefficient (approximately $\tan 1^\circ$) of subaqueous debris flow in rotating flume tests and its mechanism. Bulletin of Engineering Geology and the Environment, 2018, 77, 931-939.	1.6	4
292	Data in risk assessment of mega-city infrastructures related to land subsidence using improved trapezoidal FAHP. Data in Brief, 2020, 28, 105007.	0.5	4
293	Data in intelligent approach for estimation of disc cutter life using hybrid metaheuristic algorithm. Data in Brief, 2020, 33, 106479.	0.5	4
294	Data on a coupled ENN / t-SNE model for soil liquefaction evaluation. Data in Brief, 2020, 29, 105125.	0.5	4
295	Method for calculating cyclic load induced 1D and PVD unit cell consolidation deformations. Computers and Geotechnics, 2021, 136, 104243.	2.3	4
296	Influence of material properties on analysis and design of pavements using shakedown theory. Journal of Shanghai Jiaotong University (Science), 2010, 15, 329-333.	0.5	3
297	Analytical Approaches of the Long-Term Behavior of a Shield Tunnel in Soft Deposit Due to Groundwater Leakage: A Review. , 2015, , .		3
298	Discussion: Cutter-disc consumption during earth pressure balance tunnelling in mixed strata. Proceedings of the Institution of Civil Engineers: Geotechnical Engineering, 2018, 171, 559-561.	0.9	3
299	Experimental data of water swelling characteristics of polymer materials for tunnel sealing gasket. Data in Brief, 2020, 31, 106021.	0.5	3
300	Modeling drainage in porous media considering locally variable contact angle based on pore morphology method. Journal of Hydrology, 2022, 612, 128157.	2.3	3
301	STRENGTH CHANGE OF CLAY IN THE VICINITY OF SOIL-CEMENT COLUMN. Doboku Gakkai Ronbunshu, 1998, 1998, 209-221.	0.2	2
302	Simulation of the compression and flow process in a rock joint by using GIS. International Journal of Rock Mechanics and Minings Sciences, 2004, 41, 366-371.	2.6	2
303	Stability of Levees over Soft Soil Improved by Deep Mixing Technology. , 2008, , .		2
304	Longitudinal deformation pattern of shield tunnel structure and analytical models: a review. Japanese Geotechnical Society Special Publication, 2015, 1, 1-4.	0.2	2
305	Holocene Deposits in Saga Plain: Leaching Mechanism and Soil Sensitivity. Geotechnical and Geological Engineering, 2017, 35, 2107-2122.	0.8	2
306	The rating mode of eutrophication in Dalinuoer Lake. IOP Conference Series: Earth and Environmental Science, 0, 185, 012033.	0.2	2

#	ARTICLE	IF	CITATIONS
307	A novel method to calculate pressure on the twin-tunnel in layered strata. <i>MethodsX</i> , 2020, 7, 101126.	0.7	2
308	Laboratory data on long-term sealing behaviors of two water-swelling materials for shield tunnel gasket. <i>Data in Brief</i> , 2020, 30, 105609.	0.5	2
309	Method for lake eutrophication levels evaluation: TOPSIS-MCS. <i>MethodsX</i> , 2021, 8, 101311.	0.7	2
310	Construction measures to prevent hazards in karst cave ground under soft sand strata. <i>Japanese Geotechnical Society Special Publication</i> , 2015, 1, 52-55.	0.2	2
311	An Innovative Technology of Horizontal Jet Grouting with Less Impact on Surroundings. , 2011, , .		2
312	Investigation of alternative mechanisms of aquifer-system compaction and land subsidence in Shanghai. <i>Proceedings of the International Association of Hydrological Sciences</i> , 0, 372, 13-15.	1.0	2
313	Scenario-Based Inundation Analysis of Metro System in Urban Area of Shanghai. , 2018, , 15-22.		2
314	Analysis of the Diameter of Deep Mixed Column. , 2006, , 17.		1
315	Application of strut-and-tie model for design of interior anchorage zone in post-tensioned concrete structure. <i>Journal of Shanghai Jiaotong University (Science)</i> , 2010, 15, 273-278.	0.5	1
316	Behaviour of multi-aquifer system during pumping test. <i>Japanese Geotechnical Society Special Publication</i> , 2015, 1, 15-18.	0.2	1
317	Effect of MGO additive on preventing leakage of Cr(VI). <i>International Journal of Environment and Waste Management</i> , 2015, 15, 1.	0.2	1
318	Environmentally sustainable groundwater control during dewatering with barriers: A case study in Shanghai. <i>Underground Space (China)</i> , 2019, , .	3.4	1
319	Effect of strength decrease of rock on the displacement of Tangjiashan Landslide in 2008 Wenchuan Earthquake, China. <i>Japanese Geotechnical Society Special Publication</i> , 2016, 2, 2596-2599.	0.2	1
320	Experimental Evaluation of Strut-and-Tie Model of Anchorage Zone in Posttensioned Concrete Structures. <i>Journal of Testing and Evaluation</i> , 2020, 48, 20180883.	0.4	1
321	Experimental Study on Behavior of Pile Foundation in Lacustrine Deposits Area. , 2006, , 234.		0
322	An Approach to Estimate the Optimum Depth of Floating Type Columns for Embankment Stability. , 2008, , .		0
323	An Innovative Technology to Control Groundwater during Excavation over Confined Aquifer. , 2011, , .		0
324	Geo-Treatments in Constructing a Tunnel in Karst Strata: Lessons Learned from a Subway Project in Guangzhou, China. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
325	Investigation of Ground Displacement Induced by Hydraulic Jetting Using Smoothed Particle Hydrodynamics. , 2018, , 68-75.		0
326	Soil Characterisation Based on Pipejacking Parameters and Spoil Characteristics. Springer Series in Geomechanics and Geoengineering, 2018, , 910-914.	0.0	0
327	Shakedown analysis of layered pavement under traffic load. , 2010, , 1173-1176.		0
328	Factors Influencing the Longitudinal Deformation of a Metro Tunnel in Soft Deposit: An Overview. , 2015, , .		0
329	Research on the deformation of a confined aquifer based on Cosserat continuum mechanics. Proceedings of the International Association of Hydrological Sciences, 0, 372, 399-401.	1.0	0
330	Cutter Ring Breakage Induced by Unbalanced Side Force in Circular Cutting Process. , 2018, , 674-681.		0
331	Geological Disasters and Mitigation Measures along the Coastal Cities of China. , 0, , 762-767.		0