Branca M Silva

List of Publications by Citations

Source: https://exaly.com/author-pdf/5081867/branca-m-silva-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86 36 3,730 59 h-index g-index citations papers 4,199 5.12 91 4.9 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
86	Approach to the study of C-glycosyl flavones by ion trap HPLC-PAD-ESI/MS/MS: application to seeds of quince (Cydonia oblonga). <i>Phytochemical Analysis</i> , 2003 , 14, 352-9	3.4	250
85	Phenolic profiles of Portuguese olive fruits (Olea europaea L.): Influences of cultivar and geographical origin. <i>Food Chemistry</i> , 2005 , 89, 561-568	8.5	248
84	Quince (Cydonia oblonga Miller) fruit (pulp, peel, and seed) and Jam: antioxidant activity. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 4705-12	5.7	226
83	Human cancer cell antiproliferative and antioxidant activities of Juglans regia L. <i>Food and Chemical Toxicology</i> , 2010 , 48, 441-7	4.7	202
82	Ficus carica L.: Metabolic and biological screening. Food and Chemical Toxicology, 2009, 47, 2841-6	4.7	156
81	Evaluation of free radical-scavenging and antihemolytic activities of quince (Cydonia oblonga) leaf: a comparative study with green tea (Camellia sinensis). <i>Food and Chemical Toxicology</i> , 2009 , 47, 860-5	4.7	111
80	Analysis and quantification of flavonoidic compounds from Portuguese olive (Olea europaea L.) leaf cultivars. <i>Natural Product Research</i> , 2005 , 19, 189-95	2.3	92
79	Protective effect of quince (Cydonia oblonga Miller) fruit against oxidative hemolysis of human erythrocytes. <i>Food and Chemical Toxicology</i> , 2009 , 47, 1372-7	4.7	85
78	Phenolic profile of quince fruit (Cydonia oblonga Miller) (pulp and peel). <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 4615-8	5.7	84
77	Study of the organic acids composition of quince (Cydonia oblonga Miller) fruit and jam. <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 2313-7	5.7	82
76	Structure-Bioactivity Relationships of Methylxanthines: Trying to Make Sense of All the Promises and the Drawbacks. <i>Molecules</i> , 2016 , 21,	4.8	80
75	Effect of the conservation procedure on the contents of phenolic compounds and organic acids in chanterelle (Cantharellus cibarius) mushroom. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 492	.5 ⁵ 3 ⁷ 1	78
74	Phenolic profile of Cydonia oblonga Miller leaves. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 7926-30	5.7	66
73	Quantitation of nine organic acids in wild mushrooms. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 3626-30	5.7	66
7 2	Quince (Cydonia oblonga miller) fruit characterization using principal component analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 111-22	5.7	66
71	First report on Cydonia oblonga Miller anticancer potential: differential antiproliferative effect against human kidney and colon cancer cells. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 3366	-70	62
70	Volatile profiling of Ficus carica varieties by HS-SPME and GCIT-MS. <i>Food Chemistry</i> , 2010 , 123, 548-557	8.5	59

(2004-2017)

69	Obesity, energy balance and spermatogenesis. <i>Reproduction</i> , 2017 , 153, R173-R185	3.8	56
68	Organic acids composition of Cydonia oblonga Miller leaf. <i>Food Chemistry</i> , 2008 , 111, 393-9	8.5	55
67	Composition of quince (Cydonia oblonga Miller) seeds: phenolics, organic acids and free amino acids. <i>Natural Product Research</i> , 2005 , 19, 275-81	2.3	55
66	White tea consumption restores sperm quality in prediabetic rats preventing testicular oxidative damage. <i>Reproductive BioMedicine Online</i> , 2015 , 31, 544-56	4	53
65	Leptin modulates human Sertoli cells acetate production and glycolytic profile: a novel mechanism of obesity-induced male infertility?. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015 , 1852, 1824-32	6.9	51
64	The progression from a lower to a higher invasive stage of bladder cancer is associated with severe alterations in glucose and pyruvate metabolism. <i>Experimental Cell Research</i> , 2015 , 335, 91-8	4.2	51
63	Dose-dependent effects of caffeine in human Sertoli cells metabolism and oxidative profile: relevance for male fertility. <i>Toxicology</i> , 2015 , 328, 12-20	4.4	51
62	Melatonin alters the glycolytic profile of Sertoli cells: implications for male fertility. <i>Molecular Human Reproduction</i> , 2014 , 20, 1067-76	4.4	48
61	Phenolic profile in the evaluation of commercial quince jellies authenticity. <i>Food Chemistry</i> , 2000 , 71, 281-285	8.5	48
60	Chemical assessment and in vitro antioxidant capacity of Ficus carica latex. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 3393-8	5.7	47
59	Sperm glucose transport and metabolism in diabetic individuals. <i>Molecular and Cellular Endocrinology</i> , 2014 , 396, 37-45	4.4	46
58	Sweet cherries from Fund® possess antidiabetic potential and protect human erythrocytes against oxidative damage. <i>Food Research International</i> , 2017 , 95, 91-100	7	44
57	Are Polyphenols Strong Dietary Agents Against Neurotoxicity and Neurodegeneration?. <i>Neurotoxicity Research</i> , 2016 , 30, 345-66	4.3	41
56	White tea as a promising antioxidant medium additive for sperm storage at room temperature: a comparative study with green tea. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 608-17	5.7	41
55	Further insight into the latex metabolite profile of Ficus carica. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 10855-63	5.7	39
54	Antidiabetic Drugs: Mechanisms of Action and Potential Outcomes on Cellular Metabolism. <i>Current Pharmaceutical Design</i> , 2015 , 21, 3606-20	3.3	38
53	Green tea: A promising anticancer agent for renal cell carcinoma. Food Chemistry, 2010, 122, 49-54	8.5	38
52	Free amino acid composition of quince (Cydonia oblonga Miller) fruit (pulp and peel) and jam. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 1201-6	5.7	38

51	Determination of low molecular weight volatiles in Ficus carica using HS-SPME and GC/FID. <i>Food Chemistry</i> , 2010 , 121, 1289-1295	8.5	37
50	Principal component analysis as tool of characterization of quince (Cydonia oblonga Miller) jam. <i>Food Chemistry</i> , 2006 , 94, 504-512	8.5	36
49	Development and evaluation of a GC/FID method for the analysis of free amino acids in quince fruit and jam. <i>Analytical Sciences</i> , 2003 , 19, 1285-90	1.7	36
48	Promising Potential of Dietary (Poly)Phenolic Compounds in the Prevention and Treatment of Diabetes Mellitus. <i>Current Medicinal Chemistry</i> , 2017 , 24, 334-354	4.3	35
47	Male fertility and obesity: are ghrelin, leptin and glucagon-like peptide-1 pharmacologically relevant?. <i>Current Pharmaceutical Design</i> , 2016 , 22, 783-91	3.3	34
46	Comparative study on free amino acid composition of wild edible mushroom species. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 10973-9	5.7	33
45	Anti-obesity potential of natural methylxanthines. <i>Journal of Functional Foods</i> , 2018 , 43, 84-94	5.1	28
44	White tea intake prevents prediabetes-induced metabolic dysfunctions in testis and epididymis preserving sperm quality. <i>Journal of Nutritional Biochemistry</i> , 2016 , 37, 83-93	6.3	28
43	Ghrelin acts as energy status sensor of male reproduction by modulating Sertoli cells glycolytic metabolism and mitochondrial bioenergetics. <i>Molecular and Cellular Endocrinology</i> , 2016 , 434, 199-209	4.4	28
42	Daily consumption of white tea (Camellia sinensis (L.)) improves the cerebral cortex metabolic and oxidative profile in prediabetic Wistar rats. <i>British Journal of Nutrition</i> , 2015 , 113, 832-42	3.6	27
41	White tea consumption improves cardiac glycolytic and oxidative profile of prediabetic rats. <i>Journal of Functional Foods</i> , 2015 , 14, 102-110	5.1	27
40	Dracaena draco L. fruit: Phytochemical and antioxidant activity assessment. <i>Food Research International</i> , 2011 , 44, 2182-2189	7	26
39	Pharmacological potential of methylxanthines: Retrospective analysis and future expectations. Critical Reviews in Food Science and Nutrition, 2019 , 59, 2597-2625	11.5	26
38	Recent patents on Camellia sinensis: source of health promoting compounds. <i>Recent Patents on Food, Nutrition & Agriculture</i> , 2009 , 1, 182-92	1.9	25
37	New insights on hormones and factors that modulate Sertoli cell metabolism. <i>Histology and Histopathology</i> , 2016 , 31, 499-513	1.4	24
36	A switch from high-fat to normal diet does not restore sperm quality but prevents metabolic syndrome. <i>Reproduction</i> , 2019 , 158, 377-387	3.8	24
35	Metabolic cooperation in testis as a pharmacological target: from disease to contraception. <i>Current Molecular Pharmacology</i> , 2014 , 7, 83-95	3.7	23
34	Mammalian target of rapamycin controls glucose consumption and redox balance in human Sertoli cells. <i>Fertility and Sterility</i> , 2016 , 105, 825-833.e3	4.8	22

33	Pioglitazone increases the glycolytic efficiency of human Sertoli cells with possible implications for spermatogenesis. <i>International Journal of Biochemistry and Cell Biology</i> , 2016 , 79, 52-60	5.6	22
32	Characterization of Ficus carica L. cultivars by DNA and secondary metabolite analysis: Is genetic diversity reflected in the chemical composition?. <i>Food Research International</i> , 2012 , 49, 710-719	7	20
31	Free amino acids of tronchuda cabbage (Brassica oleracea L. Var. costata DC): influence of leaf position (internal or external) and collection time. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 5216-21	5.7	19
30	The Action of Polyphenols in Diabetes Mellitus and Alzheimer Disease: A Common Agent for Overlapping Pathologies. <i>Current Neuropharmacology</i> , 2019 , 17, 590-613	7.6	19
29	Nutrients, Bioactive Compounds and Bioactivity: The Health Benefits of Sweet Cherries (Prunus avium L.). <i>Current Nutrition and Food Science</i> , 2019 , 15, 208-227	0.7	19
28	Relevant principal component analysis applied to the characterisation of Portuguese heather honey. <i>Natural Product Research</i> , 2008 , 22, 1560-82	2.3	17
27	Assessing the phenolic profile, antioxidant, antidiabetic and protective effects against oxidative damage in human erythrocytes of peaches from Fund <i>B. Journal of Functional Foods</i> , 2018 , 43, 224-233	5.1	16
26	The single and synergistic effects of the major tea components caffeine, epigallocatechin-3-gallate and L-theanine on rat sperm viability. <i>Food and Function</i> , 2016 , 7, 1301-5	6.1	16
25	Tea (Camellia sinensis (L.)): a putative anticancer agent in bladder carcinoma?. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2015 , 15, 26-36	2.2	16
24	DEVELOPMENT AND EVALUATION OF AN HPLC/DAD METHOD FOR THE ANALYSIS OF PHENOLIC COMPOUNDS FROM OLIVE FRUITS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2002 , 25, 151-160	1.3	16
23	Sirtuins: Novel Players in Male Reproductive Health. Current Medicinal Chemistry, 2016, 23, 1084-99	4.3	16
22	Targeted metabolites and biological activities of Cydonia oblonga Miller leaves. <i>Food Research International</i> , 2012 , 46, 496-504	7	15
21	Influence of Tunisian Ficus carica fruit variability in phenolic profiles and in vitro radical scavenging potential. <i>Revista Brasileira De Farmacognosia</i> , 2012 , 22, 1282-1289	2	14
20	Can Tea Consumption be a Safe and Effective Therapy Against Diabetes Mellitus-Induced Neurodegeneration?. <i>Current Neuropharmacology</i> , 2014 , 12, 475-89	7.6	14
19	Glucose Transport and Metabolism in Sertoli Cell: Relevance for Male Fertility. <i>Current Chemical Biology</i> , 2014 , 7, 282-293	0.4	14
18	Implications of epigallocatechin-3-gallate in cultured human Sertoli cells glycolytic and oxidative profile. <i>Toxicology in Vitro</i> , 2017 , 41, 214-222	3.6	12
17	Metabolic dynamics of human Sertoli cells are differentially modulated by physiological and pharmacological concentrations of GLP-1. <i>Toxicology and Applied Pharmacology</i> , 2019 , 362, 1-8	4.6	12
16	L-Theanine promotes cultured human Sertoli cells proliferation and modulates glucose metabolism. <i>European Journal of Nutrition</i> , 2019 , 58, 2961-2970	5.2	10

15	Phytochemical profiles and inhibitory effect on free radical-induced human erythrocyte damage of Dracaena draco leaf: A potential novel antioxidant agent. <i>Food Chemistry</i> , 2011 , 124, 927-934	8.5	10
14	Dehydroepiandrosterone and 7-oxo-dehydroepiandrosterone in male reproductive health: Implications of differential regulation of human Sertoli cells metabolic profile. <i>Journal of Steroid</i> Biochemistry and Molecular Biology, 2015 , 154, 1-11	5.1	9
13	Endogenous and Exogenous Antioxidants As a Tool to Ameliorate Male Infertility Induced by Reactive Oxygen Species. <i>Antioxidants and Redox Signaling</i> , 2020 ,	8.4	9
12	Emerging Potential of Natural Products as an Alternative Strategy to Pharmacological Agents Used Against Metabolic Disorders. <i>Current Drug Metabolism</i> , 2016 , 17, 582-97	3.5	9
11	Natural products as modulators of spermatogenesis: the search for a male contraceptive. <i>Current Molecular Pharmacology</i> , 2014 , 7, 154-66	3.7	9
10	Homo-monoterpenic compounds as chemical markers for Cydonia oblonga Miller. <i>Food Chemistry</i> , 2007 , 100, 331-338	8.5	6
9	Role of Reactive Oxygen Species in Diabetes-Induced Male Reproductive Dysfunction 2019 , 135-147		5
8	Nutritional Factors and Male Reproduction 2018 , 458-464		3
7	Nutritional Factors and Male Reproduction 2018, 458-464 Recent Patents on Camellia sinensis: Source of Health Promoting Compounds. Recent Patents on Food, Nutrition & Agriculture, 2010, 1, 182-192	1.9	3
	Recent Patents on Camellia sinensis: Source of Health Promoting Compounds. <i>Recent Patents on</i>	1.9	
7	Recent Patents on Camellia sinensis: Source of Health Promoting Compounds. <i>Recent Patents on Food, Nutrition & Agriculture</i> , 2010 , 1, 182-192	1.9 3.6	3
7	Recent Patents on Camellia sinensis: Source of Health Promoting Compounds. <i>Recent Patents on Food, Nutrition & Agriculture</i> , 2010 , 1, 182-192 White Tea 2019 , 437-445 8-(3-phenylpropyl)-1,3,7-triethylxanthine is a synthetic caffeine substitute with stronger metabolic		3
7	Recent Patents on Camellia sinensis: Source of Health Promoting Compounds. <i>Recent Patents on Food, Nutrition & Amp; Agriculture</i> , 2010 , 1, 182-192 White Tea 2019 , 437-445 8-(3-phenylpropyl)-1,3,7-triethylxanthine is a synthetic caffeine substitute with stronger metabolic modulator activity. <i>Toxicology in Vitro</i> , 2018 , 53, 114-120 Antioxidants Present in Reproductive Tract Fluids and Their Relevance for Fertility. <i>Antioxidants</i> ,	3.6	3 2

Pineal Gland and Regulatory Function **2018**, 472-477