

Zhengjin Jiang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5082625/zhengjin-jiang-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

104
papers

2,073
citations

25
h-index

39
g-index

110
ext. papers

2,435
ext. citations

5.3
avg, IF

5.07
L-index

#	Paper	IF	Citations
104	Phosphatidylethanolamine functionalized biomimetic monolith for immobilized artificial membrane chromatography.. <i>Journal of Pharmaceutical Analysis</i> , 2022 , 12, 332-338	14	2
103	Photo-assisted generation of versatile zwitterionic carboxybetaine-based hypercrosslinked polymers for separation science. <i>Chemical Engineering Journal</i> , 2021 , 133374	14.7	0
102	Glycosyl imprinted mesoporous microspheres for the determination of glycopeptide antibiotics using ultra-high performance liquid chromatography coupled with tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2021 , 1659, 462630	4.5	1
101	Single-step fabrication of a teicoplanin functionalized organic-silica hybrid monolith for enantioseparation by nano-liquid chromatography. <i>Journal of Chromatography Open</i> , 2021 , 1, 100008		
100	Synthesis and Application of Zwitterionic Magnetic Molecularly Imprinted Polymer for Selective Removal of Fluoroquinolones from Aqueous Solution. <i>Current Analytical Chemistry</i> , 2021 , 17, 408-417	1.7	1
99	Fast analysis of alkaloids from different parts of Mahonia bealei (Fort.) Carr. studied for their anti-Alzheimer's activity using supercritical fluid chromatography. <i>Journal of Separation Science</i> , 2021 , 44, 2006-2014	3.4	4
98	Development of zirconium modified adenosine triphosphate functionalized monolith for specific enrichment of N-glycans. <i>Journal of Chromatography A</i> , 2021 , 1644, 462090	4.5	1
97	Ultrasensitive and Simultaneous SERS Detection of Multiplex MicroRNA Using Fractal Gold Nanotags for Early Diagnosis and Prognosis of Hepatocellular Carcinoma. <i>Analytical Chemistry</i> , 2021 , 93, 8799-8809	7.8	25
96	Development of acidic phospholipid containing immobilized artificial membrane column to predict drug-induced phospholipidosis potency. <i>Journal of Chromatography A</i> , 2021 , 1647, 462147	4.5	2
95	Supercritical fluid chromatography using methacrylate-based monolithic column for the separation of polar analytes. <i>Journal of Separation Science</i> , 2021 , 44, 3324-3332	3.4	1
94	Development of histidine-tagged cyclic peptide functionalized monolithic material for the affinity purification of antibodies in biological matrices. <i>Journal of Chromatography A</i> , 2021 , 1635, 461707	4.5	0
93	Rapid Screening of Glucosidase Inhibitors from Natural Products by At-Line Nanofractionation with Parallel Mass Spectrometry and Bioactivity Assessment. <i>Journal of Chromatography A</i> , 2021 , 1635, 461740	4.5	3
92	Anti-fouling poly adenine coating combined with highly specific CD20 epitope mimetic peptide for rituximab detection in clinical patients' plasma. <i>Biosensors and Bioelectronics</i> , 2021 , 171, 112678	11.8	7
91	A systematic investigation of the effect of sample solvent on peak shape in nano- and microflow hydrophilic interaction liquid chromatography columns. <i>Journal of Chromatography A</i> , 2021 , 1655, 462498	4.5	2
90	Enantiomeric Separation of Colchicine and Lacosamide by Nano-LC. Quantitative Analysis in Pharmaceutical Formulations. <i>Separations</i> , 2020 , 7, 55	3.1	0
89	Rapid identification and isolation of neuraminidase inhibitors from mockstrawberry (Andr.) based on ligand fishing combined with HR-ESI-Q-TOF-MS. <i>Acta Pharmaceutica Sinica B</i> , 2020 , 10, 1846-1855	15.5	9
88	Development of high-throughput screening assays for profiling snake venom phospholipase A activity after chromatographic fractionation. <i>Toxicon</i> , 2020 , 184, 28-38	2.8	6

87	Varespladib Inhibits the Phospholipase A and Coagulopathic Activities of Venom Components from Hemotoxic Snakes. <i>Biomedicines</i> , 2020 , 8,	4.8	11
86	Preparation and application of teicoplanin functionalized polymeric monolith for enantioseparation of chiral drugs. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 182, 113129	3.5	3
85	Rapid fabrication of versatile zwitterionic super-hydrophilic polymers by sole-monomer system for biomolecules separation. <i>Chemical Engineering Journal</i> , 2020 , 396, 125121	14.7	7
84	Recent advances in preparation and applications of monolithic chiral stationary phases. <i>TrAC - Trends in Analytical Chemistry</i> , 2020 , 123, 115774	14.6	17
83	Determination of l-norvaline and l-tryptophan in dietary supplements by nano-LC using an O-[2-(methacryloyloxy)-ethylcarbamoyl]-10,11-dihydroquinidine-silica hybrid monolithic column. <i>Journal of Pharmaceutical Analysis</i> , 2020 , 10, 70-77	14	5
82	Fabrication and application of zwitterionic phosphorylcholine functionalized monoliths with different hydrophilic crosslinkers in hydrophilic interaction chromatography. <i>Analytica Chimica Acta</i> , 2020 , 1101, 222-229	6.6	9
81	Boronate affinity glycosyl molecularly imprinted polymer microspheres for the determination of teicoplanin using ultra-high performance liquid chromatography coupled with tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2020 , 1615, 460776	4.5	13
80	A single-step preparation of carbohydrate functionalized monoliths for separation and trapping of polar compounds. <i>Journal of Chromatography A</i> , 2020 , 1628, 461481	4.5	2
79	Bacteria Detection: From Powerful SERS to Its Advanced Compatible Techniques. <i>Advanced Science</i> , 2020 , 7, 2001739	13.6	46
78	Highly sensitive determination of amanita toxins in biological samples using β -cyclodextrin collaborated molecularly imprinted polymers coupled with ultra-high performance liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2020 , 1630, 461514	4.5	6
77	On-line enrichment of N-glycans by immobilized metal-affinity monolith for capillary electrophoresis analysis. <i>Analytica Chimica Acta</i> , 2020 , 1134, 1-9	6.6	4
76	Rapid preparation of 1-vinylimidazole based non-affinity polymers for the highly-selective purification of antibodies from multiple biological sources. <i>Journal of Chromatography A</i> , 2020 , 1632, 461607	4.5	1
75	Method development and validation for the determination of biogenic amines in soy sauce using supercritical fluid chromatography coupled with single quadrupole mass spectrometry. <i>Journal of Separation Science</i> , 2020 , 43, 2728-2736	3.4	6
74	Preparation of an O-[2-(methacryloyloxy)-ethylcarbamoyl]-10,11-dihydroquinidine-silica hybrid monolithic column for the enantioseparation of amino acids by nano-liquid chromatography. <i>Journal of Chromatography A</i> , 2019 , 1593, 63-72	4.5	7
73	Separation of deamidated peptides with mixed-mode chromatography using phospholipid-functionalized monolithic stationary phases. <i>Journal of Chromatography A</i> , 2019 , 1603, 417-421	4.5	5
72	Size-tunable Au@Ag nanoparticles for colorimetric and SERS dual-mode sensing of palmatine in traditional Chinese medicine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 174, 123-133	3.5	13
71	Simultaneous determination of amino acids in different teas using supercritical fluid chromatography coupled with single quadrupole mass spectrometry. <i>Journal of Pharmaceutical Analysis</i> , 2019 , 9, 254-258	14	21
70	A strategy for screening trypsin inhibitors from traditional Chinese medicine based on a monolithic capillary immobilized enzyme reactor coupled with offline liquid chromatography and mass spectrometry. <i>Journal of Separation Science</i> , 2019 , 42, 1980-1989	3.4	5

69	Rapid screening and identification of monoamine oxidase-A inhibitors from <i>Corydalis Rhizome</i> using enzyme-immobilized magnetic beads based method. <i>Journal of Chromatography A</i> , 2019 , 1592, 1-8	4.5	19
68	Quality Evaluation of (Fort.) Carr. Using Supercritical Fluid Chromatography with Chemical Pattern Recognition. <i>Molecules</i> , 2019 , 24,	4.8	5
67	Recent advances in bio-affinity chromatography for screening bioactive compounds from natural products. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 165, 182-197	3.5	20
66	Preparation of molecularly imprinted hybrid monoliths for the selective detection of fluoroquinolones in infant formula powders. <i>Journal of Chromatography A</i> , 2019 , 1588, 33-40	4.5	16
65	Capillary electrophoresis, high-performance liquid chromatography, and thin-layer chromatography analyses of phenolic compounds from rapeseed plants and evaluation of their antioxidant activity. <i>Journal of Separation Science</i> , 2019 , 42, 609-618	3.4	6
64	Portable fluoride-selective electrode as signal transducer for sensitive and selective detection of trace antibiotics in complex samples. <i>Biosensors and Bioelectronics</i> , 2019 , 128, 113-121	11.8	12
63	Biomimetic small peptide functionalized affinity monoliths for monoclonal antibody purification. <i>Analytica Chimica Acta</i> , 2018 , 1017, 57-65	6.6	13
62	Self-Assembly of Au@Ag Nanoparticles on Mussel Shell To Form Large-Scale 3D Supercrystals as Natural SERS Substrates for the Detection of Pathogenic Bacteria. <i>ACS Omega</i> , 2018 , 3, 2855-2864	3.9	31
61	Supercritical fluid chromatography in traditional Chinese medicine analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 147, 65-80	3.5	46
60	Magnetic beads-based neuraminidase enzyme microreactor as a drug discovery tool for screening inhibitors from compound libraries and fishing ligands from natural products. <i>Journal of Chromatography A</i> , 2018 , 1568, 123-130	4.5	19
59	Online screening of acetylcholinesterase inhibitors in natural products using monolith-based immobilized capillary enzyme reactors combined with liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2018 , 1563, 135-143	4.5	34
58	Hydrophilic polymeric monoliths containing choline phosphate for separation science applications. <i>Analytica Chimica Acta</i> , 2018 , 999, 184-189	6.6	21
57	The Efficacy of Danshen Injection as Adjunctive Therapy in Treating Angina Pectoris: A Systematic Review and Meta-Analysis. <i>Heart Lung and Circulation</i> , 2018 , 27, 433-442	1.8	8
56	Antimicrobial peptide based magnetic recognition elements and Au@Ag-GO SERS tags with stable internal standards: a three in one biosensor for isolation, discrimination and killing of multiple bacteria in whole blood. <i>Chemical Science</i> , 2018 , 9, 8781-8795	9.4	101
55	Biomimetic Polymer-Based Method for Selective Capture of C-Reactive Protein in Biological Fluids. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 41999-42008	9.5	18
54	Strongly fluorescent cysteamine-coated copper nanoclusters as a fluorescent probe for determination of picric acid. <i>Mikrochimica Acta</i> , 2018 , 185, 507	5.8	13
53	Determination of phenolic acids in extra virgin olive oil using supercritical fluid chromatography coupled with single quadrupole mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 157, 217-225	3.5	11
52	A facile and efficient single-step approach for the fabrication of vancomycin functionalized polymer-based monolith as chiral stationary phase for nano-liquid chromatography. <i>Journal of Chromatography A</i> , 2018 , 1557, 43-50	4.5	18

51	Simultaneous analysis of nucleobases, nucleosides and ginsenosides in ginseng extracts using supercritical fluid chromatography coupled with single quadrupole mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 144, 213-219	3.5	33
50	Development and validation of a fast SFC method for the analysis of flavonoids in plant extracts. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 140, 384-391	3.5	34
49	Development of double chain phosphatidylcholine functionalized polymeric monoliths for immobilized artificial membrane chromatography. <i>Journal of Chromatography A</i> , 2017 , 1479, 97-106	4.5	21
48	Preparation and evaluation of tert-leucine derivative functionalized polymeric monoliths for micro-liquid chromatography. <i>Electrophoresis</i> , 2017 , 38, 3020-3028	3.6	3
47	A simple, fast, and sensitive colorimetric assay for visual detection of berberine in human plasma by NaHSO ₄ -optimized gold nanoparticles. <i>RSC Advances</i> , 2017 , 7, 34746-34754	3.7	20
46	Effect of fabrication strategy on the enantioseparation performance of Cyclodextrin-functionalized polymethacrylate monoliths: A comparative evaluation. <i>Journal of Separation Science</i> , 2017 , 40, 3754-3762	3.4	7
45	Preparation and evaluation of 400Å I.D. polymer-based hydrophilic interaction chromatography monolithic columns with high column efficiency. <i>Journal of Chromatography A</i> , 2017 , 1509, 83-90	4.5	13
44	Separation and detection of free D- and L-amino acids in tea by off-line two-dimensional liquid chromatography. <i>Analytical Methods</i> , 2017 , 9, 6131-6138	3.2	12
43	Separation of N-derivatized di- and tri-peptide stereoisomers by micro-liquid chromatography using a quinidine-based monolithic column - Analysis of l-carnosine in dietary supplements. <i>Journal of Chromatography A</i> , 2016 , 1428, 176-84	4.5	18
42	Phosphatidic acid-functionalized monolithic stationary phase for reversed-phase/cation-exchange mixed mode chromatography. <i>RSC Advances</i> , 2016 , 6, 100891-100898	3.7	8
41	Recent developments in cyclodextrin functionalized monolithic columns for the enantioseparation of chiral drugs. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 130, 110-125	3.5	32
40	Chiral separation of acidic compounds using an O-9-(tert-butylcarbamoyl)quinidine functionalized monolith in micro-liquid chromatography. <i>Journal of Chromatography A</i> , 2016 , 1444, 64-73	4.5	20
39	Fast separation of triterpenoid saponins using supercritical fluid chromatography coupled with single quadrupole mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 121, 22-29	3.5	43
38	Influence of the linking spacer length and type on the enantioseparation ability of Cyclodextrin functionalized monoliths. <i>Talanta</i> , 2016 , 152, 259-68	6.2	14
37	Enantioseparation of N-derivatized amino acids by micro-liquid chromatography/laser induced fluorescence detection using quinidine-based monolithic columns. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 121, 244-252	3.5	16
36	Effect of the crosslinker type on the enantioseparation performance of Cyclodextrin functionalized monoliths prepared by the one-pot approach. <i>Journal of Chromatography A</i> , 2016 , 1467, 288-296	4.5	17
35	The effect of charged groups on hydrophilic monolithic stationary phases on their chromatographic properties. <i>Journal of Chromatography A</i> , 2016 , 1469, 77-87	4.5	11
34	One-pot preparation of a sulfamethoxazole functionalized affinity monolithic column for selective isolation and purification of trypsin. <i>Journal of Chromatography A</i> , 2015 , 1400, 47-53	4.5	7

33	Preparation of a biomimetic polyphosphorylcholine monolithic column for immobilized artificial membrane chromatography. <i>Journal of Chromatography A</i> , 2015 , 1407, 176-83	4.5	16
32	Evaluation of the potential of a quinidine-based monolithic column on the enantiomeric separation of herbicides by nano-liquid chromatography. <i>Microchemical Journal</i> , 2015 , 123, 15-21	4.8	13
31	Surface-enhanced resonance Raman scattering (SERRS) simulates PCR for sensitive DNA detection. <i>Analyst, The</i> , 2015 , 140, 7518-21	5	13
30	Comparative evaluation of a one-pot strategy for the preparation of β -cyclodextrin-functionalized monoliths: Effect of the degree of amino substitution of β -cyclodextrin on the column performance. <i>Journal of Separation Science</i> , 2015 , 38, 1813-21	3.4	14
29	Comparative enantiomer affinity pattern of β -blockers in aqueous and nonaqueous CE using single-component anionic cyclodextrins. <i>Electrophoresis</i> , 2015 , 36, 1358-64	3.6	16
28	Liposome electrokinetic chromatography based in vitro model for early screening of the drug-induced phospholipidosis risk. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 96, 263-71	3.5	12
27	A novel mixed phospholipid functionalized monolithic column for early screening of drug induced phospholipidosis risk. <i>Journal of Chromatography A</i> , 2014 , 1367, 99-108	4.5	17
26	Preparation of a β -cyclodextrin functionalized monolith via a novel and simple one-pot approach and application to enantioseparations. <i>Journal of Chromatography A</i> , 2014 , 1325, 147-54	4.5	44
25	One-step strategy for the synthesis of a derivatized cyclodextrin-based monolithic column. <i>Journal of Separation Science</i> , 2014 , 37, 1720-7	3.4	25
24	Enantioseparation of N-derivatized amino acids by micro-liquid chromatography using carbamoylated quinidine functionalized monolithic stationary phase. <i>Journal of Chromatography A</i> , 2014 , 1363, 207-15	4.5	31
23	Influence of the crosslinker type on the chromatographic properties of hydrophilic sulfoalkylbetaine-type monolithic columns. <i>Journal of Chromatography A</i> , 2014 , 1373, 73-80	4.5	21
22	Preparation and evaluation of a novel monolithic column containing double octadecyl chains for reverse-phase micro high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2014 , 1345, 174-81	4.5	17
21	A facile and efficient strategy to enhance hydrophilicity of zwitterionic sulfoalkylbetaine type monoliths. <i>Journal of Chromatography A</i> , 2013 , 1301, 88-97	4.5	27
20	Preparation and application of novel zwitterionic monolithic column for hydrophilic interaction chromatography. <i>Journal of Separation Science</i> , 2013 , 36, 262-9	3.4	28
19	Use of neutral capillaries for the enantioseparation of N-benzoylated amino acids by capillary electrophoresis with bromobalhimycin as chiral selector. <i>Journal of Separation Science</i> , 2013 , 36, 1568-74	3.4	9
18	Acetylcholinesterase immobilized capillary reactors coupled to protein coated magnetic beads: a new tool for plant extract ligand screening. <i>Talanta</i> , 2013 , 116, 647-52	6.2	44
17	A facile and efficient one-step strategy for the preparation of β -cyclodextrin monoliths. <i>Journal of Separation Science</i> , 2013 , 36, 2441-9	3.4	26
16	Chromatography approaches for early screening of the phospholipidosis-inducing potential of pharmaceuticals. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 61, 184-90	3.5	24

15	Quality assessment and origin tracing of Guangdong Liangcha granules using direct mass spectrometry fingerprinting. <i>Analytical Methods</i> , 2012 , 4, 3638	3.2	8
14	Preparation and application of hydrophilic monolithic columns. <i>Journal of Chromatography A</i> , 2011 , 1218, 2350-61	4.5	84
13	A rapid vesicle electrokinetic chromatography method for the in vitro prediction of non-specific binding for potential PET ligands. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 54, 722-9	3.5	27
12	Highlighting the possible secondary interactions in the role of balhimycin and its analogues for enantiorecognition in capillary electrophoresis. <i>Journal of Chromatography A</i> , 2010 , 1217, 1149-56	4.5	14
11	Novel highly hydrophilic zwitterionic monolithic column for hydrophilic interaction chromatography. <i>Journal of Separation Science</i> , 2009 , 32, 2544-55	3.4	42
10	Novel zwitterionic polyphosphorylcholine monolithic column for hydrophilic interaction chromatography. <i>Journal of Chromatography A</i> , 2009 , 1216, 2439-48	4.5	67
9	A method for rapidly predicting drug tissue distribution using surfactant vesicle electrokinetic chromatography. <i>Electrophoresis</i> , 2008 , 29, 3674-84	3.6	10
8	Existence of a low isoenantioselective temperature in complexation gas chromatography. Profound change of enantioselectivity of a nickel(II) chiral selector either bonded to, or dissolved in, poly(dimethylsiloxane). <i>Journal of Chromatography A</i> , 2008 , 1186, 262-70	4.5	22
7	Developments in the use and fabrication of organic monolithic phases for use with high-performance liquid chromatography and capillary electrochromatography. <i>Journal of Chromatography A</i> , 2008 , 1184, 416-40	4.5	91
6	Hydrophilic interaction chromatography using methacrylate-based monolithic capillary column for the separation of polar analytes. <i>Analytical Chemistry</i> , 2007 , 79, 1243-50	7.8	170
5	Preparation and characterization of long alkyl chain methacrylate-based monolithic column for capillary chromatography. <i>Journal of Proteomics</i> , 2007 , 70, 39-45		44
4	Highlighting the role of the chlorine substituents in the glycopeptide antibiotic balhimycin for chiral recognition in capillary electrophoresis. <i>Electrophoresis</i> , 2006 , 27, 1154-62	3.6	15
3	Gas-chromatographic separation of tri(hetero)halogenomethane enantiomers. <i>Chirality</i> , 2005 , 17, 488-93	3.1	23
2	Evaluation of balhimycin as a chiral selector for enantioresolution by capillary electrophoresis. <i>Electrophoresis</i> , 2004 , 25, 2687-92	3.6	24
1	A mechanistic study of enantiomeric separation with vancomycin and balhimycin as chiral selectors by capillary electrophoresis. Dimerization and enantioselectivity. <i>Analytical Chemistry</i> , 2004 , 76, 2387-92	7.8	41