

Päivi E Korhonen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5083680/publications.pdf>

Version: 2024-02-01

50
papers

546
citations

687363

13
h-index

713466

21
g-index

50
all docs

50
docs citations

50
times ranked

1072
citing authors

#	ARTICLE	IF	CITATIONS
1	Body mass index and health-related quality of life in apparently healthy individuals. <i>Quality of Life Research</i> , 2014, 23, 67-74.	3.1	47
2	Health-related quality of life and awareness of hypertension. <i>Journal of Hypertension</i> , 2011, 29, 2070-2074.	0.5	45
3	Endothelial function in a cardiovascular risk population with borderline ankle–brachial index. <i>Vascular Health and Risk Management</i> , 2011, 7, 97.	2.3	32
4	Glucose Homeostasis in Hypertensive Subjects. <i>Hypertension</i> , 2008, 51, 945-949.	2.7	27
5	The shorter the person, the higher the blood pressure. <i>Journal of Hypertension</i> , 2017, 35, 1170-1177.	0.5	24
6	Relationship of musculoskeletal pain and well-being at work â€œ Does pain matter?. <i>Scandinavian Journal of Pain</i> , 2017, 15, 38-43.	1.3	24
7	Ankleâ€™brachial index is lower in hypertensive than in normotensive individuals in a cardiovascular risk population. <i>Journal of Hypertension</i> , 2009, 27, 2036-2043.	0.5	22
8	Ideal cardiovascular health and psychosocial risk factors among Finnish female municipal workers. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 50-56.	2.3	21
9	Ankleâ€™brachial index and health-related quality of life. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 901-907.	1.8	20
10	Waist circumference home measurement--a device to find out patients in cardiovascular risk. <i>European Journal of Public Health</i> , 2008, 19, 95-99.	0.3	19
11	Both lean and fat body mass associate with blood pressure. <i>European Journal of Internal Medicine</i> , 2021, 91, 40-44.	2.2	19
12	Self-rated health as an indicator of ideal cardiovascular health among working-aged women. <i>Scandinavian Journal of Primary Health Care</i> , 2017, 35, 322-328.	1.5	18
13	Target organ damage and cardiovascular risk factors among subjects with previously undiagnosed hypertension. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 980-988.	1.8	15
14	High-Intensity Physical Activity, Stable Relationship, and High Education Level Associate with Decreasing Risk of Erectile Dysfunction in 1,000 Apparently Healthy Cardiovascular Risk Subjects. <i>Journal of Sexual Medicine</i> , 2014, 11, 2277-2284.	0.6	15
15	Screening for cardiovascular risk factors and self-rated health in a community setting: a cross-sectional study in Finland. <i>British Journal of General Practice</i> , 2014, 64, e611-e615.	1.4	14
16	Ideal cardiovascular health and quality of life among Finnish municipal employees. <i>Preventive Medicine Reports</i> , 2019, 15, 100922.	1.8	14
17	Impaired glucose metabolism and health related quality of life. <i>Primary Care Diabetes</i> , 2013, 7, 223-227.	1.8	13
18	Body surface area and glucose tolerance â€œ The smaller the person, the greater the 2-hour plasma glucose. <i>Diabetes Research and Clinical Practice</i> , 2019, 157, 107877.	2.8	12

#	ARTICLE	IF	CITATIONS
19	A high lean body mass is not protecting from type 2 diabetes in the presence of a high body fat mass. <i>Diabetes and Metabolism</i> , 2021, 47, 101219.	2.9	12
20	Time to change the glomerular filtration rate estimating formula in primary care?. <i>European Journal of Internal Medicine</i> , 2012, 23, 355-357.	2.2	9
21	<p>The role of psychosocial risk factors in the burden of headache</p>. <i>Journal of Pain Research</i> , 2019, Volume 12, 1733-1741.	2.0	9
22	Borderline peripheral arterial disease. <i>International Journal of Angiology</i> , 2008, 17, 175-177.	0.6	8
23	Assessment of cardiovascular risk in primary health care. <i>Scandinavian Journal of Primary Health Care</i> , 2012, 30, 101-106.	1.5	8
24	Primary care-based, targeted screening programme to promote sustained weight management. <i>Scandinavian Journal of Primary Health Care</i> , 2014, 32, 30-36.	1.5	8
25	Hyperuricemia Is Not an Independent Predictor of Erectile Dysfunction. <i>Sexual Medicine</i> , 2021, 9, 100319-100319.	1.6	8
26	Estimating glomerular filtration rate in hypertensive subjects: Comparison of the Chronic Kidney Disease Epidemiology Collaboration (CKD-EPI) and Modification of Diet in Renal Disease (MDRD) Study equations. <i>Annals of Medicine</i> , 2012, 44, 487-493.	3.8	7
27	Effects of age, sex and smoking on ankle-brachial index in a Finnish population at risk for cardiovascular disease. <i>International Journal of Angiology</i> , 2007, 16, 128-130.	0.6	6
28	Weight Change and Health Related Quality of Life: Population-Based Longitudinal Study of the Effects of Health Related Quality of Life on the Success of Weight Management. <i>Journal of Community Health</i> , 2014, 39, 349-354.	3.8	6
29	Erectile dysfunction cannot be used in primary screening of pre-diabetes. <i>Diabetes Research and Clinical Practice</i> , 2015, 108, e60-e62.	2.8	6
30	Lifestyle of metabolically healthy obese individuals. <i>Primary Care Diabetes</i> , 2015, 9, 179-183.	1.8	6
31	Metabolic syndrome is not associated with erectile dysfunction in apparently healthy men. <i>Primary Care Diabetes</i> , 2020, 14, 460-463.	1.8	6
32	<p>&The Impact of Self-Reported Recurrent Headache on Absenteeism and Presenteeism at Work Among Finnish Municipal Female Employees</p>. <i>Journal of Pain Research</i> , 2020, Volume 13, 2135-2142.	2.0	6
33	Physical Activity Improves Borderline Ankle"Brachial Index Values in a Cardiovascular Risk Population. <i>Annals of Vascular Surgery</i> , 2016, 32, 50-56.	0.9	5
34	Maternal Smoking and Hospital Treatment During Pregnancy. <i>Nicotine and Tobacco Research</i> , 2020, 22, 1162-1169.	2.6	5
35	The feasibility and outcome of a community-based primary prevention program for cardiovascular disease in the 21st century. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 157-165.	1.5	5
36	Body surface area may explain sex differences in findings from the oral glucose tolerance test among subjects with normal glucose tolerance. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2678-2684.	2.6	5

#	ARTICLE	IF	CITATIONS
37	Lean body mass is not beneficial, but may be detrimental for glucose tolerance – Splitting body mass index according to body composition. <i>Primary Care Diabetes</i> , 2020, 14, 747-752.	1.8	4
38	The Cardiovascular-Mortality-Based Estimate for Normal Range of the Ankle-Brachial Index (ABI). <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 147.	1.6	4
39	Surrogates of Large Artery versus Small Artery Stiffness and Ankle-Brachial Index. <i>International Journal of Angiology</i> , 2011, 20, 167-172.	0.6	3
40	The Nordic countries on top of the world – what next?. <i>Scandinavian Journal of Primary Health Care</i> , 2018, 36, 353-354.	1.5	2
41	Decreased forced expiratory volume in first second is associated with erectile dysfunction in apparently healthy men. A preliminary study.. <i>International Journal of Impotence Research</i> , 2020, 32, 420-425.	1.8	2
42	Temporal changes in self-reported sleep quality, sleep duration and sleep medication use in relation to temporal changes in quality of life and work ability over a 1-year period among Finnish municipal employees. <i>Journal of Sleep Research</i> , 2022, , e13605.	3.2	2
43	The assessment of total cardiovascular risk in hypertensive subjects in primary care. <i>Annals of Medicine</i> , 2010, 42, 187-195.	3.8	1
44	Health-related quality of life in metabolically healthy obese individuals. <i>Obesity Research and Clinical Practice</i> , 2017, 11, 499-500.	1.8	1
45	Design of a prospective follow-up study on early parenthood and smoking behaviour during pregnancy in Finnish primary healthcare. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 970-980.	2.3	1
46	The associations of physical activity and physical capability with cardiovascular health among working-age Finnish women. <i>Translational Sports Medicine</i> , 2020, 3, 213-221.	1.1	0
47	Blood pressure load per body surface area is higher in women than in men. <i>Journal of Human Hypertension</i> , 2021, 35, 371-377.	2.2	0
48	The impact of antihypertensive treatment initiation on health-related quality of life and cardiovascular risk factor levels: a prospective, interventional study. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 444.	1.7	0
49	Headache and quality of life in Finnish female municipal employees. <i>Scandinavian Journal of Pain</i> , 2022, 22, 457-463.	1.3	0
50	Yield of elective coronary angiography; gender differences, patient history, risk factors and angiographic findings in a primary care population. <i>Scandinavian Journal of Primary Health Care</i> , 2020, 38, 481-486.	1.5	0