
## Rina Dutta

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5083785/publications.pdf Version: 2024-02-01



Ρινία Πιίττα

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Cohort profile of the South London and Maudsley NHS Foundation Trust Biomedical Research Centre<br>(SLaM BRC) Case Register: current status and recent enhancement of an Electronic Mental Health<br>Record-derived data resource. BMJ Open, 2016, 6, e008721. | 1.9  | 369       |
| 2  | Systematic review of suicide in economic recession. World Journal of Psychiatry, 2015, 5, 243.   | 2.7  | 151       |
| 3  | Reassessing the Long-term Risk of Suicide After a First Episode of Psychosis. Archives of General<br>Psychiatry, 2010, 67, 1230.   | 12.3 | 143       |
| 4  | Using clinical Natural Language Processing for health outcomes research: Overview and actionable suggestions for future advances. Journal of Biomedical Informatics, 2018, 88, 11-19.  | 4.3  | 139       |
| 5  | Characterisation of mental health conditions in social media using Informed Deep Learning. Scientific Reports, 2017, 7, 45141.   | 3.3  | 135       |
| 6  | Social media, internet use and suicide attempts in adolescents. Current Opinion in Psychiatry, 2019, 32, 534-541.  | 6.3  | 133       |
| 7  | Mortality in Schizophrenia and Other Psychoses: A 10-Year Follow-up of the Ó"SOP First-Episode Cohort.<br>Schizophrenia Bulletin, 2015, 41, 664-673.   | 4.3  | 128       |
| 8  | Identifying Suicide Ideation and Suicidal Attempts in a Psychiatric Clinical Research Database using<br>Natural Language Processing. Scientific Reports, 2018, 8, 7426.  | 3.3  | 116       |
| 9  | Ten-Year Outcomes of First-Episode Psychoses in the MRC ÆSOP-10 Study. Journal of Nervous and<br>Mental Disease, 2015, 203, 379-386.   | 1.0  | 90        |
| 10 | Suicide and other causes of mortality in bipolar disorder: a longitudinal study. Psychological<br>Medicine, 2007, 37, 839-847.   | 4.5  | 88        |
| 11 | Ethnicity and excess mortality in severe mental illness: a cohort study. Lancet Psychiatry,the, 2017, 4, 389-399.  | 7.4  | 82        |
| 12 | Early risk factors for suicide in an epidemiological first episode psychosis cohort. Schizophrenia<br>Research, 2011, 126, 11-19.  | 2.0  | 80        |
| 13 | Biological, Life Course, and Cross-Cultural Studies All point Toward the Value of Dimensional and<br>Developmental Ratings in the Classification of Psychosis. Schizophrenia Bulletin, 2007, 33, 868-876.  | 4.3  | 73        |
| 14 | Protein tyrosine phosphatases and neural development. BioEssays, 1998, 20, 463-472.  | 2.5  | 72        |
| 15 | Contributions of specific causes of death to lost life expectancy in severe mental illness. European<br>Psychiatry, 2017, 43, 109-115.   | 0.2  | 71        |
| 16 | The language of mental health problems in social media. , 2016, , .  |      | 60        |
| 17 | Insight in schizophrenia and risk of suicide: a systematic update. Comprehensive Psychiatry, 2012, 53,<br>313-322.   | 3.1  | 58        |
| 18 | School absenteeism as a risk factor for self-harm and suicidal ideation in children and adolescents: a<br>systematic review and meta-analysis. European Child and Adolescent Psychiatry, 2020, 29, 1175-1194.  | 4.7  | 55        |

**ΓΙΝΑ DUTTA** 

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | A comparison of symptoms and family history in schizophrenia with and without prior cannabis use:<br>Implications for the concept of cannabis psychosis. Schizophrenia Research, 2007, 93, 203-210.     | 2.0  | 51        |
| 20 | Mortality in first-contact psychosis patients in the UK: a cohort study. Psychological Medicine, 2012, 42, 1649-1661.   | 4.5  | 49        |
| 21 | Risk Assessment Tools and Data-Driven Approaches for Predicting and Preventing Suicidal Behavior.<br>Frontiers in Psychiatry, 2019, 10, 36.   | 2.6  | 49        |
| 22 | One year outcomes of a mentoring scheme for female academics: a pilot study at the Institute of Psychiatry, King's College London. BMC Medical Education, 2011, 11, 13.                                 | 2.4  | 47        |
| 23 | Caregiving in firstâ€episode psychosis: social characteristics associated with perceived â€ <sup>-</sup> burden' and associations with compulsory treatment. Microbial Biotechnology, 2014, 8, 122-129. | 1.7  | 46        |
| 24 | Insight and risk of suicidal behaviour in two first-episode psychosis cohorts: Effects of previous suicide attempts and depression. Schizophrenia Research, 2019, 204, 80-89.                           | 2.0  | 28        |
| 25 | Genetic and other risk factors for suicidal ideation and the relationship with depression.<br>Psychological Medicine, 2017, 47, 2438-2449.  | 4.5  | 26        |
| 26 | Suicide attempts requiring hospitalization in patients with eating disorders: A retrospective cohort study. International Journal of Eating Disorders, 2020, 53, 728-735.                               | 4.0  | 25        |
| 27 | Insight and suicidality in psychosis: A cross-sectional study. Psychiatry Research, 2017, 252, 147-153.   | 3.3  | 24        |
| 28 | Online media reporting of suicides: Analysis of adherence to existing guidelines. BJPsych Bulletin, 2017,<br>41, 83-86.   | 1.1  | 24        |
| 29 | Don't Let Notes Be Misunderstood: A Negation Detection Method for Assessing Risk of Suicide in<br>Mental Health Records. , 2016, , .  |      | 23        |
| 30 | Risk assessment and suicide by patients with schizophrenia in secondary mental healthcare: a<br>case–control study. BMJ Open, 2016, 6, e011929.   | 1.9  | 22        |
| 31 | Satisfaction with inpatient treatment for first-episode psychosis among different ethnic groups: A<br>report from the UK ĆSOP study. International Journal of Social Psychiatry, 2012, 58, 98-105.      | 3.1  | 21        |
| 32 | Insight and suicidality in firstâ€episode psychosis: understanding the influence of suicidal history on insight dimensions at first presentation. Microbial Biotechnology, 2014, 8, 113-121.            | 1.7  | 21        |
| 33 | Using routine clinical and administrative data to produce a dataset of attendances at Emergency<br>Departments following self-harm. BMC Emergency Medicine, 2015, 15, 15.                               | 1.9  | 21        |
| 34 | The Prevalence and Correlates of Self-Harm in the Perinatal Period. Journal of Clinical Psychiatry, 2019, 81, .   | 2.2  | 19        |
| 35 | The challenges and opportunities of mental health data sharing in the UK. The Lancet Digital Health, 2021, 3, e333-e336.  | 12.3 | 18        |
| 36 | Unemployment, ethnicity and psychosis. Acta Psychiatrica Scandinavica, 2013, 127, 202-209.  | 4.5  | 16        |

Rina Dutta

| #  | Article  | lF   | CITATIONS |
|----|--|------|-----------|
| 37 | Suicide completion in secondary mental healthcare: a comparison study between schizophrenia spectrum disorders and all other diagnoses. BMC Psychiatry, 2014, 14, 213.   | 2.6  | 16        |
| 38 | Temporal information extraction from mental health records to identify duration of untreated psychosis. Journal of Biomedical Semantics, 2020, 11, 2.  | 1.6  | 16        |
| 39 | Self-Harm Among Adult Victims of Human Trafficking Who Accessed Secondary Mental Health Services in England. Psychiatric Services, 2017, 68, 207-210.  | 2.0  | 15        |
| 40 | Can risk assessment predict suicide in secondary mental healthcare? Findings from the South London<br>and Maudsley NHS Foundation Trust Biomedical Research Centre (SLaM BRC) Case Register. Social<br>Psychiatry and Psychiatric Epidemiology, 2018, 53, 1161-1171. | 3.1  | 14        |
| 41 | Mining Social Media Data to Study the Consequences of Dementia Diagnosis on Caregivers and Relatives. Dementia and Geriatric Cognitive Disorders, 2020, 49, 295-302.   | 1.5  | 13        |
| 42 | Identifying Suicidal Adolescents from Mental Health Records Using Natural Language Processing.<br>Studies in Health Technology and Informatics, 2019, 264, 413-417.  | 0.3  | 13        |
| 43 | Women in academic psychiatry. The Psychiatrist, 2010, 34, 313-317.   | 0.3  | 12        |
| 44 | Poor school attendance and exclusion: a systematic review protocol on educational risk factors for self-harm and suicidal behaviours. BMJ Open, 2018, 8, e023953.  | 1.9  | 12        |
| 45 | Detection of Suicidality in Adolescents with Autism Spectrum Disorders: Developing a Natural<br>Language Processing Approach for Use in Electronic Health Records. AMIA Annual Symposium<br>proceedings, 2017, 2017, 641-649.  | 0.2  | 12        |
| 46 | Developing a Natural Language Processing tool to identify perinatal self-harm in electronic healthcare records. PLoS ONE, 2021, 16, e0253809.  | 2.5  | 9         |
| 47 | Time Expressions in Mental Health Records for Symptom Onset Extraction. , 2018, , .  |      | 9         |
| 48 | Using natural language processing to extract self-harm and suicidality data from a clinical sample of patients with eating disorders: a retrospective cohort study. BMJ Open, 2021, 11, e053808.   | 1.9  | 9         |
| 49 | Perinatal self-harm: an overlooked public health issue. Lancet Public Health, The, 2019, 4, e125.  | 10.0 | 8         |
| 50 | Using General-purpose Sentiment Lexicons for Suicide Risk Assessment in Electronic Health Records:<br>Corpus-Based Analysis. JMIR Medical Informatics, 2021, 9, e22397.  | 2.6  | 8         |
| 51 | Temporal and diurnal variation in social media posts to a suicide support forum. BMC Psychiatry, 2021, 21, 259.  | 2.6  | 8         |
| 52 | Demographic and clinical factors associated with different antidepressant treatments: a<br>retrospective cohort study design in a UK psychiatric healthcare setting. BMJ Open, 2018, 8, e022170.   | 1.9  | 7         |
| 53 | Autism spectrum disorders as a risk factor for adolescent self-harm: a retrospective cohort study of 113,286 young people in the UK. BMC Medicine, 2022, 20, 137.  | 5.5  | 7         |
| 54 | Text Classification to Inform Suicide Risk Assessment in Electronic Health Records. Studies in Health<br>Technology and Informatics, 2019, 264, 40-44.   | 0.3  | 6         |

Rina Dutta

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Clinician-recalled quoted speech in electronic health records and risk of suicide attempt: a<br>case–crossover study. BMJ Open, 2020, 10, e036186.  | 1.9  | 3         |
| 56 | Harm minimisation for the management of self-harm: a mixed-methods analysis of electronic health records in secondary mental healthcare. BJPsych Open, 2021, 7, e116.   | 0.7  | 3         |
| 57 | Improving suicide surveillance systems through the use of the Patient Health Questionnaire-9<br>Journal of Affective Disorders, 2021, 293, 71-72.   | 4.1  | 3         |
| 58 | Reassessing long-term risk of suicide after a first episode of psychosis. Lancet, The, 2013, 381, S37.  | 13.7 | 2         |
| 59 | The right answer for the wrong reasons?. World Psychiatry, 2007, 6, 93-4.   | 10.4 | 2         |
| 60 | Why do psychiatric patients wait too long in A&E?. Psychiatric Bulletin, 2004, 28, 427-427.   | 0.3  | 1         |
| 61 | DETERMINING THE LONG-TERM RISK OF SUICIDE AND PREMATURE DEATH FOLLOWING A FIRST EPISODE OF PSYCHOSIS: AN INCIDENCE COHORT APPROACH. Schizophrenia Research, 2010, 117, 182-183.   | 2.0  | 1         |
| 62 | Implementation of the "safety first―recommendations and suicide rates. Lancet, The, 2012, 379, 2337.  | 13.7 | 1         |
| 63 | 3.49 HOSPITALIZED SUICIDE ATTEMPTS IN PATIENTS WITH EATING DISORDERS. Journal of the American Academy of Child and Adolescent Psychiatry, 2019, 58, S210-S211.  | 0.5  | 1         |
| 64 | School achievement and adolescent self-harm: methodological issues may have led to misleading conclusions in a highly powered national study. British Journal of Psychiatry, 2019, 214, 113-113.                                    | 2.8  | 1         |
| 65 | Reviewing a Decade of Research Into Suicide and Related Behaviour Using the South London and<br>Maudsley NHS Foundation Trust Clinical Record Interactive Search (CRIS) System. Frontiers in<br>Psychiatry, 2020, 11, 553463.       | 2.6  | 1         |
| 66 | Understanding the Influence of Personality Traits on Risk of Suicidal Behaviour in Schizophrenia<br>Spectrum Disorders: A Systematic Review. Journal of Clinical Medicine, 2021, 10, 4604.  | 2.4  | 1         |
| 67 | Adolescents with emotional, conduct and hyperkinetic disorders who are experiencing psychotic symptoms may be at increased risk of suicide attempt. Evidence-Based Mental Health, 2014, 17, 19-19.                                  | 4.5  | 0         |
| 68 | Ethnicity, mortality, and severe mental illness – Authors' reply. Lancet Psychiatry,the, 2017, 4, 517-518.  | 7.4  | 0         |
| 69 | SU61. Race/Ethnicity and Premature Mortality in Severe Mental Illness: Cohort Study. Schizophrenia<br>Bulletin, 2017, 43, S183-S183.  | 4.3  | 0         |
| 70 | 5.41 INTERNET, SOCIAL MEDIA, AND ONLINE GAMING IN ADOLESCENT MENTAL HEALTH PATIENTS: TOWARDS A NATURAL LANGUAGE PROCESSING (NLP) APPROACH. Journal of the American Academy of Child and Adolescent Psychiatry, 2019, 58, S258-S259. | 0.5  | 0         |
| 71 | Identifying perinatal self-harm in electronic healthcare records using natural language processing.<br>BJPsych Open, 2021, 7, S4-S5.  | 0.7  | 0         |
| 72 | Incidence of suicidality in people with depression over a 10-year period treated by a large UK mental<br>health service provider. BJPsych Open, 2021, 7, .  | 0.7  | 0         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Self-harm in pregnancy and the postnatal year: prevalence and risk factors. Psychological Medicine, 0, , 1-9.  | 4.5 | Ο         |
| 74 | Clinical History Segment Extraction from Chronic Fatigue Syndrome Assessments to Model Disease<br>Trajectories. Studies in Health Technology and Informatics, 2020, 270, 98-102. | 0.3 | 0         |