

Rosanna Squitti

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5088172/rosanna-squitti-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128
papers

4,063
citations

38
h-index

58
g-index

137
ext. papers

4,711
ext. citations

4.5
avg, IF

5.55
L-index

#	Paper	IF	Citations
128	Evaluation of zinc, copper, and Cu:Zn ratio in serum, and their implications in the course of COVID-19.. <i>Journal of Trace Elements in Medicine and Biology</i> , 2022 , 71, 126944	4.1	1
127	Copper in tumors and the use of copper-based compounds in cancer treatment. <i>Journal of Inorganic Biochemistry</i> , 2022 , 226, 111634	4.2	7
126	Multi-modal factors for recovery prognosis in acute stroke. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 1717-1719	4.8	1
125	Molecular mechanisms underlying copper function and toxicity in neurons and their possible therapeutic exploitation for Alzheimer's disease. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 2027-2030 ¹	4.8	1
124	Copper involvement in glutamatergic transmission in physiology and disease as revealed by magnetoencephalography/electroencephalography (MEG/EEG) studies. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 2023-2026	4.8	2
123	Non-Ceruloplasmin Copper as a Stratification Biomarker of Alzheimer's Disease Patients: How to Measure and Use It. <i>Current Alzheimer Research</i> , 2021 , 18, 533-545	3	2
122	Zinc and COVID-19: Basis of Current Clinical Trials. <i>Biological Trace Element Research</i> , 2021 , 199, 2882-2892	4.3	55
121	Plasma Extracellular Vesicle Size and Concentration Are Altered in Alzheimer's Disease, Dementia With Lewy Bodies, and Frontotemporal Dementia. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 667369	5.7	5
120	Copper Imbalance in Alzheimer's Disease: Meta-Analysis of Serum, Plasma, and Brain Specimens, and Replication Study Evaluating Gene Variants. <i>Biomolecules</i> , 2021 , 11,	5.9	7
119	Structural effects of stabilization and complexation of a zinc-deficient superoxide dismutase. <i>Heliyon</i> , 2021 , 7, e06100	3.6	1
118	Copper Imbalance in Alzheimer's Disease and Its Link with the Amyloid Hypothesis: Towards a Combined Clinical, Chemical, and Genetic Etiology. <i>Journal of Alzheimers Disease</i> , 2021 , 83, 23-41	4.3	11
117	Nerve Growth Factor-Based Therapy in Alzheimer's Disease and Age-Related Macular Degeneration. <i>Frontiers in Neuroscience</i> , 2021 , 15, 735928	5.1	3
116	Molecular basis of quercetin as a plausible common denominator of macrophage-cholesterol-fenofibrate dependent potential COVID-19 treatment axis. <i>Results in Chemistry</i> , 2021 , 3, 100148	2.1	4
115	Agricultural Use of Copper and Its Link to Alzheimer's Disease. <i>Biomolecules</i> , 2020 , 10,	5.9	10
114	Neurodevelopmental disorders: Metallomics studies for the identification of potential biomarkers associated to diagnosis and treatment. <i>Journal of Trace Elements in Medicine and Biology</i> , 2020 , 60, 126499	4.1	19
113	Zinc Therapy in Early Alzheimer's Disease: Safety and Potential Therapeutic Efficacy. <i>Biomolecules</i> , 2020 , 10,	5.9	8
112	Polymorphic Genetic Markers of the GABA Catabolism Pathway in Alzheimer's Disease. <i>Journal of Alzheimers Disease</i> , 2020 , 77, 301-311	4.3	1

111	Iron Serum Markers Profile in Frontotemporal Lobar Degeneration. <i>Journal of Alzheimers Disease</i> , 2020 , 78, 1373-1380	4.3	0
110	Serum copper profile in patients with type 1 diabetes in comparison to other metals. <i>Journal of Trace Elements in Medicine and Biology</i> , 2019 , 56, 156-161	4.1	11
109	Single nucleotide polymorphisms in the human ATP7B gene modify the properties of the ATP7B protein. <i>Metallomics</i> , 2019 , 11, 1128-1139	4.5	11
108	Oxidative Stress Related to Iron Metabolism in Relapsing Remitting Multiple Sclerosis Patients With Low Disability. <i>Frontiers in Neuroscience</i> , 2019 , 13, 86	5.1	23
107	Copper imbalance in Alzheimer's disease: Convergence of the chemistry and the clinic. <i>Coordination Chemistry Reviews</i> , 2019 , 397, 168-187	23.2	33
106	Alzheimer's Disease and Retinal Degeneration: A Glimpse at Essential Trace Metals in Ocular Fluids and Tissues. <i>Current Alzheimer Research</i> , 2019 , 16, 1073-1083	3	5
105	Copper in Glucose Intolerance, Cognitive Decline, and Alzheimer Disease. <i>Alzheimer Disease and Associated Disorders</i> , 2019 , 33, 77-85	2.5	7
104	ATP7B and Alzheimer Disease 2019 , 427-436		1
103	Innovative Biomarkers for Alzheimer's Disease: Focus on the Hidden Disease Biomarkers. <i>Journal of Alzheimers Disease</i> , 2018 , 62, 1507-1518	4.3	16
102	Prognostic Value of Serum Copper for Post-Stroke Clinical Recovery: A Pilot Study. <i>Frontiers in Neurology</i> , 2018 , 9, 333	4.1	7
101	Copper imbalance in Alzheimer's disease: Overview of the exchangeable copper component in plasma and the intriguing role albumin plays. <i>Coordination Chemistry Reviews</i> , 2018 , 371, 86-95	23.2	26
100	Serum Copper is not Altered in Frontotemporal Lobar Degeneration. <i>Journal of Alzheimers Disease</i> , 2018 , 63, 1427-1432	4.3	4
99	Copper dyshomeostasis in Wilson disease and Alzheimer's disease as shown by serum and urine copper indicators. <i>Journal of Trace Elements in Medicine and Biology</i> , 2018 , 45, 181-188	4.1	52
98	Copper and Zinc Dysregulation in Alzheimer's Disease. <i>Trends in Pharmacological Sciences</i> , 2018 , 39, 1049-1063	3.1	112
97	333 Genetic Screening of Cystic Fibrosis Transmembrane Regulator (CFTR) in 3,746 Infertile Candidate Couples for Assisted Reproductive Techniques. <i>American Journal of Clinical Pathology</i> , 2018 , 149, S143-S144	1.9	
96	Non-Ceruloplasmin Copper Distincts Subtypes in Alzheimer's Disease: a Genetic Study of ATP7B Frequency. <i>Molecular Neurobiology</i> , 2017 , 54, 671-681	6.2	30
95	Measurements of serum non-ceruloplasmin copper by a direct fluorescent method specific to Cu(II). <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 55, 1360-1367	5.9	25
94	Diabetes and Alzheimer's Disease: Can Elevated Free Copper Predict the Risk of the Disease?. <i>Journal of Alzheimers Disease</i> , 2017 , 56, 1055-1064	4.3	27

93	Role of Copper in the Onset of Alzheimer's Disease Compared to Other Metals. <i>Frontiers in Aging Neuroscience</i> , 2017 , 9, 446	5-3	92
92	An exploratory study of BDNF and oxidative stress marker alterations in subacute and chronic stroke patients affected by neuropathic pain. <i>Journal of Neural Transmission</i> , 2017 , 124, 1557-1566	4-3	8
91	Copper in Alzheimer's Disease 2017 , 19-34		1
90	Commentary: The Case for Abandoning Therapeutic Chelation of Copper Ions in Alzheimer's Disease. <i>Frontiers in Neurology</i> , 2017 , 8, 503	4-1	20
89	Patients with Increased Non-Ceruloplasmin Copper Appear a Distinct Sub-Group of Alzheimer's Disease: A Neuroimaging Study. <i>Current Alzheimer Research</i> , 2017 , 14, 1318-1326	3	17
88	Duplication of FOXP2 binding sites within CNTNAP2 gene in a girl with neurodevelopmental delay. <i>Minerva Pediatrics</i> , 2017 , 69, 162-164	1-5	3
87	Biological factors and age-dependence of primary motor cortex experimental plasticity. <i>Neurological Sciences</i> , 2016 , 37, 211-8	3-5	13
86	Explorative genetic association study of GSTT2B copy number variant in complex disease risks. <i>Annals of Human Biology</i> , 2016 , 43, 279-84	1-7	2
85	Association between sex, systemic iron variation and probability of Parkinson's disease. <i>International Journal of Neuroscience</i> , 2016 , 126, 354-60	2	14
84	Non-Ceruloplasmin Copper Distinguishes A Distinct Subtype of Alzheimer's Disease: A Study of EEG-Derived Brain Activity. <i>Current Alzheimer Research</i> , 2016 , 13, 1374-1384	3	21
83	Association Between Serum Ceruloplasmin Specific Activity and Risk of Alzheimer's Disease. <i>Journal of Alzheimers Disease</i> , 2016 , 50, 1181-9	4-3	33
82	Non-ceruloplasmin bound copper and ATP7B gene variants in Alzheimer's disease. <i>Metallomics</i> , 2016 , 8, 863-73	4-5	34
81	Movement disorders and brain iron overload in a new subtype of aceruloplasminemia. <i>Parkinsonism and Related Disorders</i> , 2015 , 21, 658-60	3-6	8
80	Functional and structural balances of homologous sensorimotor regions in multiple sclerosis fatigue. <i>Journal of Neurology</i> , 2015 , 262, 614-22	5-5	20
79	The Role of Copper in Human Diet and Risk of Dementia. <i>Current Nutrition Reports</i> , 2015 , 4, 114-125	6	6
78	Zinc in Alzheimer's Disease: A Meta-Analysis of Serum, Plasma, and Cerebrospinal Fluid Studies. <i>Journal of Alzheimers Disease</i> , 2015 , 46, 75-87	4-3	62
77	Altered metal metabolism in patients with HCV-related cirrhosis and hepatic encephalopathy. <i>Metabolic Brain Disease</i> , 2015 , 30, 1445-52	3-9	4
76	Towards a unified vision of copper involvement in Alzheimer's disease: a review connecting basic, experimental, and clinical research. <i>Journal of Alzheimers Disease</i> , 2015 , 44, 343-54	4-3	55

75	Antioxidant Status in Vascular Dementia 2015 , 529-537		
74	Metals Involvement in Alzheimer's Disease [A Patho-Genetic View 2015 ,		1
73	Meta-analysis study on the role of bone-derived neurotrophic factor Val66Met polymorphism in Parkinson's disease. <i>Rejuvenation Research</i> , 2015 , 18, 40-7	2.6	9
72	Copper subtype of Alzheimer's disease (AD): meta-analyses, genetic studies and predictive value of non-ceruloplasmim copper in mild cognitive impairment conversion to full AD. <i>Journal of Trace Elements in Medicine and Biology</i> , 2014 , 28, 482-5	4.1	28
71	Automation of o-dianisidine assay for ceruloplasmin activity analyses: usefulness of investigation in Wilson's disease and in hepatic encephalopathy. <i>Journal of Neural Transmission</i> , 2014 , 121, 1281-6	4.3	29
70	Dietary and lifestyle guidelines for the prevention of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2014 , 35 Suppl 2, S74-8	5.6	190
69	In silico investigation of the ATP7B gene: insights from functional prediction of non-synonymous substitution to protein structure. <i>BioMetals</i> , 2014 , 27, 53-64	3.4	19
68	P4-064: NON-CERULOPLASMIN COPPER AS A RISK FOR ALZHEIMER'S DISEASE: VALUE OF SERUM NON-CERULOPLASMIN COPPER FOR PREDICTION OF MCI CONVERSION TO AD META-ANALYTIC AND GENETIC EVIDENCE OF COPPER DYSFUNCTION IN AD 2014 , 10, P806-P806		
67	Meta-analysis of serum non-ceruloplasmin copper in Alzheimer's disease. <i>Journal of Alzheimers Disease</i> , 2014 , 38, 809-22	4.3	78
66	Value of serum nonceruloplasmin copper for prediction of mild cognitive impairment conversion to Alzheimer disease. <i>Annals of Neurology</i> , 2014 , 75, 574-80	9.4	75
65	Low-copper diet as a preventive strategy for Alzheimer's disease. <i>Neurobiology of Aging</i> , 2014 , 35 Suppl 2, S40-50	5.6	62
64	ATP7B variants as modulators of copper dyshomeostasis in Alzheimer's disease. <i>NeuroMolecular Medicine</i> , 2013 , 15, 515-22	4.6	48
63	A comparison between radiometric and fluorimetric methods for measuring SSAO activity. <i>Journal of Neural Transmission</i> , 2013 , 120, 1015-8	4.3	5
62	Inflammation and iron metabolism in adult patients with epilepsy: does a link exist?. <i>Epilepsy Research</i> , 2013 , 107, 244-52	3	21
61	Oxidative stress in blood in Alzheimer's disease and mild cognitive impairment: a meta-analysis. <i>Neurobiology of Disease</i> , 2013 , 59, 100-10	7.5	212
60	Fe and Cu do not differ in Parkinson's disease: a replication study plus meta-analysis. <i>Neurobiology of Aging</i> , 2013 , 34, 632-3	5.6	47
59	Antioxidant status and APOE genotype as susceptibility factors for neurodegeneration in Alzheimer's disease and vascular dementia. <i>Rejuvenation Research</i> , 2013 , 16, 51-6	2.6	15
58	Pharmacogenomics in Alzheimer's disease: a genome-wide association study of response to cholinesterase inhibitors. <i>Neurobiology of Aging</i> , 2013 , 34, 1711.e7-13	5.6	36

57	Linkage disequilibrium and haplotype analysis of the ATP7B gene in Alzheimer's disease. <i>Rejuvenation Research</i> , 2013 , 16, 3-10	2.6	41
56	Levels of serum ceruloplasmin associate with pediatric nonalcoholic fatty liver disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013 , 56, 370-5	2.8	28
55	Intronic rs2147363 variant in ATP7B transcription factor-binding site associated with Alzheimer's disease. <i>Journal of Alzheimers Disease</i> , 2013 , 37, 453-9	4.3	22
54	Effects of hemochromatosis and transferrin gene mutations on peripheral iron dyshomeostasis in mild cognitive impairment and Alzheimer's and Parkinson's diseases. <i>Frontiers in Aging Neuroscience</i> , 2013 , 5, 37	5.3	22
53	Copper status in Alzheimer's disease and other neurodegenerative disorders 2013. <i>International Journal of Alzheimers Disease</i> , 2013 , 2013, 838274	3.7	4
52	Sensorimotor Cortex Reorganization in Alzheimer's Disease and Metal Dysfunction: A MEG Study. <i>International Journal of Alzheimers Disease</i> , 2013 , 2013, 638312	3.7	7
51	Copper phenotype in Alzheimer's disease: dissecting the pathway. <i>American Journal of Neurodegenerative Disease</i> , 2013 , 2, 46-56	2.5	23
50	Metal-score as a potential non-invasive diagnostic test for Alzheimer's disease. <i>Current Alzheimer Research</i> , 2013 , 10, 191-8	3	24
49	Metal Dysfunction in Alzheimer's Disease. <i>Oxidative Stress in Applied Basic Research and Clinical Practice</i> , 2013 , 73-97		2
48	Copper hypothesis in the missing heritability of sporadic Alzheimer's disease: ATP7B gene as potential harbor of rare variants. <i>Journal of Alzheimers Disease</i> , 2012 , 29, 493-501	4.3	28
47	Copper dysfunction in Alzheimer's disease: from meta-analysis of biochemical studies to new insight into genetics. <i>Journal of Trace Elements in Medicine and Biology</i> , 2012 , 26, 93-6	4.1	44
46	Effects of hemochromatosis and transferrin gene mutations on iron dyshomeostasis, liver dysfunction and on the risk of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2012 , 33, 1633-41	5.6	46
45	GSTO1*E155del polymorphism associated with increased risk for late-onset Alzheimer's disease: association hypothesis for an uncommon genetic variant. <i>Neuroscience Letters</i> , 2012 , 506, 203-7	3.3	29
44	A multi-element psychosocial intervention for early psychosis (GET UP PIANO TRIAL) conducted in a catchment area of 10 million inhabitants: study protocol for a pragmatic cluster randomized controlled trial. <i>Trials</i> , 2012 , 13, 73	2.8	38
43	GSTM1 null genotype as risk factor for late-onset Alzheimer's disease in Italian patients. <i>Journal of the Neurological Sciences</i> , 2012 , 317, 137-40	3.2	31
42	Copper in Alzheimer's disease: a meta-analysis of serum, plasma, and cerebrospinal fluid studies. <i>Journal of Alzheimers Disease</i> , 2012 , 30, 981-4	4.3	52
41	Metals in Alzheimer's disease: a systemic perspective. <i>Frontiers in Bioscience - Landmark</i> , 2012 , 17, 451-72.8		62
40	Replication study to confirm the role of CYP2D6 polymorphism rs1080985 on donepezil efficacy in Alzheimer's disease patients. <i>Journal of Alzheimers Disease</i> , 2012 , 30, 745-9	4.3	31

39	Association of K832R and R952K SNPs of Wilson's disease gene with Alzheimer's disease. <i>Journal of Alzheimers Disease</i> , 2012 , 29, 913-9	4.3	44
38	Association between the c. 2495 A>G ATP7B Polymorphism and Sporadic Alzheimer's Disease. <i>International Journal of Alzheimers Disease</i> , 2011 , 2011, 973692	3.7	23
37	Copper status in Alzheimer's disease and other neurodegenerative disorders: genetics, mechanisms, neurophysiology, and therapies. <i>International Journal of Alzheimers Disease</i> , 2011 , 2011, 903940	3.7	2
36	Glutamate-mediated primary somatosensory cortex excitability correlated with circulating copper and ceruloplasmin. <i>International Journal of Alzheimers Disease</i> , 2011 , 2011, 292593	3.7	9
35	Copper in Alzheimer's disease: a meta-analysis of serum, plasma, and cerebrospinal fluid studies. <i>Journal of Alzheimers Disease</i> , 2011 , 24, 175-85	4.3	95
34	Free copper distinguishes mild cognitive impairment subjects from healthy elderly individuals. <i>Journal of Alzheimers Disease</i> , 2011 , 23, 239-48	4.3	61
33	Ceruloplasmin/Transferrin ratio changes in Alzheimer's disease. <i>International Journal of Alzheimers Disease</i> , 2010 , 2011, 231595	3.7	24
32	Copper status abnormalities and how to measure them in neurodegenerative disorders. <i>Recent Patents on CNS Drug Discovery</i> , 2010 , 5, 182-94		9
31	Is cognitive function linked to serum free copper levels? A cohort study in a normal population. <i>Clinical Neurophysiology</i> , 2010 , 121, 502-7	4.3	63
30	Oxidative stress and brain glutamate-mediated excitability in depressed patients. <i>Journal of Affective Disorders</i> , 2010 , 127, 321-5	6.6	26
29	Novel T719P AbetaPP mutation unbalances the relative proportion of amyloid-beta peptides. <i>Journal of Alzheimers Disease</i> , 2009 , 18, 295-303	4.3	25
28	Longitudinal prognostic value of serum "free" copper in patients with Alzheimer disease. <i>Neurology</i> , 2009 , 72, 50-5	6.5	109
27	Ceruloplasmin/Transferrin system is related to clinical status in acute stroke. <i>Stroke</i> , 2009 , 40, 1282-8	6.7	65
26	Agents complexing copper as a therapeutic strategy for the treatment of Alzheimer's disease. <i>Current Alzheimer Research</i> , 2009 , 6, 476-87	3	31
25	Implications of metal exposure and liver function in Parkinsonian patients resident in the vicinities of ferroalloy plants. <i>Journal of Neural Transmission</i> , 2009 , 116, 1281-7	4.3	32
24	Hyperhomocysteinemia, intima-media thickness and C677T MTHFR gene polymorphism: a correlation study in patients with cognitive impairment. <i>Atherosclerosis</i> , 2009 , 206, 309-13	3.1	35
23	Neuronal functionality assessed by magnetoencephalography is related to oxidative stress system in acute ischemic stroke. <i>NeuroImage</i> , 2009 , 44, 1267-73	7.9	35
22	Anti-copper therapies in Alzheimer's disease: new concepts. <i>Recent Patents on CNS Drug Discovery</i> , 2009 , 4, 209-19		14

21	An observational study on the influence of the APOE-epsilon4 allele on the correlation between 'free' copper toxicosis and EEG activity in Alzheimer disease. <i>Brain Research</i> , 2008 , 1215, 183-9	3-7	33
20	Ceruloplasmin fragmentation is implicated in 'free' copper deregulation of Alzheimer's disease. <i>Prion</i> , 2008 , 2, 23-7	2-3	46
19	Features of ceruloplasmin in the cerebrospinal fluid of Alzheimer's disease patients. <i>BioMetals</i> , 2008 , 21, 367-72	3-4	59
18	'Free' copper in serum of Alzheimer's disease patients correlates with markers of liver function. <i>Journal of Neural Transmission</i> , 2007 , 114, 1589-94	4-3	70
17	Free copper and resting temporal EEG rhythms correlate across healthy, mild cognitive impairment, and Alzheimer's disease subjects. <i>Clinical Neurophysiology</i> , 2007 , 118, 1244-60	4-3	47
16	Cortical excitability and rest activity properties in patients with depression. <i>Journal of Psychiatry and Neuroscience</i> , 2007 , 32, 259-66	4-5	14
15	Ceruloplasmin (2-D PAGE) Pattern and Copper Content in Serum and Brain of Alzheimer Disease Patients. <i>Biomarker Insights</i> , 2007 , 1, 205-13	3-5	17
14	Apolipoprotein E and alpha brain rhythms in mild cognitive impairment: a multicentric electroencephalogram study. <i>Annals of Neurology</i> , 2006 , 59, 323-34	9-4	75
13	Excess of nonceruloplasmin serum copper in AD correlates with MMSE, CSF [beta]-amyloid, and h-tau. <i>Neurology</i> , 2006 , 67, 76-82	6-5	153
12	Genotype (cystatin C) and EEG phenotype in Alzheimer disease and mild cognitive impairment: a multicentric study. <i>NeuroImage</i> , 2006 , 29, 948-64	7-9	63
11	No association between Ala9Val functional polymorphism of MnSOD gene and schizophrenia in a representative Italian sample. <i>Neuroscience Letters</i> , 2006 , 410, 208-11	3-3	10
10	Ceruloplasmin (2-D PAGE) Pattern and Copper Content in Serum and Brain of Alzheimer Disease Patients. <i>Biomarker Insights</i> , 2006 , 1, 117727190600100	3-5	7
9	Reduction of Ca ²⁺ stores and capacitative Ca ²⁺ entry is associated with the familial Alzheimer's disease presenilin-2 T122R mutation and anticipates the onset of dementia. <i>Neurobiology of Disease</i> , 2005 , 18, 638-48	7-5	62
8	Genotypes and haplotypes in the IL-1 gene cluster: analysis of two genetically and diagnostically distinct groups of Alzheimer patients. <i>Neurobiology of Aging</i> , 2005 , 26, 455-64	5-6	40
7	Lack of association between MnSOD gene polymorphism and sporadic Alzheimer's disease. <i>Aging Clinical and Experimental Research</i> , 2005 , 17, 445-8	4-8	8
6	Excess of serum copper not related to ceruloplasmin in Alzheimer disease. <i>Neurology</i> , 2005 , 64, 1040-6	6-5	143
5	Promoter haplotypes of interleukin-10 gene and sporadic Alzheimer's disease. <i>Neuroscience Letters</i> , 2004 , 356, 119-22	3-3	46
4	Copper perturbation in 2 monozygotic twins discordant for degree of cognitive impairment. <i>Archives of Neurology</i> , 2004 , 61, 738-43		25

- 3 Atypical dementia associated with a novel presenilin-2 mutation. *Annals of Neurology*, **2003**, 54, 832-6 9.4 48
- 2 Red blood cell copper, zinc superoxide dismutase activity is higher in Alzheimer's disease and is decreased by D-penicillamine. *Neuroscience Letters*, **2002**, 329, 137-40 3.3 38
- 1 The rise in cytoplasmic ubiquitin levels is an early step in the response of parasympathetic ganglionic neurons to axonal injury followed by regeneration. *Journal of Neuropathology and Experimental Neurology*, **1998**, 57, 1000-12 3.1 3