

Richard E Katholi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5088966/richard-e-katholi-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

33
papers

2,632
citations

19
h-index

35
g-index

35
ext. papers

2,937
ext. citations

6.3
avg, IF

4.4
L-index

#	Paper	IF	Citations
33	Recently Approved and Under Investigation Drugs for Treating Patients with Heart Failure. <i>Current Cardiology Reviews</i> , 2020 , 16, 202-211	2.4	4
32	Natriuretic peptides, obesity and cardiovascular diseases. <i>Revista Da Associação Médica Brasileira</i> , 2015 , 61, 19-20	1.4	
31	Ventricular repolarization markers for predicting malignant arrhythmias in clinical practice. <i>World Journal of Clinical Cases</i> , 2015 , 3, 705-20	1.6	75
30	Percutaneous renal denervation in patients with treatment-resistant hypertension: final 3-year report of the Symplicity HTN-1 study. <i>Lancet, The</i> , 2014 , 383, 622-9	4.0	455
29	Novel treatment approaches in hypertensive type 2 diabetic patients. <i>World Journal of Diabetes</i> , 2014 , 5, 536-45	4.7	6
28	International expert consensus statement: Percutaneous transluminal renal denervation for the treatment of resistant hypertension. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 2031-45	15.1	104
27	Renal denervation for treating resistant hypertension: current evidence and future insights from a global perspective. <i>International Journal of Hypertension</i> , 2013 , 2013, 513214	2.4	7
26	Catheter-based renal sympathetic denervation reduces systolic blood pressure by 32 mm Hg in people with treatment-resistant hypertension. <i>Evidence-Based Medicine</i> , 2011 , 16, 109-10		2
25	Left ventricular hypertrophy: major risk factor in patients with hypertension: update and practical clinical applications. <i>International Journal of Hypertension</i> , 2011 , 2011, 495349	2.4	113
24	Renal nerves in the maintenance of hypertension: a potential therapeutic target. <i>Current Hypertension Reports</i> , 2010 , 12, 196-204	4.7	19
23	Contrast-induced nephropathy and long-term adverse events: cause and effect?. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 1162-9	6.9	195
22	The role of renal sympathetic nerves in hypertension: has percutaneous renal denervation refocused attention on their clinical significance?. <i>Progress in Cardiovascular Diseases</i> , 2009 , 52, 243-8	8.5	26
21	N-Acetylcysteine added to volume expansion with sodium bicarbonate does not further prevent contrast-induced nephropathy: results from the cardiac angiography in renally impaired patients study. <i>Journal of Interventional Cardiology</i> , 2009 , 22, 261-5	1.8	13
20	Demographic analyses of the effects of carvedilol vs metoprolol on glycemic control and insulin sensitivity in patients with type 2 diabetes and hypertension in the Glycemic Effects in Diabetes Mellitus: Carvedilol-Metoprolol Comparison in Hypertensives (GEMINI) study. <i>Journal of the Cardiometabolic Syndrome</i> , 2008 , 3, 211-7		16
19	Renal effects of contrast media in diabetic patients undergoing diagnostic or interventional coronary angiography. <i>Journal of Diabetes and Its Complications</i> , 2008 , 22, 171-7	3.2	34
18	Cardiac Angiography in Renally Impaired Patients (CARE) study: a randomized double-blind trial of contrast-induced nephropathy in patients with chronic kidney disease. <i>Circulation</i> , 2007 , 115, 3189-96	16.7	270
17	Lowering blood pressure with beta-blockers in combination with other renin-angiotensin system blockers in patients with hypertension and type 2 diabetes: results from the GEMINI Trial. <i>Journal of Clinical Hypertension</i> , 2007 , 9, 842-9	2.3	14

16	Body weight changes with beta-blocker use: results from GEMINI. <i>American Journal of Medicine</i> , 2007 , 120, 610-5	2.4	70
15	Use and side-effect profile of spironolactone in a private cardiologist's practice. <i>Clinical Cardiology</i> , 2006 , 29, 149-53	3.3	13
14	Differential effects of beta-blockers on albuminuria in patients with type 2 diabetes. <i>Hypertension</i> , 2005 , 46, 1309-15	8.5	64
13	The rationale and design of the Glycemic Effects in Diabetes Mellitus Carvedilol-Metoprolol Comparison in Hypertensives (GEMINI) trial. <i>Journal of Diabetes and Its Complications</i> , 2005 , 19, 74-9	3.2	16
12	Differential Effects of β Blockers on Albuminuria in Patients With Type 2 Diabetes. <i>Hypertension</i> , 2005 , 46, 1309-1315	8.5	1
11	Metabolic effects of carvedilol vs metoprolol in patients with type 2 diabetes mellitus and hypertension: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 2227-36	27.4	587
10	Zero caffeine for kids. <i>Addiction</i> , 2003 , 98, 536-7	4.6	1
9	Clinical adaptation of a high-performance liquid chromatographic method for the assay of pyridoxal 5Zphosphate in human plasma. <i>Biomedical Applications</i> , 2001 , 751, 383-7		26
8	Proximal tubule cell response to radiographic contrast media. <i>American Journal of Physiology - Renal Physiology</i> , 2001 , 280, F61-70	4.3	88
7	Performance Characteristics of an Automated Method for High-sensitivity CRP on the Roche Cobas Mira Analyzer. <i>Journal of the Association for Laboratory Automation</i> , 2001 , 6, 30-31		1
6	Clinical predictors of improved long-term blood pressure control after successful stenting of hypertensive patients with obstructive renal artery atherosclerosis. <i>Catheterization and Cardiovascular Interventions</i> , 1999 , 47, 167-72	2.7	68
5	A difference between front-loaded streptokinase and standard-dose recombinant tissue-type plasminogen activator in preserving left ventricular function after acute myocardial infarction (the Central Illinois Thrombolytic Therapy Study). <i>American Journal of Cardiology</i> , 1993 , 72, 1010-4	3	9
4	Six-year survival after coronary thrombolysis and early revascularization for acute myocardial infarction. <i>American Journal of Cardiology</i> , 1992 , 70, 26-30	3	40
3	Reducing delay in the emergency room in administration of thrombolytic therapy for myocardial infarction associated with ST elevation. <i>American Journal of Cardiology</i> , 1991 , 68, 251-3	3	20
2	Determinants of hospital charges for coronary artery bypass surgery: the economic consequences of postoperative complications. <i>American Journal of Cardiology</i> , 1990 , 65, 309-13	3	168
1	Intrarenal Adenosine Produces Hypertension by Activating the Sympathetic Nervous System via the Renal Nerves In the Dog. <i>Journal of Hypertension</i> , 1984 , 2, 349-359	1.9	103