

Riccardo M Ragona

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5089194/publications.pdf>

Version: 2024-02-01

57
papers

2,203
citations

236612

25
h-index

223531

46
g-index

57
all docs

57
docs citations

57
times ranked

2866
citing authors

#	ARTICLE	IF	CITATIONS
1	Stereotactic body radiation therapy for early stage non-small cell lung cancer: Results of a prospective trial. <i>Lung Cancer</i> , 2010, 68, 72-77.	0.9	268
2	Phase II randomized trial comparing vinorelbine versus vinorelbine plus cisplatin in patients with recurrent salivary gland malignancies. <i>Cancer</i> , 2001, 91, 541-547.	2.0	155
3	Clinical use of EBT model Gafchromicâ„¢ film in radiotherapy. <i>Medical Physics</i> , 2006, 33, 4314-4319.	1.6	153
4	Preoperative Endoscopic Sphincterotomy Versus Laparoendoscopic Rendezvous in Patients With Gallbladder and Bile Duct Stones. <i>Annals of Surgery</i> , 2006, 244, 889-896.	2.1	139
5	Stereotactic body radiation therapy for lung metastases. <i>Lung Cancer</i> , 2012, 75, 77-81.	0.9	133
6	Different IMRT solutions vs. 3D-Conformal Radiotherapy in early stage Hodgkinâ€™s lymphoma: dosimetric comparison and clinical considerations. <i>Radiation Oncology</i> , 2012, 7, 186.	1.2	96
7	Treatment of malignant neoplasms of the parotid gland. <i>Otolaryngology - Head and Neck Surgery</i> , 1999, 121, 627-632.	1.1	91
8	Distinct Effects of Leukocyte and Cardiac Phosphoinositide 3-Kinase Î³ Activity in Pressure Overloadâ€“Induced Cardiac Failure. <i>Circulation</i> , 2011, 123, 391-399.	1.6	65
9	Stereotactic Ablative Radiation Therapy as First Local Therapy for Lung Oligometastases From Colorectal Cancer: A Single-Institution Cohort Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 91, 524-529.	0.4	64
10	Improved survival with perilymphatic interleukin 2 in patients with resectable squamous cell carcinoma of the oral cavity and oropharynx. <i>Cancer</i> , 2002, 95, 90-97.	2.0	63
11	Dosimetric predictors of radiation-induced lung injury in stereotactic body radiation therapy. <i>Acta Oncologica</i> , 2009, 48, 571-577.	0.8	60
12	Optimized Volumetric Modulated Arc Therapy Versus 3D-CRT for Early Stage Mediastinal Hodgkin Lymphoma Without Axillary Involvement: A Comparison of Second Cancers and Heart Disease Risk. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 92, 161-168.	0.4	55
13	Lung stereotactic ablative body radiotherapy: A large scale multi-institutional planning comparison for interpreting results of multi-institutional studies. <i>Physica Medica</i> , 2016, 32, 600-606.	0.4	54
14	Outcomes of Single Fraction Stereotactic Ablative Radiotherapy for Lung Metastases. <i>Technology in Cancer Research and Treatment</i> , 2014, 13, 37-45.	0.8	49
15	Involved-Site Image-Guided Intensity Modulated Versus 3D Conformal Radiation Therapy in Early Stage Supradiaphragmatic Hodgkin Lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 89, 370-375.	0.4	46
16	Impaired elimination of DNA double-strand break-containing lymphocytes in ataxia telangiectasia and Nijmegen breakage syndrome. <i>DNA Repair</i> , 2006, 5, 904-913.	1.3	43
17	Volumetric modulated arc therapy (VMAT) in the combined modality treatment of anal cancer patients. <i>British Journal of Radiology</i> , 2016, 89, 20150832.	1.0	38
18	Radiation Therapy in Primary Mediastinal B-Cell Lymphoma With Positron Emission Tomography Positivity After Rituximab Chemotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 87, 311-316.	0.4	35

#	ARTICLE	IF	CITATIONS
19	Treatment of Oral Cavity and Oropharynx Squamous Cell Carcinoma with Perilymphatic Interleukin-2. <i>Journal of Immunotherapy</i> , 1996, 19, 125-133.	1.2	33
20	Inclusion of heart substructures in the optimization process of volumetric modulated arc therapy techniques may reduce the risk of heart disease in Hodgkin's lymphoma patients. <i>Radiotherapy and Oncology</i> , 2019, 138, 52-58.	0.3	32
21	Late Toxicity in Children Undergoing Hematopoietic Stem Cell Transplantation with TBI-containing Conditioning Regimens for Hematological Malignancies. <i>Strahlentherapie Und Onkologie</i> , 2009, 185, 17-20.	1.0	31
22	Prognostic Factors of Cervical Lymph Node Metastasis in Head and Neck Squamous Cell Carcinoma. <i>Tumori</i> , 1997, 83, 922-926.	0.6	30
23	Results of hypofractionated stereotactic re-irradiation on 13 locally recurrent nasopharyngeal carcinomas. <i>Radiotherapy and Oncology</i> , 1999, 53, 23-28.	0.3	29
24	Efficacy and Safety of Tadalafil 20mg on Demand vs. Tadalafil 5mg Once-a-Day in the Treatment of Post-Radiotherapy Erectile Dysfunction in Prostate Cancer Men: A Randomized Phase II Trial. <i>Journal of Sexual Medicine</i> , 2010, 7, 2851-2859.	0.3	28
25	Dose to specific subregions of pelvic bone marrow defined with FDG-PET as a predictor of hematologic nadirs during concomitant chemoradiation in anal cancer patients. <i>Medical Oncology</i> , 2016, 33, 72.	1.2	27
26	Hyperthermia alone in the treatment of recurrences of malignant tumors: Experience with 60 lesions. <i>Cancer</i> , 1990, 66, 2191-2195.	2.0	26
27	Comparison of Gafchromic EBT2 and EBT3 for patient-specific quality assurance: Cranial stereotactic radiosurgery using volumetric modulated arc therapy with multiple noncoplanar arcs. <i>Medical Physics</i> , 2013, 40, 082105.	1.6	25
28	Plan optimization for mediastinal radiotherapy: Estimation of coronary arteries motion with ECG-gated cardiac imaging and creation of compensatory expansion margins. <i>Radiotherapy and Oncology</i> , 2018, 127, 481-486.	0.3	25
29	Incorporating 18FDG-PET-defined pelvic active bone marrow in the automatic treatment planning process of anal cancer patients undergoing chemo-radiation. <i>BMC Cancer</i> , 2017, 17, 710.	1.1	20
30	Variability of clinical target volume delineation for rectal cancer patients planned for neoadjuvant radiotherapy with the aid of the platform Anatom-e. <i>Clinical and Translational Radiation Oncology</i> , 2018, 11, 33-39.	0.9	20
31	Changes in breast cancer risk associated with different volumes, doses, and techniques in female Hodgkin lymphoma patients treated with supra-diaphragmatic radiation therapy. <i>Practical Radiation Oncology</i> , 2013, 3, 216-222.	1.1	19
32	Hematologic toxicity in anal cancer patients during combined chemo-radiation: a radiation oncologist perspective. <i>Expert Review of Anticancer Therapy</i> , 2017, 17, 335-345.	1.1	19
33	Postoperative Radiotherapy for Patients With Completely Resected Pathologic N2 Non-Small-Cell Lung Cancer: A Retrospective Analysis. <i>Clinical Lung Cancer</i> , 2013, 14, 194-199.	1.1	18
34	Locally Advanced (T3-T4 or N+) Anal Cancer Treated with Simultaneous Integrated Boost Radiotherapy and Concurrent Chemotherapy. <i>Anticancer Research</i> , 2016, 36, 2027-32.	0.5	18
35	Results of chemotherapy plus external reirradiation in the treatment of locally advanced recurrences of nasopharyngeal carcinoma. <i>European Journal of Cancer Part B, Oral Oncology</i> , 1992, 28, 109-111.	0.9	17
36	Early-stage Node-negative (T1-T2N0) Anal Cancer Treated with Simultaneous Integrated Boost Radiotherapy and Concurrent Chemotherapy. <i>Anticancer Research</i> , 2016, 36, 1943-8.	0.5	15

#	ARTICLE	IF	CITATIONS
37	Absolute and relative dose measurements with Gafchromic [®] EBT film for high energy electron beams with different doses per pulse. <i>Medical Physics</i> , 2008, 35, 5463-5470.	1.6	13
38	No differences in radiological changes after 3D conformal VMAT-based stereotactic radiotherapy for early stage non-small cell lung cancer. <i>British Journal of Radiology</i> , 2017, 90, 20170143.	1.0	13
39	Prostate-specific antigen kinetics after I125-brachytherapy for prostate adenocarcinoma. <i>World Journal of Urology</i> , 2013, 31, 411-415.	1.2	12
40	Salvage External Beam Radiotherapy for Recurrent Prostate Adenocarcinoma after High-Intensity Focused Ultrasound as Primary Treatment. <i>Urologia Internationalis</i> , 2013, 90, 288-293.	0.6	12
41	¹²⁵ I Brachytherapy for Localized Prostate Cancer: A Single Institution Experience. <i>Tumori</i> , 2013, 99, 83-87.	0.6	11
42	Induction Chemotherapy and Sequential Concomitant Chemo-radiation in Locally Advanced Head and Neck Cancers: How Induction-phase Intensity and Treatment Breaks May Impact on Clinical Outcomes. <i>Anticancer Research</i> , 2015, 35, 6247-54.	0.5	11
43	Scleromyxedema: treatment of widespread cutaneous involvement by total skin electron-beam therapy. <i>International Journal of Dermatology</i> , 2007, 46, 864-867.	0.5	10
44	Stereotactic Body Radiation Therapy for Early Non-Small Cell Lung Cancer: Experience at the University of Turin. <i>Journal of Thoracic Oncology</i> , 2007, 2, S47.	0.5	9
45	May non-metastatic clinically localized castration-resistant prostate cancer after primary androgen ablation benefit from salvage prostate radiotherapy?. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013, 139, 1955-1960.	1.2	9
46	Survival in patients with recurrent squamous cell head and neck carcinoma treated with bio-chemotherapy. <i>Head and Neck</i> , 2001, 23, 298-304.	0.9	8
47	Evaluation of various approaches for assessing dose indicators and patient organ doses resulting from radiotherapy cone-beam CT. <i>Medical Physics</i> , 2016, 43, 2515-2526.	1.6	8
48	Dose to Pelvic Bone Marrow Defined with FDG-PET Predicts for Hematologic Nadirs in Anal Cancer Patients Treated with Concurrent Chemo-radiation. <i>Cancer Investigation</i> , 2018, 36, 279-288.	0.6	8
49	Evaluation of dose recalculation vs dose deformation in a commercial platform for deformable image registration with a computational phantom. <i>Medical Dosimetry</i> , 2018, 43, 82-90.	0.4	7
50	Volumetric modulated arc therapy (VMAT) in the treatment of esophageal cancer patients. <i>Medical Oncology</i> , 2018, 35, 150.	1.2	7
51	Small field correction factors determination for several active detectors using a Monte Carlo method in the Elekta Axesse linac equipped with circular cones. <i>Physics in Medicine and Biology</i> , 2019, 64, 11NT01.	1.6	7
52	Radiotherapy after surgery for advanced adenoid cystic carcinoma of paranasal sinus. <i>Lancet Oncology</i> , The, 2005, 6, 994-996.	5.1	4
53	Stereotactic ablative radiotherapy in the treatment of hepatocellular carcinoma >3Åcm. <i>Medical Oncology</i> , 2016, 33, 104.	1.2	4
54	Microvessel count is predictive of patients' survival in laryngeal squamous-cell carcinoma. , 1996, 69, 426-427.		3

#	ARTICLE	IF	CITATIONS
55	Radical radiotherapy in high-risk prostate cancer patients with high or ultra-high initial PSA levels: a single institution analysis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013, 139, 1141-1147.	1.2	3
56	Dose prescription in SBRT for early-stage non-small cell lung cancer: are we all speaking the same language?. <i>Tumori</i> , 2021, 107, 030089162092942.	0.6	3
57	Surgery or Radiotherapy for Early Stages Carcinomas of the Glottic Larynx. <i>Tumori</i> , 1999, 85, 188-193.	0.6	2