

# Raman Bekarevich

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5093369/publications.pdf>

Version: 2024-02-01

21  
papers

269  
citations

1478505

6  
h-index

940533

16  
g-index

21  
all docs

21  
docs citations

21  
times ranked

470  
citing authors

#	ARTICLE	IF	CITATIONS
1	Polymer-Stabilized Elemental Boron Nanoparticles for Boron Neutron Capture Therapy: Initial Irradiation Experiments. <i>Pharmaceutics</i> , 2022, 14, 761.	4.5	11
2	Effect of the alloying elements in TiN sublayer on the structure and mechanical properties of carbon coatings. <i>Thin Solid Films</i> , 2022, 755, 139324.	1.8	4
3	Concerted influence of microstructure and adsorbed water on lithium-ion conduction of Li <sub>1.3</sub> Al <sub>0.3</sub> Ti <sub>1.7</sub> (PO <sub>4</sub> ) <sub>3</sub> . <i>Journal of Power Sources</i> , 2021, 511, 230422.	7.8	3
4	Conversion Reaction in the Binder-Free Anode for Fast-Charging Li-Ion Batteries Based on WO <sub>3</sub> Nanorods. <i>ACS Applied Energy Materials</i> , 2020, 3, 6700-6708.	5.1	20
5	Accurate determination of strains at layered materials by selected area electron diffraction mapping. <i>Japanese Journal of Applied Physics</i> , 2019, 58, S11A03.	1.5	1
6	Highly efficient photocatalytic conversion of solar energy to hydrogen by WO <sub>3</sub> /BiVO <sub>4</sub> core-shell heterojunction nanorods. <i>Applied Nanoscience (Switzerland)</i> , 2019, 9, 1017-1024.	3.1	24
7	Novel electron microscopy method for accurate measurements of the lattice constant changes in layered structures. <i>Journal of Surface Analysis (Online)</i> , 2019, 26, 190-191.	0.1	0
8	Two-dimensional Gaussian fitting for precise measurement of lattice constant deviation from a selected-area diffraction map. <i>Microscopy (Oxford, England)</i> , 2018, 67, i142-i149.	1.5	6
9	Carrier Transfer in Closely Stacked GaAs/AlGaAs Quantum Dots Grown by Using Droplet Epitaxy. <i>Journal of the Korean Physical Society</i> , 2018, 72, 1356-1363.	0.7	0
10	Coalescence of Metal Nanoparticles as the Origin of Nanocapillary Forces in Carbon Nanotubes. <i>Journal of Physical Chemistry C</i> , 2017, 121, 9606-9611.	3.1	1
11	Influence of strain on local structure and lithium ionic conduction in garnet-type solid electrolyte. <i>Journal of Power Sources</i> , 2017, 368, 97-106.	7.8	31
12	Grain boundary modification to suppress lithium penetration through garnet-type solid electrolyte. <i>Journal of Power Sources</i> , 2017, 363, 145-152.	7.8	129
13	Key factors limiting carbon nanotube strength: Structural characterization and mechanical properties of multi-walled carbon nanotubes. <i>Mechanical Engineering Journal</i> , 2017, 4, 17-00029-17-00029.	0.4	15
14	Effects of structural defects on strength and fracture properties of multi-walled carbon nanotubes. <i>Transactions of the JSME (in Japanese)</i> , 2017, 83, 16-00283-16-00283.	0.2	4
15	Refilling of carbon nanotube cartridges for 3D nanomanufacturing. <i>Nanoscale</i> , 2016, 8, 7217-7223.	5.6	4
16	Mass spectrometric study of ammonia/methane surface-wave plasma applied to low-temperature growth of carbon nanomaterials. <i>Journal Physics D: Applied Physics</i> , 2015, 48, 045201.	2.8	3
17	The Effect of Substrate on the Low-Temperature Carbon Nanomaterials Growth by Microwave Excited Surface-wave Plasma Chemical Vapor Deposition. <i>Journal of Physics: Conference Series</i> , 2013, 417, 012042.	0.4	2
18	Low Temperature Growth of Carbon Nanomaterials on the Polymer Substrate Using Ion Assisted Microwave Plasma CVD. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2012, 25, 545-549.	0.3	6

#	ARTICLE	IF	CITATIONS
19	Low-temperature Plasma Processing of Micro- and Nanostructured Materials for Biomedical Applications. Materials Research Society Symposia Proceedings, 2012, 1469, 31.	0.1	1
20	The Features of Synthesis, Structure and Mechanical Properties of Alloyed Diamond-Like Coatings. Physics Procedia, 2012, 32, 561-565.	1.2	2
21	Low Temperature Growth of Carbon Nanomaterials on the Polymer Substrates by Microwave Plasma Technique. Transactions of the Materials Research Society of Japan, 2012, 37, 157-160.	0.2	2