## Kei M Igarashi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5093471/publications.pdf Version: 2024-02-01



KEI M ICADASHI

#	Article	IF	CITATIONS
1	Dopamine facilitates associative memory encoding in the entorhinal cortex. Nature, 2021, 598, 321-326.	27.8	53
2	Protocol for remapping of place cells in disease mouse models. STAR Protocols, 2021, 2, 100759.	1.2	1
3	Disrupted Place Cell Remapping and Impaired Grid Cells in a Knockin Model of Alzheimer's Disease. Neuron, 2020, 107, 1095-1112.e6.	8.1	82
4	Gamma oscillations in the entorhinal-hippocampal circuit underlying memory and dementia. Neuroscience Research, 2018, 129, 40-46.	1.9	31
5	Parallel odor processing by mitral and middle tufted cells in the olfactory bulb. Scientific Reports, 2018, 8, 7625.	3.3	24
6	Impaired In Vivo Gamma Oscillations in the Medial Entorhinal Cortex of Knock-in Alzheimer Model. Frontiers in Systems Neuroscience, 2017, 11, 48.	2.5	52
7	Functional optical coherence tomography of rat olfactory bulb with periodic odor stimulation. Biomedical Optics Express, 2016, 7, 841.	2.9	5
8	The entorhinal map of space. Brain Research, 2016, 1637, 177-187.	2.2	21
9	Topography of Place Maps along the CA3-to-CA2 Axis of the Hippocampus. Neuron, 2015, 87, 1078-1092.	8.1	117
10	Plasticity in oscillatory coupling between hippocampus and cortex. Current Opinion in Neurobiology, 2015, 35, 163-168.	4.2	36
11	Coordination of entorhinal–hippocampal ensemble activity during associative learning. Nature, 2014, 510, 143-147.	27.8	338
12	Functional diversity along the transverse axis of hippocampal area CA1. FEBS Letters, 2014, 588, 2470-2476.	2.8	74
13	Parallel Tufted Cell and Mitral Cell Pathways from the Olfactory Bulb to the Olfactory Cortex. , 2014, , 133-160.		8
14	Parallel Mitral and Tufted Cell Pathways Route Distinct Odor Information to Different Targets in the Olfactory Cortex. Journal of Neuroscience, 2012, 32, 7970-7985.	3.6	315
15	In vivo layer visualization of rat olfactory bulb by a swept source optical coherence tomography and its confirmation through electrocoagulation and anatomy. Biomedical Optics Express, 2011, 2, 2279.	2.9	19
16	Swept source optical coherence tomography as a tool for real time visualization and localization of electrodes used in electrophysiological studies of brain in vivo. Biomedical Optics Express, 2011, 2, 3129.	2.9	17
17	Genetic visualization and neural activity imaging of the secondary olfactory pathway in Tbx21 transgenic mice. Neuroscience Research, 2011, 71, e153.	1.9	0
18	Two highly homologous mouse odorant receptors encoded by tandemly-linked MOR29A and MOR29B genes respond differently to phenyl ethers. European Journal of Neuroscience, 2011, 33, 205-213.	2.6	17

Kei M Igarashi

#	Article	IF	CITATIONS
19	Differential Axonal Projection of Mitral and Tufted Cells in the Mouse Main Olfactory System. Frontiers in Neural Circuits, 2010, 4, .	2.8	147
20	Dendrodendritic Synapses and Functional Compartmentalization in the Olfactory Bulb. Annals of the New York Academy of Sciences, 2009, 1170, 255-258.	3.8	6
21	Maps of Odorant Molecular Features in the Mammalian Olfactory Bulb. Physiological Reviews, 2006, 86, 409-433.	28.8	345
22	Spatial Representation of Hydrocarbon Odorants in the Ventrolateral Zones of the Rat Olfactory Bulb. Journal of Neurophysiology, 2005, 93, 1007-1019.	1.8	50
23	Odor maps in the dorsal and lateral surfaces of the rat olfactory bulb. Chemical Senses, 2005, 30, i103-i104.	2.0	6