

# Kotaro Ozasa

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5094405/kotaro-ozasa-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

183  
papers

7,202  
citations

40  
h-index

79  
g-index

206  
ext. papers

8,420  
ext. citations

4.2  
avg, IF

5.69  
L-index

#	Paper	IF	Citations
183	Gastric cancer and Helicobacter pylori: a combined analysis of 12 case control studies nested within prospective cohorts. <i>Gut</i> , <b>2001</b> , 49, 347-53	19.2	747
182	Studies of the mortality of atomic bomb survivors, Report 14, 1950-2003: an overview of cancer and noncancer diseases. <i>Radiation Research</i> , <b>2012</b> , 177, 229-43	3.1	561
181	Prospective cohort study of the risk of prostate cancer among rotating-shift workers: findings from the Japan collaborative cohort study. <i>American Journal of Epidemiology</i> , <b>2006</b> , 164, 549-55	3.8	291
180	Study protocol for the Fukushima Health Management Survey. <i>Journal of Epidemiology</i> , <b>2012</b> , 22, 375-83	3.4	280
179	The incidence of leukemia, lymphoma and multiple myeloma among atomic bomb survivors: 1950-2001. <i>Radiation Research</i> , <b>2013</b> , 179, 361-82	3.1	247
178	Systematic review and meta-analysis of circulatory disease from exposure to low-level ionizing radiation and estimates of potential population mortality risks. <i>Environmental Health Perspectives</i> , <b>2012</b> , 120, 1503-11	8.4	215
177	Solid Cancer Incidence among the Life Span Study of Atomic Bomb Survivors: 1958-2009. <i>Radiation Research</i> , <b>2017</b> , 187, 513-537	3.1	205
176	Association between body mass index and cardiovascular disease mortality in east Asians and south Asians: pooled analysis of prospective data from the Asia Cohort Consortium. <i>BMJ, The</i> , <b>2013</b> , 347, f5446	5.9	188
175	Long-term effects of radiation exposure on health. <i>Lancet, The</i> , <b>2015</b> , 386, 469-78	40	174
174	Long-term trend of thyroid cancer risk among Japanese atomic-bomb survivors: 60 years after exposure. <i>International Journal of Cancer</i> , <b>2013</b> , 132, 1222-6	7.5	133
173	Association of Body Mass Index and Age With Subsequent Breast Cancer Risk in Premenopausal Women. <i>JAMA Oncology</i> , <b>2018</b> , 4, e181771	13.4	129
172	Serum phytoestrogens and prostate cancer risk in a nested case-control study among Japanese men. <i>Cancer Science</i> , <b>2004</b> , 95, 65-71	6.9	126
171	Reproducibility and validity of a self-administered food frequency questionnaire used in the JACC study. <i>Journal of Epidemiology</i> , <b>2005</b> , 15 Suppl 1, S9-23	3.4	117
170	Factory outbreak of Escherichia coli O157:H7 infection in Japan. <i>Emerging Infectious Diseases</i> , <b>1999</b> , 5, 424-8	10.2	101
169	Cohort profile of the Japan Collaborative Cohort Study at final follow-up. <i>Journal of Epidemiology</i> , <b>2013</b> , 23, 227-32	3.4	95
168	Helicobacter pylori infection and gastric cancer. A nested case-control study in a rural area of Japan. <i>Digestive Diseases and Sciences</i> , <b>1997</b> , 42, 1383-7	4	89
167	Leptin is associated with an increased female colorectal cancer risk: a nested case-control study in Japan. <i>Oncology</i> , <b>2005</b> , 68, 454-61	3.6	87

166	A Meta-analysis of Individual Participant Data Reveals an Association between Circulating Levels of IGF-I and Prostate Cancer Risk. <i>Cancer Research</i> , <b>2016</b> , 76, 2288-2300	10.1	85
165	Meat intake and cause-specific mortality: a pooled analysis of Asian prospective cohort studies. <i>American Journal of Clinical Nutrition</i> , <b>2013</b> , 98, 1032-41	7	83
164	Radiation and smoking effects on lung cancer incidence among atomic bomb survivors. <i>Radiation Research</i> , <b>2010</b> , 174, 72-82	3.1	79
163	Profile of participants and genotype distributions of 108 polymorphisms in a cross-sectional study of associations of genotypes with lifestyle and clinical factors: a project in the Japan Multi-Institutional Collaborative Cohort (J-MICC) Study. <i>Journal of Epidemiology</i> , <b>2011</b> , 21, 223-35	3.4	77
162	Prescreening of a high-risk group for gastric cancer by serologically determined Helicobacter pylori infection and atrophic gastritis. <i>Digestive Diseases and Sciences</i> , <b>2010</b> , 55, 3132-7	4	77
161	Burden of total and cause-specific mortality related to tobacco smoking among adults aged ≥45 years in Asia: a pooled analysis of 21 cohorts. <i>PLoS Medicine</i> , <b>2014</b> , 11, e1001631	11.6	76
160	Impact of smoking on mortality and life expectancy in Japanese smokers: a prospective cohort study. <i>BMJ, The</i> , <b>2012</b> , 345, e7093	5.9	76
159	The Fukushima Health Management Survey: estimation of external doses to residents in Fukushima Prefecture. <i>Scientific Reports</i> , <b>2015</b> , 5, 12712	4.9	73
158	Dietary fiber and risk of colorectal cancer in the Japan collaborative cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2007</b> , 16, 668-75	4	61
157	Dietary habits and risk of lung cancer death in a large-scale cohort study (JACC Study) in Japan by sex and smoking habit. <i>Japanese Journal of Cancer Research</i> , <b>2001</b> , 92, 1259-69		53
156	Lung, Laryngeal and Other Respiratory Cancer Incidence among Japanese Atomic Bomb Survivors: An Updated Analysis from 1958 through 2009. <i>Radiation Research</i> , <b>2017</b> , 187, 538-548	3.1	52
155	Attributable and absolute risk of lung cancer death by smoking status: findings from the Japan Collaborative Cohort Study. <i>International Journal of Cancer</i> , <b>2003</b> , 105, 249-54	7.5	52
154	DS02R1: Improvements to Atomic Bomb Survivors Input Data and Implementation of Dosimetry System 2002 (DS02) and Resulting Changes in Estimated Doses. <i>Health Physics</i> , <b>2017</b> , 112, 56-97	2.3	50
153	Effect of Evacuation on Body Weight After the Great East Japan Earthquake. <i>American Journal of Preventive Medicine</i> , <b>2016</b> , 50, 553-560	6.1	48
152	Serum carotenoids and mortality from lung cancer: a case-control study nested in the Japan Collaborative Cohort (JACC) study. <i>Cancer Science</i> , <b>2003</b> , 94, 57-63	6.9	48
151	Evaluation of factors associated with elevated levels of platelet-derived microparticles in the acute phase of cerebral infarction. <i>Clinical and Applied Thrombosis/Hemostasis</i> , <b>2010</b> , 16, 26-32	3.3	46
150	Colorectal cancer and serum C-reactive protein levels: a case-control study nested in the JACC Study. <i>Journal of Epidemiology</i> , <b>2005</b> , 15 Suppl 2, S185-9	3.4	46
149	Incidence of Breast Cancer in the Life Span Study of Atomic Bomb Survivors: 1958-2009. <i>Radiation Research</i> , <b>2018</b> , 190, 433-444	3.1	44

148	Evacuation and Risk of Hypertension After the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>Hypertension</i> , <b>2016</b> , 68, 558-64	8.5	44
147	Predictive factors for progressive motor deficits in penetrating artery infarctions in two different arterial territories. <i>Journal of the Neurological Sciences</i> , <b>2010</b> , 288, 170-4	3.2	43
146	Evacuation after the Fukushima Daiichi Nuclear Power Plant Accident Is a Cause of Diabetes: Results from the Fukushima Health Management Survey. <i>Journal of Diabetes Research</i> , <b>2015</b> , 2015, 627390	3.9	42
145	Serum heat shock protein 70 levels and lung cancer risk: a case-control study nested in a large cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2006</b> , 15, 1733-7	4	42
144	Radiation and smoking effects on lung cancer incidence by histological types among atomic bomb survivors. <i>Radiation Research</i> , <b>2012</b> , 178, 191-201	3.1	40
143	Diabetes mellitus and kidney cancer risk: the results of Japan Collaborative Cohort Study for Evaluation of Cancer Risk (JACC Study). <i>International Journal of Urology</i> , <b>2007</b> , 14, 393-7	2.3	38
142	Associations of body mass index, smoking, and alcohol consumption with prostate cancer mortality in the Asia Cohort Consortium. <i>American Journal of Epidemiology</i> , <b>2015</b> , 182, 381-9	3.8	37
141	Lung cancer mortality and serum levels of carotenoids, retinol, tocopherols, and folic acid in men and women: a case-control study nested in the JACC Study. <i>Journal of Epidemiology</i> , <b>2005</b> , 15 Suppl 2, S140-9	3.4	37
140	Risk of death among children of atomic bomb survivors after 62 years of follow-up: a cohort study. <i>Lancet Oncology</i> , <b>2015</b> , 16, 1316-23	21.7	36
139	Low Free Testosterone and Prostate Cancer Risk: A Collaborative Analysis of 20 Prospective Studies. <i>European Urology</i> , <b>2018</b> , 74, 585-594	10.2	36
138	Heart Disease Mortality in the Life Span Study, 1950-2008. <i>Radiation Research</i> , <b>2017</b> , 187, 319-332	3.1	35
137	Increased prevalence of atrial fibrillation after the Great East Japan Earthquake: Results from the Fukushima Health Management Survey. <i>International Journal of Cardiology</i> , <b>2015</b> , 198, 102-5	3.2	35
136	A prospective follow-up study of the association of radiation exposure with fatal and non-fatal stroke among atomic bomb survivors in Hiroshima and Nagasaki (1980-2003). <i>BMJ Open</i> , <b>2012</b> , 2, e000634	3.4	35
135	Unique place of Kampo (Japanese traditional medicine) in complementary and alternative medicine: a survey of doctors belonging to the regional medical association in Japan. <i>Tohoku Journal of Experimental Medicine</i> , <b>2001</b> , 194, 55-63	2.4	35
134	Japanese Legacy Cohorts: The Life Span Study Atomic Bomb Survivor Cohort and SurvivorsP Offspring. <i>Journal of Epidemiology</i> , <b>2018</b> , 28, 162-169	3.4	35
133	Risk factors for kidney cancer in a Japanese population: findings from the JACC Study. <i>Journal of Epidemiology</i> , <b>2005</b> , 15 Suppl 2, S203-11	3.4	34
132	Various S-GOT/S-GPT ratios in nonviral liver disorders and related physical conditions and life-style. <i>Digestive Diseases and Sciences</i> , <b>2002</b> , 47, 549-55	4	33
131	Skin cancer incidence among atomic bomb survivors from 1958 to 1996. <i>Radiation Research</i> , <b>2014</b> , 181, 531-9	3.1	32

130	Prevalence and mortality of ulcerative colitis and Crohn's disease in Japan. <i>Gastroenterologia Japonica</i> , <b>1988</b> , 23, 521-6		32
129	Epidemiological studies of atomic bomb radiation at the Radiation Effects Research Foundation. <i>International Journal of Radiation Biology</i> , <b>2019</b> , 95, 879-891	2.9	31
128	Association of serum phytoestrogen concentration and dietary habits in a sample set of the JACC Study. <i>Journal of Epidemiology</i> , <b>2005</b> , 15 Suppl 2, S196-202	3.4	31
127	Dietary habits and risk of urothelial cancer incidence in the JACC Study. <i>Journal of Epidemiology</i> , <b>2005</b> , 15 Suppl 2, S190-5	3.4	30
126	Influence of Post-disaster Evacuation on Incidence of Metabolic Syndrome. <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2017</b> , 24, 327-337	4	29
125	Japanese doctors' attitudes to complementary medicine. <i>Lancet, The</i> , <b>1999</b> , 354, 1735-6	4.0	29
124	Characteristics of 5015 Salivary Gland Neoplasms Registered in the Hiroshima Tumor Tissue Registry over a Period of 39 Years. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	28
123	High contribution contrast between the genes of eosinophil peroxidase and IL-4 receptor alpha-chain in Japanese cedar pollinosis. <i>Journal of Allergy and Clinical Immunology</i> , <b>2003</b> , 112, 1127-31	11.5	28
122	Long-term follow-up of atomic bomb survivors. <i>Maturitas</i> , <b>2012</b> , 72, 99-103	5	26
121	Radiation risk of individual multifactorial diseases in offspring of the atomic-bomb survivors: a clinical health study. <i>Journal of Radiological Protection</i> , <b>2013</b> , 33, 281-93	1.2	26
120	Life as an evacuee after the Fukushima Daiichi nuclear power plant accident is a cause of polycythemia: the Fukushima Health Management Survey. <i>BMC Public Health</i> , <b>2014</b> , 14, 1318	4.1	25
119	<i>Helicobacter pylori</i> infection and atrophic gastritis: a nested case-control study in a rural town in Japan. <i>Digestive Diseases and Sciences</i> , <b>1999</b> , 44, 253-6	4	25
118	Cardiovascular disease among atomic bomb survivors. <i>International Journal of Radiation Biology</i> , <b>2017</b> , 93, 1145-1150	2.9	24
117	Serum carotenoids, retinol, and tocopherols, and colorectal cancer risk in a Japanese cohort: effect modification by sex for carotenoids. <i>Nutrition and Cancer</i> , <b>2005</b> , 51, 13-24	2.8	24
116	Decrease in risk of lung cancer death in males after smoking cessation by age at quitting: findings from the JACC study. <i>Japanese Journal of Cancer Research</i> , <b>2001</b> , 92, 821-8		24
115	Epidemiological research on radiation-induced cancer in atomic bomb survivors. <i>Journal of Radiation Research</i> , <b>2016</b> , 57 Suppl 1, i112-i117	2.4	23
114	Inverse associations between serum concentrations of zeaxanthin and other carotenoids and colorectal neoplasm in Japanese. <i>International Journal of Clinical Oncology</i> , <b>2014</b> , 19, 87-97	4.2	23
113	Prevalence of Japanese cedar pollinosis among schoolchildren in Japan. <i>International Archives of Allergy and Immunology</i> , <b>2002</b> , 128, 165-7	3.7	23

112	Helicobacter pylori infection and atrophic gastritis. A case-control study in a rural town of Japan. <i>Journal of Clinical Gastroenterology</i> , <b>1997</b> , 25, 391-4	3	23
111	Drinking Behavior and Mental Illness Among Evacuees in Fukushima Following the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2016</b> , 40, 623-30	3.7	23
110	The effect of misclassification on evaluating the effectiveness of influenza vaccines. <i>Vaccine</i> , <b>2008</b> , 26, 6462-5	4.1	22
109	A 13-year study of Japanese cedar pollinosis in Japanese schoolchildren. <i>Allergology International</i> , <b>2008</b> , 57, 175-80	4.4	21
108	Long-term effects of the rain exposure shortly after the atomic bombings in Hiroshima and Nagasaki. <i>Radiation Research</i> , <b>2014</b> , 182, 599-606	3.1	20
107	Association of body mass index and risk of death from pancreas cancer in Asians: findings from the Asia Cohort Consortium. <i>European Journal of Cancer Prevention</i> , <b>2013</b> , 22, 244-50	2	20
106	Factors associated with influenza vaccination status of residents of a rural community in Japan. <i>BMC Public Health</i> , <b>2011</b> , 11, 149	4.1	20
105	Changes in Attitudes of Japanese Doctors toward Complementary and Alternative Medicine-Comparison of Surveys in 1999 and 2005 in Kyoto. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2011</b> , 2011, 608921	2.3	20
104	Reduced life expectancy due to smoking in large-scale cohort studies in Japan. <i>Journal of Epidemiology</i> , <b>2008</b> , 18, 111-8	3.4	20
103	Cigarette smoking and other risk factors for kidney cancer death in a Japanese population: Japan Collaborative Cohort Study for evaluation of cancer risk (JACC study). <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2014</b> , 14, 6523-8	1.7	20
102	Risk factors for multiple myeloma: evidence from the Japan Collaborative Cohort (JACC) study. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2006</b> , 7, 575-81	1.7	20
101	Effects of radiation and lifestyle factors on risks of urothelial carcinoma in the Life Span Study of atomic bomb survivors. <i>Radiation Research</i> , <b>2012</b> , 178, 86-98	3.1	19
100	Risk of cancer and non-cancer diseases in the atomic bomb survivors. <i>Radiation Protection Dosimetry</i> , <b>2011</b> , 146, 272-5	0.9	19
99	Impact of smoking and other lifestyle factors on life expectancy among Japanese: findings from the Japan Collaborative Cohort (JACC) Study. <i>Journal of Epidemiology</i> , <b>2010</b> , 20, 370-6	3.4	19
98	Angiotensinogen gene polymorphism as a risk factor for ischemic stroke. <i>Journal of Clinical Neuroscience</i> , <b>2007</b> , 14, 943-7	2.2	19
97	Updated information on risk factors for lung cancer: findings from the JACC Study. <i>Journal of Epidemiology</i> , <b>2005</b> , 15 Suppl 2, S134-9	3.4	19
96	Hypo-high-density Lipoprotein Cholesterolemia Caused by Evacuation after the Fukushima Daiichi Nuclear Power Plant Accident: Results from the Fukushima Health Management Survey. <i>Internal Medicine</i> , <b>2016</b> , 55, 1967-76	1.1	19
95	Radiation exposure and the risk of mortality from noncancer respiratory diseases in the life span study, 1950-2005. <i>Radiation Research</i> , <b>2013</b> , 180, 539-45	3.1	18

94	Alcohol consumption and lung cancer mortality in Japanese men: results from Japan collaborative cohort (JACC) study. <i>Journal of Epidemiology</i> , <b>2006</b> , 16, 49-56	3.4	18
93	Risk factors for renal cell carcinoma in a Japanese population. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2014</b> , 15, 9065-70	1.7	18
92	Radiation Risks of Uterine Cancer in Atomic Bomb Survivors: 1958-2009. <i>JNCI Cancer Spectrum</i> , <b>2018</b> , 2, pky081	4.6	18
91	The impact of evacuation on the incidence of chronic kidney disease after the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>Clinical and Experimental Nephrology</i> , <b>2017</b> , 21, 995-1002	2.5	17
90	The Premenopausal Breast Cancer Collaboration: A Pooling Project of Studies Participating in the National Cancer Institute Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2017</b> , 26, 1360-1369	4	16
89	A prospective study of reproductive and menstrual factors and colon cancer risk in Japanese women: findings from the JACC study. <i>Cancer Science</i> , <b>2004</b> , 95, 602-7	6.9	16
88	Lifetime Mortality Risk from Cancer and Circulatory Disease Predicted from the Japanese Atomic Bomb Survivor Life Span Study Data Taking Account of Dose Measurement Error. <i>Radiation Research</i> , <b>2020</b> , 194, 259-276	3.1	16
87	Effect of evacuation on liver function after the Fukushima Daiichi Nuclear Power Plant accident: The Fukushima Health Management Survey. <i>Journal of Epidemiology</i> , <b>2017</b> , 27, 180-185	3.4	15
86	Radiation-Related Risk of Cancers of the Upper Digestive Tract among Japanese Atomic Bomb Survivors. <i>Radiation Research</i> , <b>2019</b> , 192, 331-344	3.1	15
85	Alcohol use and mortality in the Japan Collaborative Cohort Study for Evaluation of Cancer (JACC). <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2007</b> , 8 Suppl, 81-8	1.7	15
84	Radiation risk of central nervous system tumors in the Life Span Study of atomic bomb survivors, 1958-2009. <i>European Journal of Epidemiology</i> , <b>2020</b> , 35, 591-600	12.1	14
83	Low vitamin and carotenoid levels are related to cerebral white matter lesions. <i>Journal of Nutrition, Health and Aging</i> , <b>2013</b> , 17, 456-60	5.2	14
82	The basic data for residents aged 16 years or older who received a comprehensive health check examinations in 2011-2012 as a part of the Fukushima Health Management Survey after the great East Japan earthquake. <i>Fukushima Journal of Medical Sciences</i> , <b>2014</b> , 60, 159-69	0.9	14
81	Radiation risk of incident colorectal cancer by anatomical site among atomic bomb survivors: 1958-2009. <i>International Journal of Cancer</i> , <b>2020</b> , 146, 635-645	7.5	14
80	Age-period-cohort analysis of chronic obstructive pulmonary disease mortality in Japan, 1950-2004. <i>Journal of Epidemiology</i> , <b>2012</b> , 22, 302-7	3.4	13
79	Dietary habits and risk of urothelial cancer death in a large-scale cohort study (JACC Study) in Japan. <i>Nutrition and Cancer</i> , <b>2004</b> , 50, 33-9	2.8	13
78	Validity of sonographic screening for the detection of abdominal cancers. <i>Journal of Clinical Ultrasound</i> , <b>2002</b> , 30, 408-15	1	13
77	Characteristics of Benign and Malignant Bone Tumors Registered in the Hiroshima Tumor Tissue Registry, 1973-2012. <i>JBJs Open Access</i> , <b>2018</b> , 3, e0064	3.1	13

76	Circulating isoflavone and lignan concentrations and prostate cancer risk: a meta-analysis of individual participant data from seven prospective studies including 2,828 cases and 5,593 controls. <i>International Journal of Cancer</i> , <b>2018</b> , 143, 2677-2686	7.5	13
75	Radiation and Risk of Liver, Biliary Tract, and Pancreatic Cancers among Atomic Bomb Survivors in Hiroshima and Nagasaki: 1958-2009. <i>Radiation Research</i> , <b>2019</b> , 192, 299-310	3.1	12
74	White blood cell, neutrophil, and lymphocyte counts in individuals in the evacuation zone designated by the government after the Fukushima Daiichi Nuclear Power Plant accident: the Fukushima Health Management Survey. <i>Journal of Epidemiology</i> , <b>2015</b> , 25, 80-7	3.4	12
73	Prostate cancer risk in relation to insulin-like growth factor (IGF)-I and IGF-binding protein-3: A nested case-control study in large scale cohort study in Japan. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2009</b> , 10 Suppl, 57-61	1.7	12
72	Representativeness of individual external doses estimated for one quarter of residents in the Fukushima Prefecture after the nuclear disaster: the Fukushima Health Management Survey. <i>Journal of Radiological Protection</i> , <b>2017</b> , 37, 584-605	1.2	11
71	Individual response of humans to ionising radiation: governing factors and importance for radiological protection. <i>Radiation and Environmental Biophysics</i> , <b>2020</b> , 59, 185-209	2	11
70	Effect of radiation on age at menopause among atomic bomb survivors. <i>Radiation Research</i> , <b>2011</b> , 176, 787-95	3.1	11
69	Lung cancer mortality and body mass index in a Japanese cohort: findings from the Japan Collaborative Cohort Study (JACC Study). <i>Cancer Causes and Control</i> , <b>2007</b> , 18, 229-34	2.8	11
68	Smoking and mortality in the Japan Collaborative Cohort Study for Evaluation of Cancer (JACC). <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2007</b> , 8 Suppl, 89-96	1.7	11
67	Atopic dermatitis, dry skin and serum IgE in children in a community in japan. <i>International Archives of Allergy and Immunology</i> , <b>2009</b> , 149, 103-10	3.7	10
66	Predictive markers of blood cytokine and chemokine in recurrent brain infarction. <i>Journal of Interferon and Cytokine Research</i> , <b>2009</b> , 29, 729-34	3.5	10
65	Estimation of premature mortality from oral cancer in Japan, 1995 and 2005. <i>Cancer Epidemiology</i> , <b>2011</b> , 35, 342-4	2.8	10
64	Serum carotenoids and other antioxidative substances associated with urothelial cancer risk in a nested case-control study in Japanese men. <i>Journal of Urology</i> , <b>2005</b> , 173, 1502-6	2.5	10
63	Mortality among individuals exposed to atomic bomb radiation in utero: 1950-2012. <i>European Journal of Epidemiology</i> , <b>2021</b> , 36, 415-428	12.1	10
62	Cognitive effects of low dose of ionizing radiation - Lessons learned and research gaps from epidemiological and biological studies. <i>Environment International</i> , <b>2021</b> , 147, 106295	12.9	10
61	The associations of anthropometric, behavioural and sociodemographic factors with circulating concentrations of IGF-I, IGF-II, IGFBP-1, IGFBP-2 and IGFBP-3 in a pooled analysis of 16,024 men from 22 studies. <i>International Journal of Cancer</i> , <b>2019</b> , 145, 3244-3256	7.5	9
60	Genotypes and haplotypes of CCR2 and CCR3 genes in Japanese cedar pollinosis. <i>International Archives of Allergy and Immunology</i> , <b>2007</b> , 142, 329-34	3.7	9
59	An influential factor for external radiation dose estimation for residents after the Fukushima Daiichi Nuclear Power Plant accident-time spent outdoors for residents in Iitate Village. <i>Journal of Radiological Protection</i> , <b>2016</b> , 36, 255-68	1.2	9



58	Sleep duration and risk of breast cancer: The JACC Study. <i>Breast Cancer Research and Treatment</i> , <b>2019</b> , 174, 219-225	4.4	9
57	Adult weight change and premenopausal breast cancer risk: A prospective pooled analysis of data from 628,463 women. <i>International Journal of Cancer</i> , <b>2020</b> , 147, 1306-1314	7.5	8
56	Comment on "dose-responses from multi-model inference for the non-cancer disease mortality of atomic bomb survivors" (Radiat. Environ. Biophys (2012) 51:165-178) by SchInberger et al. <i>Radiation and Environmental Biophysics</i> , <b>2013</b> , 52, 157-9	2	8
55	Mortality Analysis of the Life Span Study (LSS) Cohort Taking into Account Multiple Causes of Death Indicated in Death Certificates. <i>Radiation Research</i> , <b>2017</b> , 187, 20-31	3.1	8
54	How lifestyle affects health--changes in health status before and after the earthquake. <i>Fukushima Journal of Medical Sciences</i> , <b>2014</b> , 60, 211-2	0.9	8
53	Disability-adjusted life years (DALY) for cancer in Japan in 2000. <i>Journal of Epidemiology</i> , <b>2011</b> , 21, 309-134	3.4	8
52	Association of single nucleotide polymorphisms in the eosinophil peroxidase gene with Japanese cedar pollinosis. <i>International Archives of Allergy and Immunology</i> , <b>2004</b> , 135, 40-3	3.7	8
51	Mortality in the JACC study till 1999. <i>Journal of Epidemiology</i> , <b>2005</b> , 15 Suppl 1, S74-9	3.4	8
50	Tuberculous spondylitis (Pott's disease) with bilateral pleural effusion. <i>Internal Medicine</i> , <b>1996</b> , 35, 883-51.1	5.1	8
49	Effect of Heterogeneity in Background Incidence on Inference about the Solid-Cancer Radiation Dose Response in Atomic Bomb Survivors. <i>Radiation Research</i> , <b>2019</b> , 192, 388-398	3.1	8
48	Congenital Malformations and Perinatal Deaths Among the Children of Atomic Bomb Survivors: A Reappraisal. <i>American Journal of Epidemiology</i> , <b>2021</b> , 190, 2323-2333	3.8	8
47	Prevalence of Renal Dysfunction among Evacuees and Non-evacuees after the Great East Earthquake: Results from the Fukushima Health Management Survey. <i>Internal Medicine</i> , <b>2016</b> , 55, 2563-9 <sup>1.1</sup>	9 <sup>1.1</sup>	8
46	THE DOSE AND DOSE-RATE EFFECTIVENESS FACTOR (DDREF). <i>Health Physics</i> , <b>2019</b> , 116, 96-99	2.3	8
45	Persistent prevalence of polycythemia among evacuees 4 years after the Great East Japan Earthquake: A follow-up study. <i>Preventive Medicine Reports</i> , <b>2017</b> , 5, 251-256	2.6	7
44	Alcohol consumption and mortality from aortic disease among Japanese men: The Japan Collaborative Cohort study. <i>Atherosclerosis</i> , <b>2017</b> , 266, 64-68	3.1	7
43	Effect of follow-up period on minimal-significant dose in the atomic-bomb survivor studies. <i>Radiation and Environmental Biophysics</i> , <b>2018</b> , 57, 83-88	2	7
42	Oseltamivir use and severe abnormal behavior in Japanese children and adolescents with influenza: Is a self-controlled case series study applicable?. <i>Vaccine</i> , <b>2017</b> , 35, 4817-4824	4.1	7
41	Invited commentary: missing doses in the life span study of Japanese atomic bomb survivors. <i>American Journal of Epidemiology</i> , <b>2013</b> , 177, 569-73	3.8	7

40	Premature mortality due to stroke and trend in stroke mortality in Japan (1980-2005). <i>European Journal of Public Health</i> , <b>2011</b> , 21, 609-12	2.1	7
39	Risk of Prostate Cancer Incidence among Atomic Bomb Survivors: 1958-2009. <i>Radiation Research</i> , <b>2021</b> , 195, 66-76	3.1	7
38	Smoking and colorectal cancer: A pooled analysis of 10 population-based cohort studies in Japan. <i>International Journal of Cancer</i> , <b>2021</b> , 148, 654-664	7.5	7
37	Coffee and tea consumption and mortality from all causes, cardiovascular disease and cancer: a pooled analysis of prospective studies from the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , <b>2021</b> ,	7.8	7
36	Association of Acute Radiation Syndrome and Rain after the Bombings in Atomic Bomb Survivors. <i>Radiation Research</i> , <b>2016</b> , 185, 604-15	3.1	6
35	Personal factors associated with smoking among marginalized and disadvantaged youth in Japan. A strong relationship between smoking and convenience store use. <i>International Journal of Behavioral Medicine</i> , <b>2013</b> , 20, 504-13	2.6	6
34	THE BASIC DATA FOR RESIDENTS AGED 15 YEARS OR YOUNGER WHO RECEIVED A COMPREHENSIVE HEALTH CHECK IN 2011-2012 AS A PART OF THE FUKUSHIMA HEALTH MANAGEMENT SURVEY AFTER THE GREAT EAST JAPAN EARTHQUAKE. <i>Fukushima Journal of Medical Sciences</i> , <b>2015</b> , 61, 101-10	0.9	6
33	Radiation effects on cancer risks in the Life Span Study cohort. <i>Radiation Protection Dosimetry</i> , <b>2012</b> , 151, 674-6	0.9	6
32	Associations of Daily Walking Time With Pneumonia Mortality Among Elderly Individuals With or Without a Medical History of Myocardial Infarction or Stroke: Findings From the Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , <b>2019</b> , 29, 233-237	3.4	6
31	Meat subtypes and colorectal cancer risk: A pooled analysis of 6 cohort studies in Japan. <i>Cancer Science</i> , <b>2019</b> , 110, 3603-3614	6.9	5
30	Commentary: Test-Negative Design Reduces Confounding by Healthcare-Seeking Attitude in Case-Control Studies. <i>Journal of Epidemiology</i> , <b>2019</b> , 29, 279-281	3.4	5
29	Changes in Hepatobiliary Enzyme Abnormality After the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>Scientific Reports</i> , <b>2017</b> , 7, 710	4.9	5
28	Association of serum carotenoid concentration and dietary habits among the JACC Study subjects. <i>Journal of Epidemiology</i> , <b>2005</b> , 15 Suppl 2, S220-7	3.4	5
27	Television Viewing Time and Breast Cancer Incidence for Japanese Premenopausal and Postmenopausal Women: The JACC Study. <i>Cancer Research and Treatment</i> , <b>2019</b> , 51, 1509-1517	5.2	5
26	Television viewing time, walking time, and risk of type 2 diabetes in Japanese men and women: The Japan Collaborative Cohort Study. <i>Preventive Medicine</i> , <b>2019</b> , 118, 220-225	4.3	5
25	Association of BMI, Smoking, and Alcohol with Multiple Myeloma Mortality in Asians: A Pooled Analysis of More than 800,000 Participants in the Asia Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2019</b> , 28, 1861-1867	4	4
24	The Relationship Between Functional Independence and Psychological Distress in Elderly Adults Following the Fukushima Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey. <i>Asia-Pacific Journal of Public Health</i> , <b>2017</b> , 29, 120S-130S	2	4
23	Medical Radiation Exposure among Atomic Bomb Survivors: Understanding its Impact on Risk Estimates of Atomic Bomb Radiation. <i>Radiation Research</i> , <b>2019</b> , 191, 507-517	3.1	4

22	Influence of post-disaster evacuation on incidence of hyperuricemia in residents of Fukushima Prefecture: the Fukushima Health Management Survey. <i>Clinical and Experimental Nephrology</i> , <b>2020</b> , 24, 1025-1032	2.5	4
21	Association between educational level and total and cause-specific mortality: a pooled analysis of over 694 000 individuals in the Asia Cohort Consortium. <i>BMJ Open</i> , <b>2019</b> , 9, e026225	3	4
20	Continuous 6-year follow-up study of sensitization to Japanese cedar pollen and onset in schoolchildren. <i>Allergy International</i> , <b>2014</b> , 63, 95-101	4.4	3
19	Original Article. <i>Allergy International</i> , <b>1999</b> , 48, 69-78	4.4	3
18	Reply to the Comments by Mortazavi and Doss on "Solid Cancer Incidence among the Life Span Study of Atomic Bomb Survivors: 1958-2009" (Radiat Res 2017; 187:513-537). <i>Radiation Research</i> , <b>2017</b> , 188, 370-371	3.1	2
17	Dairy products and the risk of developing prostate cancer: A large-scale cohort study (JACC Study) in Japan. <i>Cancer Medicine</i> , <b>2021</b> , 10, 7298-7307	4.8	2
16	Effect of Dietary Guidance for Hypercholesterolemia after Health Checkup. <i>The Japanese Journal of Nutrition and Dietetics</i> , <b>1996</b> , 54, 173-182	0.2	2
15	Historical Changes in Histological Diagnosis of Lung Cancer. <i>Journal of Epidemiology</i> , <b>2019</b> , 29, 238-240	3.4	2
14	EPIDEMIOLOGICAL STUDY OF HEALTH EFFECTS IN FUKUSHIMA NUCLEAR EMERGENCY WORKERS-STUDY DESIGN AND PROGRESS REPORT. <i>Radiation Protection Dosimetry</i> , <b>2018</b> , 182, 40-48	0.9	2
13	Self-Reported Eczema in Relation with Mortality from Cardiovascular Disease in Japanese: the Japan Collaborative Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2019</b> , 26, 775-782	4	1
12	Misclassification of primary liver cancer in the Life Span Study of atomic bomb survivors. <i>International Journal of Cancer</i> , <b>2020</b> , 147, 1294-1299	7.5	1
11	Alcohol intake and stomach cancer risk in Japan: A pooled analysis of six cohort studies. <i>Cancer Science</i> , <b>2021</b> ,	6.9	1
10	Modifying Effect of Chronic Atrophic Gastritis on Radiation Risk for Noncardia Gastric Cancer According to Histological Type. <i>Radiation Research</i> , <b>2020</b> , 194, 180-187	3.1	1
9	The Role of the Human Dry Dock in Smoking Cessation in Japan. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2000</b> , 1, 207-209	1.7	1
8	Association of Marital Status With Total and Cause-Specific Mortality in Asia. <i>JAMA Network Open</i> , <b>2022</b> , 5, e2214181	10.4	1
7	Impact of reproductive factors on breast cancer incidence: Pooled analysis of nine cohort studies in Japan. <i>Cancer Medicine</i> , <b>2021</b> , 10, 2153-2163	4.8	0
6	Age effects on radiation response: summary of a recent symposium and future perspectives. <i>International Journal of Radiation Biology</i> , <b>2022</b> , 1-34	2.9	0
5	Vaccine epidemiology: Its role in promoting sound immunization programs in Japan. <i>Vaccine</i> , <b>2017</b> , 35, 4787-4790	4.1	

- 4 P2-276 Influence of smoking and smoking cessation on pulmonary function in Japanese healthy people. *Journal of Epidemiology and Community Health*, **2011**, 65, A298-A298 5.1
- 3 A cross-sectional study of familial clustering in hyperhomocysteinemia. *Gerontology*, **2010**, 56, 15-9 5.5
- 2 Response to the Letter to the Editor by Drs. Walsh and Schneider. *Radiation Research*, **2020**, 194, 101 3.1
- 1 Health effects of atomic bomb radiation in 1945Epidemiological investigations **2022**, 123-137