

# Diego GÃ³mez-GarcÃ­a

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5095537/publications.pdf>

Version: 2024-02-01

92  
papers

1,820  
citations

257101

24  
h-index

288905

40  
g-index

96  
all docs

96  
docs citations

96  
times ranked

1543  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cation-driven electrical conductivity in Ta-doped orthorhombic zirconia ceramics. <i>Ceramics International</i> , 2021, 47, 7248-7252.	2.3	3
2	The Possible Detriment of Oxygen in Creep of Alumina and Zirconia Ceramic Composites Reinforced with Graphene. <i>Materials</i> , 2021, 14, 984.	1.3	4
3	Mg <sub>2</sub> SiO <sub>4</sub> -MgAl <sub>2</sub> O <sub>4</sub> directionally solidified eutectics: Hardness dependence modelled through an array of screw dislocations. <i>Journal of the European Ceramic Society</i> , 2020, 40, 4171-4176.	2.8	2
4	Disclination dipoles are the Holy Grail for high temperature superplasticity in ceramics. <i>Scripta Materialia</i> , 2020, 185, 21-24.	2.6	3
5	Sintering kinetics, defect chemistry and room-temperature mechanical properties of titanium nitride prepared by spark plasma sintering. <i>Journal of Alloys and Compounds</i> , 2019, 807, 151666.	2.8	9
6	Elusive super-hard B <sub>6</sub> C accessible through the laser-floating zone method. <i>Scientific Reports</i> , 2019, 9, 13340.	1.6	5
7	Does grain size have an influence on intrinsic mechanical properties and conduction mechanism of near fully-dense boron carbide ceramics?. <i>Journal of Alloys and Compounds</i> , 2019, 795, 408-415.	2.8	9
8	High-temperature compressive creep of novel fine-grained orthorhombic ZrO <sub>2</sub> ceramics stabilized with 12 mol% Ta doping. <i>Journal of the European Ceramic Society</i> , 2018, 38, 2445-2448.	2.8	5
9	Spark plasma sintering of titanium nitride in nitrogen: Does it affect the sinterability and the mechanical properties?. <i>Journal of the European Ceramic Society</i> , 2018, 38, 1190-1196.	2.8	28
10	Graphene or carbon nanofiber-reinforced zirconia composites: Are they really worthwhile for structural applications?. <i>Journal of the European Ceramic Society</i> , 2018, 38, 3994-4002.	2.8	25
11	Is an alumina-whisker-reinforced alumina composite the most efficient choice for an oxidation-resistant high-temperature ceramic?. <i>Journal of the European Ceramic Society</i> , 2018, 38, 1812-1818.	2.8	13
12	High temperature creep of 20 vol% SiC-HfB <sub>2</sub> UHTCs up to 2000 °C and the effect of La <sub>2</sub> O <sub>3</sub> addition. <i>Journal of the European Ceramic Society</i> , 2018, 38, 47-56.	2.8	23
13	Exotic grain growth law in twinned boron carbide under electric fields. <i>Journal of the European Ceramic Society</i> , 2018, 38, 4590-4596.	2.8	6
14	Grain-boundary diffusion coefficient in $\alpha$ -Al <sub>2</sub> O <sub>3</sub> from spark plasma sintering tests: Evidence of collective motion of charge disconnections. <i>Ceramics International</i> , 2018, 44, 19044-19048.	2.3	10
15	High-temperature creep of carbon nanofiber-reinforced and graphene oxide-reinforced alumina composites sintered by spark plasma sintering. <i>Ceramics International</i> , 2017, 43, 7136-7141.	2.3	21
16	Ceramics of Ta-doping stabilized orthorhombic ZrO <sub>2</sub> densified by spark plasma sintering and the effect of post-annealing in air. <i>Scripta Materialia</i> , 2017, 130, 128-132.	2.6	14
17	Carbon nanofibers replacing graphene oxide in ceramic composites as a reinforcing-phase: Is it feasible?. <i>Journal of the European Ceramic Society</i> , 2017, 37, 3791-3796.	2.8	16
18	Spark plasma sintering of fine-grained alumina ceramics reinforced with alumina whiskers. <i>Ceramics International</i> , 2017, 43, 658-663.	2.3	36

#	ARTICLE	IF	CITATIONS
19	Mechanical instability of stressed grain boundaries during plastic deformation of zirconium carbide. Journal of the European Ceramic Society, 2016, 36, 2235-2240.	2.8	7
20	Abrasive wear rate of boron carbide ceramics: Influence of microstructural and mechanical aspects on their tribological response. Journal of the European Ceramic Society, 2016, 36, 3925-3928.	2.8	24
21	Enhancing the spark-plasma sinterability of B4C nanopowders via room-temperature methylation induced purification. Journal of the European Ceramic Society, 2016, 36, 2843-2848.	2.8	23
22	High-Temperature Plasticity in Super Hard Boron Carbide Ceramics. Materials Science Forum, 2016, 838-839, 166-170.	0.3	1
23	A new approach to the grain-size dependent transition of stress exponents in yttria tetragonal zirconia polycrystals. The theoretical limit for superplasticity in ceramics. Ceramics International, 2016, 42, 4918-4923.	2.3	9
24	Grain size dependence of hardness and fracture toughness in pure near fully-dense boron carbide ceramics. Journal of the European Ceramic Society, 2016, 36, 1829-1834.	2.8	102
25	High-temperature plastic deformation of spark plasma sintered boron carbide-based composites: The case study of B4Câ€“SiC with/without graphite (g). Journal of the European Ceramic Society, 2016, 36, 1127-1134.	2.8	23
26	High-temperature deformation of fully-dense fine-grained boron carbide ceramics: Experimental facts and modeling. Materials and Design, 2015, 88, 287-293.	3.3	21
27	High-temperature creep deformation of coarse-grained boron carbide ceramics. Journal of the European Ceramic Society, 2015, 35, 1423-1429.	2.8	36
28	Densification of B4C nanopowder with nanograin retention by spark-plasma sintering. Journal of the European Ceramic Society, 2015, 35, 1991-1998.	2.8	48
29	Ultra-fast and energy-efficient sintering of ceramics by electric current concentration. Scientific Reports, 2015, 5, 8513.	1.6	69
30	Additive-free superhard B4C with ultrafine-grained dense microstructures. Journal of the European Ceramic Society, 2014, 34, 841-848.	2.8	71
31	Grain-boundary cation diffusion in ceria tetragonal zirconia determined by constant-strain-rate deformation tests. Journal of the European Ceramic Society, 2014, 34, 4469-4472.	2.8	7
32	A phase-field model of 2D grain size distribution in ceramics. Journal of the European Ceramic Society, 2014, 34, 2731-2736.	2.8	7
33	High temperature internal friction measurements of 3YTZP zirconia polycrystals. High temperature background and creep. Journal of the European Ceramic Society, 2014, 34, 3859-3863.	2.8	3
34	Segregation to the grain boundaries in YSZ bicrystals: A Molecular Dynamics study. Solid State Ionics, 2013, 237, 8-15.	1.3	22
35	Toughening of super-hard ultra-fine grained B4C densified by spark-plasma sintering via SiC addition. Journal of the European Ceramic Society, 2013, 33, 1395-1401.	2.8	110
36	Effect of spark plasma sintering parameters on microstructure and room-temperature hardness and toughness of fine-grained boron carbide (B4C). Journal of the European Ceramic Society, 2013, 33, 361-369.	2.8	106

#	ARTICLE	IF	CITATIONS
37	High temperature plasticity in yttria stabilised tetragonal zirconia polycrystals (Y-TZP). International Materials Reviews, 2013, 58, 399-417.	9.4	25
38	Processing of Swnt-Reinforced Yttria Stabilized Zirconia by Spark Plasma Sintering and Microstructure Characterization. Journal of Nano Research, 2012, 18-19, 317-323.	0.8	2
39	Recent Insights on the Superplastic Behaviour of Ceramics. Materials Science Forum, 2012, 735, 120-129.	0.3	1
40	A Molecular Dynamics study of grain boundaries in YSZ: Structure, energetics and diffusion of oxygen. Solid State Ionics, 2012, 219, 1-10.	1.3	39
41	Towards physical properties tailoring of carbon nanotubes-reinforced ceramic matrix composites. Journal of the European Ceramic Society, 2012, 32, 3001-3020.	2.8	193
42	Cation diffusion in yttria-zirconia by molecular dynamics. Solid State Ionics, 2011, 204-205, 1-6.	1.3	24
43	Grain growth kinetics and segregation in yttria tetragonal zirconia polycrystals. International Journal of Materials Research, 2010, 101, 84-87.	0.1	3
44	On the microstructure of single wall carbon nanotubes reinforced ceramic matrix composites. Journal of Materials Science, 2010, 45, 2258-2263.	1.7	13
45	A first study of the high-temperature plasticity of ceria-doped zirconia polycrystals. Journal of the European Ceramic Society, 2010, 30, 3357-3362.	2.8	12
46	Segregation-induced grain boundary electrical potential in ionic oxide materials: A first principles model. Acta Materialia, 2010, 58, 6404-6410.	3.8	7
47	Microstructural Effects on the Creep Deformation of Alumina/Single-Wall Carbon Nanotubes Composites. Journal of the American Ceramic Society, 2010, 93, 2042-2047.	1.9	18
48	Deformation mechanisms in yttria-stabilized cubic zirconia single crystals. International Journal of Materials Research, 2010, 101, 1211-1214.	0.1	3
49	Superplasticity in nanocrystalline ceramics: pure grain boundary phenomena or not?. International Journal of Materials Research, 2010, 101, 1215-1221.	0.1	9
50	Diffusion-driven superplasticity in ceramics: Modeling and comparison with available data. Physical Review B, 2009, 80, .	1.1	24
51	High-temperature mechanical behavior of Al <sub>2</sub> O <sub>3</sub> /graphite composites. Journal of the European Ceramic Society, 2009, 29, 3205-3209.	2.8	5
52	A critical assessment of the dislocation-driven model for superplasticity in yttria tetragonal zirconia polycrystals. Journal of the European Ceramic Society, 2008, 28, 571-575.	2.8	21
53	Creep-resistant composites of alumina and single-wall carbon nanotubes. Applied Physics Letters, 2008, 92, .	1.5	36
54	Anomalous high activation energy for creep in nanostructured 3YTZP/Ni cermets. Journal of the European Ceramic Society, 2007, 27, 3295-3299.	2.8	3

#	ARTICLE	IF	CITATIONS
55	A general law for liquid metal-onto-ceramic wetting: An electrostatic approach. Journal of the European Ceramic Society, 2007, 27, 3307-3310.	2.8	3
56	High temperature creep behaviour of 4 mol% yttria tetragonal zirconia polycrystals (4-YTZP) with grain sizes between 0.38 and 1.15 $\mu\text{m}$ . Journal of the European Ceramic Society, 2007, 27, 3325-3329.	2.8	30
57	Pore channel closure in sintering of a ring of three spheres. Journal of the European Ceramic Society, 2007, 27, 3365-3370.	2.8	9
58	Making ceramics ductile at low homologous temperatures. Scripta Materialia, 2007, 56, 89-91.	2.6	35
59	Microwave sintering of nanocrystalline Ytzt (3ÅMol%). Journal of Materials Science, 2006, 41, 5231-5234.	1.7	23
60	The role of metal-ceramic interfaces on the high temperature mechanical response of nanostructured nickel-yttria tetragonal zirconia polycrystals (Ni-YTZP). Journal of Materials Science, 2006, 41, 5190-5193.	1.7	4
61	Dislocation Patterns and the Similitude Principle: 2.5D Mesoscale Simulations. Physical Review Letters, 2006, 96, 125503.	2.9	72
62	Ceramic-matrix composites. , 2006, , .		1
63	Experimental Assessment of Plasticity of Nanocrystalline 1.7 mol% Yttria Tetragonal Zirconia Polycrystals. Journal of the American Ceramic Society, 2005, 88, 1529-1535.	1.9	10
64	Inestabilidades dinámicas en cerámicas monocristalinas a base de circonia. Boletín De La Sociedad Española De Cerámica Y Vidrio, 2005, 44, 95-100.	0.9	1
65	Cavitación durante la fluencia de policristales de Si <sub>3</sub> N <sub>4</sub> . Boletín De La Sociedad Española De Cerámica Y Vidrio, 2005, 44, 324-327.	0.9	0
66	Primera evidencia experimental mediante microscopía electrónica de transmisión de disociación de dislocaciones en el sistema TeO <sub>2</sub> . Boletín De La Sociedad Española De Cerámica Y Vidrio, 2005, 44, 297-300.	0.9	0
67	An explanation of the high temperature creep of yttria tetragonal zirconia nanocrystals. Scripta Materialia, 2004, 50, 1151-1155.	2.6	15
68	Portevin-Le Chatelier effect in Y <sub>2</sub> O <sub>3</sub> ?ZrO <sub>2</sub> single crystals. Scripta Materialia, 2004, 51, 203-207.	2.6	5
69	Creep mechanism of gas-pressure-sintered silicon nitride polycrystals I. Macroscopic and microscopic experimental study. Philosophical Magazine, 2004, 84, 3375-3386.	0.7	6
70	A critical analysis and a recent improvement of the two-dimensional model for solution-precipitation creep: application to silicon nitride ceramics. Philosophical Magazine, 2004, 84, 2305-2316.	0.7	8
71	Creep mechanism of gas-pressure-sintered silicon nitride polycrystals II. Deformation mechanism. Philosophical Magazine, 2004, 84, 3387-3395.	0.7	2
72	Fluencia a alta temperatura de policristales con tamaño de grano nanométrico de YTZP dopados con diferentes cantidades de fase $\alpha$ -Al <sub>2</sub> O <sub>3</sub> . Boletín De La Sociedad Española De Cerámica Y Vidrio, 2004, 43, 521-523.	0.9	3

#	ARTICLE	IF	CITATIONS
73	Influence of strain rate on the plastic deformation of high yttria content YCSZ single crystals at 1400-1500 °C. Scripta Materialia, 2003, 48, 1295-1300.	2.6	2
74	High temperature plastic deformation of 24-32 mol% yttria cubic stabilized zirconia (YCSZ) single crystals. Journal of the European Ceramic Society, 2003, 23, 2183-2191.	2.8	7
75	Influence of the yttrium segregation at grain boundaries in the superplasticity of yttria tetragonal zirconia polycrystals. Journal of the European Ceramic Society, 2003, 23, 2969-2973.	2.8	18
76	Correlation between yttrium segregation at the grain boundaries and the threshold stress for plasticity in yttria-stabilized tetragonal zirconia polycrystals. Philosophical Magazine, 2003, 83, 93-108.	0.7	39
77	Mechanical behaviour of yttria tetragonal zirconia polycrystalline nanoceramics: dependence on the glassy phase content. Journal of the European Ceramic Society, 2002, 22, 2603-2607.	2.8	12
78	High temperature plastic anisotropy of Y2O3 partially stabilized ZrO2 single crystals. Journal of the European Ceramic Society, 2002, 22, 2609-2613.	2.8	13
79	The influence of oxygen partial pressure on recovery creep in magnetite single crystals. Journal of Physics and Chemistry of Solids, 2002, 63, 185-191.	1.9	6
80	Recent advances in electron-beam-induced damage models in yttria fully stabilized zirconia single crystals. Philosophical Magazine Letters, 2001, 81, 173-178.	0.5	3
81	Recovery Creep and Diffusion in Magnetite (Fe <sub>3</sub> O <sub>4</sub> ) Single Crystals. Defect and Diffusion Forum, 2001, 194-199, 1057-1062.	0.4	0
82	Recientes avances en simulaci3n mesosc3pica de la din3mica de dislocaciones. Revista De Metalurgia, 2001, 37, 273-276.	0.1	0
83	Basal slip in sapphire (Al <sub>2</sub> O <sub>3</sub> ). Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1997, 233, 121-125.	2.6	35
84	Mechanisms of High-Temperature Creep of Fully Stabilized Zirconia Single Crystals as a Function of the Yttria Content. Journal of the American Ceramic Society, 1997, 80, 1668-1672.	1.9	43
85	Deformation mechanisms for high-temperature creep of high yttria content stabilized zirconia single crystals. Acta Materialia, 1996, 44, 991-999.	3.8	29
86	Zirconium Nitride Precipitation in Nominally Pure Yttria-Stabilized Zirconia. Journal of the American Ceramic Society, 1996, 79, 487-490.	1.9	12
87	Electron-Beam-Induced Loop Formation on Dislocations in Yttria-Fully-Stabilized Zirconia. Journal of the American Ceramic Society, 1996, 79, 2733-2738.	1.9	6
88	High Temperature Plasticity in the ZrO <sub>2</sub> -Y <sub>2</sub> O <sub>3</sub> System. Ceramic Engineering and Science Proceedings, 0, , 395-406.	0.1	0
89	Superplasticity in Ceramics: Applications and New Trends. Key Engineering Materials, 0, 423, 3-13.	0.4	2
90	On the High-Temperature Plasticity of Ceria-Doped Zirconia Nanostructured Polycrystals. Key Engineering Materials, 0, 423, 61-66.	0.4	4

#	ARTICLE	IF	CITATIONS
91	The Future of Research in Ceramics in the XXI Century. Key Engineering Materials, 0, 663, 127-132.	0.4	0
92	The Role of a Threshold Stress on the Superplasticity of Ceramics Revisited. Materials Science Forum, 0, 838-839, 95-99.	0.3	0