

# Atsushi Mizokami

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5097286/publications.pdf>

Version: 2024-02-01

117  
papers

2,956  
citations

201385

27  
h-index

197535

49  
g-index

120  
all docs

120  
docs citations

120  
times ranked

3742  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Variations in photodynamic diagnosis for bladder cancer due to the quality of endoscopic equipment. <i>Photodiagnosis and Photodynamic Therapy</i> , 2022, 37, 102628.  | 1.3 | 4         |
| 2  | Inhibition of NPC1L1 disrupts adaptive responses of drug-tolerant persister cells to chemotherapy. <i>EMBO Molecular Medicine</i> , 2022, 14, e14903.   | 3.3 | 46        |
| 3  | Efficacy of New Therapies for Relapse After Docetaxel Treatment of Bone Metastatic Castration-resistant Prostate Cancer in Clinical Practice. <i>Anticancer Research</i> , 2022, 42, 1465-1475.   | 0.5 | 5         |
| 4  | Bladder cancer prospective cohort study on high-risk non-muscle invasive bladder cancer after photodynamic diagnosis-assisted transurethral resection of the bladder tumor (BRIGHT study). <i>International Journal of Urology</i> , 2022, 29, 632-638. | 0.5 | 10        |
| 5  | Androgen Deprivation Therapy in High-Risk Localized and Locally Advanced Prostate Cancer. <i>Cancers</i> , 2022, 14, 1803.  | 1.7 | 5         |
| 6  | Macrophage Polarity and Disease Control. <i>International Journal of Molecular Sciences</i> , 2022, 23, 144.  | 1.8 | 80        |
| 7  | Survival Outcomes of Patients With Primary Mediastinal Germ Cell Tumors: A Retrospective Single-institutional Experience. <i>Cancer Diagnosis &amp; Prognosis</i> , 2022, 2, 352-359.   | 0.3 | 4         |
| 8  | Impact of Pelvic Anatomical Changes Caused by Radical Prostatectomy. <i>Cancers</i> , 2022, 14, 3050.   | 1.7 | 4         |
| 9  | Androgen receptor signaling-targeted therapy and taxane chemotherapy induce visceral metastasis in castration-resistant prostate cancer. <i>Prostate</i> , 2021, 81, 72-80.   | 1.2 | 15        |
| 10 | Three-dimensional structure of seminiferous tubules in the Syrian hamster. <i>Journal of Anatomy</i> , 2021, 238, 86-95.  | 0.9 | 9         |
| 11 | Durable response achieved using Pazopanib for germ tumor cells: A case report. <i>Molecular and Clinical Oncology</i> , 2021, 14, 48.   | 0.4 | 2         |
| 12 | Anti-proliferative and anti-migratory properties of coffee diterpenes kahweol acetate and cafestol in human renal cancer cells. <i>Scientific Reports</i> , 2021, 11, 675.  | 1.6 | 16        |
| 13 | Examination of Necessity for Pelvic Drain Placement After Robot-assisted Radical Prostatectomy. <i>In Vivo</i> , 2021, 35, 2895-2899.   | 0.6 | 3         |
| 14 | Sarcopenia and Visceral Metastasis at Cabazitaxel Initiation Predict Prognosis in Patients With Castration-resistant Prostate Cancer Receiving Cabazitaxel Chemotherapy. <i>In Vivo</i> , 2021, 35, 1703-1709.  | 0.6 | 9         |
| 15 | Effectiveness of Vintage Hormone Therapy as Alternative Androgen Deprivation Therapy for Non-metastatic Castration-resistant Prostate Cancer. <i>In Vivo</i> , 2021, 35, 1247-1252.   | 0.6 | 6         |
| 16 | A new flavonoid derivative exerts antitumor effects against androgen-sensitive to cabazitaxel-resistant prostate cancer cells. <i>Prostate</i> , 2021, 81, 295-306.   | 1.2 | 7         |
| 17 | Bicyclic Chalcones as Mitotic Inhibitors for Overcoming Androgen Receptor-Independent and Multidrug-Resistant Prostate Cancer. <i>ACS Omega</i> , 2021, 6, 4842-4849.   | 1.6 | 4         |
| 18 | Testosterone and Bone Health in Men: A Narrative Review. <i>Journal of Clinical Medicine</i> , 2021, 10, 530.   | 1.0 | 39        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Undesirable Status of Prostate Cancer Cells after Intensive Inhibition of AR Signaling: Post-AR Era of CRPC Treatment. <i>Biomedicines</i> , 2021, 9, 414.  | 1.4 | 12        |
| 20 | ±-Trifluoromethyl Chalcones as Potent Anticancer Agents for Androgen Receptor-Independent Prostate Cancer. <i>Molecules</i> , 2021, 26, 2812.   | 1.7 | 5         |
| 21 | Incidence and dosimetric predictive factors of late rectal toxicity after low-dose-rate brachytherapy combined with volumetric modulated arc therapy in high-risk prostate cancer at a single institution: Retrospective study. <i>Brachytherapy</i> , 2021, 20, 584-594. | 0.2 | 1         |
| 22 | Three-dimensional structure of testis cords in mice and rats. <i>Andrology</i> , 2021, 9, 1911-1922.  | 1.9 | 9         |
| 23 | Prognosis of patients with prostate cancer and bone metastasis from the Japanese Prostatic Cancer Registry of Standard Hormonal and Chemotherapy Using Bone Scan Index cohort study. <i>International Journal of Urology</i> , 2021, 28, 955-963.                         | 0.5 | 12        |
| 24 | Test clamp procedure in robot-assisted partial nephrectomy: is it a safe procedure?. <i>Journal of Robotic Surgery</i> , 2021, , 1.   | 1.0 | 0         |
| 25 | Roles of CCL2-CCR2 Axis in the Tumor Microenvironment. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8530.   | 1.8 | 50        |
| 26 | Parenchymal Suture-Assisted Inner Suture Method: Tips to Achieve a Reliable Inner Suture in Partial Nephrectomy. <i>Videourology (New Rochelle, N Y)</i> , 2021, 35, .  | 0.1 | 0         |
| 27 | Treatment Strategies for High-Risk Localized and Locally Advanced and Oligometastatic Prostate Cancer. <i>Cancers</i> , 2021, 13, 4470.   | 1.7 | 6         |
| 28 | The effectiveness of high-dose-rate brachytherapy with external beam radiotherapy for clinically locally advanced and node-positive prostate cancer: long-term results of a retrospective study. <i>International Journal of Clinical Oncology</i> , 2021, 26, 2310-2317. | 1.0 | 2         |
| 29 | Risk Scoring System for Ra-223 Discontinuation and Its Effect on Prognosis: A Retrospective Study. <i>Cancer Diagnosis &amp; Prognosis</i> , 2021, 1, 323-330.  | 0.3 | 2         |
| 30 | Treatment at an Inexperienced Center Suggests Worse Prognosis of Metastatic Germ Cell Tumors. <i>Cancer Diagnosis &amp; Prognosis</i> , 2021, 1, 13-17.   | 0.3 | 0         |
| 31 | Identification of risk factors associated with oral 5-aminolevulinic acid-induced hypotension in photodynamic diagnosis for non-muscle invasive bladder cancer: a multicenter retrospective study. <i>BMC Cancer</i> , 2021, 21, 1223.                                    | 1.1 | 10        |
| 32 | Three-dimensional morphological analysis of spermatogenesis in aged mouse testes. <i>Scientific Reports</i> , 2021, 11, 23007.  | 1.6 | 5         |
| 33 | Transcription factor network analysis based on single cell RNA-seq identifies that Trichostatin-a reverses docetaxel resistance in prostate Cancer. <i>BMC Cancer</i> , 2021, 21, 1316.   | 1.1 | 6         |
| 34 | Favorable Response of Pembrolizumab as Second-Line Therapy for Advanced Urothelial Carcinoma with Only Small Lesions to not be Considered Measurable by RECIST.. <i>Urology Journal</i> , 2021, , .   | 0.3 | 1         |
| 35 | Tumor-Associated Macrophages Induce Migration of Renal Cell Carcinoma Cells via Activation of the CCL20-CCR6 Axis. <i>Cancers</i> , 2020, 12, 89.   | 1.7 | 33        |
| 36 | Efficacy of testosterone replacement therapy on pain in hypogonadal men with chronic pain syndrome: A subanalysis of a prospective randomised controlled study in Japan (EARTH study). <i>Andrologia</i> , 2020, 52, e13768.  | 1.0 | 11        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Human papillomavirus 16â€“positive penile Bowenâ€™s disease involving the distal urethra: A case report. SAGE Open Medical Case Reports, 2020, 8, 2050313X2091898.   | 0.2 | 0         |
| 38 | The CCL20-CCR6 Axis in Cancer Progression. International Journal of Molecular Sciences, 2020, 21, 5186.  | 1.8 | 124       |
| 39 | Toxicity and clinical outcomes of single-fraction high-dose-rate brachytherapy combined with external beam radiotherapy for high-/very high-risk prostate cancer: A dosimetric analysis of toxicity. Japanese Journal of Radiology, 2020, 38, 1197-1208. | 1.0 | 4         |
| 40 | Comparison of Tolerability Between 2-Weekly and 3-Weekly Docetaxel Regimen in Castration-resistant Prostate Cancer. Anticancer Research, 2020, 40, 4291-4297.  | 0.5 | 5         |
| 41 | A case of adrenal lymphangioma resected laparoscopically with minimal invasiveness. Urology Case Reports, 2020, 33, 101400.  | 0.1 | 2         |
| 42 | Is the C-C Motif Ligand 2â€“C-C Chemokine Receptor 2 Axis a Promising Target for Cancer Therapy and Diagnosis?. International Journal of Molecular Sciences, 2020, 21, 9328.   | 1.8 | 27        |
| 43 | Single-Cell Transcriptomics Analysis Identifies Nuclear Protein 1 as a Regulator of Docetaxel Resistance in Prostate Cancer Cells. Molecular Cancer Research, 2020, 18, 1290-1301.   | 1.5 | 25        |
| 44 | Recovery of serum testosterone following neoadjuvant androgen deprivation therapy in Japanese prostate cancer patients treated with low-dose rate brachytherapy. Aging Male, 2020, 23, 1210-1216.  | 0.9 | 3         |
| 45 | Three-Dimensional Analysis of Busulfan-Induced Spermatogenesis Disorder in Mice. Frontiers in Cell and Developmental Biology, 2020, 8, 609278.   | 1.8 | 10        |
| 46 | Testosterone Replacement Therapy for Patients with Hypogonadism after High Dose-Rate Brachytherapy for High-Risk Prostate Cancer: A Report of Six Cases and Literature Review. World Journal of Men's Health, 2020, 38, 132.                             | 1.7 | 4         |
| 47 | CCL2 induces resistance to the antiproliferative effect of cabazitaxel in prostate cancer cells. Cancer Science, 2019, 110, 279-288.   | 1.7 | 40        |
| 48 | A case of mesh erosion in the ureter eight years after a tension-free vaginal mesh surgery. International Urogynecology Journal, 2019, 30, 2199-2200.  | 0.7 | 1         |
| 49 | Phase I trial of TAKâ€“385 in hormone treatmentâ€“naïve Japanese patients with nonmetastatic prostate cancer. Cancer Medicine, 2019, 8, 5891-5902.   | 1.3 | 22        |
| 50 | Intraoperative hypotension caused by oral administration of 5â€“aminolevulinic acid for photodynamic diagnosis in patients with bladder cancer. International Journal of Urology, 2019, 26, 1064-1068.   | 0.5 | 28        |
| 51 | Considering bone health in the treatment of prostate cancer bone metastasis based on the results of the ERA-223 trial. International Journal of Clinical Oncology, 2019, 24, 1629-1631.  | 1.0 | 5         |
| 52 | Initial Experience With Radium-223 Chloride Treatment at the Kanazawa University Hospital. Anticancer Research, 2019, 39, 2607-2614.   | 0.5 | 9         |
| 53 | Quantification of Bone Metastasis of Castration-resistant Prostate Cancer After Enzalutamide and Abiraterone Acetate Using Bone Scan Index on Bone Scintigraphy. Anticancer Research, 2019, 39, 2553-2559.   | 0.5 | 11        |
| 54 | Effectiveness of Synthetic Polymer-coated Peripherally Inserted Central Catheter in Patients With Advanced Cancer. In Vivo, 2019, 33, 877-880.   | 0.6 | 4         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Suppressive Role of Androgen/Androgen Receptor Signaling via Chemokines on Prostate Cancer Cells. <i>Journal of Clinical Medicine</i> , 2019, 8, 354.  | 1.0 | 22        |
| 56 | Efficacy of combined prophylactic use of levofloxacin and isepamicin for transrectal prostate needle biopsy: A retrospective single-center study. <i>Journal of Infection and Chemotherapy</i> , 2019, 25, 337-340.  | 0.8 | 0         |
| 57 | Novel Prevention Procedure for Inguinal Hernia after Robot-Assisted Radical Prostatectomy: Results from a Prospective Randomized Trial. <i>Journal of Endourology</i> , 2019, 33, 302-308.   | 1.1 | 6         |
| 58 | Coffee diterpenes kahweol acetate and cafestol synergistically inhibit the proliferation and migration of prostate cancer cells. <i>Prostate</i> , 2019, 79, 468-479.  | 1.2 | 29        |
| 59 | Health-related Quality of Life and Toxicity After Single-fraction High-dose-rate Brachytherapy With External Beam Radiotherapy for Localized and Locally Advanced Prostate Cancer. <i>Anticancer Research</i> , 2019, 39, 477-486.   | 0.5 | 6         |
| 60 | Câ€C motif ligand 5 promotes migration of prostate cancer cells in the prostate cancer bone metastasis microenvironment. <i>Cancer Science</i> , 2018, 109, 724-731.   | 1.7 | 29        |
| 61 | Role of bone scan index in the prognosis and effects of therapy on prostate cancer with bone metastasis: Study design and rationale for the multicenter Prostatic Cancer Registry of Standard Hormonal and Chemotherapy Using Bone Scan Index (PROSTATâ€BSI) study. <i>International Journal of Urology</i> , 2018, 25, 492-499. | 0.5 | 8         |
| 62 | Tumor necrosis factorâ€1 induces prostate cancer cell migration in lymphatic metastasis through CCR7 upregulation. <i>Cancer Science</i> , 2018, 109, 1524-1531.   | 1.7 | 72        |
| 63 | Interleukinâ€6 induces VEGF secretion from prostate cancer cells in a manner independent of androgen receptor activation. <i>Prostate</i> , 2018, 78, 849-856.   | 1.2 | 23        |
| 64 | Background factors and short-term health-related quality of life in patients who initially underwent radical prostatectomy or androgen deprivation therapy for localized prostate cancer in a Japanese prospective observational study (J-CaP Innovative Study-1). <i>Prostate International</i> , 2018, 6, 7-11.                | 1.2 | 7         |
| 65 | Phase II study of radium-223 dichloride in Japanese patients with symptomatic castration-resistant prostate cancer. <i>International Journal of Clinical Oncology</i> , 2018, 23, 173-180.   | 1.0 | 18        |
| 66 | 5â€2-Chloro-2,2â€2-dihydroxychalcone and related flavanoids as treatments for prostate cancer. <i>European Journal of Medicinal Chemistry</i> , 2018, 157, 1143-1152.  | 2.6 | 14        |
| 67 | Imaging Somatostatin Receptor Activity in Neuroendocrine-differentiated Prostate Cancer. <i>Internal Medicine</i> , 2018, 57, 3123-3128.   | 0.3 | 9         |
| 68 | Overexpression of p54nrb/NONO induces differential EPHA6 splicing and contributes to castration-resistant prostate cancer growth. <i>Oncotarget</i> , 2018, 9, 10510-10524.  | 0.8 | 22        |
| 69 | Tumor microenvironment promotes prostate cancer cell dissemination via the Akt/mTOR pathway. <i>Oncotarget</i> , 2018, 9, 9206-9218.   | 0.8 | 13        |
| 70 | Establishment and characterization of two cabazitaxel-resistant prostate cancer cell lines. <i>Oncotarget</i> , 2018, 9, 16185-16196.  | 0.8 | 26        |
| 71 | Crosstalk Between Androgen-sensitive and Androgen-insensitive Prostate Cancer Cells. <i>Anticancer Research</i> , 2018, 38, 2045-2055.   | 0.5 | 5         |
| 72 | Bone Microenvironment Changes in Latexin Expression Promote Chemoresistance. <i>Molecular Cancer Research</i> , 2017, 15, 457-466.   | 1.5 | 10        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Therapies for castration-resistant prostate cancer in a new era: The indication of vintage hormonal therapy, chemotherapy and the new medicines. <i>International Journal of Urology</i> , 2017, 24, 566-572.  | 0.5 | 22        |
| 74 | Bone scan index: A new biomarker of bone metastasis in patients with prostate cancer. <i>International Journal of Urology</i> , 2017, 24, 668-673.   | 0.5 | 46        |
| 75 | Effects of testosterone replacement therapy on hypogonadal men with osteopenia or osteoporosis: a subanalysis of a prospective randomized controlled study in Japan (EARTH study). <i>Aging Male</i> , 2017, 20, 1-7.  | 0.9 | 20        |
| 76 | Down-regulation of E-cadherin enhances prostate cancer chemoresistance via Notch signaling. <i>Chinese Journal of Cancer</i> , 2017, 36, 35.   | 4.9 | 63        |
| 77 | Bone scan index of the jaw: a new approach for evaluating early-stage anti-resorptive agents-related osteonecrosis. <i>Annals of Nuclear Medicine</i> , 2017, 31, 201-210.   | 1.2 | 19        |
| 78 | Co-administration of dexamethasone increases severity and accelerates onset day of neutropenia in bladder cancer patients on methotrexate, vinblastine, adriamycin and cisplatin chemotherapy: a retrospective cohort study. <i>Journal of Pharmaceutical Health Care and Sciences</i> , 2017, 3, 3. | 0.4 | 3         |
| 79 | Optimal screening interval for men with low baseline prostate-specific antigen levels ( $\leq 1.0$ ng/mL) in a prostate cancer screening program. <i>World Journal of Urology</i> , 2017, 35, 579-586.   | 1.2 | 1         |
| 80 | Tumor-associated macrophages promote prostate cancer migration through activation of the CCL22-CCR4 axis. <i>Oncotarget</i> , 2017, 8, 9739-9751.  | 0.8 | 98        |
| 81 | Understanding prostate-specific antigen dynamics in monitoring metastatic castration-resistant prostate cancer: implications for clinical practice. <i>Asian Journal of Andrology</i> , 2017, 19, 143.   | 0.8 | 23        |
| 82 | Urinary Obstruction of Transplanted Kidney Caused by Uterine Adenomyosis and 2-Year Posthysterectomy Psoas Abscess in Conjunction with Transplanted Kidney. <i>Case Reports in Transplantation</i> , 2016, 2016, 1-3.  | 0.1 | 1         |
| 83 | Skp2 is associated with paclitaxel resistance in prostate cancer cells. <i>Oncology Reports</i> , 2016, 36, 559-566.   | 1.2 | 30        |
| 84 | Exosome-derived microRNAs contribute to prostate cancer chemoresistance. <i>International Journal of Oncology</i> , 2016, 49, 838-846.   | 1.4 | 74        |
| 85 | Acute Progression of Recurrent Meningioma during Luteinizing Hormone-Releasing Hormone Agonist Treatment for Prostate Cancer. <i>World Neurosurgery</i> , 2016, 91, 670.e1-670.e6.   | 0.7 | 8         |
| 86 | Clinical outcomes and nadir prostate-specific antigen (PSA) according to initial PSA levels in primary androgen deprivation therapy for metastatic prostate cancer. <i>World Journal of Urology</i> , 2016, 34, 319-327.   | 1.2 | 8         |
| 87 | Validation of TNM classification for metastatic prostatic cancer treated using primary androgen deprivation therapy. <i>World Journal of Urology</i> , 2016, 34, 261-267.  | 1.2 | 18        |
| 88 | Serum chemokine (CC motif) ligand 2 level as a diagnostic, predictive, and prognostic biomarker for prostate cancer. <i>Oncotarget</i> , 2016, 7, 8389-8398.   | 0.8 | 34        |
| 89 | Treatment Outcome of Low-dose Interleukin-2 Therapy in Patients with Metastatic Renal Cell Carcinoma. <i>Anticancer Research</i> , 2016, 36, 4961-4964.  | 0.5 | 8         |
| 90 | Phase II clinical study of radium-223 chloride (BAY 88-8223) in Japanese patients with symptomatic castration-resistant prostate cancer (CRPC) with bone metastases. <i>Journal of Clinical Oncology</i> , 2016, 34, 167-167.  | 0.8 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Long-term survival following multidisciplinary treatment of metastatic sarcomatoid renal cell carcinoma: a case report. <i>Journal of Medical Case Reports</i> , 2015, 9, 261.  | 0.4 | 0         |
| 92  | Notch Pathway Inhibition Using PF-03084014, a $\hat{\text{I}}^3$ -Secretase Inhibitor (GSI), Enhances the Antitumor Effect of Docetaxel in Prostate Cancer. <i>Clinical Cancer Research</i> , 2015, 21, 4619-4629.  | 3.2 | 73        |
| 93  | [ $^{14}\text{C}$ ]Fluciclovine (alias anti-[ $^{14}\text{C}$ ]FACBC) uptake and ASCT2 expression in castration-resistant prostate cancer cells. <i>Nuclear Medicine and Biology</i> , 2015, 42, 887-892.   | 0.3 | 46        |
| 94  | Reconsideration of progression to CRPC during androgen deprivation therapy. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2015, 145, 164-171.  | 1.2 | 24        |
| 95  | Clinical outcomes of patients with localized and locally advanced prostate cancer undergoing high-dose-rate brachytherapy with external-beam radiotherapy at our institute. <i>Anticancer Research</i> , 2015, 35, 1723-8.  | 0.5 | 5         |
| 96  | Primary female urethral adenocarcinoma treated with high dose rate brachytherapy, external beam radiotherapy, and chemotherapy. <i>International Cancer Conference Journal</i> , 2014, 3, 108-111.  | 0.2 | 0         |
| 97  | Outcomes and predictive factors of prostate cancer patients with extremely high prostate-specific antigen level. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014, 140, 1413-1419.  | 1.2 | 35        |
| 98  | Impact of PSA levels on second-round screening for the development of prostate cancer in men with low baseline PSA levels ( $\hat{\text{a}}\%2.0$ mg/ml). <i>Anticancer Research</i> , 2014, 34, 6739-46.   | 0.5 | 8         |
| 99  | Bone scintigraphy as a new imaging biomarker: the relationship between bone scan index and bone metabolic markers in prostate cancer patients with bone metastases. <i>Annals of Nuclear Medicine</i> , 2013, 27, 802-807.  | 1.2 | 45        |
| 100 | Prolonged treatment with three-weekly docetaxel plus daily prednisolone for metastatic castration-resistant prostate cancer: a multicenter, phase II, open-label, non-comparative, extension study in Japan. <i>International Journal of Clinical Oncology</i> , 2013, 18, 306-313. | 1.0 | 11        |
| 101 | Targeting the androgen receptor with siRNA promotes prostate cancer metastasis through enhanced macrophage recruitment via CCL2/CCR2-induced STAT3 activation. <i>EMBO Molecular Medicine</i> , 2013, 5, 1383-1401.   | 3.3 | 199       |
| 102 | Repression of cell proliferation and androgen receptor activity in prostate cancer cells by 2'-hydroxyflavanone. <i>Anticancer Research</i> , 2013, 33, 4453-61.  | 0.5 | 8         |
| 103 | Heterogenous induction of carcinoma-associated fibroblast-like differentiation in normal human prostatic fibroblasts by co-culturing with prostate cancer cells. <i>Journal of Cellular Biochemistry</i> , 2011, 112, 3604-3611.  | 1.2 | 26        |
| 104 | CTEN/tensin 4 expression induces sensitivity to paclitaxel in prostate cancer. <i>Prostate</i> , 2010, 70, 48-60.   | 1.2 | 24        |
| 105 | Adrenal androgen levels as predictors of outcome in castration-resistant prostate cancer patients treated with combined androgen blockade using flutamide as a second-line anti-androgen. <i>International Journal of Urology</i> , 2010, 17, 337-345.                              | 0.5 | 26        |
| 106 | Ethinylestradiol improves prostate-specific antigen levels in pretreated castration-resistant prostate cancer patients. <i>Anticancer Research</i> , 2010, 30, 5201-5.  | 0.5 | 23        |
| 107 | Prostate cancer stromal cells and LNCaP cells coordinately activate the androgen receptor through synthesis of testosterone and dihydrotestosterone from dehydroepiandrosterone. <i>Endocrine-Related Cancer</i> , 2009, 16, 1139-1155.   | 1.6 | 59        |
| 108 | Tranilast inhibits hormone refractory prostate cancer cell proliferation and suppresses transforming growth factor $\hat{\text{I}}^2$ -associated osteoblastic changes. <i>Prostate</i> , 2009, 69, 1222-1234.  | 1.2 | 45        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | The establishment of two paclitaxel-resistant prostate cancer cell lines and the mechanisms of paclitaxel resistance with two cell lines. <i>Prostate</i> , 2007, 67, 955-967.                        | 1.2 | 130       |
| 110 | Establishment and characterization of androgen-independent human prostate cancer cell lines, LN-REC4 and LNCaP-SF, from LNCaP. <i>International Journal of Urology</i> , 2007, 14, 233-239.           | 0.5 | 20        |
| 111 | The Bisphosphonate YM529 Inhibits Osteolytic and Osteoblastic Changes and CXCR-4-Induced Invasion in Prostate Cancer. <i>Cancer Research</i> , 2005, 65, 8818-8825.                                   | 0.4 | 62        |
| 112 | VARIATION IN THE ANTIANDROGENIC ACTIVITY OF DIESEL EXHAUST PARTICULATES EMITTED UNDER DIFFERENT ENGINE LOADS. <i>Polycyclic Aromatic Compounds</i> , 2004, 24, 743-757.                               | 1.4 | 9         |
| 113 | The Adrenal Androgen Androstenediol Is Present in Prostate Cancer Tissue after Androgen Deprivation Therapy and Activates Mutated Androgen Receptor. <i>Cancer Research</i> , 2004, 64, 765-771.      | 0.4 | 164       |
| 114 | Long-term exposure of tumor necrosis factor $\alpha$ causes hypersensitivity to androgen and anti-androgen withdrawal phenomenon in LNCaP prostate cancer cells. <i>Prostate</i> , 2001, 46, 319-326. | 1.2 | 19        |
| 115 | TUMOR NECROSIS FACTOR- $\alpha$ REPRESSES ANDROGEN SENSITIVITY IN THE LNCaP PROSTATE CANCER CELL LINE. <i>Journal of Urology</i> , 2000, 164, 800-805.  | 0.2 | 80        |
| 116 | Androgen Receptor: An Overview. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 1995, 5, 97-125.  | 0.4 | 260       |
| 117 | Usefulness of serum CCL2 as prognostic biomarker in prostate cancer: a long-term follow-up study. <i>Japanese Journal of Clinical Oncology</i> , 0, , .   | 0.6 | 3         |