List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5097466/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Mammographic Surveillance After Breast-Conserving Therapy: Impact of Digital Breast Tomosynthesis and Artificial Intelligence–Based Computer-Aided Detection. American Journal of Roentgenology, 2022, 218, 42-51.	2.2	6
2	US, Mammography, and Histopathologic Evaluation to Identify Low Nuclear Grade Ductal Carcinoma in Situ. Radiology, 2022, 303, 276-284.	7.3	2
3	Combining radiomics with ultrasound-based risk stratification systems for thyroid nodules: an approach for improving performance. European Radiology, 2021, 31, 2405-2413.	4.5	26
4	Survival Rates of Breast Cancer Patients Aged 40 to 49 Years according to Detection Modality in Korea: Screening Ultrasound versus Mammography. Korean Journal of Radiology, 2021, 22, 159.	3.4	6
5	Comparison of diagnostic performance of the ACR and Kwak TIRADS applying the ACR TIRADS' size thresholds for FNA. European Radiology, 2021, 31, 5243-5250.	4.5	11
6	CT and MR Imaging Findings of Structural Heart Diseases Associated with Sudden Cardiac Death. Journal of the Korean Society of Radiology, 2021, 82, 1163.	0.2	0
7	Added Value of MRI for Invasive Breast Cancer including the Entire Axilla for Evaluation of High-Level or Advanced Axillary Lymph Node Metastasis in the Post–ACOSOG Z0011 Trial Era. Radiology, 2021, 300, 46-54.	7.3	12
8	Chronological Trends of Breast Ductal Carcinoma In Situ: Clinical, Radiologic, and Pathologic Perspectives. Annals of Surgical Oncology, 2021, 28, 8699-8709.	1.5	2
9	ASO Author Reflections: The Association Between Low-Risk DCIS and Screening Ultrasound over the Past 10 Years. Annals of Surgical Oncology, 2021, 28, 8710-8710.	1.5	0
10	ASO Visual Abstract: ChronologicalÂTrends of Breast Ductal Carcinoma In Situ—Clinical, Radiological, and Pathological Perspectives. Annals of Surgical Oncology, 2021, 28, 592-593.	1.5	0
11	Ultrasonography-Based Radiomics of Screening-Detected Ductal Carcinoma In Situ According to Visibility on Mammography. Ultrasound Quarterly, 2021, 37, 23-27.	0.8	0
12	Guideline Implementation on Fine-Needle Aspiration for Thyroid Nodules: Focusing on Micronodules. Endocrine Practice, 2020, 26, 1017-1025.	2.1	1
13	Cytopathologic criteria and size should be considered in comparison of fine-needle aspiration vs. core-needle biopsy for thyroid nodules: results based on large surgical series. Endocrine, 2020, 70, 558-565.	2.3	8
14	Atypical Ductal Hyperplasia on Ultrasonography-Guided Vacuum-Assisted Biopsy of the Breast. Ultrasound Quarterly, 2020, 36, 192-198.	0.8	3
15	Comparing recall rates following implementation of digital breast tomosynthesis to synthetic 2D images and digital mammography on women with breast-conserving surgery. European Radiology, 2020, 30, 6072-6079.	4.5	10
16	Diagnostic performances and unnecessary US-FNA rates of various TIRADS after application of equal size thresholds. Scientific Reports, 2020, 10, 10632.	3.3	19
17	Pattern-based vs. score-based guidelines using ultrasound features have different strengths in risk stratification of thyroid nodules. European Radiology, 2020, 30, 3793-3802.	4.5	23
18	Three-dimensional radiomics of triple-negative breast cancer: Prediction of systemic recurrence. Scientific Reports, 2020, 10, 2976.	3.3	21

#	Article	IF	CITATIONS
19	Radiomics in predicting mutation status for thyroid cancer: A preliminary study using radiomics features for predicting BRAFV600E mutations in papillary thyroid carcinoma. PLoS ONE, 2020, 15, e0228968.	2.5	23
20	Radiomics signature for prediction of lateral lymph node metastasis in conventional papillary thyroid carcinoma. PLoS ONE, 2020, 15, e0227315.	2.5	37
21	BI-RADS category 3, 4, and 5 lesions identified at preoperative breast MRI in patients with breast cancer: implications for management. European Radiology, 2020, 30, 2773-2781.	4.5	14
22	Factors Predicting Breast Cancer Development in Women During Surveillance After Surgery for Atypical Ductal Hyperplasia of the Breast: Analysis of Clinical, Radiologic, and Histopathologic Features. Annals of Surgical Oncology, 2020, 27, 3614-3622.	1.5	1
23	Ultrasonography surveillance in papillary thyroid carcinoma patients after total thyroidectomy according to dynamic risk stratification. Endocrine, 2020, 69, 347-357.	2.3	2
24	Intranodular Vascularity May Be Useful in Predicting Malignancy in Thyroid Nodules with the Intermediate Suspicion Pattern of the 2015 American Thyroid Association Guidelines. Ultrasound in Medicine and Biology, 2020, 46, 1373-1379.	1.5	3
25	Application of machine learning to ultrasound images to differentiate follicular neoplasms of the thyroid gland. Ultrasonography, 2020, 39, 257-265.	2.3	21
26	Preoperative Magnetic Resonance Imaging Features Associated with Positive Resection Margins in Patients with Invasive Lobular Carcinoma. Korean Journal of Radiology, 2020, 21, 946.	3.4	5
27	Annual Trends in Ultrasonography-Guided 14-Gauge Core Needle Biopsy for Breast Lesions. Korean Journal of Radiology, 2020, 21, 259.	3.4	8
28	Core-Needle Biopsy Does Not Show Superior Diagnostic Performance to Fine-Needle Aspiration for Diagnosing Thyroid Nodules. Yonsei Medical Journal, 2020, 61, 161.	2.2	8
29	Diagnostic Value of CYFRA 21-1 Measurement in Fine-Needle Aspiration Washouts for Detection of Axillary Recurrence in Postoperative Breast Cancer Patients. Journal of the Korean Society of Radiology, 2020, 81, 147.	0.2	0
30	Follow-Up Intervals for Breast Imaging Reporting and Data System Category 3 Lesions on Screening Ultrasound in Screening and Tertiary Referral Centers. Korean Journal of Radiology, 2020, 21, 1027.	3.4	0
31	Artificial intelligence to predict the BRAFV600E mutation in patients with thyroid cancer. PLoS ONE, 2020, 15, e0242806.	2.5	26
32	Role of elastography for downgrading BI-RADS category 4a breast lesions according to risk factors. Acta Radiologica, 2019, 60, 278-285.	1.1	9
33	Follow-Up Strategies for Thyroid Nodules with Benign Cytology on Ultrasound-Guided Fine Needle Aspiration: Malignancy Rates of Management Guidelines Using Ultrasound Before and After the Era of the Bethesda System. Thyroid, 2019, 29, 1227-1236.	4.5	5
34	High Body Mass Index and Thyroid Stimulating Hormone Levels Do Not Affect Thyroid Nodule Selection for Fine-Needle Aspiration Biopsy after Ultrasound Evaluation. International Journal of Thyroidology, 2019, 12, 44.	0.1	0
35	Diffusional kurtosis imaging for differentiation of additional suspicious lesions on preoperative breast MRI of patients with known breast cancer. Magnetic Resonance Imaging, 2019, 62, 199-208.	1.8	17
36	Outcomes of Ductal Carcinoma In Situ According to Detection Modality: A Multicenter Study Comparing Recurrence Between Mammography and Breast US. Ultrasound in Medicine and Biology, 2019, 45, 2623-2633.	1.5	3

#	Article	IF	CITATIONS
37	Deep convolutional neural network for the diagnosis of thyroid nodules on ultrasound. Head and Neck, 2019, 41, 885-891.	2.0	75
38	Association Between Radiomics Signature and Disease-Free Survival in Conventional Papillary Thyroid Carcinoma. Scientific Reports, 2019, 9, 4501.	3.3	30
39	Ultrasonography-Guided Core Needle Biopsy Did Not Reduce Diagnostic Lobectomy for Thyroid Nodules Diagnosed as Atypia of Undetermined Significance/Follicular Lesion of Undetermined Significance. Ultrasound Quarterly, 2019, 35, 253-258.	0.8	6
40	Differentiation of thyroid nodules on US using features learned and extracted from various convolutional neural networks. Scientific Reports, 2019, 9, 19854.	3.3	11
41	Diagnosis of Thyroid Nodules: Performance of a Deep Learning Convolutional Neural Network Model vs. Radiologists. Scientific Reports, 2019, 9, 17843.	3.3	57
42	Comparison of Clinical and Pathologic Characteristics of Ductal Carcinoma in Situ Detected on Mammography versus Ultrasound Only in Asymptomatic Patients. Ultrasound in Medicine and Biology, 2019, 45, 68-77.	1.5	14
43	Comparison of breast tissue markers for tumor localization in breast cancer patients undergoing neoadjuvant chemotherapy. Ultrasonography, 2019, 38, 336-344.	2.3	11
44	Medical Audit of Screening Mammography at a Tertiary Referral Hospital Using the 5th Edition of Breast Imaging Reporting and Data System. Journal of the Korean Society of Radiology, 2019, 80, 513.	0.2	0
45	Does Post-Biopsy Mammography at Short-Term Interval Contribute to Early Detection of Cancer in Patients Diagnosed with Benign-Concordant Microcalcifications on Stereotactic Biopsy?. Iranian Journal of Radiology, 2019, 16, .	0.2	1
46	Value of ultrasound-guided fine needle aspiration in diagnosing axillary lymph node recurrence after breast cancer surgery. American Journal of Surgery, 2018, 216, 969-973.	1.8	3
47	Frequencies and malignancy rates of 6â€ŧiered Bethesda categories of thyroid nodules according to ultrasound assessment and nodule size. Head and Neck, 2018, 40, 1947-1954.	2.0	5
48	Can Biannual Ultrasound Surveillance Detect Smaller Second Cancers or Detect Cancers Earlier in Patients with Breast Cancer History?. Ultrasound in Medicine and Biology, 2018, 44, 1355-1363.	1.5	2
49	High suspicion US pattern on the ATA guidelines, not cytologic diagnosis, may be a predicting marker of lymph node metastasis in patients with classical papillary thyroid carcinoma. American Journal of Surgery, 2018, 216, 562-566.	1.8	7
50	Validation of the 2015 American Thyroid Association Management Guidelines for Thyroid Nodules With Benign Cytologic Findings in the Era of the Bethesda System. American Journal of Roentgenology, 2018, 210, 629-634.	2.2	6
51	Correlation between electrical conductivity and apparent diffusion coefficient in breast cancer: effect of necrosis on magnetic resonance imaging. European Radiology, 2018, 28, 3204-3214.	4.5	22
52	"Category 4A―microcalcifications: how should this subcategory be applied to microcalcifications seen on mammography?. Acta Radiologica, 2018, 59, 147-153.	1.1	8
53	Non-diagnostic thyroid nodules after application of the Bethesda system: a study evaluating the interval for repeat aspiration for non-diagnostic results. Acta Radiologica, 2018, 59, 305-312.	1.1	8
54	Thyroid Nodules With Nondiagnostic Cytologic Results: Follow-Up Management Using Ultrasound Patterns Based on the 2015 American Thyroid Association Guidelines. American Journal of Roentgenology, 2018, 210, 412-417.	2.2	10

#	Article	IF	CITATIONS
55	Necessity of Axillary Scanning After Negative Finding on Both Mammography and Subsequent Breast Ultrasound. Ultrasound in Medicine and Biology, 2018, 44, 71-77.	1.5	3
56	Qualitative and Semiquantitative Elastography for the Diagnosis of Intermediate Suspicious Thyroid Nodules Based on the 2015 American Thyroid Association Guidelines. Journal of Ultrasound in Medicine, 2018, 37, 1007-1014.	1.7	14
57	Diagnostic performances and interobserver agreement according to observer experience: a comparison study using three guidelines for management of thyroid nodules. Acta Radiologica, 2018, 59, 917-923.	1.1	24
58	Follow-up interval for probably benign breast lesions on screening ultrasound in women at average risk for breast cancer with dense breasts. Acta Radiologica, 2018, 59, 1045-1050.	1.1	8
59	Intrinsic Subtypes of Breast Cancers Initially Assessed as Probably Benign or of Low Suspicion on Ultrasonography Differ According to Tumor Size. Journal of Ultrasound in Medicine, 2018, 37, 1503-1509.	1.7	1
60	Preoperative High Neutrophil-Lymphocyte Ratio May Be Associated with Lateral Lymph Node Metastasis in Patients with Papillary Thyroid Cancers. International Journal of Thyroidology, 2018, 11, 41.	0.1	1
61	Evaluating imaging-pathology concordance and discordance after ultrasound-guided breast biopsy. Ultrasonography, 2018, 37, 107-120.	2.3	21
62	Ultrasonography-guided 14-gauge core biopsy of the breast: results of 7 years of experience. Ultrasonography, 2018, 37, 55-62.	2.3	21
63	Association among T2 signal intensity, necrosis, ADC and Ki-67 in estrogen receptor-positive and HER2-negative invasive ductal carcinoma. Magnetic Resonance Imaging, 2018, 54, 176-182.	1.8	18
64	Application of Various Additional Imaging Techniques for Thyroid Ultrasound: Direct Comparison of Combined Various Elastography and Doppler Parameters to Gray-Scale Ultrasound in Differential Diagnosis of Thyroid Nodules. Ultrasound in Medicine and Biology, 2018, 44, 1679-1686.	1.5	18
65	Feasibility of Charcoal Tattooing of Cytology-Proven Metastatic Axillary Lymph Node at Diagnosis and Sentinel Lymph Node Biopsy after Neoadjuvant Chemotherapy in Breast Cancer Patients. Cancer Research and Treatment, 2018, 50, 801-812.	3.0	58
66	Role of dynamic contrastâ€enhanced MRI in evaluating the association between contralateral parenchymal enhancement and survival outcome in ERâ€positive, HER2â€negative, nodeâ€negative invasive breast cancer. Journal of Magnetic Resonance Imaging, 2018, 48, 1678-1689.	3.4	16
67	Breast magnetic resonance imaging for surveillance of women with a personal history of breast cancer: outcomes stratified by interval between definitive surgery and surveillance MR imaging. BMC Cancer, 2018, 18, 91.	2.6	16
68	Application of metabolomics in prediction of lymph node metastasis in papillary thyroid carcinoma. PLoS ONE, 2018, 13, e0193883.	2.5	18
69	Associations between Bethesda categories and tumor characteristics of conventional papillary thyroid carcinoma. Ultrasonography, 2018, 37, 323-329.	2.3	3
70	Fine-needle aspiration versus core needle biopsy for diagnosis of thyroid malignancy and neoplasm: a matched cohort study. European Radiology, 2017, 27, 801-811.	4.5	26
71	Additional Magnetic Resonance Imaging–Detected Suspicious Lesions in Known Patients With Breast Cancer. Ultrasound Quarterly, 2017, 33, 167-173.	0.8	3
72	Ultrasound-guided fine needle aspiration versus core needle biopsy: comparison of post-biopsy hematoma rates and risk factors. Endocrine, 2017, 57, 108-114.	2.3	13

#	Article	IF	CITATIONS
73	Perfusion Parameters on Breast Dynamic Contrast-Enhanced MRI Are Associated With Disease-Specific Survival in Patients With Triple-Negative Breast Cancer. American Journal of Roentgenology, 2017, 208, 687-694.	2.2	12
74	Clinical Parameter for Deciding the BRAFV600E Mutation Test in Atypia of Undetermined Significance/Follicular Lesion of Undetermined Significance Thyroid Nodules. Ultrasound Quarterly, 2017, 33, 284-288.	0.8	10
75	Risk Stratification of Thyroid Nodules With Atypia of Undetermined Significance/Follicular Lesion of Undetermined Significance (AUS/FLUS) Cytology Using Ultrasonography Patterns Defined by the 2015 ATA Guidelines. Annals of Otology, Rhinology and Laryngology, 2017, 126, 625-633.	1.1	30
76	Clinical Significance of Histogram Parameters on Elastography in Patients With Papillary Thyroid Microcarcinomas. Ultrasound Quarterly, 2017, 33, 219-224.	0.8	3
77	Validation of the modified 4â€tiered categorization system through comparison with the 5â€tiered categorization system of the 2015 American Thyroid Association guidelines for classifying small thyroid nodules on ultrasound. Head and Neck, 2017, 39, 2208-2215.	2.0	5
78	Breast Cancer Screening With Mammography Plus Ultrasonography or Magnetic Resonance Imaging in Women 50 Years or Younger at Diagnosis and Treated With Breast Conservation Therapy. JAMA Oncology, 2017, 3, 1495.	7.1	112
79	Diagnosis and Management of Small Thyroid Nodules: A Comparative Study with Six Guidelines for Thyroid Nodules. Radiology, 2017, 283, 560-569.	7.3	62
80	Predicting lymph node metastasis in patients with papillary thyroid carcinoma by vascular index on power Doppler ultrasound. Head and Neck, 2017, 39, 334-340.	2.0	11
81	Large (≥3cm) thyroid nodules with benign cytology: Can Thyroid Imaging Reporting and Data System (TIRADS) help predict false-negative cytology?. PLoS ONE, 2017, 12, e0186242.	2.5	19
82	Ultrasound texture analysis: Association with lymph node metastasis of papillary thyroid microcarcinoma. PLoS ONE, 2017, 12, e0176103.	2.5	19
83	Ultrasonographic Evaluation of Diffuse Thyroid Disease: a Study Comparing Grayscale US and Texture Analysis of Real-Time Elastography (RTE) and Grayscale US. International Journal of Thyroidology, 2017, 10, 14.	0.1	0
84	Magnetic resonance imaging and pathological characteristics of pure mucinous carcinoma in the breast according to echogenicity on ultrasonography. Ultrasonography, 2017, 36, 131-138.	2.3	4
85	Metastatic renal cell carcinoma in the thyroid gland: ultrasonographic features and the diagnostic role of core needle biopsy. Ultrasonography, 2017, 36, 252-259.	2.3	24
86	Ultrasonographic evaluation of women with pathologic nipple discharge. Ultrasonography, 2017, 36, 310-320.	2.3	22
87	Metastatic Osteosarcoma to the Breast Presenting as a Densely Calcified Mass on Mammography. Journal of Breast Cancer, 2016, 19, 87.	1.9	3
88	Risk of Thyroid Cancer in Euthyroid Asymptomatic Patients with Thyroid Nodules with an Emphasis on Family History of Thyroid Cancer. Korean Journal of Radiology, 2016, 17, 255.	3.4	8
89	Hyalinizing trabecular tumor of the thyroid: diagnosis of a rare tumor using ultrasonography, cytology, and intraoperative frozen sections. Ultrasonography, 2016, 35, 131-139.	2.3	19
90	Reliability of Breast Ultrasound BI-RADS Final Assessment in Mammographically Negative Patients with Nipple Discharge and Radiologic Predictors of Malignancy. Journal of Breast Cancer, 2016, 19, 308.	1.9	16

#	Article	IF	CITATIONS
91	Short-term Follow-up US Leads to Higher False-positive Results Without Detection of Structural Recurrences in PTMC. Medicine (United States), 2016, 95, e2435.	1.0	14
92	Risks of Being Malignant or High Risk and Their Characteristics in Breast Lesions 20 mm or Larger After Benign Results on Ultrasonography-Guided 14-Gauge Core Needle Biopsy. Ultrasound Quarterly, 2016, 32, 157-163.	0.8	2
93	Application of Thyroid Imaging Reporting and Data System in the Ultrasound Assessment of Thyroid Nodules According to Physician Experience. Ultrasound Quarterly, 2016, 32, 126-131.	0.8	10
94	Diagnostic Yield of Fine-Needle Aspiration for Axillary Lymph Nodes During Screening Breast Ultrasound. Ultrasound Quarterly, 2016, 32, 144-150.	0.8	3
95	Asymptomatic Benign Papilloma Without Atypia Diagnosed at Ultrasonography-Guided 14-Gauge Core Needle Biopsy: Which Subgroup can be Managed by Observation?. Annals of Surgical Oncology, 2016, 23, 1860-1866.	1.5	25
96	Quantitative Evaluation for Differentiating Malignant and Benign Thyroid Nodules Using Histogram Analysis of Grayscale Sonograms. Journal of Ultrasound in Medicine, 2016, 35, 775-782.	1.7	30
97	Is Pre-Operative Axillary Staging with Ultrasound and Ultrasound-Guided Fine-Needle Aspiration Reliable in Invasive Lobular Carcinoma of the Breast?. Ultrasound in Medicine and Biology, 2016, 42, 1263-1272.	1.5	13
98	Comparison of Ultrasound, Pathologic and Prognostic Characteristics of the Follicular Variant of Papillary Thyroid Cancer According to Fine-Needle Aspiration Cytology. Ultrasound in Medicine and Biology, 2016, 42, 2864-2872.	1.5	2
99	Effect of Background Parenchymal Enhancement on Pre-Operative Breast Magnetic Resonance Imaging: How It Affects Interpretation and the Role of Second-Look Ultrasound in Patient Management. Ultrasound in Medicine and Biology, 2016, 42, 2766-2774.	1.5	10
100	Mammographically Occult Asymptomatic Radial Scars/Complex Sclerosing Lesions at Ultrasonography-Guided Core Needle Biopsy: Follow-Up Can Be Recommended. Ultrasound in Medicine and Biology, 2016, 42, 2367-2371.	1.5	11
101	The thyroid imaging reporting and data system on US, but not the BRAFV600E mutation in fine-needle aspirates, is associated with lateral lymph node metastasis in PTC. Medicine (United States), 2016, 95, e4292.	1.0	16
102	Application of the downgrade criteria to supplemental screening ultrasound for women with negative mammography but dense breasts. Medicine (United States), 2016, 95, e5279.	1.0	13
103	Recurrence Rates of Benign Phyllodes Tumors After Surgical Excision and Ultrasonography-Guided Vacuum-Assisted Excision. Ultrasound Quarterly, 2016, 32, 151-156.	0.8	4
104	US-localized diffuse optical tomography in breast cancer: comparison with pharmacokinetic parameters of DCE-MRI and with pathologic biomarkers. BMC Cancer, 2016, 16, 50.	2.6	9
105	Correlation between conductivity and prognostic factors in invasive breast cancer using magnetic resonance electric properties tomography (MREPT). European Radiology, 2016, 26, 2317-2326.	4.5	47
106	Histogram and gray level co-occurrence matrix on gray-scale ultrasound images for diagnosing lymphocytic thyroiditis. Computers in Biology and Medicine, 2016, 75, 257-266.	7.0	16
107	Subcategorization of atypia of undetermined significance/follicular lesion of undetermined significance (<scp>AUS</scp> / <scp>FLUS</scp>): a study applying Thyroid Imaging Reporting and Data System (<scp>TIRADS</scp>). Clinical Endocrinology, 2016, 85, 275-282.	2.4	51
108	Combined use of conventional smear and liquid-based preparation versus conventional smear for thyroid fine-needle aspiration. Endocrine, 2016, 53, 157-165.	2.3	19

#	Article	IF	CITATIONS
109	Short-term follow-up in 6Âmonths is unnecessary for asymptomatic breast lesions with benign concordant results obtained at ultrasonography-guided 14-gauge core needle biopsy. American Journal of Surgery, 2016, 211, 152-158.	1.8	7
110	Breast ultrasonography for detection of metachronous ipsilateral breast tumor recurrence. Acta Radiologica, 2016, 57, 1171-1177.	1.1	6
111	Follow-up ultrasound may be enough for thyroid nodules from 5Âmm to 1Âcm in size. Endocrine, 2016, 52, 130-138.	2.3	4
112	Association between Bethesda Categories and Ultrasound Features of Conventional Papillary Thyroid Carcinoma. Ultrasound in Medicine and Biology, 2016, 42, 1066-1074.	1.5	0
113	Preoperative axillary lymph node evaluation in breast cancer patients by breast magnetic resonance imaging (MRI): Can breast MRI exclude advanced nodal disease?. European Radiology, 2016, 26, 3865-3873.	4.5	55
114	Evaluation of Underlying Lymphocytic Thyroiditis With Histogram Analysis Using Grayscale Ultrasound Images. Journal of Ultrasound in Medicine, 2016, 35, 519-526.	1.7	14
115	Value of additional von Kossa staining in thyroid nodules with echogenic spots on ultrasound. Pathology Research and Practice, 2016, 212, 415-420.	2.3	2
116	The 5-tiered categorization system for reporting cytology is sufficient for management of patients with thyroid nodules compared to the 6-tiered Bethesda system. Endocrine, 2016, 53, 489-496.	2.3	7
117	Repeat Ultrasound-Guided Fine-Needle Aspiration for Thyroid Nodules 10 mm or Larger Can Be Performed 10.7 Months After Initial Nondiagnostic Results. American Journal of Roentgenology, 2016, 206, 823-828.	2.2	1
118	Repeat fine-needle aspiration can be performed at 6Âmonths or more after initial atypia of undetermined significance or follicular lesion of undetermined significance results for thyroid nodules 10Âmm or larger. European Radiology, 2016, 26, 4442-4448.	4.5	9
119	Thyroid Imaging Reporting and Data System and Ultrasound Elastography: Diagnostic Accuracy as a Tool in Recommending Repeat Fine-Needle Aspiration for Solid Thyroid Nodules withÂNon-Diagnostic Fine-Needle Aspiration Cytology. Ultrasound in Medicine and Biology, 2016, 42, 399-406.	1.5	16
120	Breast parenchymal signal enhancement ratio at preoperative magnetic resonance imaging: association with early recurrence in triple-negative breast cancer patients. Acta Radiologica, 2016, 57, 802-808.	1.1	15
121	Variability in Interpretation of Ultrasound Elastography andÂGray-Scale Ultrasound in Assessing Thyroid Nodules. Ultrasound in Medicine and Biology, 2016, 42, 51-59.	1.5	13
122	Malignancy Risk Stratification of Thyroid Nodules: Comparison between the Thyroid Imaging Reporting and Data System and the 2014 American Thyroid Association Management Guidelines. Radiology, 2016, 278, 917-924.	7.3	190
123	Magnetic Resonance Imaging after Completion of Neoadjuvant Chemotherapy Can Accurately Discriminate between No Residual Carcinoma and Residual Ductal Carcinoma In Situ in Patients with Triple-Negative Breast Cancer. PLoS ONE, 2016, 11, e0149347.	2.5	16
124	Metabolomics of Breast Cancer Using High-Resolution Magic Angle Spinning Magnetic Resonance Spectroscopy: Correlations with 18F-FDG Positron Emission Tomography-Computed Tomography, Dynamic Contrast-Enhanced and Diffusion-Weighted Imaging MRI. PLoS ONE, 2016, 11, e0159949.	2.5	21
125	The follicular variant of papillary thyroid carcinoma: characteristics of preoperative ultrasonography and cytology. Ultrasonography, 2016, 35, 47-54.	2.3	30
126	Diabetic mastopathy: imaging features and the role of image-guided biopsy in its diagnosis. Ultrasonography, 2016, 35, 140-147.	2.3	19

#	Article	IF	CITATIONS
127	Thyroid nodules with nondiagnostic results on repeat fine-needle aspiration biopsy: which nodules should be considered for repeat biopsy or surgery rather than follow-up?. Ultrasonography, 2016, 35, 234-243.	2.3	17
128	Prognostic Impact of Ultrasonography Features and ¹⁸ F-Fluorodeoxyglucose Uptake in Patients With Papillary Thyroid Microcarcinoma. Clinical and Experimental Otorhinolaryngology, 2016, 9, 62-69.	2.1	3
129	Fine-Needle Aspirate CYFRA 21-1, an Innovative New Marker for Diagnosis of Axillary Lymph Node Metastasis in Breast Cancer Patients. Medicine (United States), 2015, 94, e811.	1.0	7
130	Evaluation of serum thyroidâ€stimulating hormone as indicator for fineâ€needle aspiration in patients with thyroid nodules. Head and Neck, 2015, 37, 498-504.	2.0	11
131	Breast Cancer Arising Adjacent to an Involuting Fibroadenoma: Serial Changes in Radiologic Features. Journal of Breast Cancer, 2015, 18, 291.	1.9	3
132	Breast Microcalcifications: Diagnostic Outcomes According to Image-Guided Biopsy Method. Korean Journal of Radiology, 2015, 16, 996.	3.4	31
133	Imaging Surveillance of Patients with Breast Cancer after Primary Treatment: Current Recommendations. Korean Journal of Radiology, 2015, 16, 219.	3.4	30
134	Significance of Incidentally Detected Subcentimeter Enhancing Lesions on Preoperative Breast MRI: Role of Second-Look Ultrasound in Lesion Detection and Management. American Journal of Roentgenology, 2015, 204, W357-W362.	2.2	11
135	Association of Preoperative US Features and Recurrence in Patients with Classic Papillary Thyroid Carcinoma. Radiology, 2015, 277, 574-583.	7.3	47
136	Real-Time PCR Cycle Threshold Values for the BRAFV600E Mutation in Papillary Thyroid Microcarcinoma May Be Associated With Central Lymph Node Metastasis. Medicine (United States), 2015, 94, e1149.	1.0	9
137	RAS Mutations in AUS/FLUS Cytology. Medicine (United States), 2015, 94, e1084.	1.0	13
138	Malignancy Risk Stratification in Thyroid Nodules with Nondiagnostic Results at Cytologic Examination: Combination of Thyroid Imaging Reporting and Data System and the Bethesda System. Radiology, 2015, 274, 287-295.	7.3	59
139	What to do with thyroid nodules showing benign cytology and BRAFV600E mutation? A study based on clinical and radiologic features using a highly sensitive analytic method. Surgery, 2015, 157, 354-361.	1.9	20
140	Evaluation with 3.0-T MR imaging: predicting the pathological response of triple-negative breast cancer treated with anthracycline and taxane neoadjuvant chemotherapy. Acta Radiologica, 2015, 56, 1069-1077.	1.1	12
141	BRAF mutation in fineâ€needle aspiration specimens as a potential predictor for persistence/recurrence in patients with classical papillary thyroid carcinoma larger than 10 mm at a BRAF mutation prevalent area. Head and Neck, 2015, 37, 1432-1438.	2.0	9
142	Evaluation of Malignancy Risk Stratification of Microcalcifications Detected on Mammography: A Study Based on the 5th Edition of BI-RADS. Annals of Surgical Oncology, 2015, 22, 2895-2901.	1.5	47
143	Mammographic and Sonographic Features of Triple-Negative Invasive Carcinoma of No Special Type. Ultrasound in Medicine and Biology, 2015, 41, 375-383.	1.5	10
144	Thyroid nodules â‰ \$ Âmm on ultrasonography: are they "leave me alone―lesions?. Endocrine, 2015, 49, 735-744.	2.3	8

#	Article	IF	CITATIONS
145	Malignancy risk and characteristics of thyroid nodules with two consecutive results of atypia of undetermined significance or follicular lesion of undetermined significance on cytology. European Radiology, 2015, 25, 2601-2607.	4.5	37
146	Adding Ultrasound to the Evaluation of Patients with Pathologic Nipple Discharge to Diagnose Additional Breast Cancers: Preliminary Data. Ultrasound in Medicine and Biology, 2015, 41, 2099-2107.	1.5	9
147	Thyroid incidentalomas detected onÂ18F-fluorodeoxyglucose-positron emission tomography/computed tomography: Thyroid Imaging Reporting and Data System (TIRADS) in the diagnosis and management ofÂpatients. Surgery, 2015, 158, 1314-1322.	1.9	23
148	Clinical Implication of Highly Sensitive Detection of the BRAFV600E Mutation in Fine-Needle Aspirations According to the Thyroid Bethesda System in Patients With Conventional Papillary Thyroid Carcinoma. Annals of Otology, Rhinology and Laryngology, 2015, 124, 392-399.	1.1	12
149	Thyroid Nodules: Nondiagnostic Cytologic Results according to Thyroid Imaging Reporting and Data System before and after Application of the Bethesda System. Radiology, 2015, 276, 579-587.	7.3	31
150	Quantitative Evaluation of Vascularity Using 2-D Power Doppler Ultrasonography May Not Identify Malignancy of the Thyroid. Ultrasound in Medicine and Biology, 2015, 41, 2873-2883.	1.5	6
151	Application of Texture Analysis in the Differential Diagnosis of Benign and Malignant Thyroid Nodules: Comparison With Gray-Scale Ultrasound and Elastography. American Journal of Roentgenology, 2015, 205, W343-W351.	2.2	31
152	Applying Ultrasoundâ€Guided Core Needle Biopsy for Diagnosis of Thyroid Masses. Journal of Ultrasound in Medicine, 2015, 34, 1801-1808.	1.7	10
153	The influence of body mass index on the diagnostic performance of preâ€operative staging ultrasound in papillary thyroid carcinoma. Clinical Endocrinology, 2015, 83, 550-555.	2.4	14
154	Higher body mass index may be a predictor of extrathyroidal extension in patients with papillary thyroid microcarcinoma. Endocrine, 2015, 48, 264-271.	2.3	38
155	A Study on Serum Antithyroglobulin Antibodies Interference in Thyroglobulin Measurement in Fine-Needle Aspiration for Diagnosing Lymph Node Metastasis in Postoperative Patients. PLoS ONE, 2015, 10, e0131096.	2.5	15
156	Characteristics of breast cancer detected by supplementary screening ultrasonography. Ultrasonography, 2015, 34, 153-156.	2.3	8
157	Effectiveness and Limitations of Core Needle Biopsy in the Diagnosis of Thyroid Nodules: Review of Current Literature. Journal of Pathology and Translational Medicine, 2015, 49, 230-235.	1.1	51
158	Effect of the Menstrual Cycle on Background Parenchymal Enhancement Observed on Breast MRIs in Korean Women. Journal of the Korean Society of Radiology, 2015, 73, 158.	0.2	0
159	Percutaneous Ultrasound-Guided Vacuum-Assisted Removal versus Surgery for Breast Lesions Showing Imaging-Histology Discordance after Ultrasound-Guided Core-Needle Biopsy. Korean Journal of Radiology, 2014, 15, 697.	3.4	15
160	HER2 Expression in Fine Needle Aspirates of Lymph Nodes Detected by Preoperative Axillary Ultrasound in Breast Cancer Patients. PLoS ONE, 2014, 9, e113065.	2.5	1
161	Diagnostic Role of Conventional Ultrasonography and Shearwave Elastography in Asymptomatic Patients with Diffuse Thyroid Disease: Initial Experience with 57 Patients. Yonsei Medical Journal, 2014, 55, 247.	2.2	42
162	Mammographic Density Estimation with Automated Volumetric Breast Density Measurement. Korean Journal of Radiology, 2014, 15, 313.	3.4	30

HEE JUNG MOON

#	Article	IF	CITATIONS
163	Vacuum-assisted breast biopsy under sonographic guidance: analysis of 10 years of experience. Ultrasonography, 2014, 33, 259-266.	2.3	44
164	Benign Aspirates on Follow-Up FNA May Be Enough in Patients with Initial Atypia of Undetermined Significance/Follicular Lesion of Undetermined Significance. International Journal of Endocrinology, 2014, 2014, 1-8.	1.5	10
165	Better Understanding in the Differentiation of Thyroid Follicular Adenoma, Follicular Carcinoma, and Follicular Variant of Papillary Carcinoma: A Retrospective Study. International Journal of Endocrinology, 2014, 2014, 1-9.	1.5	30
166	Imaging-Cytology Correlation of Thyroid Nodules with Initially Benign Cytology. International Journal of Endocrinology, 2014, 2014, 1-8.	1.5	10
167	Thyroid Nodules with Benign Findings at Cytologic Examination: Results of Long-term Follow-up with US. Radiology, 2014, 271, 272-281.	7.3	51
168	Absence of Residual Microcalcifications in Atypical Ductal Hyperplasia Diagnosed via Stereotactic Vacuum-Assisted Breast Biopsy: Is Surgical Excision Obviated?. Journal of Breast Cancer, 2014, 17, 265.	1.9	15
169	Intra-observer Reproducibility and Diagnostic Performance of Breast Shear-Wave Elastography in Asian Women. Ultrasound in Medicine and Biology, 2014, 40, 1058-1064.	1.5	26
170	A nomogram for predicting malignancy in thyroid nodules diagnosed as atypia of undetermined significance/follicular lesions of undetermined significance on fine needle aspiration. Surgery, 2014, 155, 1006-1013.	1.9	32
171	Malignancy Risk Stratification in Thyroid Nodules with Benign Results on Cytology: Combination of Thyroid Imaging Reporting and Data System and Bethesda System. Annals of Surgical Oncology, 2014, 21, 1898-1903.	1.5	44
172	Heterogeneous Echogenicity of the Thyroid Parenchyma Does Not Influence the Detection of Multi-focality in Papillary Thyroid Carcinoma on Preoperative Ultrasound Staging. Ultrasound in Medicine and Biology, 2014, 40, 884-889.	1.5	5
173	Diagnostic Performance of Ultrasound and Ultrasound Elastography with Respect to Physician Experience. Ultrasound in Medicine and Biology, 2014, 40, 854-863.	1.5	26
174	Breast Papilloma without Atypia and Risk of Breast Carcinoma. Breast Journal, 2014, 20, 525-533.	1.0	14
175	Optimal indication of thyroglobulin measurement in fine-needle aspiration for detecting lateral metastatic lymph nodes in patients with papillary thyroid carcinoma. Head and Neck, 2014, 36, 795-801.	2.0	35
176	Real-Time Elastography in the Evaluation of Diffuse Thyroid Disease: A Study Based on Elastography Histogram Parameters. Ultrasound in Medicine and Biology, 2014, 40, 2012-2019.	1.5	22
177	Can increased tumoral vascularity be a quantitative predicting factor of lymph node metastasis in papillary thyroid microcarcinoma?. Endocrine, 2014, 47, 273-282.	2.3	21
178	Photoacoustic Imaging of Breast Microcalcifications: A Preliminary Study with 8-Gauge Core-Biopsied Breast Specimens. PLoS ONE, 2014, 9, e105878.	2.5	20
179	Sonographic features and ultrasonography-guided fine-needle aspiration of metastases to the thyroid gland. Ultrasonography, 2014, 33, 40-48.	2.3	19
180	Positive predictive value of additional synchronous breast lesions in whole-breast ultrasonography at the diagnosis of breast cancer: clinical and imaging factors. Ultrasonography, 2014, 33, 170-177.	2.3	3

#	Article	IF	CITATIONS
181	Benign core biopsy of probably benign breast lesions 2 cm or larger: correlation with excisional biopsy and long-term follow-up. Ultrasonography, 2014, 33, 200-205.	2.3	11
182	Preoperative Prediction of Central Lymph Node Metastasis in Thyroid Papillary Microcarcinoma Using Clinicopathologic and Sonographic Features. World Journal of Surgery, 2013, 37, 385-391.	1.6	95
183	Can additional immunohistochemistry staining replace the surgical excision for the diagnosis of papillary breast lesions classified as benign on 14-gage core needle biopsy?. Breast Cancer Research and Treatment, 2013, 137, 797-806.	2.5	14
184	US-Guided Optical Tomography: Correlation with Clinicopathologic Variables in Breast Cancer. Ultrasound in Medicine and Biology, 2013, 39, 233-240.	1.5	15
185	Sonographic Characteristics Suggesting Papillary Thyroid Carcinoma According to Nodule Size. Annals of Surgical Oncology, 2013, 20, 906-913.	1.5	40
186	Phyllodes Tumors of the Breast: Ultrasonographic Findings and Diagnostic Performance of Ultrasound-Guided Core Needle Biopsy. Ultrasound in Medicine and Biology, 2013, 39, 987-992.	1.5	21
187	Neck ultrasonography as preoperative localization of primary hyperparathyroidism with an additional role of detecting thyroid malignancy. European Journal of Radiology, 2013, 82, e17-e21.	2.6	33
188	Value of Ultrasound for Postoperative Surveillance of Asian Patients with History of Breast Cancer Surgery: A Single-Center Study. Annals of Surgical Oncology, 2013, 20, 3461-3468.	1.5	16
189	Imaging findings for malignancy-mimicking nodular fasciitis of the breast and a review of previous imaging studies. Acta Radiologica Short Reports, 2013, 2, 204798161351283.	0.7	12
190	Second-Look US: How to Find Breast Lesions with a Suspicious MR Imaging Appearance. Radiographics, 2013, 33, 1361-1375.	3.3	57
191	Utility of Thyroglobulin Measurements in Fine-Needle Aspirates of Space Occupying Lesions in the Thyroid Bed After Thyroid Cancer Operations. Thyroid, 2013, 23, 280-288.	4.5	25
192	Heterogeneous echogenicity of the underlying thyroid parenchyma: how does this affect the analysis of a thyroid nodule?. BMC Cancer, 2013, 13, 550.	2.6	16
193	Anaplastic Thyroid Cancer: Ultrasonographic Findings and the Role of Ultrasonography-Guided Fine Needle Aspiration Biopsy. Yonsei Medical Journal, 2013, 54, 1400.	2.2	29
194	Fine-Needle Aspirates CYFRA 21-1 is a Useful Tumor Marker for Detecting Axillary Lymph Node Metastasis in Breast Cancer Patients. PLoS ONE, 2013, 8, e57248.	2.5	13
195	Is Follow-up BRAFV600E Mutation Analysis Helpful in the Differential Diagnosis of Thyroid Nodules with Negative Results on Initial Analysis?. PLoS ONE, 2013, 8, e58592.	2.5	11
196	Magnetic Resonance Metabolic Profiling of Breast Cancer Tissue Obtained with Core Needle Biopsy for Predicting Pathologic Response to Neoadjuvant Chemotherapy. PLoS ONE, 2013, 8, e83866.	2.5	40
197	Image Reporting and Characterization System for Ultrasound Features of Thyroid Nodules: Multicentric Korean Retrospective Study. Korean Journal of Radiology, 2013, 14, 110.	3.4	130
198	Preoperative Prediction of Ductal Carcinomain situUnderestimation of the Breast using Dynamic Contrast Enhanced and Diffusion-weighted Imaging. Journal of the Korean Society of Magnetic Resonance in Medicine, 2013, 17, 101.	0.1	1

#	Article	IF	CITATIONS
199	Proper Indication of BRAFV600E Mutation Testing in Fine-Needle Aspirates of Thyroid Nodules. PLoS ONE, 2013, 8, e64505.	2.5	23
200	Diagnostic Performance of Gray-Scale US and Elastography in Solid Thyroid Nodules. Radiology, 2012, 262, 1002-1013.	7.3	228
201	Differences in the Diagnostic Performances of Staging US for Thyroid Malignancy According to Experience. Ultrasound in Medicine and Biology, 2012, 38, 568-573.	1.5	34
202	False Negative Results of Preoperative Axillary Ultrasound in Patients with Invasive Breast Cancer: Correlations with Clinicopathologic Findings. Ultrasound in Medicine and Biology, 2012, 38, 1881-1886.	1.5	34
203	Man to man training: Can it help improve the diagnostic performances and interobserver variabilities of thyroid ultrasonography in residents?. European Journal of Radiology, 2012, 81, e352-e356.	2.6	42
204	Mixed Echoic Thyroid Nodules on Ultrasound: Approach to Management. Yonsei Medical Journal, 2012, 53, 812.	2.2	8
205	The Diagnostic Values of Ultrasound and Ultrasound-Guided Fine Needle Aspiration in Subcentimeter-Sized Thyroid Nodules. Annals of Surgical Oncology, 2012, 19, 52-59.	1.5	62
206	US follow-up protocol in concordant benign result after US-guided 14-gauge core needle breast biopsy. Breast Cancer Research and Treatment, 2012, 132, 1089-1097.	2.5	19
207	Scoring System Based on BI-RADS Lexicon to Predict Probability of Malignancy in Suspicious Microcalcifications. Annals of Surgical Oncology, 2012, 19, 1491-1498.	1.5	13
208	Clinical Implication of Elastography as a Prognostic Factor of Papillary Thyroid Microcarcinoma. Annals of Surgical Oncology, 2012, 19, 2279-2287.	1.5	46
209	Clinical and Ultrasonographic Findings Affecting Nondiagnostic Results upon the Second Fine Needle Aspiration for Thyroid Nodules. Annals of Surgical Oncology, 2012, 19, 2304-2309.	1.5	55
210	How to Manage Thyroid Nodules With Two Consecutive Nonâ€Điagnostic Results on Ultrasonographyâ€Guided Fineâ€Needle Aspiration. World Journal of Surgery, 2012, 36, 586-592.	1.6	21
211	HR-MAS MR Spectroscopy of Breast Cancer Tissue Obtained with Core Needle Biopsy: Correlation with Prognostic Factors. PLoS ONE, 2012, 7, e51712.	2.5	50
212	BRAFV600E mutation testing in fine needle aspirates of thyroid nodules: potential value of real-time PCR. Annals of Clinical and Laboratory Science, 2012, 42, 258-65.	0.2	16
213	Thyroid Imaging Reporting and Data System for US Features of Nodules: A Step in Establishing Better Stratification of Cancer Risk. Radiology, 2011, 260, 892-899.	7.3	874
214	The Diagnostic Accuracy of Ultrasound-Guided Fine-Needle Aspiration Biopsy and the Sonographic Differences Between Benign and Malignant Thyroid Nodules 3 cm or Larger. Thyroid, 2011, 21, 993-1000.	4.5	94
215	Can We Predict Phyllodes Tumor among Fibroepithelial Lesions with Cellular Stroma Diagnosed at Breast Core Needle Biopsy?. Journal of the Korean Society of Radiology, 2011, 64, 603.	0.2	1
216	Factors affecting inadequate sampling of ultrasound-guided fine-needle aspiration biopsy of thyroid nodules. Clinical Endocrinology, 2011, 74, 776-782.	2.4	76

#	Article	IF	CITATIONS
217	Subcategorization of Ultrasonographic BI-RADS Category 4: Positive Predictive Value and Clinical Factors Affecting It. Ultrasound in Medicine and Biology, 2011, 37, 693-699.	1.5	47
218	Suspiciously malignant findings on ultrasound after fine needle aspiration biopsy in a thyroid nodule with initially benign ultrasound and cytologic result: to repeat or to follow-up. Clinical Imaging, 2011, 35, 470-475.	1.5	14
219	Interval growth of probably benign breast lesions on follow-up ultrasound: how can these be managed?. European Radiology, 2011, 21, 908-918.	4.5	15
220	US-guided diffuse optical tomography for breast lesions: the reliability of clinical experience. European Radiology, 2011, 21, 1353-1363.	4.5	12
221	Impact of Preoperative Ultrasonography and Fine-Needle Aspiration of Axillary Lymph Nodes on Surgical Management of Primary Breast Cancer. Annals of Surgical Oncology, 2011, 18, 738-744.	1.5	84
222	Diagnostic Value of BRAFV600E Mutation Analysis of Thyroid Nodules According to Ultrasonographic Features and the Time of Aspiration. Annals of Surgical Oncology, 2011, 18, 792-799.	1.5	22
223	Contribution of Computed Tomography to Ultrasound in Predicting Lateral Lymph Node Metastasis in Patients with Papillary Thyroid Carcinoma. Annals of Surgical Oncology, 2011, 18, 1734-1741.	1.5	46
224	Minimal Extrathyroidal Extension in Patients with Papillary Thyroid Microcarcinoma: Is It a Real Prognostic Factor?. Annals of Surgical Oncology, 2011, 18, 1916-1923.	1.5	122
225	Inadequate Cytology in Thyroid Nodules: Should We Repeat Aspiration or Follow-Up?. Annals of Surgical Oncology, 2011, 18, 1282-1289.	1.5	60
226	Diffuse Microcalcifications Only of the Thyroid Gland Seen on Ultrasound: Clinical Implication and Diagnostic Approach. Annals of Surgical Oncology, 2011, 18, 2899-2906.	1.5	8
227	Staging of Papillary Thyroid Carcinoma with Ultrasonography: Performance in a Large Series. Annals of Surgical Oncology, 2011, 18, 3572-3578.	1.5	45
228	Ultrasonographic Characteristics Predictive of Nondiagnostic Results for Fine-Needle Aspiration Biopsies of Thyroid Nodules. Ultrasound in Medicine and Biology, 2011, 37, 549-555.	1.5	43
229	Positive Predictive Value and Interobserver Variability of Preoperative Staging Sonography for Thyroid Carcinoma. American Journal of Roentgenology, 2011, 197, W324-W330.	2.2	17
230	Tumor Markers in Fine-Needle Aspiration Washout for Cervical Lymphadenopathy in Patients With Known Malignancy: Preliminary Study. American Journal of Roentgenology, 2011, 197, W730-W736.	2.2	7
231	Why Do We Have So Many Controversies in Thyroid Nodule Doppler US?. Radiology, 2011, 259, 304-304.	7.3	8
232	Unsuspected Bowel Structures on Neck Ultrasonography. Thyroid, 2011, 21, 455-455.	4.5	0
233	Breast ultrasonography in young Asian women: analyses of BI-RADS final assessment category according to symptoms. Acta Radiologica, 2011, 52, 35-40.	1.1	11
234	How to Find an Isoechoic Lesion with Breast US. Radiographics, 2011, 31, 663-676.	3.3	16

#	Article	IF	CITATIONS
235	Interobserver Variability of Ultrasound Elastography: How It Affects the Diagnosis of Breast Lesions. American Journal of Roentgenology, 2011, 196, 730-736.	2.2	150
236	A Taller-Than-Wide Shape in Thyroid Nodules in Transverse and Longitudinal Ultrasonographic Planes and the Prediction of Malignancy. Thyroid, 2011, 21, 1249-1253.	4.5	61
237	How to Approach Thyroid Nodules with Indeterminate Cytology. Annals of Surgical Oncology, 2010, 17, 2147-2155.	1.5	77
238	Infiltrating syringomatous adenoma presenting as microcalcification in the nipple on screening mammogram: case report and review of the literature of radiologic features. Clinical Imaging, 2010, 34, 462-465.	1.5	10
239	Giant cell tumor of a tendon sheath mimicking an axillary lymph node. Journal of Clinical Ultrasound, 2010, 38, 271-273.	0.8	Ο
240	Malignant Lesions Initially Categorized as Probably Benign Breast Lesions: Retrospective Review of Ultrasonographic, Clinical and Pathologic Characteristics. Ultrasound in Medicine and Biology, 2010, 36, 551-559.	1.5	22
241	Can Vascularity at Power Doppler US Help Predict Thyroid Malignancy?. Radiology, 2010, 255, 260-269.	7.3	254
242	Diagnostic Approach for Evaluation of Lymph Node Metastasis From Thyroid Cancer Using Ultrasound and Fine-Needle Aspiration Biopsy. American Journal of Roentgenology, 2010, 194, 38-43.	2.2	123
243	Extrathyroidal Implantation of Thyroid Tumor Cells After Needle Biopsy and Other Invasive Procedures. Thyroid, 2010, 20, 459-464.	4.5	6
244	Probably benign breast lesions on ultrasonography: A retrospective review of ultrasonographic features and clinical factors affecting the BI-RADS categorization. Acta Radiologica, 2010, 51, 375-382.	1.1	27
245	Value of US Correlation of a Thyroid Nodule with Initially Benign Cytologic Results. Radiology, 2010, 254, 292-300.	7.3	129
246	Axillary Lymph Node Metastasis: CA-15-3 and Carcinoembryonic Antigen Concentrations in Fine-Needle Aspirates for Preoperative Diagnosis in Patients with Breast Cancer. Radiology, 2010, 254, 691-697.	7.3	24
247	Long-term follow-up results for ultrasound-guided vacuum-assisted removal of benign palpable breast mass. American Journal of Surgery, 2010, 199, 1-7.	1.8	32
248	Bilateral Killian-Jamieson Diverticula Incidentally Found on Thyroid Ultrasonography. Thyroid, 2010, 20, 1041-1042.	4.5	10
249	Metastatic Colon Carcinoma in a Preexisting Thyroid Nodule. Thyroid, 2010, 20, 1319-1319.	4.5	2
250	Complete Eradication of Metastatic Lymph Node After Percutaneous Ethanol Injection Therapy: Pathologic Correlation. Thyroid, 2009, 19, 317-319.	4.5	20
251	Lymphocytic Thyroiditis on Fine-Needle Aspiration Biopsy of Focal Thyroid Nodules: Approach to Management. American Journal of Roentgenology, 2009, 193, W345-W349.	2.2	19
252	US Surveillance of Regional Lymph Node Recurrence after Breast Cancer Surgery. Radiology, 2009, 252, 673-681.	7.3	47

#	Article	IF	CITATIONS
253	Diffuse Sclerosing Variant of Papillary Carcinoma of the Thyroid Gland: Specimen Radiographic Features with Histopathological Correlation. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 1491-1492.	3.6	16
254	Association of BRAF ^{V600E} Mutation with Poor Clinical Prognostic Factors and US Features in Korean Patients with Papillary Thyroid Microcarcinoma. Radiology, 2009, 253, 854-860.	7.3	117
255	The Combined Role of Ultrasound and Frozen Section in Surgical Management of Thyroid Nodules Read as Suspicious for Papillary Thyroid Carcinoma on Fine Needle Aspiration Biopsy: A Retrospective Study. World Journal of Surgery, 2009, 33, 950-957.	1.6	32
256	How to combine ultrasound and cytological information in decision making about thyroid nodules. European Radiology, 2009, 19, 1923-1931.	4.5	83
257	The Role of BRAFV600E Mutation and Ultrasonography for the Surgical Management of a Thyroid Nodule Suspicious for Papillary Thyroid Carcinoma on Cytology. Annals of Surgical Oncology, 2009, 16, 3125-3131.	1.5	46
258	Lithium Toxicity Precipitated by Profound Hypothyroidism. Thyroid, 2008, 18, 651-654.	4.5	50
259	Sonographic Detection of Thyroid Cancer in Breast Cancer Patients. Yonsei Medical Journal, 2007, 48, 63.	2.2	12
260	Magnetic Resonance Appearance of Normal Popliteal Lymph Nodes: Location and Relationship of Number, Fatty change, and Size of the Lymph nodes with Aging. Journal of the Korean Radiological	0.0	5

Society, 2002, 47, 665.