

Pedro Vieira da Silva Magalhães

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5097948/publications.pdf>

Version: 2024-02-01

145
papers

6,306
citations

61984

43
h-index

74163

75
g-index

153
all docs

153
docs citations

153
times ranked

7576
citing authors

#	ARTICLE	IF	CITATIONS
1	Pathways underlying neuroprogression in bipolar disorder: Focus on inflammation, oxidative stress and neurotrophic factors. <i>Neuroscience and Biobehavioral Reviews</i> , 2011, 35, 804-817.	6.1	1,007
2	Inflammatory markers in post-traumatic stress disorder: a systematic review, meta-analysis, and meta-regression. <i>Lancet Psychiatry</i> , 2015, 2, 1002-1012.	7.4	520
3	Validation of the Edinburgh Postnatal Depression Scale (EPDS) in a sample of mothers from the 2004 Pelotas Birth Cohort Study. <i>Cadernos De Saude Publica</i> , 2007, 23, 2577-2588.	1.0	208
4	Peripheral biomarkers and illness activity in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2011, 45, 156-161.	3.1	208
5	Staging systems in bipolar disorder: an international society for Bipolar Disorders Task Force Report. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 354-363.	4.5	175
6	Is bipolar disorder an inflammatory condition? The relevance of microglial activation. <i>Current Opinion in Psychiatry</i> , 2013, 26, 19-26.	6.3	160
7	Clinical Staging in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e450-e456.	2.2	125
8	Development and use of a biological rhythm interview. <i>Journal of Affective Disorders</i> , 2009, 118, 161-165.	4.1	117
9	A systemic toxicity index developed to assess peripheral changes in mood episodes. <i>Molecular Psychiatry</i> , 2010, 15, 784-786.	7.9	105
10	Is paternal postpartum depression associated with maternal postpartum depression? Population-based study in Brazil. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 230-232.	4.5	100
11	Mediators of allostasis and systemic toxicity in bipolar disorder. <i>Physiology and Behavior</i> , 2012, 106, 46-50.	2.1	100
12	N-acetylcysteine for major depressive episodes in bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 374-378.	1.7	99
13	Staging and Neuroprogression in Bipolar Disorder: A Systematic Review of the Literature. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 70-74.	1.7	97
14	Circadian preference in bipolar disorder. <i>Sleep and Breathing</i> , 2010, 14, 153-155.	1.7	95
15	N-acetyl cysteine add-on treatment for bipolar II disorder: a subgroup analysis of a randomized placebo-controlled trial. <i>Journal of Affective Disorders</i> , 2011, 129, 317-320.	4.1	93
16	Psychiatric and substance-use comorbidities associated with lifetime crack cocaine use in young adults in the general population. <i>Comprehensive Psychiatry</i> , 2014, 55, 1369-1376.	3.1	84
17	Staging bipolar disorder: clinical, biochemical, and functional correlates. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 437-444.	4.5	84
18	Cumulative morbidity and prognostic staging of illness in the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 1058-1067.	2.3	82

#	ARTICLE	IF	CITATIONS
19	Illness burden and medical comorbidity in the Systematic Treatment Enhancement Program for Bipolar Disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 303-308.	4.5	78
20	Childhood trauma, family history, and their association with mood disorders in early adulthood. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 281-286.	4.5	75
21	Increased levels of adipokines in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2012, 46, 389-393.	3.1	72
22	Functional impact of biological rhythm disturbance in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2010, 44, 220-223.	3.1	70
23	Stigma and functioning in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2011, 130, 323-327.	4.1	70
24	Serum brain-derived neurotrophic factor in patients with trauma psychopathology. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 459-462.	4.8	67
25	The association between biological rhythms, depression, and functioning in bipolar disorder: a large multi-center study. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 102-108.	4.5	66
26	Validity of a Short Functioning Test (FAST) in Brazilian Outpatients with Bipolar Disorder. <i>Value in Health</i> , 2009, 12, 624-627.	0.3	65
27	A pilot double-blind sham-controlled trial of repetitive transcranial magnetic stimulation for patients with refractory schizophrenia treated with clozapine. <i>Psychiatry Research</i> , 2011, 188, 203-207.	3.3	64
28	Metabolic syndrome in subjects with bipolar disorder and major depressive disorder in a current depressive episode: Population-based study. <i>Journal of Psychiatric Research</i> , 2017, 92, 119-123.	3.1	59
29	Peripheral oxidative damage in early-stage mood disorders: a nested population-based case-control study. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 1043-1050.	2.1	58
30	Biological rhythms in bipolar and depressive disorders: A community study with drug-naïve young adults. <i>Journal of Affective Disorders</i> , 2015, 186, 145-148.	4.1	58
31	Childhood trauma, impulsivity, and executive functioning in crack cocaine users. <i>Comprehensive Psychiatry</i> , 2012, 53, 238-244.	3.1	57
32	Social phobia in Brazilian university students: Prevalence, under-recognition and academic impairment in women. <i>Journal of Affective Disorders</i> , 2012, 136, 857-861.	4.1	57
33	Neurotrophins, inflammation and oxidative stress as illness activity biomarkers in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2013, 13, 827-842.	2.8	57
34	Correlates and impact of obsessive-compulsive comorbidity in bipolar disorder. <i>Comprehensive Psychiatry</i> , 2010, 51, 353-356.	3.1	55
35	Prevalence of episodes of mania and hypomania and associated comorbidities among young adults. <i>Journal of Affective Disorders</i> , 2011, 130, 328-333.	4.1	55
36	Do Comorbid Anxiety Disorders Moderate the Effects of Psychotherapy for Bipolar Disorder? Results From STEP-BD. <i>American Journal of Psychiatry</i> , 2014, 171, 178-186.	7.2	54

#	ARTICLE	IF	CITATIONS
37	Mood disorders and biological rhythms in young adults: A large population-based study. Journal of Psychiatric Research, 2017, 84, 98-104.	3.1	53
38	Peripheral toxicity in crack cocaine use disorders. Neuroscience Letters, 2013, 544, 80-84.	2.1	51
39	A preliminary investigation on the efficacy of N-acetyl cysteine for mania or hypomania. Australian and New Zealand Journal of Psychiatry, 2013, 47, 564-568.	2.3	50
40	Antioxidant treatments for schizophrenia. The Cochrane Library, 2016, 2016, CD008919.	2.8	49
41	Pop, heavy metal and the blues: secondary analysis of persistent organic pollutants (POP), heavy metals and depressive symptoms in the NHANES National Epidemiological Survey. BMJ Open, 2014, 4, e005142-e005142.	1.9	48
42	Increased serum neurotrophin-4/5 levels in bipolar disorder. Journal of Psychiatric Research, 2009, 43, 721-723.	3.1	46
43	Escala Hamilton: estudo das características psicométricas em uma amostra do sul do Brasil. Jornal Brasileiro De Psiquiatria, 2014, 63, 281-289.	0.7	46
44	Gender-based differences in oxidative stress parameters do not underlie the differences in mood disorders susceptibility between sexes. European Psychiatry, 2014, 29, 58-63.	0.2	46
45	Brain-derived neurotrophic factor and inflammatory markers in school-aged children with early trauma. Acta Psychiatrica Scandinavica, 2015, 131, 360-368.	4.5	41
46	Obesity is associated with previous suicide attempts in bipolar disorder. Acta Neuropsychiatrica, 2010, 22, 63-67.	2.1	38
47	Early functional impairment in bipolar youth: A nested population-based case-control study. Journal of Affective Disorders, 2012, 142, 208-212.	4.1	37
48	Quality of life and mood disorder episodes: Community sample. Journal of Affective Disorders, 2013, 147, 123-127.	4.1	34
49	Violent and sexual behaviors and lifetime use of crack cocaine: a population-based study in Brazil. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1249-1255.	3.1	33
50	Peripheral brain-derived neurotrophic factor changes along treatment with extended release quetiapine during acute mood episodes: An open-label trial in drug-free patients with bipolar disorder. Journal of Psychiatric Research, 2012, 46, 1511-1514.	3.1	32
51	Prevalence and factors associated with Premenstrual Dysphoric Disorder: A community sample of young adult women. Psychiatry Research, 2018, 268, 42-45.	3.3	32
52	Cardiovascular risk factors in outpatients with bipolar disorder: a report from the Brazilian Research Network in Bipolar Disorder. Revista Brasileira De Psiquiatria, 2013, 35, 126-130.	1.7	31
53	Metabolic syndrome, depression and anhedonia among young adults. Psychiatry Research, 2019, 271, 306-310.	3.3	31
54	Common mental disorders and chronic non-communicable diseases in adults: a population-based study. Cadernos De Saude Publica, 2009, 25, 59-67.	1.0	30

#	ARTICLE	IF	CITATIONS
55	Use of contraceptive methods among women treated for bipolar disorder. Archives of Women's Mental Health, 2009, 12, 183-185.	2.6	29
56	Age at onset, course of illness and response to psychotherapy in bipolar disorder: results from the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). Psychological Medicine, 2014, 44, 3455-3467.	4.5	29
57	Differential expression of transcriptional regulatory units in the prefrontal cortex of patients with bipolar disorder: potential role of early growth response gene 3. Translational Psychiatry, 2016, 6, e805-e805.	4.8	28
58	Peripheral adenosine levels in euthymic patients with bipolar disorder. Psychiatry Research, 2016, 246, 421-426.	3.3	28
59	Suicidality and Associated Factors in Pregnant Women in Brazil. Community Mental Health Journal, 2012, 48, 392-395.	2.0	27
60	Peripheral eotaxin-1 (CCL11) levels and mood disorder diagnosis in a population-based sample of young adults. Journal of Psychiatric Research, 2014, 48, 13-15.	3.1	27
61	SPECIFIC MOOD SYMPTOMS CONFER RISK FOR SUBSEQUENT SUICIDAL IDEATION IN BIPOLAR DISORDER WITH AND WITHOUT SUICIDE ATTEMPT HISTORY: MULTI-WAVE DATA FROM STEP-BD. Depression and Anxiety, 2016, 33, 464-472.	4.1	27
62	Circadian preferences, oxidative stress and inflammatory cytokines in bipolar disorder: A community study. Journal of Neuroimmunology, 2016, 301, 23-29.	2.3	27
63	Systemic illness moderates the impact of N-acetyl cysteine in bipolar disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2012, 37, 132-135.	4.8	26
64	Two studies on suicidality in the postpartum. Acta Psychiatrica Scandinavica, 2008, 118, 160-163.	4.5	25
65	Metabolic syndrome and psychiatric disorders: a population-based study. Revista Brasileira De Psiquiatria, 2019, 41, 38-43.	1.7	25
66	Val66Met polymorphism and serum brain-derived neurotrophic factor in bipolar disorder: an open-label trial. Acta Psychiatrica Scandinavica, 2014, 129, 393-400.	4.5	23
67	Memory and brain-derived neurotrophic factor after subchronic or chronic amphetamine treatment in an animal model of mania. Journal of Psychiatric Research, 2015, 68, 329-336.	3.1	23
68	Extreme attributions predict transition from depression to mania or hypomania in bipolar disorder. Journal of Psychiatric Research, 2013, 47, 1329-1336.	3.1	22
69	Cognition and functioning in bipolar depression. Revista Brasileira De Psiquiatria, 2016, 38, 201-206.	1.7	22
70	Extreme Attributions Predict the Course of Bipolar Depression. Journal of Clinical Psychiatry, 2013, 74, 249-255.	2.2	21
71	Affective instability and the course of bipolar depression: Results from the STEP-BD randomised controlled trial of psychosocial treatment. British Journal of Psychiatry, 2016, 208, 352-358.	2.8	21
72	Age and sex trends for suicide in Brazil between 2000 and 2016. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 857-860.	3.1	21

#	ARTICLE	IF	CITATIONS
73	Brain-derived neurotrophic factor gene val66met polymorphism and executive functioning in patients with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2009, 31, 136-140.	1.7	20
74	Clinical outcomes and childhood trauma in bipolar disorder: A community sample of young adults. <i>Psychiatry Research</i> , 2019, 275, 228-232.	3.3	20
75	Quality of life, social functioning, family structure, and treatment history associated with crack cocaine use in youth from the general population. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 211-218.	1.7	19
76	Association of interleukin-10 levels with age of onset and duration of illness in patients with major depressive disorder. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 296-302.	1.7	19
77	Inflammatory cytokines and functional impairment in drug-free subjects with mood disorder. <i>Journal of Neuroimmunology</i> , 2017, 307, 33-36.	2.3	19
78	Bipolar disorder and age-related functional impairment. <i>Revista Brasileira De Psiquiatria</i> , 2009, 31, 354-357.	1.7	18
79	Birth cohort and dual diagnosis effects on age at onset in Brazilian patients with bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2009, 120, 492-495.	4.5	17
80	Burden and related factors in caregivers of young adults presenting bipolar and unipolar mood disorder. <i>International Journal of Social Psychiatry</i> , 2014, 60, 396-402.	3.1	17
81	Biological rhythms, metabolic syndrome and current depressive episode in a community sample. <i>Psychoneuroendocrinology</i> , 2016, 72, 34-39.	2.7	17
82	Systemic toxicity in early-stage mood disorders. <i>Journal of Psychiatric Research</i> , 2011, 45, 1407-1409.	3.1	16
83	Daytime sleepiness, sleep disturbance and functioning impairment in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2013, 25, 101-104.	2.1	16
84	Medical burden, body mass index and the outcome of psychosocial interventions for bipolar depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 667-677.	2.3	16
85	Mediator effects of parameters of inflammation and neurogenesis from a <i>N</i>-acetyl cysteine clinical-trial for bipolar depression. <i>Acta Neuropsychiatrica</i> , 2018, 30, 334-341.	2.1	16
86	Functioning in bipolar disorder with substance abuse/dependence in a community sample of young adults. <i>Journal of Affective Disorders</i> , 2015, 187, 179-182.	4.1	15
87	Peripheral insulin-like growth factor 1 in bipolar disorder. <i>Psychiatry Research</i> , 2017, 250, 30-34.	3.3	15
88	Concurrent Validity and Reliability of the Brazilian Version of the Functioning Assessment Short Test in Patients with Schizophrenia. <i>Value in Health Regional Issues</i> , 2012, 1, 244-247.	1.2	14
89	Marcadores periféricos e a fisiopatologia do transtorno bipolar. <i>Revista De Psiquiatria Clinica</i> , 2012, 39, 60-67.	0.6	14
90	Mood disorders and prospective suicidality in young adults: a population-based cohort study. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 109-115.	4.5	14

#	ARTICLE	IF	CITATIONS
91	Cocaine Addiction and Family Dysfunction: A Case-Control Study in Southern Brazil. Substance Use and Misuse, 2006, 41, 307-316.	1.4	13
92	Functional impairment and cognitive performance in mood disorders: A community sample of young adults. Psychiatry Research, 2017, 251, 85-89.	3.3	13
93	Psychotic depression in hospitalized patients: Longitudinal outcomes of psychotic vs. nonpsychotic depression among inpatients. Journal of Psychiatric Research, 2020, 129, 73-79.	3.1	13
94	Adjunctive tianeptine treatment for bipolar disorder: A 24-week randomized, placebo-controlled, maintenance trial. Journal of Psychopharmacology, 2019, 33, 502-510.	4.0	12
95	Barriers and facilitators perceived by people with bipolar disorder for the practice of exercise: a qualitative study. Trends in Psychiatry and Psychotherapy, 2019, 41, 1-8.	0.8	12
96	“Why throw away something useful?” Attitudes and opinions of people treated for bipolar disorder and their relatives on organ and tissue donation. Cell and Tissue Banking, 2017, 18, 105-117.	1.1	10
97	Countertransference and therapeutic alliance in the early stage of adult psychodynamic psychotherapy. Trends in Psychiatry and Psychotherapy, 2015, 37, 133-142.	0.8	9
98	A cluster analytic approach to identifying predictors and moderators of psychosocial treatment for bipolar depression: Results from STEP-BD. Journal of Affective Disorders, 2016, 203, 152-157.	4.1	9
99	The impact of substance use disorders on recovery from bipolar depression: Results from the Systematic Treatment Enhancement Program for Bipolar Disorder psychosocial treatment trial. Australian and New Zealand Journal of Psychiatry, 2018, 52, 847-855.	2.3	9
100	Extreme attributions predict suicidal ideation and suicide attempts in bipolar disorder: prospective data from STEP-BD. World Psychiatry, 2014, 13, 95-96.	10.4	8
101	Impact of Defense Style on Brief Psychotherapy of Postpartum Depression. Journal of Nervous and Mental Disease, 2007, 195, 870-873.	1.0	7
102	Validity of the Beck Depression Inventory in the postpartum period. International Journal of Psychiatry in Clinical Practice, 2008, 12, 81-84.	2.4	7
103	Dimensions of improvement in a clinical trial of N-acetyl cysteine for bipolar disorder. Acta Neuropsychiatrica, 2011, 23, 87-88.	2.1	7
104	Early trauma and mood disorders in youngsters. Revista De Psiquiatria Clinica, 2013, 40, 93-96.	0.6	7
105	Maintenance of the Effects of Cognitive Behavioral and Relational Constructivist Psychotherapies in the Treatment of Women with Postpartum Depression: A Randomized Clinical Trial. Journal of Constructivist Psychology, 2014, 27, 59-68.	1.1	7
106	Bipolar disorder and 1513A>C P2RX7 polymorphism frequency. Neuroscience Letters, 2019, 694, 143-147.	2.1	7
107	Pharmacological treatment of postpartum depression. Acta Psychiatrica Scandinavica, 2006, 113, 75-76.	4.5	6
108	P2X7 Purinergic Receptor Is Involved in the Pathophysiology of Mania: a Preclinical Study. Molecular Neurobiology, 2020, 57, 1347-1360.	4.0	6

#	ARTICLE	IF	CITATIONS
109	Do Sleep Disturbances Predict or Moderate the Response to Psychotherapy in Bipolar Disorder?. Journal of Nervous and Mental Disease, 2017, 205, 196-202.	1.0	5
110	Frequency of brain tissue donation for research after suicide. Revista Brasileira De Psiquiatria, 2017, 39, 180-182.	1.7	5
111	Sociodemographic, criminal and forensic characteristics of a sample of female children and adolescents murdered in Brazil. 2010-2016. Revista Facultad De Medicina, 2019, 67, 201-208.	0.2	5
112	Lithium-induced neuroprotective activity in neuronal and microglial cells: A purinergic perspective. Psychiatry Research, 2021, 295, 113562.	3.3	5
113	Factors Associated With Seizure Adequacy Along the Course of Electroconvulsive Therapy. Journal of ECT, 2021, 37, 46-50.	0.6	5
114	A Qualitative Study on Traumatic Experiences of Suicide Survivors. Omega: Journal of Death and Dying, 2023, 87, 730-744.	1.0	4
115	A pesquisa básica na Revista de Psiquiatria do Rio Grande do Sul. Revista De Psiquiatria Do Rio Grande Do Sul, 2010, 32, 33-34.	0.3	4
116	Comorbidities Associated With the Use and Misuse of Crack Cocaine. , 2017, , 567-576.		3
117	Resistência à insulina e síndrome metabólica em pacientes ambulatoriais com transtorno do humor bipolar. Revista De Psiquiatria Clínica, 2010, 37, 81-84.	0.6	3
118	Validity of the Portuguese version of the Bipolar Depression Rating Scale. Acta Neuropsychiatrica, 2010, 22, 100-101.	2.1	2
119	A Bidimensional Solution for Outcomes in Bipolar Disorder. Journal of Nervous and Mental Disease, 2012, 200, 180-182.	1.0	2
120	Relationship between maternal depression as a risk factor for childhood trauma and mood disorders in young adults. Revista De Psiquiatria Clínica, 2014, 41, 72-76.	0.6	2
121	Case report on the multiple pathways to posttraumatic stress disorder following suicide. Death Studies, 2020, 44, 384-391.	2.7	2
122	Uma reavaliação do diazepam intramuscular para emergências psiquiátricas. Revista De Psiquiatria Clínica, 2009, 36, 122-122.	0.6	2
123	New title: Trends in Psychiatry and Psychotherapy. Trends in Psychiatry and Psychotherapy, 2011, 33, 133-134.	0.8	2
124	Selective serotonin reuptake inhibitors and the utility of the borderline-bipolar distinction. Bipolar Disorders, 2007, 9, 546-546.	1.9	1
125	Problems with single-factor solutions in factor analyses of low-end scores. Bipolar Disorders, 2009, 11, 900-900.	1.9	1
126	Most Reports Should Be Brief Reports. Academic Medicine, 2010, 85, 1104.	1.6	1

#	ARTICLE	IF	CITATIONS
127	Rapid Communications. Bipolar Disorders, 2013, 15, 38-43.	1.9	1
128	Post-traumatic stress disorder and interleukin 6 “ Authors' reply. Lancet Psychiatry,the, 2016, 3, 202.	7.4	1
129	Femicide in early adolescence: The potential role of girl-child marriage as a risk factor. Australian and New Zealand Journal of Psychiatry, 2021, , 000486742110257.	2.3	1
130	Characteristics of suicides of young people in Porto Alegre, Southern Brazil, from 2010 to 2016. Forensic Science, Medicine, and Pathology, 2021, 17, 596-601.	1.4	1
131	A qualitative study exploring the process of postmortem brain tissue donation after suicide. Scientific Reports, 2022, 12, 4710.	3.3	1
132	Comments on Article by Mitte et al. Journal of Clinical Psychopharmacology, 2006, 26, 220-221.	1.4	0
133	Reply.. Acta Psychiatrica Scandinavica, 2006, 113, 76-77.	4.5	0
134	Citation Superstars in Psychiatry. Australian and New Zealand Journal of Psychiatry, 2007, 41, 371-372.	2.3	0
135	Open Trials in Psychiatry. Journal of Clinical Psychopharmacology, 2007, 27, 318.	1.4	0
136	Re: Treatment of Perinatal Mood and Anxiety Disorders: A Review. Canadian Journal of Psychiatry, 2008, 53, 209-209.	1.9	0
137	Waist Circumference as a Simple and Meaningful Means to Assess Insulin Resistance Among Outpatients with Bipolar Disorder. European Psychiatry, 2009, 24, .	0.2	0
138	Adjunctive antioxidants for bipolar disorder. The Cochrane Library, 0, , .	2.8	0
139	P.2.e.027 Interleukin-6 as a biomarker of the model of staging in bipolar disorder. European Neuropsychopharmacology, 2012, 22, S291-S292.	0.7	0
140	P.2.d.033 Staging bipolar disorder: biological, clinical and functional correlates. European Neuropsychopharmacology, 2014, 24, S432-S433.	0.7	0
141	Brief Family Psycho-Education Program for Caregivers of Inpatients with Severe Mental Illness. European Psychiatry, 2017, 41, s789-s789.	0.2	0
142	Latent structure and factor reliability of the National Health Service Community Mental Health Service User Questionnaire. Journal of Mental Health, 2021, , 1-7.	1.9	0
143	Early illness progression in mood disorders: a population-based longitudinal study. Psychiatry Research, 2021, 306, 114225.	3.3	0
144	The Occurrence of Post-Operative Delirium in Brazil. Clinics, 2008, 63, 271-272.	1.5	0

#	ARTICLE	IF	CITATIONS
145	A proposal for the operationalization of serious suicide attempts for research. Journal of Affective Disorders, 2022, 310, 172-173.	4.1	0