

Pedro Vieira da Silva Magalhães

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5097948/publications.pdf>

Version: 2024-02-01

145
papers

6,306
citations

71004

43
h-index

84171

75
g-index

153
all docs

153
docs citations

153
times ranked

8175
citing authors

#	ARTICLE	IF	CITATIONS
1	A Qualitative Study on Traumatic Experiences of Suicide Survivors. <i>Omega: Journal of Death and Dying</i> , 2023, 87, 730-744.	0.7	4
2	A qualitative study exploring the process of postmortem brain tissue donation after suicide. <i>Scientific Reports</i> , 2022, 12, 4710.	1.6	1
3	A proposal for the operationalization of serious suicide attempts for research. <i>Journal of Affective Disorders</i> , 2022, 310, 172-173.	2.0	0
4	Lithium-induced neuroprotective activity in neuronal and microglial cells: A purinergic perspective. <i>Psychiatry Research</i> , 2021, 295, 113562.	1.7	5
5	Latent structure and factor reliability of the National Health Service Community Mental Health Service User Questionnaire. <i>Journal of Mental Health</i> , 2021, , 1-7.	1.0	0
6	Femicide in early adolescence: The potential role of girl-child marriage as a risk factor. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, , 000486742110257.	1.3	1
7	Early illness progression in mood disorders: a population-based longitudinal study. <i>Psychiatry Research</i> , 2021, 306, 114225.	1.7	0
8	Characteristics of suicides of young people in Porto Alegre, Southern Brazil, from 2010 to 2016. <i>Forensic Science, Medicine, and Pathology</i> , 2021, 17, 596-601.	0.6	1
9	Factors Associated With Seizure Adequacy Along the Course of Electroconvulsive Therapy. <i>Journal of ECT</i> , 2021, 37, 46-50.	0.3	5
10	Case report on the multiple pathways to posttraumatic stress disorder following suicide. <i>Death Studies</i> , 2020, 44, 384-391.	1.8	2
11	P2X7 Purinergic Receptor Is Involved in the Pathophysiology of Mania: a Preclinical Study. <i>Molecular Neurobiology</i> , 2020, 57, 1347-1360.	1.9	6
12	Psychotic depression in hospitalized patients: Longitudinal outcomes of psychotic vs. nonpsychotic depression among inpatients. <i>Journal of Psychiatric Research</i> , 2020, 129, 73-79.	1.5	13
13	Metabolic syndrome, depression and anhedonia among young adults. <i>Psychiatry Research</i> , 2019, 271, 306-310.	1.7	31
14	Clinical outcomes and childhood trauma in bipolar disorder: A community sample of young adults. <i>Psychiatry Research</i> , 2019, 275, 228-232.	1.7	20
15	Age and sex trends for suicide in Brazil between 2000 and 2016. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 857-860.	1.6	21
16	Adjunctive tianeptine treatment for bipolar disorder: A 24-week randomized, placebo-controlled, maintenance trial. <i>Journal of Psychopharmacology</i> , 2019, 33, 502-510.	2.0	12
17	Barriers and facilitators perceived by people with bipolar disorder for the practice of exercise: a qualitative study. <i>Trends in Psychiatry and Psychotherapy</i> , 2019, 41, 1-8.	0.4	12
18	Sociodemographic, criminal and forensic characteristics of a sample of female children and adolescents murdered in Brazil. 2010-2016. <i>Revista Facultad De Medicina</i> , 2019, 67, 201-208.	0.0	5

#	ARTICLE	IF	CITATIONS
19	Metabolic syndrome and psychiatric disorders: a population-based study. <i>Revista Brasileira De Psiquiatria</i> , 2019, 41, 38-43.	0.9	25
20	Bipolar disorder and 1513A>C P2RX7 polymorphism frequency. <i>Neuroscience Letters</i> , 2019, 694, 143-147.	1.0	7
21	Mood disorders and prospective suicidality in young adults: a population-based cohort study. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 109-115.	2.2	14
22	The impact of substance use disorders on recovery from bipolar depression: Results from the Systematic Treatment Enhancement Program for Bipolar Disorder psychosocial treatment trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 847-855.	1.3	9
23	Prevalence and factors associated with Premenstrual Dysphoric Disorder: A community sample of young adult women. <i>Psychiatry Research</i> , 2018, 268, 42-45.	1.7	32
24	Mediator effects of parameters of inflammation and neurogenesis from a <i>N</i>-acetyl cysteine clinical-trial for bipolar depression. <i>Acta Neuropsychiatrica</i> , 2018, 30, 334-341.	1.0	16
25	Functional impairment and cognitive performance in mood disorders: A community sample of young adults. <i>Psychiatry Research</i> , 2017, 251, 85-89.	1.7	13
26	Peripheral insulin-like growth factor 1 in bipolar disorder. <i>Psychiatry Research</i> , 2017, 250, 30-34.	1.7	15
27	Inflammatory cytokines and functional impairment in drug-free subjects with mood disorder. <i>Journal of Neuroimmunology</i> , 2017, 307, 33-36.	1.1	19
28	Do Sleep Disturbances Predict or Moderate the Response to Psychotherapy in Bipolar Disorder?. <i>Journal of Nervous and Mental Disease</i> , 2017, 205, 196-202.	0.5	5
29	“Why throw away something useful?” Attitudes and opinions of people treated for bipolar disorder and their relatives on organ and tissue donation. <i>Cell and Tissue Banking</i> , 2017, 18, 105-117.	0.5	10
30	Metabolic syndrome in subjects with bipolar disorder and major depressive disorder in a current depressive episode: Population-based study. <i>Journal of Psychiatric Research</i> , 2017, 92, 119-123.	1.5	59
31	Brief Family Psycho-Education Program for Caregivers of Inpatients with Severe Mental Illness. <i>European Psychiatry</i> , 2017, 41, s789-s789.	0.1	0
32	Mood disorders and biological rhythms in young adults: A large population-based study. <i>Journal of Psychiatric Research</i> , 2017, 84, 98-104.	1.5	53
33	Comorbidities Associated With the Use and Misuse of Crack Cocaine. , 2017, , 567-576.		3
34	Frequency of brain tissue donation for research after suicide. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 180-182.	0.9	5
35	Cognition and functioning in bipolar depression. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 201-206.	0.9	22
36	The association between biological rhythms, depression, and functioning in bipolar disorder: a large multi-center study. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 102-108.	2.2	66

#	ARTICLE	IF	CITATIONS
37	SPECIFIC MOOD SYMPTOMS CONFER RISK FOR SUBSEQUENT SUICIDAL IDEATION IN BIPOLAR DISORDER WITH AND WITHOUT SUICIDE ATTEMPT HISTORY: MULTI-WAVE DATA FROM STEP-BD. <i>Depression and Anxiety</i> , 2016, 33, 464-472.	2.0	27
38	Antioxidant treatments for schizophrenia. <i>The Cochrane Library</i> , 2016, 2016, CD008919.	1.5	49
39	Differential expression of transcriptional regulatory units in the prefrontal cortex of patients with bipolar disorder: potential role of early growth response gene 3. <i>Translational Psychiatry</i> , 2016, 6, e805-e805.	2.4	28
40	Affective instability and the course of bipolar depression: Results from the STEP-BD randomised controlled trial of psychosocial treatment. <i>British Journal of Psychiatry</i> , 2016, 208, 352-358.	1.7	21
41	Peripheral adenosine levels in euthymic patients with bipolar disorder. <i>Psychiatry Research</i> , 2016, 246, 421-426.	1.7	28
42	A cluster analytic approach to identifying predictors and moderators of psychosocial treatment for bipolar depression: Results from STEP-BD. <i>Journal of Affective Disorders</i> , 2016, 203, 152-157.	2.0	9
43	Circadian preferences, oxidative stress and inflammatory cytokines in bipolar disorder: A community study. <i>Journal of Neuroimmunology</i> , 2016, 301, 23-29.	1.1	27
44	Biological rhythms, metabolic syndrome and current depressive episode in a community sample. <i>Psychoneuroendocrinology</i> , 2016, 72, 34-39.	1.3	17
45	Medical burden, body mass index and the outcome of psychosocial interventions for bipolar depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 667-677.	1.3	16
46	Childhood trauma, family history, and their association with mood disorders in early adulthood. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 281-286.	2.2	75
47	Post-traumatic stress disorder and interleukin 6 – Authors' reply. <i>Lancet Psychiatry</i> , 2016, 3, 202.	3.7	1
48	Countertransference and therapeutic alliance in the early stage of adult psychodynamic psychotherapy. <i>Trends in Psychiatry and Psychotherapy</i> , 2015, 37, 133-142.	0.4	9
49	Quality of life, social functioning, family structure, and treatment history associated with crack cocaine use in youth from the general population. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 211-218.	0.9	19
50	Association of interleukin-10 levels with age of onset and duration of illness in patients with major depressive disorder. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 296-302.	0.9	19
51	Memory and brain-derived neurotrophic factor after subchronic or chronic amphetamine treatment in an animal model of mania. <i>Journal of Psychiatric Research</i> , 2015, 68, 329-336.	1.5	23
52	Inflammatory markers in post-traumatic stress disorder: a systematic review, meta-analysis, and meta-regression. <i>Lancet Psychiatry</i> , 2015, 2, 1002-1012.	3.7	520
53	Biological rhythms in bipolar and depressive disorders: A community study with drug-naïve young adults. <i>Journal of Affective Disorders</i> , 2015, 186, 145-148.	2.0	58
54	Functioning in bipolar disorder with substance abuse/dependence in a community sample of young adults. <i>Journal of Affective Disorders</i> , 2015, 187, 179-182.	2.0	15

#	ARTICLE	IF	CITATIONS
55	Brain-derived neurotrophic factor and inflammatory markers in school-aged children with early trauma. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 360-368.	2.2	41
56	Escala Hamilton: estudo das características psicométricas em uma amostra do sul do Brasil. <i>Jornal Brasileiro De Psiquiatria</i> , 2014, 63, 281-289.	0.2	46
57	Relationship between maternal depression as a risk factor for childhood trauma and mood disorders in young adults. <i>Revista De Psiquiatria Clinica</i> , 2014, 41, 72-76.	0.6	2
58	Do Comorbid Anxiety Disorders Moderate the Effects of Psychotherapy for Bipolar Disorder? Results From STEP-BD. <i>American Journal of Psychiatry</i> , 2014, 171, 178-186.	4.0	54
59	Pop, heavy metal and the blues: secondary analysis of persistent organic pollutants (POP), heavy metals and depressive symptoms in the NHANES National Epidemiological Survey. <i>BMJ Open</i> , 2014, 4, e005142-e005142.	0.8	48
60	Extreme attributions predict suicidal ideation and suicide attempts in bipolar disorder: prospective data from STEP-BD. <i>World Psychiatry</i> , 2014, 13, 95-96.	4.8	8
61	Age at onset, course of illness and response to psychotherapy in bipolar disorder: results from the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). <i>Psychological Medicine</i> , 2014, 44, 3455-3467.	2.7	29
62	Burden and related factors in caregivers of young adults presenting bipolar and unipolar mood disorder. <i>International Journal of Social Psychiatry</i> , 2014, 60, 396-402.	1.6	17
63	Psychiatric and substance-use comorbidities associated with lifetime crack cocaine use in young adults in the general population. <i>Comprehensive Psychiatry</i> , 2014, 55, 1369-1376.	1.5	84
64	Val66Met polymorphism and serum brain-derived neurotrophic factor in bipolar disorder: an open-label trial. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 393-400.	2.2	23
65	Gender-based differences in oxidative stress parameters do not underlie the differences in mood disorders susceptibility between sexes. <i>European Psychiatry</i> , 2014, 29, 58-63.	0.1	46
66	Violent and sexual behaviors and lifetime use of crack cocaine: a population-based study in Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1249-1255.	1.6	33
67	Staging bipolar disorder: clinical, biochemical, and functional correlates. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 437-444.	2.2	84
68	Staging systems in bipolar disorder: an international society for Bipolar Disorders Task Force Report. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 354-363.	2.2	175
69	P.2.d.033 Staging bipolar disorder: biological, clinical and functional correlates. <i>European Neuropsychopharmacology</i> , 2014, 24, S432-S433.	0.3	0
70	Maintenance of the Effects of Cognitive Behavioral and Relational Constructivist Psychotherapies in the Treatment of Women with Postpartum Depression: A Randomized Clinical Trial. <i>Journal of Constructivist Psychology</i> , 2014, 27, 59-68.	0.7	7
71	Peripheral eotaxin-1 (CCL11) levels and mood disorder diagnosis in a population-based sample of young adults. <i>Journal of Psychiatric Research</i> , 2014, 48, 13-15.	1.5	27
72	Clinical Staging in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e450-e456.	1.1	125

#	ARTICLE	IF	CITATIONS
73	Daytime sleepiness, sleep disturbance and functioning impairment in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2013, 25, 101-104.	1.0	16
74	Rapid Communications. <i>Bipolar Disorders</i> , 2013, 15, 38-43.	1.1	1
75	Neurotrophins, inflammation and oxidative stress as illness activity biomarkers in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2013, 13, 827-842.	1.4	57
76	Staging and Neuroprogression in Bipolar Disorder: A Systematic Review of the Literature. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 70-74.	0.9	97
77	Extreme attributions predict transition from depression to mania or hypomania in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2013, 47, 1329-1336.	1.5	22
78	Quality of life and mood disorder episodes: Community sample. <i>Journal of Affective Disorders</i> , 2013, 147, 123-127.	2.0	34
79	Peripheral toxicity in crack cocaine use disorders. <i>Neuroscience Letters</i> , 2013, 544, 80-84.	1.0	51
80	Is bipolar disorder an inflammatory condition? The relevance of microglial activation. <i>Current Opinion in Psychiatry</i> , 2013, 26, 19-26.	3.1	160
81	A preliminary investigation on the efficacy of N-acetyl cysteine for mania or hypomania. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 564-568.	1.3	50
82	Early trauma and mood disorders in youngsters. <i>Revista De Psiquiatria Clinica</i> , 2013, 40, 93-96.	0.6	7
83	Cardiovascular risk factors in outpatients with bipolar disorder: a report from the Brazilian Research Network in Bipolar Disorder. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 126-130.	0.9	31
84	Extreme Attributions Predict the Course of Bipolar Depression. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 249-255.	1.1	21
85	Peripheral oxidative damage in early-stage mood disorders: a nested population-based case-control study. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 1043-1050.	1.0	58
86	A Bidimensional Solution for Outcomes in Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 180-182.	0.5	2
87	Peripheral brain-derived neurotrophic factor changes along treatment with extended release quetiapine during acute mood episodes: An open-label trial in drug-free patients with bipolar disorder. <i>Journal of Psychiatric Research</i> , 2012, 46, 1511-1514.	1.5	32
88	P.2.e.027 Interleukin-6 as a biomarker of the model of staging in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2012, 22, S291-S292.	0.3	0
89	Cumulative morbidity and prognostic staging of illness in the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 1058-1067.	1.3	82
90	Systemic illness moderates the impact of N-acetyl cysteine in bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 37, 132-135.	2.5	26

#	ARTICLE	IF	CITATIONS
91	Childhood trauma, impulsivity, and executive functioning in crack cocaine users. <i>Comprehensive Psychiatry</i> , 2012, 53, 238-244.	1.5	57
92	Concurrent Validity and Reliability of the Brazilian Version of the Functioning Assessment Short Test in Patients with Schizophrenia. <i>Value in Health Regional Issues</i> , 2012, 1, 244-247.	0.5	14
93	Early functional impairment in bipolar youth: A nested population-based case-control study. <i>Journal of Affective Disorders</i> , 2012, 142, 208-212.	2.0	37
94	Marcadores periféricos e a fisiopatologia do transtorno bipolar. <i>Revista De Psiquiatria Clinica</i> , 2012, 39, 60-67.	0.6	14
95	Suicidality and Associated Factors in Pregnant Women in Brazil. <i>Community Mental Health Journal</i> , 2012, 48, 392-395.	1.1	27
96	Social phobia in Brazilian university students: Prevalence, under-recognition and academic impairment in women. <i>Journal of Affective Disorders</i> , 2012, 136, 857-861.	2.0	57
97	Illness burden and medical comorbidity in the Systematic Treatment Enhancement Program for Bipolar Disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 303-308.	2.2	78
98	Increased levels of adipokines in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2012, 46, 389-393.	1.5	72
99	Mediators of allostasis and systemic toxicity in bipolar disorder. <i>Physiology and Behavior</i> , 2012, 106, 46-50.	1.0	100
100	A pilot double-blind sham-controlled trial of repetitive transcranial magnetic stimulation for patients with refractory schizophrenia treated with clozapine. <i>Psychiatry Research</i> , 2011, 188, 203-207.	1.7	64
101	N-acetylcysteine for major depressive episodes in bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 374-378.	0.9	99
102	Dimensions of improvement in a clinical trial of N-acetyl cysteine for bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2011, 23, 87-88.	1.0	7
103	Peripheral biomarkers and illness activity in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2011, 45, 156-161.	1.5	208
104	Systemic toxicity in early-stage mood disorders. <i>Journal of Psychiatric Research</i> , 2011, 45, 1407-1409.	1.5	16
105	N-acetyl cysteine add-on treatment for bipolar II disorder: a subgroup analysis of a randomized placebo-controlled trial. <i>Journal of Affective Disorders</i> , 2011, 129, 317-320.	2.0	93
106	Prevalence of episodes of mania and hypomania and associated comorbidities among young adults. <i>Journal of Affective Disorders</i> , 2011, 130, 328-333.	2.0	55
107	Stigma and functioning in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2011, 130, 323-327.	2.0	70
108	Pathways underlying neuroprogression in bipolar disorder: Focus on inflammation, oxidative stress and neurotrophic factors. <i>Neuroscience and Biobehavioral Reviews</i> , 2011, 35, 804-817.	2.9	1,007

#	ARTICLE	IF	CITATIONS
109	New title: Trends in Psychiatry and Psychotherapy. Trends in Psychiatry and Psychotherapy, 2011, 33, 133-134.	0.4	2
110	Most Reports Should Be Brief Reports. Academic Medicine, 2010, 85, 1104.	0.8	1
111	Circadian preference in bipolar disorder. Sleep and Breathing, 2010, 14, 153-155.	0.9	95
112	Functional impact of biological rhythm disturbance in bipolar disorder. Journal of Psychiatric Research, 2010, 44, 220-223.	1.5	70
113	Obesity is associated with previous suicide attempts in bipolar disorder. Acta Neuropsychiatrica, 2010, 22, 63-67.	1.0	38
114	Validity of the Portuguese version of the Bipolar Depression Rating Scale. Acta Neuropsychiatrica, 2010, 22, 100-101.	1.0	2
115	A systemic toxicity index developed to assess peripheral changes in mood episodes. Molecular Psychiatry, 2010, 15, 784-786.	4.1	105
116	Correlates and impact of obsessive-compulsive comorbidity in bipolar disorder. Comprehensive Psychiatry, 2010, 51, 353-356.	1.5	55
117	Serum brain-derived neurotrophic factor in patients with trauma psychopathology. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2010, 34, 459-462.	2.5	67
118	Resistência à insulina e síndrome metabólica em pacientes ambulatoriais com transtorno do humor bipolar. Revista De Psiquiatria Clínica, 2010, 37, 81-84.	0.6	3
119	A pesquisa básica na Revista de Psiquiatria do Rio Grande do Sul. Revista De Psiquiatria Do Rio Grande Do Sul, 2010, 32, 33-34.	0.3	4
120	Brain-derived neurotrophic factor gene val66met polymorphism and executive functioning in patients with bipolar disorder. Revista Brasileira De Psiquiatria, 2009, 31, 136-140.	0.9	20
121	Bipolar disorder and age-related functional impairment. Revista Brasileira De Psiquiatria, 2009, 31, 354-357.	0.9	18
122	Common mental disorders and chronic non-communicable diseases in adults: a population-based study. Cadernos De Saude Publica, 2009, 25, 59-67.	0.4	30
123	Increased serum neurotrophin-4/5 levels in bipolar disorder. Journal of Psychiatric Research, 2009, 43, 721-723.	1.5	46
124	Development and use of a biological rhythm interview. Journal of Affective Disorders, 2009, 118, 161-165.	2.0	117
125	Use of contraceptive methods among women treated for bipolar disorder. Archives of Women's Mental Health, 2009, 12, 183-185.	1.2	29
126	Birth cohort and dual diagnosis effects on age at onset in Brazilian patients with bipolar I disorder. Acta Psychiatrica Scandinavica, 2009, 120, 492-495.	2.2	17

#	ARTICLE	IF	CITATIONS
127	Problems with single-factor solutions in factor analyses of low end scores. <i>Bipolar Disorders</i> , 2009, 11, 900-900.	1.1	1
128	Validity of a Short Functioning Test (FAST) in Brazilian Outpatients with Bipolar Disorder. <i>Value in Health</i> , 2009, 12, 624-627.	0.1	65
129	Waist Circumference as a Simple and Meaningful Means to Assess Insulin Resistance Among Outpatients with Bipolar Disorder. <i>European Psychiatry</i> , 2009, 24, .	0.1	0
130	Uma reavaliação do diazepam intramuscular para emergências psiquiátricas. <i>Revista De Psiquiatria Clinica</i> , 2009, 36, 122-122.	0.6	2
131	Two studies on suicidality in the postpartum. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 160-163.	2.2	25
132	Validity of the Beck Depression Inventory in the postpartum period. <i>International Journal of Psychiatry in Clinical Practice</i> , 2008, 12, 81-84.	1.2	7
133	Re: Treatment of Perinatal Mood and Anxiety Disorders: A Review. <i>Canadian Journal of Psychiatry</i> , 2008, 53, 209-209.	0.9	0
134	The Occurrence of Post-Operative Delirium in Brazil. <i>Clinics</i> , 2008, 63, 271-272.	0.6	0
135	Citation Superstars in Psychiatry. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007, 41, 371-372.	1.3	0
136	Open Trials in Psychiatry. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 318.	0.7	0
137	Impact of Defense Style on Brief Psychotherapy of Postpartum Depression. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 870-873.	0.5	7
138	Validation of the Edinburgh Postnatal Depression Scale (EPDS) in a sample of mothers from the 2004 Pelotas Birth Cohort Study. <i>Cadernos De Saude Publica</i> , 2007, 23, 2577-2588.	0.4	208
139	Selective serotonin reuptake inhibitors and the utility of the borderline-bipolar distinction. <i>Bipolar Disorders</i> , 2007, 9, 546-546.	1.1	1
140	Cocaine Addiction and Family Dysfunction: A Case-Control Study in Southern Brazil. <i>Substance Use and Misuse</i> , 2006, 41, 307-316.	0.7	13
141	Comments on Article by Mitte et al. <i>Journal of Clinical Psychopharmacology</i> , 2006, 26, 220-221.	0.7	0
142	Pharmacological treatment of postpartum depression. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 75-76.	2.2	6
143	Reply.. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 76-77.	2.2	0
144	Is paternal postpartum depression associated with maternal postpartum depression? Population-based study in Brazil. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 230-232.	2.2	100

#	ARTICLE	IF	CITATIONS
145	Adjunctive antioxidants for bipolar disorder. The Cochrane Library, 0, , .	1.5	0