Brett D Thombs

List of Publications by Citations

Source: https://exaly.com/author-pdf/5098045/brett-d-thombs-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

388
papers
11,454
citations
56
h-index
g-index
427
ext. papers
ext. citations
56
h-index
5
L-index

#	Paper	IF	Citations
388	Preferred Reporting Items for a Systematic Review and Meta-analysis of Diagnostic Test Accuracy Studies: The PRISMA-DTA Statement. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 388-396	27.4	1006
387	Prevalence of depression in survivors of acute myocardial infarction. <i>Journal of General Internal Medicine</i> , 2006 , 21, 30-8	4	610
386	Accuracy of Patient Health Questionnaire-9 (PHQ-9) for screening to detect major depression: individual participant data meta-analysis. <i>BMJ, The</i> , 2019 , 365, l1476	5.9	374
385	Depression screening and patient outcomes in cardiovascular care: a systematic review. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 2161-71	27.4	345
384	Prognostic association of depression following myocardial infarction with mortality and cardiovascular events: a meta-analysis of 25 years of research. <i>General Hospital Psychiatry</i> , 2011 , 33, 203	3-518	338
383	Burn rehabilitation: state of the science. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2006 , 85, 383-413	2.6	225
382	A validation study of the Dutch Childhood Trauma Questionnaire-Short Form: factor structure, reliability, and known-groups validity. <i>Child Abuse and Neglect</i> , 2009 , 33, 518-23	4.3	175
381	The prevalence of anxiety and depression in adults with implantable cardioverter defibrillators: a systematic review. <i>Journal of Psychosomatic Research</i> , 2011 , 71, 223-31	4.1	168
380	The effects of preexisting medical comorbidities on mortality and length of hospital stay in acute burn injury: evidence from a national sample of 31,338 adult patients. <i>Annals of Surgery</i> , 2007 , 245, 629-	-34 ⁸	167
379	Frequency and impact of symptoms experienced by patients with systemic sclerosis: results from a Canadian National Survey. <i>Rheumatology</i> , 2011 , 50, 762-7	3.9	145
378	Rethinking recommendations for screening for depression in primary care. <i>Cmaj</i> , 2012 , 184, 413-8	3.5	142
377	From survival to socialization: a longitudinal study of body image in survivors of severe burn injury. Journal of Psychosomatic Research, 2008 , 64, 205-12	4.1	109
376	Depression in patients with systemic sclerosis: a systematic review of the evidence. <i>Arthritis and Rheumatism</i> , 2007 , 57, 1089-97		109
375	The PHQ-9 versus the PHQ-8is item 9 useful for assessing suicide risk in coronary artery disease patients? Data from the Heart and Soul Study. <i>Journal of Psychosomatic Research</i> , 2012 , 73, 163-8	4.1	107
374	Estimating the sample mean and standard deviation from commonly reported quantiles in meta-analysis. <i>Statistical Methods in Medical Research</i> , 2020 , 962280219889080	2.3	104
373	Concordance and discrepancy in sexual identity, attraction, and behavior among adolescents. Journal of Adolescent Health, 2009 , 45, 602-8	5.8	99
372	Reporting of conflicts of interest in meta-analyses of trials of pharmacological treatments. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 305, 1008-17	27.4	98

371	Health-related quality of life in systemic sclerosis: a systematic review. <i>Arthritis and Rheumatism</i> , 2009 , 61, 1112-20		97
370	Comparison of the PHQ-9 and CES-D depression scales in systemic sclerosis: internal consistency reliability, convergent validity and clinical correlates. <i>Rheumatology</i> , 2010 , 49, 789-96	3.9	91
369	Does evidence support the American Heart Association's recommendation to screen patients for depression in cardiovascular care? An updated systematic review. <i>PLoS ONE</i> , 2013 , 8, e52654	3.7	90
368	Using the cultural formulation to resolve uncertainty in diagnoses of psychosis among ethnoculturally diverse patients. <i>Psychiatric Services</i> , 2012 , 63, 147-53	3.3	88
367	Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression: Systematic Review and Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 2290-2300	27.4	86
366	Effects of screening for psychological distress on patient outcomes in cancer: a systematic review. Journal of Psychosomatic Research, 2013 , 75, 1-17	4.1	86
365	Recommendations on screening for breast cancer in women aged 40-74 years who are not at increased risk for breast cancer. <i>Cmaj</i> , 2018 , 190, E1441-E1451	3.5	86
364	Identifying depression with the PHQ-2: A diagnostic meta-analysis. <i>Journal of Affective Disorders</i> , 2016 , 203, 382-395	6.6	83
363	The Scleroderma Patient-centered Intervention Network (SPIN) Cohort: protocol for a cohort multiple randomised controlled trial (cmRCT) design to support trials of psychosocial and rehabilitation interventions in a rare disease context. <i>BMJ Open</i> , 2013 , 3,	3	82
362	Optimizing detection of major depression among patients with coronary artery disease using the patient health questionnaire: data from the heart and soul study. <i>Journal of General Internal Medicine</i> , 2008 , 23, 2014-7	4	82
361	Perceived discrimination and its association with psychological distress among newly arrived immigrants before and after September 11, 2001. <i>American Journal of Public Health</i> , 2011 , 101, 909-15	5.1	79
360	Preferred reporting items for systematic review and meta-analysis of diagnostic test accuracy studies (PRISMA-DTA): explanation, elaboration, and checklist. <i>BMJ, The</i> , 2020 , 370, m2632	5.9	78
359	Suicidal Ideation and Attempt Among Adolescents Reporting Unsure Sexual Identity or Heterosexual Identity Plus Same-Sex Attraction or Behavior: Forgotten Groups?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 104-113	7.2	76
358	Addressing overestimation of the prevalence of depression based on self-report screening questionnaires. <i>Cmaj</i> , 2018 , 190, E44-E49	3.5	72
357	Prevalence and clinical correlates of symptoms of depression in patients with systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2008 , 59, 504-9		72
356	Depression in survivors of burn injury: a systematic review. <i>General Hospital Psychiatry</i> , 2006 , 28, 494-50	02 5.6	70
355	The reliability and validity of the Perceived Stigmatization Questionnaire (PSQ) and the Social Comfort Questionnaire (SCQ) among an adult burn survivor sample. <i>Psychological Assessment</i> , 2006 , 18, 106-11	5.3	70
354	Depression screening and patient outcomes in pregnancy or postpartum: a systematic review. Journal of Psychosomatic Research, 2014 , 76, 433-46	4.1	69

353	There are no randomized controlled trials that support the United States Preventive Services Task Force Guideline on screening for depression in primary care: a systematic review. <i>BMC Medicine</i> , 2014 , 12, 13	11.4	68
352	An evaluation of the measurement equivalence of the Childhood Trauma QuestionnaireShort Form across gender and race in a sample of drug-abusing adults. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 391-8	4.1	68
351	Recommendations for reporting of systematic reviews and meta-analyses of diagnostic test accuracy: a systematic review. <i>Systematic Reviews</i> , 2017 , 6, 194	3	67
350	Routine screening for depression in patients with coronary heart disease never mind. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 886-90	15.1	67
349	Accuracy of the Edinburgh Postnatal Depression Scale (EPDS) for screening to detect major depression among pregnant and postpartum women: systematic review and meta-analysis of individual participant data. <i>BMJ, The</i> , 2020 , 371, m4022	5.9	67
348	Psychological health and well-being in systemic sclerosis: State of the science and consensus research agenda. <i>Arthritis Care and Research</i> , 2010 , 62, 1181-9	4.7	66
347	Risk of bias from inclusion of patients who already have diagnosis of or are undergoing treatment for depression in diagnostic accuracy studies of screening tools for depression: systematic review. <i>BMJ, The</i> , 2011 , 343, d4825	5.9	65
346	Can doctors and nurses recognize depression in patients hospitalized with an acute myocardial infarction in the absence of formal screening?. <i>Psychosomatic Medicine</i> , 2005 , 67, 393-7	3.7	65
345	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. <i>Psychological Medicine</i> , 2020 , 50, 1368-1380	6.9	65
344	Depression in burn reconstruction patients: symptom prevalence and association with body image dissatisfaction and physical function. <i>General Hospital Psychiatry</i> , 2007 , 29, 14-20	5.6	64
343	Reliability and validity of the center for epidemiologic studies depression scale in patients with systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2008 , 59, 438-43		63
342	Does depression screening improve depression outcomes in primary care?. <i>BMJ, The</i> , 2014 , 348, g1253	5.9	60
341	Ain't necessarily so: review and critique of recent meta-analyses of behavioral medicine interventions in health psychology. <i>Health Psychology</i> , 2010 , 29, 107-16	5	60
340	Mortality risk and length of stay associated with self-inflicted burn injury: evidence from a national sample of 30,382 adult patients. <i>Critical Care Medicine</i> , 2008 , 36, 118-25	1.4	60
339	Acute pain at discharge from hospitalization is a prospective predictor of long-term suicidal ideation after burn injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007 , 88, S36-42	2.8	60
338	Reporting of Positive Results in Randomized Controlled Trials of Mindfulness-Based Mental Health Interventions. <i>PLoS ONE</i> , 2016 , 11, e0153220	3.7	60
337	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2020 , 122, 115-128.e1	5.7	58
336	Depression screening and patient outcomes in cancer: a systematic review. <i>PLoS ONE</i> , 2011 , 6, e27181	3.7	57

(2015-2011)

335	Somatic/affective symptoms, but not cognitive/affective symptoms, of depression after acute coronary syndrome are associated with 12-month all-cause mortality. <i>Journal of Affective Disorders</i> , 2011 , 131, 158-63	6.6	57	
334	Evaluation of the 9-item Patient Health Questionnaire (PHQ-9) as an assessment instrument for symptoms of depression in patients with multiple sclerosis. <i>Postgraduate Medicine</i> , 2012 , 124, 69-77	3.7	57	
333	Empirically Supported Treatment: Recommendations for a New Model. <i>Clinical Psychology: Science and Practice</i> , 2015 , 22, 317-338	3.7	56	
332	Somatic symptom overlap in Beck Depression Inventory-II scores following myocardial infarction. <i>British Journal of Psychiatry</i> , 2010 , 197, 61-6	5.4	56	
331	Prevalence, severity, and clinical correlates of pain in patients with systemic sclerosis. <i>Arthritis Care and Research</i> , 2010 , 62, 409-17	4.7	56	
330	A test of the moderating role of importance of appearance in the relationship between perceived scar severity and body-esteem among adult burn survivors. <i>Body Image</i> , 2006 , 3, 101-11	7.4	56	
329	Quality of life in patients with systemic sclerosis compared to the general population and patients with other chronic conditions. <i>Journal of Rheumatology</i> , 2009 , 36, 768-72	4.1	54	
328	The diagnostic accuracy of the Patient Health Questionnaire-2 (PHQ-2), Patient Health Questionnaire-8 (PHQ-8), and Patient Health Questionnaire-9 (PHQ-9) for detecting major depression: protocol for a systematic review and individual patient data meta-analyses. <i>Systematic</i>	3	53	
327	Recommendations on screening for cognitive impairment in older adults. <i>Cmaj</i> , 2016 , 188, 37-46	3.5	50	
326	Are scores on English and French versions of the PHQ-9 comparable? An assessment of differential item functioning. <i>PLoS ONE</i> , 2012 , 7, e52028	3.7	48	
325	Work disability in systemic sclerosis. <i>Journal of Rheumatology</i> , 2009 , 36, 2481-6	4.1	48	
324	Sociodemographic, disease, and symptom correlates of fatigue in systemic sclerosis: evidence from a sample of 659 Canadian Scleroderma Research Group Registry patients. <i>Arthritis and Rheumatism</i> , 2009 , 61, 966-73		48	
323	Patient and injury characteristics, mortality risk, and length of stay related to child abuse by burning: evidence from a national sample of 15,802 pediatric admissions. <i>Annals of Surgery</i> , 2008 , 247, 519-23	7.8	48	
322	Who attempts suicide by burning? An analysis of age patterns of mortality by self-inflicted burning in the United States. <i>General Hospital Psychiatry</i> , 2007 , 29, 244-50	5.6	48	
321	Pathways to independence: towards producing and using trustworthy evidence. <i>BMJ, The</i> , 2019 , 367, l6576	5.9	47	
320	An evaluation of screening questions for childhood abuse in 2 community samples: implications for clinical practice. <i>Archives of Internal Medicine</i> , 2006 , 166, 2020-6		43	
319	Recommendations on hepatitis C screening for adults. <i>Cmaj</i> , 2017 , 189, E594-E604	3.5	42	
318	Psychosocial Aspects of Scleroderma. <i>Rheumatic Disease Clinics of North America</i> , 2015 , 41, 519-28	2.4	42	

317	A cluster randomized-controlled trial of a classroom-based drama workshop program to improve mental health outcomes among immigrant and refugee youth in special classes. <i>PLoS ONE</i> , 2014 , 9, e10	47704	42
316	Transparency of outcome reporting and trial registration of randomized controlled trials in top psychosomatic and behavioral health journals: A systematic review. <i>Journal of Psychosomatic Research</i> , 2011 , 70, 205-17	4.1	42
315	Symptoms of depression predict the trajectory of pain among patients with early inflammatory arthritis: a path analysis approach to assessing change. <i>Journal of Rheumatology</i> , 2009 , 36, 231-9	4.1	42
314	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020 , 89, 25-37	9.4	42
313	A systematic comparison of fatigue levels in systemic sclerosis with general population, cancer and rheumatic disease samples. <i>Rheumatology</i> , 2008 , 47, 1559-63	3.9	41
312	Clinical correlates of quality of life in systemic sclerosis measured with the World Health Organization Disability Assessment Schedule II. <i>Arthritis and Rheumatism</i> , 2008 , 59, 279-84		41
311	Onset and recurrence of depression as predictors of cardiovascular prognosis in depressed acute coronary syndrome patients: a systematic review. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 227-37	9.4	40
310	Symptoms of depression predict change in physical health after burn injury. <i>Burns</i> , 2007 , 33, 292-8	2.3	40
309	Use of an expanded version of the DSM-IV outline for cultural formulation on a cultural consultation service. <i>Psychiatric Services</i> , 2008 , 59, 683-6	3.3	38
308	Revisiting gender differences in somatic symptoms of depression: much ado about nothing?. <i>PLoS ONE</i> , 2012 , 7, e32490	3.7	38
307	Perceived stigmatization and social comfort: validating the constructs and their measurement among pediatric burn survivors. <i>Rehabilitation Psychology</i> , 2010 , 55, 360-71	2.7	38
306	Comparison of depression prevalence estimates in meta-analyses based on screening tools and rating scales versus diagnostic interviews: a meta-research review. <i>BMC Medicine</i> , 2019 , 17, 65	11.4	37
305	Children under 4 years are at greater risk of mortality following acute burn injury: evidence from a national sample of 12,902 pediatric admissions. <i>Shock</i> , 2006 , 26, 348-52	3.4	37
304	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. <i>British Journal of Psychiatry</i> , 2018 , 212, 377-385	5.4	36
303	Structural validation of the Self-Compassion Scale with a German general population sample. <i>PLoS ONE</i> , 2018 , 13, e0190771	3.7	36
302	Reporting of conflicts of interest from drug trials in Cochrane reviews: cross sectional study. <i>BMJ</i> , <i>The</i> , 2012 , 345, e5155	5.9	36
301	Diagnostic accuracy of the Edinburgh Postnatal Depression Scale (EPDS) for detecting major depression in pregnant and postnatal women: protocol for a systematic review and individual patient data meta-analyses. <i>BMJ Open</i> , 2015 , 5, e009742	3	35
300	Is longer-term psychodynamic psychotherapy more effective than shorter-term therapies? Review and critique of the evidence. <i>Psychotherapy and Psychosomatics</i> , 2010 , 79, 208-16	9.4	35

(2008-2010)

299	The association of depression with adherence to antihypertensive medications: a systematic review. <i>Journal of Hypertension</i> , 2010 , 28, 1785-95	1.9	35	
298	Association of pruritus with quality of life and disability in systemic sclerosis. <i>Arthritis Care and Research</i> , 2010 , 62, 1489-95	4.7	35	
297	Depression following acute myocardial infarction: a prospective relationship with ongoing health and function. <i>Psychosomatics</i> , 2005 , 46, 355-61	2.6	35	
296	Performance of the Patient-Reported Outcomes Measurement Information System-29 in scleroderma: a Scleroderma Patient-centered Intervention Network Cohort Study. <i>Rheumatology</i> , 2017 , 56, 1302-1311	3.9	34	
295	The Effect of Massage on Acute Postoperative Pain in Critically and Acutely Ill Adults Post-thoracic Surgery: Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2017 , 46, 339-346	2.6	34	
294	Sociodemographic and disease correlates of body image distress among patients with systemic sclerosis. <i>PLoS ONE</i> , 2012 , 7, e33281	3.7	34	
293	Is Adult Attention-Deficit Hyperactivity Disorder Being Overdiagnosed?. <i>Canadian Journal of Psychiatry</i> , 2015 , 60, 324-8	4.8	33	
292	(Not) talking about sex: a systematic comparison of sexual impairment in women with systemic sclerosis and other chronic disease samples. <i>Rheumatology</i> , 2009 , 48, 1300-3	3.9	33	
291	The association of single and double orphanhood with symptoms of depression among children and adolescents in Namibia. <i>European Child and Adolescent Psychiatry</i> , 2009 , 18, 369-76	5.5	33	
290	Suicidal ideation and attempt among adolescents reporting "unsure" sexual identity or heterosexual identity plus same-sex attraction or behavior: forgotten groups?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010 , 49, 104-13	7.2	33	
289	A general factor model for the Beck Depression Inventory-II: validation in a sample of patients hospitalized with acute myocardial infarction. <i>Journal of Psychosomatic Research</i> , 2008 , 65, 115-21	4.1	33	
288	Performance characteristics of depression screening instruments in survivors of acute myocardial infarction: review of the evidence. <i>Psychosomatics</i> , 2007 , 48, 185-94	2.6	33	
287	Selective Cutoff Reporting in Studies of Diagnostic Test Accuracy: A Comparison of Conventional and Individual-Patient-Data Meta-Analyses of the Patient Health Questionnaire-9 Depression Screening Tool. <i>American Journal of Epidemiology</i> , 2017 , 185, 954-964	3.8	32	
286	Development and validation of the brief-satisfaction with appearance scale for systemic sclerosis. <i>Arthritis Care and Research</i> , 2010 , 62, 1779-86	4.7	31	
285	A brief two-item screener for detecting a history of physical or sexual abuse in childhood. <i>General Hospital Psychiatry</i> , 2007 , 29, 8-13	5.6	31	
284	Potentially coercive self-citation by peer reviewers: a cross-sectional study. <i>Journal of Psychosomatic Research</i> , 2015 , 78, 1-6	4.1	30	
283	Prevalence and clinical correlates of pruritus in patients with systemic sclerosis: an updated analysis of 959 patients. <i>Rheumatology</i> , 2013 , 52, 2056-61	3.9	30	
282	Effect of depression on late (8 years) mortality after myocardial infarction. <i>American Journal of Cardiology</i> , 2008 , 101, 602-6	3	30	

281	Selective serotonin reuptake inhibitor use by patients with acute coronary syndromes. <i>American Journal of Medicine</i> , 2007 , 120, 525-30	2.4	30
280	Usefulness of persistent symptoms of depression to predict physical health status 12 months after an acute coronary syndrome. <i>American Journal of Cardiology</i> , 2008 , 101, 15-9	3	29
279	Perceived Benefits and Factors that Influence the Ability to Establish and Maintain Patient Support Groups in Rare Diseases: A Scoping Review. <i>Patient</i> , 2017 , 10, 283-293	3.7	28
278	Barriers and facilitators of adherence to medical advice on skin self-examination during melanoma follow-up care. <i>BMC Dermatology</i> , 2013 , 13, 3	2.1	28
277	The Swiss Health Literacy Survey: development and psychometric properties of a multidimensional instrument to assess competencies for health. <i>Health Expectations</i> , 2014 , 17, 396-417	3.7	28
276	Utility of the Patient Health Questionnaire-9 to assess suicide risk in patients with systemic sclerosis. <i>Arthritis Care and Research</i> , 2013 , 65, 753-8	4.7	27
275	Sleep disturbances in systemic sclerosis: evidence for the role of gastrointestinal symptoms, pain and pruritus. <i>Rheumatology</i> , 2013 , 52, 1715-20	3.9	27
274	Finding what is not there: unwarranted claims of an effect of psychosocial intervention on recurrence and survival. <i>Cancer</i> , 2009 , 115, 5612-6	6.4	27
273	The Scleroderma Patient-Centered Intervention Network Cohort: baseline clinical features and comparison with other large scleroderma cohorts. <i>Rheumatology</i> , 2018 , 57, 1623-1631	3.9	26
272	Prevalence of current, 12-month and lifetime major depressive disorder among patients with systemic sclerosis. <i>Rheumatology</i> , 2013 , 52, 669-75	3.9	26
271	Prevalence and clinical correlates of pruritus in patients with systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2009 , 61, 1765-70		26
270	New directions for patient-centred care in scleroderma: the Scleroderma Patient-centred Intervention Network (SPIN). <i>Clinical and Experimental Rheumatology</i> , 2012 , 30, S23-9	2.2	26
269	Discordance between patient and physician assessments of disease severity in systemic sclerosis. Journal of Rheumatology, 2010 , 37, 2307-12	4.1	25
268	Long-term significance of Killip class and left ventricular systolic dysfunction. <i>American Journal of Medicine</i> , 2008 , 121, 1015-8	2.4	25
267	Comparison of major depression diagnostic classification probability using the SCID, CIDI, and MINI diagnostic interviews among women in pregnancy or postpartum: An individual participant data meta-analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1803	4.3	24
266	Recommendations on screening for asymptomatic bacteriuria in pregnancy. <i>Cmaj</i> , 2018 , 190, E823-E83	303.5	24
265	The relationship of dyspnoea to function and quality of life in systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2008 , 67, 644-50	2.4	24
264	A user's guide to inflated and manipulated impact factors. <i>European Journal of Clinical Investigation</i> , 2019 , 49, e13151	4.6	23

(2011-2015)

263	Transparency of outcome reporting and trial registration of randomized controlled trials in top psychosomatic and behavioral health journals: A 5-year follow-up. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 1-12	4.1	23	
262	Are MEDLINE searches sufficient for systematic reviews and meta-analyses of the diagnostic accuracy of depression screening tools? A review of meta-analyses. <i>Journal of Psychosomatic Research</i> , 2016 , 87, 7-13	4.1	23	
261	Accuracy of Depression Screening Tools to Detect Major Depression in Children and Adolescents: A Systematic Review. <i>Canadian Journal of Psychiatry</i> , 2016 , 61, 746-757	4.8	23	
2 60	Major depression diagnoses among patients with systemic sclerosis: baseline and one-month followup. <i>Arthritis Care and Research</i> , 2015 , 67, 411-6	4.7	23	
259	Physical health status assessed during hospitalization for acute coronary syndrome predicts mortality 12 months later. <i>Journal of Psychosomatic Research</i> , 2008 , 65, 587-93	4.1	23	
258	Family participation in treatment, post-discharge appointment and medication adherence at a Nigerian psychiatric hospital. <i>British Journal of Psychiatry</i> , 2009 , 194, 86-7	5.4	23	
257	Empirically supported treatment: Recommendations for a new model <i>Clinical Psychology: Science and Practice</i> , 2015 , 22, 317-338	3.7	23	
256	Validation of the Self-Efficacy for Managing Chronic Disease Scale: A Scleroderma Patient-Centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2016 , 68, 1195-200	4.7	23	
255	Time to diagnosis in systemic sclerosis: is sex a factor?. <i>Arthritis and Rheumatism</i> , 2009 , 61, 274-8		22	
254	Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale - Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. <i>Journal of Psychosomatic</i>	4.1	22	
253	Potential harms from legalization of recreational cannabis use in Canada. <i>Canadian Journal of Public Health</i> , 2019 , 110, 222-226	3.2	21	
252	Consistency and sources of divergence in recommendations on screening with questionnaires for presently experienced health problems or symptoms: a comparison of recommendations from the Canadian Task Force on Preventive Health Care, UK National Screening Committee, and US	11.4	21	
251	Symptoms of heart disease or its treatment may increase Beck Depression Inventory Scores in hospitalized post-myocardial infarction patients. <i>Journal of Psychosomatic Research</i> , 2012 , 73, 157-62	4.1	21	
250	Measuring fatigue in SSc: a comparison of the Short Form-36 Vitality subscale and Functional Assessment of Chronic Illness Therapy-Fatigue scale. <i>Rheumatology</i> , 2012 , 51, 2177-85	3.9	21	
249	Transparency of Outcome Reporting and Trial Registration of Randomized Controlled Trials Published in the Journal of Consulting and Clinical Psychology. <i>PLoS ONE</i> , 2015 , 10, e0142894	3.7	21	
248	Protocol for the development of a CONSORT extension for RCTs using cohorts and routinely collected health data. <i>Research Integrity and Peer Review</i> , 2018 , 3, 9	6.1	21	
247	Clinical correlates of sleep problems in systemic sclerosis: the prominent role of pain. <i>Rheumatology</i> , 2011 , 50, 921-5	3.9	20	
246	The association of body image dissatisfaction and pain with reduced sexual function in women with systemic sclerosis. <i>Rheumatology</i> , 2011 , 50, 1125-30	3.9	20	

245	Prevalence of antidepressant prescription or use in patients with acute coronary syndrome: a systematic review. <i>PLoS ONE</i> , 2011 , 6, e27671	3.7	20
244	Diagnostic accuracy of the Depression subscale of the Hospital Anxiety and Depression Scale (HADS-D) for detecting major depression: protocol for a systematic review and individual patient data meta-analyses. <i>BMJ Open</i> , 2016 , 6, e011913	3	19
243	The Neighbourhood Built Environment and Trajectories of Depression Symptom Episodes in Adults: A Latent Class Growth Analysis. <i>PLoS ONE</i> , 2015 , 10, e0133603	3.7	18
242	Prevalence and social determinants of suicidal behaviours among college youth in India. <i>International Journal of Social Psychiatry</i> , 2012 , 58, 393-9	8.5	18
241	Conflict of interest as ethical shorthand: understanding the range and nature of "non-financial conflict of interest" in biomedicine. <i>Journal of Clinical Epidemiology</i> , 2020 , 120, 1-7	5.7	18
240	E-cigarettes and youth: Patterns of use, potential harms, and recommendations. <i>Preventive Medicine</i> , 2020 , 133, 106009	4.3	17
239	High rates of depressive symptoms among patients with systemic sclerosis are not explained by differential reporting of somatic symptoms. <i>Arthritis and Rheumatism</i> , 2008 , 59, 431-7		17
238	CONSORT extension for the reporting of randomised controlled trials conducted using cohorts and routinely collected data (CONSORT-ROUTINE): checklist with explanation and elaboration. <i>BMJ, The,</i> 2021 , 373, n857	5.9	17
237	Completeness of Reporting of Systematic Reviews of Diagnostic Test Accuracy Based on the PRISMA-DTA Reporting Guideline. <i>Clinical Chemistry</i> , 2019 , 65, 291-301	5.5	17
236	Evaluation of Journal Registration Policies and Prospective Registration of Randomized Clinical Trials of Nonregulated Health Care Interventions. <i>JAMA Internal Medicine</i> , 2019 , 179, 624-632	11.5	16
235	Depression screening in primary care: why the Canadian task force on preventive health care did the right thing. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 692-6	4.8	16
234	Clinical correlates of self-reported physical health status in systemic sclerosis. <i>Journal of Rheumatology</i> , 2009 , 36, 1226-9	4.1	16
233	Exploring Sources of Emotional Distress among People Living with Scleroderma: A Focus Group Study. <i>PLoS ONE</i> , 2016 , 11, e0152419	3.7	16
232	Screening for depression in women during pregnancy or the first year postpartum and in the general adult population: a protocol for two systematic reviews to update a guideline of the Canadian Task Force on Preventive Health Care. <i>Systematic Reviews</i> , 2019 , 8, 27	3	15
231	Using Optimal Test Assembly Methods for Shortening Patient-Reported Outcome Measures: Development and Validation of the Cochin Hand Function Scale-6: A Scleroderma Patient-Centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2016 , 68, 1704-1713	4.7	15
230	The ethics of how to manage incidental findings. <i>Cmaj</i> , 2014 , 186, 655-6	3.5	15
229	The experience of emotional distress among women with scleroderma. <i>Qualitative Health Research</i> , 2012 , 22, 1195-206	3.9	15
228	Probit structural equation regression model: general depressive symptoms predicted post-myocardial infarction mortality after controlling for somatic symptoms of depression. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 832-9	5.7	15

227	Frequency and correlates of depression symptoms among long-term adult burn survivors <i>Rehabilitation Psychology</i> , 2006 , 51, 306-313	2.7	15
226	Sexual activity and impairment in women with systemic sclerosis compared to women from a general population sample. <i>PLoS ONE</i> , 2012 , 7, e52129	3.7	15
225	Periodic preventive health visits: a more appropriate approach to delivering preventive services: From the Canadian Task Force on Preventive Health Care. <i>Canadian Family Physician</i> , 2017 , 63, 824-826	0.9	15
224	Accuracy of the Hospital Anxiety and Depression Scale Depression subscale (HADS-D) to screen for major depression: systematic review and individual participant data meta-analysis. <i>BMJ, The</i> , 2021 , 373, n972	5.9	15
223	Reporting of financial conflicts of interest by Canadian clinical practice guideline producers: a descriptive study. <i>Cmaj</i> , 2020 , 192, E617-E625	3.5	14
222	Rates and correlates of sexual activity and impairment among women with systemic sclerosis. <i>Arthritis Care and Research</i> , 2012 , 64, 340-50	4.7	14
221	Depression screening and mental health outcomes in children and adolescents: a systematic review protocol. <i>Systematic Reviews</i> , 2012 , 1, 58	3	14
220	Influence of somatic symptoms on Patient Health Questionnaire-9 depression scores among patients with systemic sclerosis compared to a healthy general population sample. <i>Arthritis Care and Research</i> , 2012 , 64, 1195-201	4.7	14
219	The influence of somatic symptoms on Beck Depression Inventory scores in hospitalized postmyocardial infarction patients. <i>Canadian Journal of Psychiatry</i> , 2012 , 57, 752-8	4.8	14
218	Cultural sensitivity in screening adults for a history of childhood abuse: evidence from a community sample. <i>Journal of General Internal Medicine</i> , 2007 , 22, 368-73	4	14
217	Sample sizes and precision of estimates of sensitivity and specificity from primary studies on the diagnostic accuracy of depression screening tools: a survey of recently published studies. <i>International Journal of Methods in Psychiatric Research</i> , 2016 , 25, 145-52	4.3	14
216	Effect of support group peer facilitator training programmes on peer facilitator and support group member outcomes: a systematic review. <i>BMJ Open</i> , 2016 , 6, e013325	3	13
215	Protocol for a partially nested randomised controlled trial to evaluate the effectiveness of the scleroderma patient-centered intervention network COVID-19 home-isolation activities together (SPIN-CHAT) program to reduce anxiety among at-risk scleroderma patients. <i>Journal of</i>	4.1	13
214	Risk of Bias from Inclusion of Currently Diagnosed or Treated Patients in Studies of Depression Screening Tool Accuracy: A Cross-Sectional Analysis of Recently Published Primary Studies and Meta-Analyses. <i>PLoS ONE</i> , 2016 , 11, e0150067	3.7	13
213	Diagnostic accuracy of the Geriatric Depression Scale-30, Geriatric Depression Scale-15, Geriatric Depression Scale-5 and Geriatric Depression Scale-4 for detecting major depression: protocol for a systematic review and individual participant data meta-analysis. <i>BMJ Open</i> , 2018 , 8, e026598	3	13
212	Challenges and strategies for coping with scleroderma: implications for a scleroderma-specific self-management program. <i>Disability and Rehabilitation</i> , 2019 , 41, 2506-2515	2.4	12
211	Prevalence of posttraumatic stress disorder (PTSD) in women with breast cancer. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 485-6	4.1	12
210	Cross-language measurement equivalence of the Center for Epidemiologic Studies Depression (CES-D) scale in systemic sclerosis: a comparison of Canadian and Dutch patients. <i>PLoS ONE</i> , 2013 , 8, e53923	3.7	12

209	Recommendation on screening adults for asymptomatic thyroid dysfunction in primary care. <i>Cmaj</i> , 2019 , 191, E1274-E1280	3.5	12
208	Shortening self-report mental health symptom measures through optimal test assembly methods: Development and validation of the Patient Health Questionnaire-Depression-4. <i>Depression and Anxiety</i> , 2019 , 36, 82-92	8.4	12
207	Managing conflicts of interest in the development of health guidelines. <i>Cmaj</i> , 2021 , 193, E49-E54	3.5	12
206	Reasons for non-participation in scleroderma support groups. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34 Suppl 100, 56-62	2.2	12
205	Validation of the Social Appearance Anxiety Scale in Patients With Systemic Sclerosis: A Scleroderma Patient-Centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2018 , 70, 1557-1562	4.7	11
204	Use of the nominal group technique to identify stakeholder priorities and inform survey development: an example with informal caregivers of people with scleroderma. <i>BMJ Open</i> , 2018 , 8, e01	9726	11
203	Depression Screening and Health Outcomes in Children and Adolescents: A Systematic Review. <i>Canadian Journal of Psychiatry</i> , 2017 , 62, 813-817	4.8	11
202	Knowledge translation tools in preventive health care. <i>Canadian Family Physician</i> , 2017 , 63, 853-858	0.9	11
201	Depression prevalence based on the Edinburgh Postnatal Depression Scale compared to Structured Clinical Interview for DSM Disorders classification: Systematic review and individual participant data meta-analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2021 , 30, e1860	4.3	11
200	Effectiveness of stop smoking interventions among adults: protocol for an overview of systematic reviews and an updated systematic review. <i>Systematic Reviews</i> , 2019 , 8, 28	3	10
199	Shortening patient-reported outcome measures through optimal test assembly: application to the Social Appearance Anxiety Scale in the Scleroderma Patient-centered Intervention Network Cohort. <i>BMJ Open</i> , 2019 , 9, e024010	3	10
198	The comparability of English, French and Dutch scores on the Functional Assessment of Chronic Illness Therapy-Fatigue (FACIT-F): an assessment of differential item functioning in patients with systemic sclerosis. <i>PLoS ONE</i> , 2014 , 9, e91979	3.7	10
197	Analyzing effectiveness of long-term psychodynamic psychotherapy. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 301, 930; author reply 932-933	27.4	10
196	Measuring pain in systemic sclerosis: comparison of the short-form McGill Pain Questionnaire versus a single-item measure of pain. <i>Journal of Rheumatology</i> , 2011 , 38, 2581-7	4.1	10
195	A brief scale to assess hospital doctors' attitudes toward collaborative care for mental health. Canadian Journal of Psychiatry, 2010 , 55, 264-7	4.8	10
194	Use of the Beck Depression Inventory for assessing depression in patients hospitalized with severe burn. Disentangling symptoms of depression from injury and treatment factors. <i>Burns</i> , 2007 , 33, 547-53	3 2.3	10
193	Effects of a multi-faceted education and support programme on anxiety symptoms among people with systemic sclerosis and anxiety during COVID-19 (SPIN-CHAT): a two-arm parallel, partially nested, randomised, controlled trial. <i>Lancet Rheumatology, The,</i> 2021 , 3, e427-e437	14.2	10
192	Reasons for Not Participating in Scleroderma Patient Support Groups: A Cross-Sectional Study. Arthritis Care and Research, 2018 , 70, 275-283	4.7	9

(2008-2016)

191	Reporting completeness and transparency of meta-analyses of depression screening tool accuracy: A comparison of meta-analyses published before and after the PRISMA statement. <i>Journal of Psychosomatic Research</i> , 2016 , 87, 57-69	4.1	9
190	Is there room for criticism of studies of psychodynamic psychotherapy?. <i>American Psychologist</i> , 2011 , 66, 148-9; discussion 152-4	9.5	9
189	A meta-analysis of psychosocial interventions for cancer patients gone awry. <i>Annals of Behavioral Medicine</i> , 2009 , 37, 94-6; author reply 97-100	4.5	9
188	An assessment of the measurement equivalence of English and French versions of the Center for Epidemiologic Studies Depression (CES-D) Scale in systemic sclerosis. <i>PLoS ONE</i> , 2014 , 9, e102897	3.7	9
187	Accuracy of the Patient Health Questionnaire-9 for screening to detect major depression: updated systematic review and individual participant data meta-analysis. <i>BMJ, The</i> , 2021 , 375, n2183	5.9	9
186	Validation of the COVID-19 Fears Questionnaires for Chronic Medical Conditions: A Scleroderma Patient-centered Intervention Network COVID-19 Cohort study. <i>Journal of Psychosomatic Research</i> , 2020 , 139, 110271	4.1	9
185	Changes in mental health symptoms from pre-COVID-19 to COVID-19 among participants with systemic sclerosis from four countries: A Scleroderma Patient-centered Intervention Network (SPIN) Cohort study. <i>Journal of Psychosomatic Research</i> , 2020 , 139, 110262	4.1	9
184	Reporting quality in abstracts of meta-analyses of depression screening tool accuracy: a review of systematic reviews and meta-analyses. <i>BMJ Open</i> , 2016 , 6, e012867	3	9
183	Probability of Major Depression Classification Based on the SCID, CIDI, and MINI Diagnostic Interviews: A Synthesis of Three Individual Participant Data Meta-Analyses. <i>Psychotherapy and Psychosomatics</i> , 2021 , 90, 28-40	9.4	9
182	Physical and occupational therapy referral and use among systemic sclerosis patients with impaired hand function: results from a Canadian national survey. <i>Clinical and Experimental Rheumatology</i> , 2012 , 30, 574-7	2.2	9
181	Primary care doctors should not screen their patients for depression. <i>Expert Review of Neurotherapeutics</i> , 2017 , 17, 645-647	4.3	8
180	Factors associated with negative observer responses towards individuals with visible differences: A scoping review. <i>Body Image</i> , 2018 , 25, 103-132	7.4	8
179	Using Marital Status and Continuous Marital Satisfaction Ratings to Predict Depressive Symptoms in Married and Unmarried Women With Systemic Sclerosis: A Canadian Scleroderma Research Group Study. <i>Arthritis Care and Research</i> , 2016 , 68, 1143-9	4.7	8
178	Development and Validation of the Body Concealment Scale for Scleroderma. <i>Arthritis Care and Research</i> , 2016 , 68, 1158-65	4.7	8
177	Protocol for a scoping review to support development of a CONSORT extension for randomised controlled trials using cohorts and routinely collected health data. <i>BMJ Open</i> , 2018 , 8, e025266	3	8
176	LBssociation des dimensions de lBrientation sexuelle, du harclement et du suicide: quelles minoritB sexuelles sont les plus 🏿 risque?. Sante Mentale Au Quebec, 2015 , 40, 55-75	0.2	8
175	A solution to inappropriate self-citation via peer review. <i>Cmaj</i> , 2012 , 184, 1864	3.5	8
174	Diabetes, depression, and death: a randomized controlled trial of a depression treatment program for older adults based in primary care (PROSPECT): response to Bogner et al. <i>Diabetes Care</i> , 2008 , 31, e54; author reply e55	14.6	8

173	Recommendations on routine screening pelvic examination: Canadian Task Force on Preventive Health Care adoption of the American College of Physicians guideline. <i>Canadian Family Physician</i> , 2016 , 62, 211-4	0.9	8
172	Exercise habits and factors associated with exercise in systemic sclerosis: a Scleroderma Patient-centered Intervention Network (SPIN) cohort study. <i>Disability and Rehabilitation</i> , 2018 , 40, 1997	7 -20 03	7
171	Routine depression screening for patients with diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 2412-3	27.4	7
170	Do Symptom Dimensions of Depression Following Myocardial Infarction Relate Differently to Physical Health Indicators and Cardiac Prognosis?. <i>American Journal of Psychiatry</i> , 2006 , 163, 1295-1296	11.9	7
169	Understanding and communicating risk: Measures of outcome and the magnitude of benefits and harms. <i>Canadian Family Physician</i> , 2018 , 64, 181-185	0.9	7
168	Psychosocial Issues and Care for Patients with Systemic Sclerosis 2017 , 615-621		7
167	Comparison of Mental Health Symptoms prior to and during COVID-19: Evidence from a Living Systematic Review and Meta-analysis		7
166	Scleroderma Patient-centered Intervention Network-Scleroderma Support group Leader EDucation (SPIN-SSLED) program: non-randomised feasibility trial. <i>BMJ Open</i> , 2019 , 9, e029935	3	7
165	Reasons for attending support groups and organizational preferences: the European scleroderma support group members survey. <i>Disability and Rehabilitation</i> , 2019 , 41, 974-982	2.4	7
164	Association between legalization of recreational cannabis and fatal motor vehicle collisions in the United States: an ecologic study. <i>CMAJ Open</i> , 2021 , 9, E233-E241	2.5	7
163	Comparison of self-citation by peer reviewers in a journal with single-blind peer review versus a journal with open peer review. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 561-5	4.1	6
162	Understanding coping strategies among people living with scleroderma: a focus group study. <i>Disability and Rehabilitation</i> , 2018 , 40, 3012-3021	2.4	6
161	Depression screening in pregnancy and postpartum: who needs evidence?. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 492-3	4.1	6
160	Moving forward by moving back: re-assessing guidelines for cancer distress screening. <i>Journal of Psychosomatic Research</i> , 2013 , 75, 20-2	4.1	6
159	Symptom reporting on the Beck Depression Inventory among post-myocardial infarction patients: in-hospital versus follow-up assessments. <i>Journal of Psychosomatic Research</i> , 2012 , 73, 356-61	4.1	6
158	Preferred reporting items for journal and conference abstracts of systematic reviews and meta-analyses of diagnostic test accuracy studies (PRISMA-DTA for Abstracts): checklist, explanation, and elaboration. <i>BMJ</i> , <i>The</i> , 2021 , 372, n265	5.9	6
157	Methodological quality of meta-analyses of the diagnostic accuracy of depression screening tools. Journal of Psychosomatic Research, 2016 , 84, 84-92	4.1	6
156	Protocol for a partially nested randomized controlled trial to evaluate the effectiveness of the Scleroderma Patient-centered Intervention Network Support Group Leader EDucation (SPIN-SSLED) Program. <i>Trials</i> , 2019 , 20, 717	2.8	6

(2021-2020)

155	Scleroderma patient perspectives on social support from close social relationships. <i>Disability and Rehabilitation</i> , 2020 , 42, 1588-1598	2.4	6
154	Screening for the prevention and early detection of cervical cancer: protocol for systematic reviews to inform Canadian recommendations. <i>Systematic Reviews</i> , 2021 , 10, 2	3	6
153	Screening for impaired vision in community-dwelling adults aged 65 years and older in primary care settings. <i>Cmaj</i> , 2018 , 190, E588-E594	3.5	6
152	The association of sociodemographic and objectively-assessed disease variables with fatigue in systemic sclerosis: an analysis of 785 Canadian Scleroderma Research Group Registry patients. <i>Clinical Rheumatology</i> , 2017 , 36, 373-379	3.9	5
151	Defining and Evaluating Overdiagnosis in Mental Health: A Meta-Research Review. <i>Psychotherapy and Psychosomatics</i> , 2019 , 88, 193-202	9.4	5
150	Physical or Occupational Therapy Use in Systemic Sclerosis: A Scleroderma Patient-centered Intervention Network Cohort Study. <i>Journal of Rheumatology</i> , 2019 , 46, 1605-1613	4.1	5
149	Identifying barriers and facilitators to physical activity for people with scleroderma: a nominal group technique study. <i>Disability and Rehabilitation</i> , 2021 , 43, 3339-3346	2.4	5
148	Reliability and Validity of Three Versions of the Brief Fear of Negative Evaluation Scale in Patients With Systemic Sclerosis: A Scleroderma Patient-Centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2018 , 70, 1646-1652	4.7	5
147	Randomized feasibility trial of the Scleroderma Patient-centered Intervention Network hand exercise program (SPIN-HAND): Study protocol <i>Journal of Scleroderma and Related Disorders</i> , 2018 , 3, 91-97	2.3	5
146	Depression Screening in Primary Care: Why the Canadian Task Force on Preventive Health Care Did the Right Thing. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 1-5	4.8	5
145	Prenatal and postpartum depression in fathers and mothers. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 304, 961; author reply 961-2	27.4	5
144	Self-assessed physical health predicts 10-year mortality after myocardial infarction. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2010 , 30, 35-9	3.6	5
143	Depression in hospitalized and stable heart failure patients in an urban Nigerian teaching hospital: a cautionary comment. <i>General Hospital Psychiatry</i> , 2010 , 32, e1-2	5.6	5
142	Usefulness of a single-item general self-rated health question to predict mortality 12 months after an acute coronary syndrome. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008 , 15, 479-81		5
141	Psychosocial Well-Being and a Multicultural Personality Disposition. <i>Journal of Counseling and Development</i> , 2007 , 85, 73-81	2.2	5
140	Operationalization of skin self-examination in randomized controlled trials with individuals at increased risk for melanoma: A systematic review. <i>Patient Education and Counseling</i> , 2020 , 103, 1013-10)2 ³ 6 ¹	5
139	An empirical comparison of three methods for multiple cutoff diagnostic test meta-analysis of the Patient Health Questionnaire-9 (PHQ-9) depression screening tool using published data vs individual level data. <i>Research Synthesis Methods</i> , 2020 , 11, 833-848	7.2	5
138	Methods and results used in the development of a consensus-driven extension to the Consolidated Standards of Reporting Trials (CONSORT) statement for trials conducted using cohorts and routinely collected data (CONSORT-ROUTINE). <i>BMJ Open</i> , 2021 , 11, e049093	3	5

137	Fall prevention interventions for older community-dwelling adults: systematic reviews on benefits, harms, and patient values and preferences. <i>Systematic Reviews</i> , 2021 , 10, 18	3	5
136	Screening for chlamydia and/or gonorrhea in primary health care: protocol for systematic review. <i>Systematic Reviews</i> , 2018 , 7, 248	3	5
135	Does depression screening in primary care improve mental health outcomes?. <i>BMJ, The</i> , 2021 , 374, n166	59 .9	5
134	Can the Cancer-related Fatigue Case-definition Criteria Be Applied to Chronic Medical Illness? A Comparison between Breast Cancer and Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2015 , 42, 1156-62	4.1	4
133	Evidence does matterand evidence does not support the National Heart Foundation of Australia's consensus statement on depression screening. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 173-4	4.1	4
132	Comparison of Self-Efficacy for Managing Chronic Disease between patients with systemic sclerosis and other chronic conditions: a systematic review. <i>Rheumatology International</i> , 2017 , 37, 281-292	3.6	4
131	Evaluation and Management of Psychosocial Issues 2012 , 641-648		4
130	Most published and unpublished dissertations should be excluded from meta-analyses: comment on Moyer et al. <i>Psycho-Oncology</i> , 2011 , 20, 224-5	3.9	4
129	Psychologic intervention and survival: wishing does not make it soletter. <i>Clinical Cancer Research</i> , 2010 , 16, 5364-5	12.9	4
128	Postpartum depression screening: a comment on Leung et al. <i>Journal of Public Health</i> , 2012 , 34, 162-3	3.5	4
127	Time to abandon small-sample cohort research in health psychology?. <i>Health Psychology</i> , 2010 , 29, 339-40; author reply 341-2	5	4
126	The brain and the heart: the twain meet. European Heart Journal, 2005, 26, 2607-8	9.5	4
125	Do symptom dimensions of depression following myocardial infarction relate differently to physical health indicators and cardiac prognosis?. <i>American Journal of Psychiatry</i> , 2006 , 163, 1295-6; author reply 1296	11.9	4
124	Implementing preventive health care recommendations in family medicine: Introducing a series from the Canadian Task Force on Preventive Health Care. <i>Canadian Family Physician</i> , 2017 , 63, 504-505	0.9	4
123	Depression prevalence using the HADS-D compared to SCID major depression classification: An individual participant data meta-analysis. <i>Journal of Psychosomatic Research</i> , 2020 , 139, 110256	4.1	4
122	Translation and validation of the Short HIV Stigma scale in Brazilian Portuguese. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 322	3	4
121	Recommendation on screening for chlamydia and gonorrhea in primary care for individuals not known to be at high risk. <i>Cmaj</i> , 2021 , 193, E549-E559	3.5	4
120	Selective cutoff reporting in studies of the accuracy of the Patient Health Questionnaire-9 and Edinburgh Postnatal Depression Scale: Comparison of results based on published cutoffs versus all cutoffs using individual participant data meta-analysis. <i>International Journal of Methods in</i>	4.3	4

119	Training and support needs of scleroderma support group facilitators: the North American Scleroderma Support Group Facilitators Survey. <i>Disability and Rehabilitation</i> , 2019 , 41, 2477-2482	2.4	4
118	Comparison of different scoring methods based on latent variable models of the PHQ-9: an individual participant data meta-analysis. <i>Psychological Medicine</i> , 2021 , 1-12	6.9	4
117	Validation of the Body Concealment Scale for Scleroderma (BCSS): Replication in the Scleroderma Patient-centered Intervention Network (SPIN) Cohort. <i>Body Image</i> , 2017 , 20, 99-106	7.4	3
116	Screening to prevent fragility fractures among adults 40 years and older in primary care: protocol for a systematic review. <i>Systematic Reviews</i> , 2019 , 8, 216	3	3
115	Individual participant data meta-analyses (IPDMA): data contribution was associated with trial corresponding author country, publication year, and journal impact factor. <i>Journal of Clinical Epidemiology</i> , 2020 , 124, 16-23	5.7	3
114	Validation of the Social Interaction Anxiety Scale in scleroderma: a Scleroderma Patient-centered Intervention Network Cohort study <i>Journal of Scleroderma and Related Disorders</i> , 2018 , 3, 98-105	2.3	3
113	Reasons for attending support groups and organizational preferences: A replication study using the North American Scleroderma Support Group Survey <i>Journal of Scleroderma and Related Disorders</i> , 2019 , 4, 173-186	2.3	3
112	Assessment of English-French differential item functioning of the Satisfaction with Appearance Scale (SWAP) in systemic sclerosis. <i>Body Image</i> , 2017 , 22, 97-102	7.4	3
111	Depression Screening in Patients With Heart Disease Reply. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 301, 1337	27.4	3
110	PHQ-9 and PHQ-2 in Western Kenya. <i>Journal of General Internal Medicine</i> , 2009 , 24, 890; author reply 891	4	3
109	Do more predictors improve mortality risk estimates among burn patients? Comment on McGwin et al. <i>Burns</i> , 2009 , 35, 303-4; author reply 305	2.3	3
108	The Scleroderma Patient-Centered Intervention Network Self-Management Program: Protocol for a Randomized Feasibility Trial. <i>JMIR Research Protocols</i> , 2020 , 9, e16799	2	3
107	Coping with the Disfigurement of Scleroderma: Facial, Skin, and Hand Changes 2017 , 713-721		3
106	Perceived social support predicts outcomes following myocardial infarction: A call for screening?. <i>Health Psychology</i> , 2008 , 27, 1; auhtor reply 1-3	5	3
105	Overestimation of Postpartum Depression Prevalence Based on a 5-item Version of the EPDS: Systematic Review and Individual Participant Data Meta-analysis. <i>Canadian Journal of Psychiatry</i> , 2020 , 65, 835-844	4.8	3
104	Perceived Benefits and Facilitators and Barriers to Providing Psychosocial Interventions for Informal Caregivers of People with Rare Diseases: A Scoping Review. <i>Patient</i> , 2020 , 13, 471-519	3.7	3
103	Translation and validation in Brazilian Portuguese of the reactions to homosexuality scale. <i>Psychology, Health and Medicine</i> , 2021 , 26, 20-36	2.1	3

101	Factors associated with symptoms of depression among informal caregivers of people with systemic sclerosis: a cross-sectional study. <i>Disability and Rehabilitation</i> , 2020 , 42, 394-399	2.4	3
100	Reporting of financial conflicts of interest in meta-analyses of drug trials published in high-impact medical journals: comparison of results from 2017 to 2018 and 2009. <i>Systematic Reviews</i> , 2020 , 9, 77	3	3
99	Factors associated with fears due to COVID-19: A Scleroderma Patient-centered Intervention Network (SPIN) COVID-19 cohort study. <i>Journal of Psychosomatic Research</i> , 2021 , 140, 110314	4.1	3
98	Data-driven methods distort optimal cutoffs and accuracy estimates of depression screening tools: a simulation study using individual participant data. <i>Journal of Clinical Epidemiology</i> , 2021 , 137, 137-147	5.7	3
97	The association of sociodemographic and disease variables with hand function: a Scleroderma Patient-centered Intervention Network cohort study. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36 Suppl 113, 88-94	2.2	3
96	The Scleroderma Research Topics Survey for patients and health care professionals: A Scleroderma Patient-centered Intervention Network Project <i>Journal of Scleroderma and Related Disorders</i> , 2019 , 4, 165-172	2.3	2
95	Effects of training and support programs for leaders of illness-based support groups: commentary and updated evidence. <i>Systematic Reviews</i> , 2019 , 8, 67	3	2
94	Guideline on screening for esophageal adenocarcinoma in patients with chronic gastroesophageal reflux disease. <i>Cmaj</i> , 2020 , 192, E768-E777	3.5	2
93	Factor structure and convergent validity of the Derriford Appearance Scale-24 using standard scoring versus treating 'not applicable' responses as missing data: a Scleroderma Patient-centered Intervention Network (SPIN) cohort study. <i>BMJ Open</i> , 2018 , 8, e018641	3	2
92	Screening for depression and risk of suicide in patients with arthritis: comment on the article by Tektonidou et al. <i>Arthritis Care and Research</i> , 2012 , 64, 623; author reply 623-4	4.7	2
91	Sexual orientation and suicide: a comment on Renaud et al. <i>Canadian Journal of Psychiatry</i> , 2010 , 55, 746-7; author reply 747	4.8	2
90	Was it shown that "Close relationships and emotional processing predict decreased mortality in women with breast cancer?" a critique of Weihs et al. (2008). <i>Psychosomatic Medicine</i> , 2008 , 70, 737-8; author reply 738-9	3.7	2
89	The effect of a primary care practice-based depression intervention on mortality in older adults. <i>Annals of Internal Medicine</i> , 2008 , 148, 244-5; author reply 245	8	2
88	The brain and the heart: independent or interactive?. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 1824; author reply 1824-5	15.1	2
87	Update on task force terminology and outreach activities: Advancing guideline usability for the Canadian primary care context. <i>Canadian Family Physician</i> , 2019 , 65, 12-13	0.9	2
86	Reporting of methodological studies in health research: a protocol for the development of the Methodological STudy reporting Checklist (MISTIC). <i>BMJ Open</i> , 2020 , 10, e040478	3	2
85	Pain levels and associated factors in the Scleroderma Patient-centered Intervention Network (SPIN) cohort: a multicentre cross-sectional study. <i>Lancet Rheumatology, The</i> , 2021 , 3, e844-e854	14.2	2
84	Assessing differential item functioning for the Social Appearance Anxiety Scale: a Scleroderma atient-centred Intervention Network (SPIN) Cohort Study. <i>BMJ Open</i> , 2020 , 10, e037639	3	2

83	Reporting transparency and completeness in trials: Paper 3 - trials conducted using administrative databases do not adequately report elements related to use of databases. <i>Journal of Clinical Epidemiology</i> , 2021 ,	5.7	2	
82	Non-drug Approaches to Treating Raynaud Phenomenon 2015 , 299-313		2	
81	Reporting of drug trial funding sources and author financial conflicts of interest in Cochrane and non-Cochrane meta-analyses: a cross-sectional study. <i>BMJ Open</i> , 2020 , 10, e035633	3	2	
80	Cross-cultural adaptation of the Perceived Risk of HIV Scale in Brazilian Portuguese. <i>Health and Quality of Life Outcomes</i> , 2021 , 19, 117	3	2	
79	Impaired driving and legalization of recreational cannabis. <i>Cmaj</i> , 2021 , 193, E481-E485	3.5	2	
78	Effects of COVID-19 Mental Health Interventions among Community-based Children, Adolescents, and Adults: A Living Systematic Review of Randomised Controlled Trials		2	
77	Screening for depression in children and adolescents: a protocol for a systematic review update. <i>Systematic Reviews</i> , 2021 , 10, 24	3	2	
76	A study protocol for the development of a SPIRIT extension for trials conducted using cohorts and routinely collected data (SPIRIT-ROUTINE). <i>HRB Open Research</i> , 2021 , 4, 82	1.2	2	
75	Intensity of care and perceived burden among informal caregivers to persons with chronic medical conditions: a systematic review and meta-analysis. <i>Disability and Rehabilitation</i> , 2021 , 1-17	2.4	2	
74	Reporting transparency and completeness in Trials: Paper 2 - reporting of randomised trials using registries was often inadequate and hindered the interpretation of results. <i>Journal of Clinical Epidemiology</i> , 2021 ,	5.7	2	
73	Pain and Self-Efficacy Among Patients With Systemic Sclerosis: A Scleroderma Patient-Centered Intervention Network Cohort Study. <i>Nursing Research</i> , 2021 , 70, 334-343	1.9	2	
72	Reporting transparency and completeness in trials: Paper 4 - reporting of randomised controlled trials conducted using routinely collected electronic records - room for improvement. <i>Journal of Clinical Epidemiology</i> , 2021 ,	5.7	2	
71	A comparison of bivariate, multivariate random-effects, and Poisson correlated gamma-frailty models to meta-analyze individual patient data of ordinal scale diagnostic tests. <i>Biometrical Journal</i> , 2017, 59, 1317-1338	1.5	2	
70	A 38-Year-Old Woman with Elevated Muscle Enzymes, Raynaud Phenomenon, and Positive Anti-Topoisomerase I Antibody: Is She Depressed? 2011 , 229-238		2	
69	Examination of the association of sex and race/ethnicity with appearance concerns: a Scleroderma Patient-centered Intervention Network (SPIN) Cohort study. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34 Suppl 100, 92-99	2.2	2	
68	Effects of COVID-19 Mental Health Interventions Among Children, Adolescents, and Adults Not Quarantined or Undergoing Treatment Due to COVID-19 Infection: A Systematic Review of Randomised Controlled Trials <i>Canadian Journal of Psychiatry</i> , 2022 , 7067437211070648	4.8	2	
67	Development and Evaluation of Short-Form Measures of the HIV/AIDS Knowledge Assessment Tool Among Sexual and Gender Minorities in Brazil: Cross-sectional Study <i>JMIR Public Health and Surveillance</i> , 2022 , 8, e30676	11.4	2	
66	Support Groups in Scleroderma. <i>Current Rheumatology Reports</i> , 2019 , 21, 9	4.9	1	

65	Three Authors Reply. American Journal of Epidemiology, 2017 , 186, 895	3.8	1
64	Development and preliminary validation of the Scleroderma Support Group Leader Self-efficacy Scale <i>Journal of Scleroderma and Related Disorders</i> , 2018 , 3, 106-111	2.3	1
63	No Evidence for Depression Screening in Rheumatoid Arthritis, Psoriasis, or Psoriatic Arthritis. <i>Journal of Rheumatology</i> , 2016 , 43, 992	4.1	1
62	Resident Physicians With Depression or Depressive Symptoms. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 2347	27.4	1
61	Depression screening in pregnancy and postpartum: how close are we?. <i>Journal of Psychosomatic Research</i> , 2014 , 77, 244-5	4.1	1
60	Reassessing the clinical utility of the Patient Health Questionnaire (PHQ)-9 for depression screening in prenatal women: a commentary on Sidebottom et al. <i>Archives of Womenia Mental Health</i> , 2013 , 16, 253-4	5	1
59	The Comparability of Functional Assessment of Chronic Illness Therapy - Fatigue Scores between Cancer and Systemic Sclerosis. <i>Journal of Scleroderma and Related Disorders</i> , 2017 , 2, 57-63	2.3	1
58	Patient-reported outcome alert monitoring. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 420	27.4	1
57	A depression screening tool finds that 54% of acute cardiac patients are at risk of depression; use of the tool improves documentation and referral. <i>Evidence-based Nursing</i> , 2013 , 16, 47-8	0.3	1
56	Daily SMS reminders for asthma treatment adherence: A comment on Strandbygaard et al. <i>Respiratory Medicine</i> , 2010 , 104, 1234-5; author reply 1236	4.6	1
55	In reference to Sexual problems after total or partial laryngectomy. <i>Laryngoscope</i> , 2009 , 119, 1667-8; author reply 1669	3.6	1
54	A meta-analysis of selective serotonin reuptake inhibitors in acute coronary syndrome: cause for concern. <i>Journal of Psychopharmacology</i> , 2011 , 25, 1730-1; author reply 1732-3	4.6	1
53	Should postpartum depression screening policies be reevaluated?. <i>Health Affairs</i> , 2011 , 30, 1216; author reply 1217	7	1
52	Coping with rising health care costs. Archives of Internal Medicine, 2012, 172, 1684-5		1
51	Childhood psychosocial stressors and adult onset arthritis: a comment on Von Korff et al. <i>Pain</i> , 2009 , 144, 340	8	1
50	More antidepressants for African Americans with coronary heart disease? Maybemaybe not. <i>American Heart Journal</i> , 2009 , 157, e33; author reply e35-7	4.9	1
49	Is optimism associated with physical health? A commentary on Rasmussen et al. <i>Annals of Behavioral Medicine</i> , 2010 , 39, 204-6; author reply 207-9	4.5	1
48	Efficacy of Tai Chi for chronic musculoskeletal pain conditions: is the evidence ready for meta-analysis? Comment on the article by Hall et al. <i>Arthritis Care and Research</i> , 2010 , 62, 139-40; author reply 140	4.7	1

47	Intimacy processes and psychological distress among couples coping with head and neck or lung cancers. <i>Psycho-Oncology</i> , 2010 , 19, 1235-6	3.9	1
46	Problems using aggregate scores of the Medical Outcomes Study 36-item Short Form Health Survey in knee and hip osteoarthritis: possible solutions. <i>Osteoarthritis and Cartilage</i> , 2008 , 16, 1431-2; author reply 1430	6.2	1
45	Depression and adherence to antihypertensive therapy. <i>American Journal of Hypertension</i> , 2008 , 21, 724-5; author reply 726	2.3	1
44	Retrospective screening of patients for age of initial diagnosis of coronary artery disease: shouldn't we just ask?. <i>Journal of Cardiovascular Nursing</i> , 2008 , 23, 79-81; author reply 81-3	2.1	1
43	Are the Short Form 36 physical and mental component summary scores useful measures in patients with systemic sclerosis? Comment on the article by Rannou et al. <i>Arthritis and Rheumatism</i> , 2007 , 57, 1339; author reply 1339-40		1
42	Early treatment of acute stress symptoms in pediatric burn patients with imipramine and fluoxetine. <i>Pediatric Critical Care Medicine</i> , 2006 , 7, 498; author reply 498-9	3	1
41	A cross-cultural study of perceived stress among parents of children with large burn injuries: a comment on Rose et al. <i>Journal of Burn Care and Research</i> , 2005 , 26, 444-5		1
40	Assessing differential item functioning for the Social Appearance Anxiety Scale: a Scleroderma atient-centred Intervention Network (SPIN) Cohort Study. <i>BMJ Open</i> , 2020 , 10, e037639	3	1
39	The Scleroderma Patient-centered Intervention Network Self-Management (SPIN-SELF) Program: protocol for a two-arm parallel partially nested randomized controlled feasibility trial with progression to full-scale trial. <i>Trials</i> , 2021 , 22, 856	2.8	1
38	Effects of non-pharmacological and non-surgical interventions on health outcomes in systemic sclerosis: protocol for a living systematic review. <i>BMJ Open</i> , 2021 , 11, e047428	3	1
37	Peer-to-Peer Support for Older Adults-What Do We Know and Where Do We Go?. <i>JAMA Network Open</i> , 2021 , 4, e2113941	10.4	1
36	The CODIACS-QoL trial: Ineffective but cost-effective?. <i>General Hospital Psychiatry</i> , 2021 , 71, 140-141	5.6	1
35	Nutrition Information Resources Used by People With Systemic Sclerosis and Perceived Advantages and Disadvantages: A Nominal Group Technique Study. <i>ACR Open Rheumatology</i> , 2021 , 3, 540-549	3.5	1
34	Factors associated with patient-reported likelihood of using online self-care interventions: a		1
	Scleroderma Patient-centered Intervention Network (SPIN) cohort study. <i>BMJ Open</i> , 2019 , 9, e029542	3	
33		2.4	1
	Scleroderma Patient-centered Intervention Network (SPIN) cohort study. <i>BMJ Open</i> , 2019 , 9, e029542 Challenges and support service preferences of informal caregivers of people with systemic		
33	Scleroderma Patient-centered Intervention Network (SPIN) cohort study. <i>BMJ Open</i> , 2019 , 9, e029542 Challenges and support service preferences of informal caregivers of people with systemic sclerosis: a cross-sectional survey. <i>Disability and Rehabilitation</i> , 2020 , 42, 2304-2310 GRADE Concept Paper 1: Validating the "F.A.C.E" instrument using stakeholder perceptions of feasibility, acceptability, cost, and equity in guideline implement. <i>Journal of Clinical Epidemiology</i> ,	2.4	1

29	Shortening the Edinburgh postnatal depression scale using optimal test assembly methods: Development of the EPDS-Dep-5. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 348-362	6.5	1
28	Inclusion of currently diagnosed or treated individuals in studies of depression screening tool accuracy: a meta-research review of studies published in 2018-2021 <i>General Hospital Psychiatry</i> , 2022 , 76, 25-30	5.6	1
27	Traumatic brain injury and major depressive disorder. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 304, 857; author reply 857-8	27.4	O
26	Effects of befriending on depressive symptoms: a precautionary note on promising findings. <i>British Journal of Psychiatry</i> , 2010 , 197, 247; author reply 247	5.4	O
25	Balance of group sizes in randomized controlled trials published in American Psychological Association journals. <i>Health Psychology</i> , 2020 , 39, 956-965	5	O
24	Non-medical cannabis use among Indigenous Canadians: A systematic review of prevalence and associated factors. <i>International Journal of Drug Policy</i> , 2021 , 90, 103081	5.5	0
23	Randomized feasibility trial of the Scleroderma Patient-centered Intervention Network Self-Management (SPIN-SELF) Program <i>Pilot and Feasibility Studies</i> , 2022 , 8, 45	1.9	О
22	Sample size and precision of estimates in studies of depression screening tool accuracy: A meta-research review of studies published in 2018-2021 <i>International Journal of Methods in Psychiatric Research</i> , 2022 , e1910	4.3	O
21	Effects of mental health interventions among people hospitalized with COVID-19 infection: A systematic review of randomized controlled trials <i>General Hospital Psychiatry</i> , 2022 , 77, 40-68	5.6	0
20	Bright light therapy for depressive symptoms in hospitalized cardiac patients: A randomized controlled pilot trial. <i>PLoS ONE</i> , 2020 , 15, e0230839	3.7	
19	Reply: To PMID 23203723. Arthritis Care and Research, 2014 , 66, 497-8	4.7	
18	Patient engagement programs and treatment of depression. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 1158-9	27.4	
17	Patient-reported outcome measures in systemic sclerosis: comment on the article by Hinchcliff et		
	al. Arthritis Care and Research, 2012 , 64, 942-3; author reply 943-4	4.7	
16	al. Arthritis Care and Research, 2012, 64, 942-3; author reply 943-4 Clarification of the Responses of Mental Stress Induced Myocardial Ischemia to Escitalopram Treatment (REMIT) trial protocol. American Heart Journal, 2012, 164, e15; author reply e17	4.9	
	Clarification of the Responses of Mental Stress Induced Myocardial Ischemia to Escitalopram		
16	Clarification of the Responses of Mental Stress Induced Myocardial Ischemia to Escitalopram Treatment (REMIT) trial protocol. <i>American Heart Journal</i> , 2012 , 164, e15; author reply e17 Are couple-oriented interventions effective across chronic illnesses? A commentary on Martire et	4.9	
16 15	Clarification of the Responses of Mental Stress Induced Myocardial Ischemia to Escitalopram Treatment (REMIT) trial protocol. <i>American Heart Journal</i> , 2012 , 164, e15; author reply e17 Are couple-oriented interventions effective across chronic illnesses? A commentary on Martire et al. <i>Annals of Behavioral Medicine</i> , 2011 , 42, 134-5 Should alternative diagnostic criteria be used to assess patients with cancer? A comment on Akechi	4·9 4·5	

LIST OF PUBLICATIONS

11	Throw the window out the door. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 1519-20; author reply 1520	15.1
10	The authors respond to: "Revamp governance of Canadian Task Force on Preventive Health Care". <i>Cmaj</i> , 2020 , 192, E146-E147	3.5
9	Comment on: Prevalence, Risk Factors and Assessment of Depressive Symptoms in Patients With Systemic Sclerosis. <i>Archives of Rheumatology</i> , 2020 , 35, 458-459	0.9
8	PHQ-8 scores and estimation of depression prevalence. <i>Lancet Public Health, The</i> , 2021 , 6, e793	22.4
7	Group sample sizes in nonregulated health care intervention trials described as randomized controlled trials were overly similar. <i>Journal of Clinical Epidemiology</i> , 2020 , 120, 8-16	5-7
6	Effects of cosmetic and other camouflage interventions on appearance-related and psychological outcomes among adults with visible differences in appearance: a systematic review. <i>BMJ Open</i> , 2021 , 11, e046634	3
5	Don't forget about the "R" in cmRCT: reply to Groenwold and van Smeden. <i>Journal of Clinical Epidemiology</i> , 2019 , 106, 143-144	5-7
4	Validation of the Anowledge about melanoma early detection scalelin a sample of melanoma survivors. <i>Current Psychology</i> ,1	1.4
3	Cardiac Outcomes After Treatment for Depression in Patients With Acute Coronary Syndrome. JAMA - Journal of the American Medical Association, 2018, 320, 2151	27.4
2	Interventions for physician prescribers of opioids for chronic non-cancer pain: protocol for an overview of systematic reviews <i>BMJ Open</i> , 2022 , 12, e060964	3
1	The Hospital Anxiety and Depression Scale in patients with systemic sclerosis: a psychometric and factor analysis in a monocentric cohort <i>Clinical and Experimental Rheumatology</i> , 2022 ,	2.2