
Jocelyne Just

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5098723/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Effect of 17q21 Variants and Smoking Exposure in Early-Onset Asthma. New England Journal of Medicine, 2008, 359, 1985-1994. | 13.9 | 351 |
| 2 | Comorbidity of eczema, rhinitis, and asthma in IgE-sensitised and non-IgE-sensitised children in MeDALL: a population-based cohort study. Lancet Respiratory Medicine,the, 2014, 2, 131-140. | 5.2 | 250 |
| 3 | Omalizumab effectiveness in patients with severe allergic asthma according to blood eosinophil count: the STELLAIR study. European Respiratory Journal, 2018, 51, 1702523. | 3.1 | 186 |
| 4 | Add-on omalizumab in children with severe allergic asthma: a 1-year real life survey. European Respiratory Journal, 2013, 42, 1224-1233. | 3.1 | 160 |
| 5 | Two novel, severe asthma phenotypes identified during childhood using a clustering approach. European Respiratory Journal, 2012, 40, 55-60. | 3.1 | 146 |
| 6 | Mechanisms of the Development of Allergy (MeDALL): Introducing novel concepts in allergy phenotypes. Journal of Allergy and Clinical Immunology, 2017, 139, 388-399. | 1.5 | 145 |
| 7 | Short-term health effects of particulate and photochemical air pollution in asthmatic children. European Respiratory Journal, 2002, 20, 899-906. | 3.1 | 98 |
| 8 | Real-life long-term omalizumab therapy in children with severe allergic asthma. European Respiratory Journal, 2015, 46, 856-859. | 3.1 | 97 |
| 9 | Novel severe wheezy young children phenotypes: Boys atopic multiple-trigger and girls nonatopic uncontrolled wheeze. Journal of Allergy and Clinical Immunology, 2012, 130, 103-110.e8. | 1.5 | 94 |
| 10 | Phenotypic determinants of uncontrolled asthma. Journal of Allergy and Clinical Immunology, 2009, 124, 681-687.e3. | 1.5 | 88 |
| 11 | Are allergic multimorbidities and IgE polysensitization associated with the persistence or reâ€occurrence of foetal type 2 signalling? The <scp>M</scp> e <scp>DALL</scp> hypothesis. Allergy: European Journal of Allergy and Clinical Immunology, 2015, 70, 1062-1078. | 2.7 | 88 |
| 12 | Anthropogenic Carbon Nanotubes Found in the Airways of Parisian Children. EBioMedicine, 2015, 2, 1697-1704. | 2.7 | 88 |
| 13 | 17q21 variants modify the association between early respiratory infections and asthma. European Respiratory Journal, 2010, 36, 57-64. | 3.1 | 87 |
| 14 | Risk factors and characteristics of respiratory and allergic phenotypes in early childhood. Journal of Allergy and Clinical Immunology, 2012, 130, 389-396.e4. | 1.5 | 85 |
| 15 | Phenotyping asthma, rhinitis and eczema in <scp>M</scp> e <scp>DALL</scp> populationâ€based birth cohorts: an allergic comorbidity cluster. Allergy: European Journal of Allergy and Clinical Immunology, 2015, 70, 973-984. | 2.7 | 79 |
| 16 | Peanutâ€allergic patients in the <scp>MIRABEL</scp> survey: characteristics, allergists' dietary advice and lessons from real life. Clinical and Experimental Allergy, 2016, 46, 610-620. | 1.4 | 78 |
| 17 | Clinical phenotypes in asthma during childhood. Clinical and Experimental Allergy, 2017, 47, 848-855. | 1.4 | 68 |
| 18 | The Paris prospective birth cohort study: Which design and who participates?. European Journal of Epidemiology, 2007, 22, 203-210. | 2.5 | 66 |

JOCELYNE JUST

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Neutrophilic Steroid-Refractory Recurrent Wheeze and Eosinophilic Steroid-Refractory Asthma in Children. Journal of Allergy and Clinical Immunology: in Practice, 2017, 5, 1351-1361.e2. | 2.0 | 64 |
| 20 | Childhood Allergic Asthma Is Not a Single Phenotype. Journal of Pediatrics, 2014, 164, 815-820. | 0.9 | 62 |
| 21 | Forced midexpiratory flow between 25% and 75% of forced vital capacity is associated with long-term persistence of asthma and poor asthma outcomes. Journal of Allergy and Clinical Immunology, 2016, 137, 1709-1716.e6. | 1.5 | 57 |
| 22 | The asthmaâ€rhinitis multimorbidity is associated with IgE polysensitization in adolescents and adults. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 1447-1458. | 2.7 | 53 |
| 23 | Specific IgE and IgG measured by the MeDALL allergen-chip depend on allergen and route of exposure: The EGEA study. Journal of Allergy and Clinical Immunology, 2017, 139, 643-654.e6. | 1.5 | 52 |
| 24 | New insights into the phenotypes of atopic dermatitis linked with allergies and asthma in children: An overview. Clinical and Experimental Allergy, 2018, 48, 919-934. | 1.4 | 51 |
| 25 | Clinical significance of bronchoalveolar eosinophils in childhood asthma. Journal of Allergy and Clinical Immunology, 2002, 110, 42-44. | 1.5 | 50 |
| 26 | Early-Onset Atopic Dermatitis in Children: Which Are the Phenotypes at Risk of Asthma? Results from the ORCA Cohort. PLoS ONE, 2015, 10, e0131369. | 1.1 | 49 |
| 27 | The emerging landscape of dynamic DNA methylation in early childhood. BMC Genomics, 2017, 18, 25. | 1.2 | 49 |
| 28 | Early polysensitization is associated with allergic multimorbidity in PARIS birth cohort infants. Pediatric Allergy and Immunology, 2016, 27, 831-837. | 1.1 | 46 |
| 29 | The sensitization pattern differs according to rhinitis and asthma multimorbidity in adults: the EGEA study. Clinical and Experimental Allergy, 2017, 47, 520-529. | 1.4 | 45 |
| 30 | Allergy and asthma prevention 2014. Pediatric Allergy and Immunology, 2014, 25, 516-533. | 1.1 | 42 |
| 31 | New perspectives of childhood asthma treatment with biologics. Pediatric Allergy and Immunology, 2019, 30, 159-171. | 1.1 | 37 |
| 32 | Three peanutâ€allergic/sensitized phenotypes with gender difference. Clinical and Experimental Allergy, 2016, 46, 1596-1604. | 1.4 | 35 |
| 33 | Preâ€treatment by omalizumab allows allergen immunotherapy in children and young adults with severe allergic asthma. Pediatric Allergy and Immunology, 2014, 25, 829-832. | 1.1 | 34 |
| 34 | Natural history of allergic sensitization in infants with earlyâ€onset atopic dermatitis: results from <scp>ORCA</scp> Study. Pediatric Allergy and Immunology, 2014, 25, 668-673. | 1.1 | 33 |
| 35 | Allergic sensitisation in early childhood: Patterns and related factors in PARIS birth cohort. International Journal of Hygiene and Environmental Health, 2016, 219, 792-800. | 2.1 | 31 |
| 36 | Asthma and allergic rhinitis risk depends on house dust mite specific IgE levels in PARIS birth cohort children. World Allergy Organization Journal, 2019, 12, 100057. | 1.6 | 30 |

JOCELYNE JUST

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Food allergy phenotypes: The key to personalized therapy. Clinical and Experimental Allergy, 2017, 47, 1125-1137. | 1.4 | 29 |
| 38 | Traffic-related Air Pollution, Lung Function, and Host Vulnerability. New Insights from the PARIS Birth Cohort. Annals of the American Thoracic Society, 2018, 15, 599-607. | 1.5 | 28 |
| 39 | Wheeze phenotypes in young children have different courses during the preschool period. Annals of Allergy, Asthma and Immunology, 2013, 111, 256-261.e1. | 0.5 | 27 |
| 40 | Evidence for linkage of a new region (11p14) to eczema and allergic diseases. Human Genetics, 2008, 122, 605-614. | 1.8 | 24 |
| 41 | Is a slowâ€progression baked milk protocol of oral immunotherapy always a safe option for children with cow's milk allergy? A randomized controlled trial. Clinical and Experimental Allergy, 2017, 47, 1491-1496. | 1.4 | 24 |
| 42 | Casein-specific IL-4- and IL-13-secreting T cells: a tool to implement diagnosis of cow's milk allergy. Allergy: European Journal of Allergy and Clinical Immunology, 2014, 69, 1473-1480. | 2.7 | 21 |
| 43 | Asthma with multiple allergic comorbidities is associated with complete response to omalizumab. Clinical and Experimental Allergy, 2019, 49, 733-735. | 1.4 | 21 |
| 44 | Unsupervised trajectories of respiratory/allergic symptoms throughout childhood in the PARIS cohort. Pediatric Allergy and Immunology, 2019, 30, 315-324. | 1.1 | 19 |
| 45 | Mediterranean diet and lung function, sensitization, and asthma at school age: The PARIS cohort. Pediatric Allergy and Immunology, 2021, 32, 1437-1444. | 1.1 | 19 |
| 46 | The ANO3/MUC15 locus is associated with eczema in families ascertained through asthma. Journal of Allergy and Clinical Immunology, 2012, 129, 1547-1553.e3. | 1.5 | 18 |
| 47 | Omalizumab could be effective in children with severe eosinophilic nonâ€allergic asthma. Pediatric Allergy and Immunology, 2018, 29, 90-93. | 1.1 | 18 |
| 48 | Quantification of circulating house dust miteâ€specific <scp>IL</scp> â€4―and <scp>IL</scp> â€13â€secreting <scp>T</scp> cells correlates with rhinitis severity in asthmatic children and varies with the seasons. Clinical and Experimental Allergy, 2014, 44, 222-230. | 1.4 | 17 |
| 49 | Determinants of Allergic Rhinitis in Young Children with Asthma. PLoS ONE, 2014, 9, e97236. | 1.1 | 16 |
| 50 | Exhaled nitric oxide measurement confirms 2 severe wheeze phenotypes in young children from the Trousseau Asthma Program. Journal of Allergy and Clinical Immunology, 2012, 130, 1005-1007.e1. | 1.5 | 15 |
| 51 | Emergence of pollen food allergy syndrome in asthmatic children in Paris. Pediatric Allergy and Immunology, 2021, 32, 702-708. | 1.1 | 15 |
| 52 | Control of asthma by omalizumab: the role of <scp>CD</scp> 4 ⁺ Foxp3 ⁺ regulatory T cells. Clinical and Experimental Allergy, 2016, 46, 1614-1616. | 1.4 | 14 |
| 53 | Two Different Composite Markers Predict Severity and Threshold Dose in Peanut Allergy. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 275-282.e1. | 2.0 | 11 |
| 54 | <scp>slgE</scp> and <scp>slgG</scp> to airborne atopic allergens: Coupled rather than inversely related responses. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2239-2242. | 2.7 | 10 |

JOCELYNE JUST

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Association between lung function of school age children and short-term exposure to air pollution and pollen: the PARIS cohort. Thorax, 2021, 76, 887-894. | 2.7 | 10 |
| 56 | Trajectories of IgE sensitization to allergen molecules from childhood to adulthood and respiratory health in the EGEA cohort. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 609-618. | 2.7 | 10 |
| 57 | The <i><scp>COL</scp>5A3</i> and <i><scp>MMP</scp>9</i> genes interact in eczema susceptibility. Clinical and Experimental Allergy, 2018, 48, 297-305. | 1.4 | 9 |
| 58 | Gender, prick test size and rAra h 2 sIgE level may predict the eliciting dose in patients with peanut allergy: Evidence from the Mirabel survey. Clinical and Experimental Allergy, 2019, 49, 677-689. | 1.4 | 9 |
| 59 | The ILâ€4 rs2070874 polymorphism may be associated with the severity of recurrent viralâ€induced wheeze. Pediatric Pulmonology, 2017, 52, 1435-1442. | 1.0 | 6 |
| 60 | Questionnaire as an alternative of skin prick tests to differentiate allergic from nonâ€allergic rhinitis in epidemiological studies. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 2291-2294. | 2.7 | 6 |
| 61 | Infant feeding clusters are associated with respiratory health and allergy at school age in the PARIS birth cohort. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 1223-1234. | 2.7 | 5 |
| 62 | Omalizumab Effectiveness in Severe Allergic Asthma with Multiple Allergic Comorbidities: A Post-Hoc Analysis of the STELLAIR Study. Journal of Asthma and Allergy, 2021, Volume 14, 1129-1138. | 1.5 | 5 |
| 63 | Subcutaneous allergen immunotherapy may be a suitable treatment for exacerbator allergic asthma. Annals of Allergy, Asthma and Immunology, 2018, 121, 258-259. | 0.5 | 4 |
| 64 | Atopy is important in the management of asthma. Paediatric Respiratory Reviews, 2013, 14, 92-95. | 1.2 | 3 |
| 65 | Usefulness of r Ana o 3 assessment before oral food challenge to pistachio. Pediatric Allergy and Immunology, 2021, 32, 615-618. | 1.1 | 3 |
| 66 | Determinants of blood eosinophilia in moderate and severe asthmatic patients during childhood: Evidence from the severe asthma molecular phenotype (SAMP) cohort. Pediatric Allergy and Immunology, 2021, 32, 1217-1225. | 1.1 | 3 |
| 67 | Maintenance of Asthma Control in Adolescents with Severe Asthma After Transitioning to a Specialist Adult Centre: A French Cohort Experience. Journal of Asthma and Allergy, 2022, Volume 15, 327-340. | 1.5 | 3 |
| 68 | Benefits and risks of bronchoalveolar lavage in severe asthma in children. ERJ Open Research, 2021, 7, 00332-2021. | 1.1 | 2 |
| 69 | Immunothérapie orale au laitÂ: cru ou cuitÂ?. Revue Francaise D'allergologie, 2017, 57, 499-502. | 0.1 | 1 |
| 70 | Trajectoire allergique au cours de l'enfance et diversité de la réponse IgE. Revue Francaise D'allergologie, 2018, 58, 165-166. | 0.1 | 0 |
| 71 | Prise en charge en 2019Âdes manifestations atopiques de l'enfant. Revue Francaise D'allergologie, 2019, 59, 182-184. | 0.1 | 0 |
| 72 | Phénotypes des maladies allergiques vus par l'allergologie moléculaireÂ: les leçons des cohortes du monde. Revue Francaise D'allergologie, 2020, 60, 282-284. | 0.1 | 0 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | An algorithm to safely manage oral food challenge in an office-based setting for children with multiple food allergies. Archives of Asthma Allergy and Immunology, 2021, 5, 030-037. | 0.1 | 0 |
| 74 | Nouveaux phénotypes et endotypes des maladies allergiques respiratoires. Bulletin De L'Academie Nationale De Medecine, 2018, 202, 1127-1137. | 0.0 | 0 |