

Daniel Isaac Sendyk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/509963/publications.pdf>

Version: 2024-02-01

11
papers

226
citations

1162889

8
h-index

1281743

11
g-index

11
all docs

11
docs citations

11
times ranked

378
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Periodontal tissues are targets for Sars-Cov-2: a post-mortem study. Journal of Oral Microbiology, 2021, 13, 1848135. | 1.2 | 65 |
| 2 | Salivary glands are a target for SARS-CoV-2: a source for saliva contamination. Journal of Pathology, 2021, 254, 239-243. | 2.1 | 64 |
| 3 | Clinically relevant outcomes in dental clinical trials: challenges and proposals. Brazilian Oral Research, 2020, 34, e073. | 0.6 | 23 |
| 4 | Selective outcome reporting in randomized clinical trials of dental implants. Journal of Clinical Periodontology, 2019, 46, 758-765. | 2.3 | 20 |
| 5 | Melanotic Neuroectodermal Tumor of Infancy in the Maxilla. Case Reports in Dentistry, 2013, 2013, 1-5. | 0.2 | 12 |
| 6 | Growth Dynamic of Allogeneic and Autogenous Bone Grafts in a Vertical Model. Brazilian Dental Journal, 2018, 29, 325-334. | 0.5 | 11 |
| 7 | Conventional Drilling Versus Piezosurgery for Implant Site Preparation: A Meta-Analysis. Journal of Oral Implantology, 2018, 44, 400-405. | 0.4 | 8 |
| 8 | Synergism between recombinant human bone morphogenetic protein 2/absorbable collagen sponge and bone substitutes favors vertical bone augmentation and the resorption rate of the biomaterials: Histomorphometric and 3D microcomputed tomography analysis. Journal of Periodontology, 2020, 91, 1295-1306. | 1.7 | 8 |
| 9 | In vitro and in vivo evaluation of electrospun membranes of poly (μ -caprolactone) and poly (rotaxane). Materials Science and Engineering C, 2017, 77, 912-919. | 3.8 | 7 |
| 10 | Selective outcome reporting in root coverage randomized clinical trials. Journal of Clinical Periodontology, 2021, 48, 867-877. | 2.3 | 6 |
| 11 | Adverse effect of beta-tricalcium phosphate with zeta potential control in repairing critical defects in rats' calvaria. Revista Brasileira De Ortopedia, 2016, 51, 346-352. | 0.6 | 2 |