
Chang-Sheng Xia

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5099709/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	The altered HLAâ€DQ expression in peripheral blood T cells of chronic hepatitis B patients characterizes the function of T cells. Journal of Viral Hepatitis, 2022, 29, 340-351.	2.0	1
2	Infection of Epstein–Barr Virus is Associated with the Decrease of Helios+FoxP3+Regulatory T Cells in Active Ulcerative Colitis Patients. Immunological Investigations, 2021, 50, 23-36.	2.0	5
3	Clinical features of IgG4-related retroperitoneal fibrosis among 407 patients with IgG4-related disease: a retrospective study. Rheumatology, 2021, 60, 767-772.	1.9	12
4	Elevated circulating pro-inflammatory low-density granulocytes in adult-onset Still's disease. Rheumatology, 2021, 60, 297-303.	1.9	22
5	Elevated Granulocyte Colony-stimulating Factor Levels in Patients With Active Phase of Adult-onset Still Disease. Journal of Rheumatology, 2021, 48, 664-668.	2.0	3
6	Increased circulating PD-1hiCXCR5- peripheral helper T cells are associated with disease severity of active ulcerative colitis patients. Immunology Letters, 2021, 233, 2-10.	2.5	12
7	Circulating CD4 ⁺ ÂFoxP3 [–] ÂCXCR5 [–] ÂCXCR3 ⁺ ÂPDâ€I ^{hi} are elevated in active rheumatoid arthritis and reflect the severity of the disease. International lournal of Rheumatic Diseases. 2021. 24. 1032-1039.	cells 1.9	5
8	Serum Human Epididymis Protein 4 as a Novel Biomarker in Identifying Patients With Interstitial Lung Disease in Rheumatoid Arthritis. Frontiers in Medicine, 2021, 8, 755268.	2.6	4
9	Salivary gland involvement disparities in clinical characteristics of IgG4-related disease: a retrospective study of 428 patients. Rheumatology, 2020, 59, 634-640.	1.9	23
10	Upregulated ILâ€17A secretion and CCR6 coâ€expression in Treg subsets are related to the imbalance of Treg/Th17 cells in active UC patients. Scandinavian Journal of Immunology, 2020, 91, e12842.	2.7	12
11	Recovery of CD226-TIGIT+FoxP3+ and CD226-TIGIT-FoxP3+ regulatory T cells contributes to clinical remission from active stage in ulcerative colitis patients. Immunology Letters, 2020, 218, 30-39.	2.5	13
12	Increased proportion of functional subpopulations in circulating regulatory T cells in patients with chronic hepatitis B. Hepatology Research, 2020, 50, 439-452.	3.4	10
13	Increased Circulating Th1 and Tfh1 Cell Numbers Are Associated with Disease Activity in Glucocorticoid-Treated Patients with IgG4-Related Disease. Journal of Immunology Research, 2020, 2020, 1-8.	2.2	4
14	The Imbalance of Circulating Follicular Helper T Cells and Follicular Regulatory T Cells Is Associated With Disease Activity in Patients With Ulcerative Colitis. Frontiers in Immunology, 2020, 11, 104.	4.8	28
15	Use of the Nuclear Matrix Protein 22 BladderChek Test for the Detection of Primary and Recurrent Urothelial Carcinoma. Disease Markers, 2020, 2020, 1-6.	1.3	4
16	Activated inducible co-stimulator-positive programmed cell death 1-positive follicular helper T cells indicate disease activity and severity in ulcerative colitis patients. Clinical and Experimental Immunology, 2020, 202, 106-118.	2.6	10
17	Relapse predictors and serologically unstable condition of IgG4-related disease: a large Chinese cohort. Rheumatology, 2020, 59, 2115-2123.	1.9	24
18	THU0591â€SALIVARY GLAND INVOLVEMENT DISPARITIES IN CLINICAL AND LABORATORY CHARACTERISTICS OF IGG4-RELATED DISEASE: A RETROSPECTIVE STUDY OF 428 PATIENTS. , 2019, , .	•	0

2

CHANG-SHENG XIA

#	Article	IF	CITATIONS
19	Evaluation of three automated Treponema pallidum antibody assays forÂsyphilis screening. Journal of Infection and Chemotherapy, 2018, 24, 887-891.	1.7	4
20	Performance evaluation of the mindray anti―HCV assay for the detection of hepatitis C virus infection. Journal of Clinical Laboratory Analysis, 2018, 32, e22600.	2.1	4
21	Diagnostic performances of serum IgG4 concentration and IgG4/IgG ratio in IgG4-related disease. Clinical Rheumatology, 2017, 36, 2769-2774.	2.2	20
22	Human Cytomegalovirus Glycoprotein B Genotypes in Chinese Hematopoietic Stem Cell Transplant Recipients. Intervirology, 2012, 55, 342-348.	2.8	7
23	Analysis of human cytomegalovirus glycoprotein N genotypes in Chinese hematopoietic stem cell transplant recipients. Archives of Virology, 2011, 156, 17-23.	2.1	8
24	Interleukin 10 inhibits the rat VSMC proliferation and collagen secretion stimulated by angiotensin II. Chinese Medical Sciences Journal, 2001, 16, 125-8.	0.4	0
25	IL-7 Promotes the Expansion of Circulating CD28- Cytotoxic T Lymphocytes in Patients With IgG4-Related Disease via the JAK Signaling. Frontiers in Immunology, 0, 13, .	4.8	3