

Kwok Wei Shah

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5100249/publications.pdf>

Version: 2024-02-01

69
papers

3,728
citations

125106

35
h-index

145109

60
g-index

73
all docs

73
docs citations

73
times ranked

4348
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Design and properties of seawater coral aggregate alkali-activated concrete. <i>Journal of Sustainable Cement-Based Materials</i> , 2022, 11, 187-201. | 1.7 | 14 |
| 2 | A review on 5G technology for smart energy management and smart buildings in Singapore. <i>Energy and AI</i> , 2022, 7, 100116. | 5.8 | 69 |
| 3 | Application of graphite platelets for heat transfer enhancement of cementitious composites containing microencapsulated phase change materials. <i>Construction and Building Materials</i> , 2022, 318, 126024. | 3.2 | 9 |
| 4 | Shrinkage mechanisms and shrinkage-mitigating strategies of alkali-activated slag composites: A critical review. <i>Construction and Building Materials</i> , 2022, 318, 125993. | 3.2 | 84 |
| 5 | Design guidelines for structural and non-structural applications. , 2022, , 509-527. | | 0 |
| 6 | Nanostructures encapsulated phase-change materials for sustained thermal energy storage in concrete. , 2022, , 477-507. | | 0 |
| 7 | Thermophysics of pristine and functionalized carbon nanotube reinforced paraffin/EVA composites as phase change materials: a molecular dynamics study. <i>Journal of Nanoparticle Research</i> , 2022, 24, 1. | 0.8 | 2 |
| 8 | Application of phase change materials in building components and the use of nanotechnology for its improvement. <i>Energy and Buildings</i> , 2022, 262, 112018. | 3.1 | 47 |
| 9 | Preparation and thermal conductivity enhancement of a paraffin wax-based composite phase change material doped with garlic stem biochar microparticles. <i>Science of the Total Environment</i> , 2022, 827, 154341. | 3.9 | 29 |
| 10 | Conjugated polymer and phase-change materials for energy storage and green buildings. , 2022, , 313-334. | | 0 |
| 11 | Optimization of mix proportion of alkali-activated slag mortars prepared with seawater and coral sand. <i>Construction and Building Materials</i> , 2021, 284, 122805. | 3.2 | 47 |
| 12 | Thermal performance enhancement of cementitious composite containing polystyrene/n-octadecane microcapsules: An experimental and numerical study. <i>Renewable Energy</i> , 2021, 169, 335-357. | 4.3 | 28 |
| 13 | A State-of-the-Art Review on Core-Shell Pigments Nanostructure Preparation and Test Methods. <i>Micro</i> , 2021, 1, 55-85. | 0.9 | 14 |
| 14 | Potential Applications of 5G Network Technology for Climate Change Control: A Scoping Review of Singapore. <i>Sustainability</i> , 2021, 13, 9720. | 1.6 | 12 |
| 15 | Nanomaterials and Nanocomposites for Energy-Efficient Building Envelopes. , 2021, , 2621-2648. | | 0 |
| 16 | Alkali-activated mortars blended with glass bottle waste nano powder: Environmental benefit and sustainability. <i>Journal of Cleaner Production</i> , 2020, 243, 118636. | 4.6 | 100 |
| 17 | Durability and life cycle evaluation of self-compacting concrete containing fly ash as GBFS replacement with alkali activation. <i>Construction and Building Materials</i> , 2020, 235, 117458. | 3.2 | 93 |
| 18 | Effects of ceramic tile powder waste on properties of self-compacted alkali-activated concrete. <i>Construction and Building Materials</i> , 2020, 236, 117574. | 3.2 | 83 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | On the energy modulation of daytime radiative coolers: A review on infrared emissivity dynamic switch against overcooling. <i>Solar Energy</i> , 2020, 209, 278-301. | 2.9 | 66 |
| 20 | A materials perspective on radiative cooling structures for buildings. <i>Solar Energy</i> , 2020, 207, 247-269. | 2.9 | 63 |
| 21 | Performance evaluation and microstructure characterization of seawater and coral/sea sand alkali-activated mortars. <i>Construction and Building Materials</i> , 2020, 259, 120403. | 3.2 | 53 |
| 22 | Evaluating the Roadmap of 5G Technology Implementation for Smart Building and Facilities Management in Singapore. <i>Sustainability</i> , 2020, 12, 10259. | 1.6 | 25 |
| 23 | Biomimetic Self-Healing Cementitious Construction Materials for Smart Buildings. <i>Biomimetics</i> , 2020, 5, 47. | 1.5 | 32 |
| 24 | Nano-enhanced phase change materials (NePCMs): A review of numerical simulations. <i>Applied Thermal Engineering</i> , 2020, 178, 115492. | 3.0 | 86 |
| 25 | Performance evaluation of alkali-activated mortars containing industrial wastes as surface repair materials. <i>Journal of Building Engineering</i> , 2020, 30, 101234. | 1.6 | 20 |
| 26 | Functional nanomaterials and their applications toward smart and green buildings. , 2020, , 395-433. | | 5 |
| 27 | Bond strength performance of ceramic, fly ash and GBFS ternary wastes combined alkali-activated mortars exposed to aggressive environments. <i>Construction and Building Materials</i> , 2020, 251, 119088. | 3.2 | 38 |
| 28 | Inorganic nanomaterials for fighting surface and airborne pathogens and viruses. <i>Nano Express</i> , 2020, 1, 032003. | 1.2 | 10 |
| 29 | Influence of Glass Silica Waste Nano Powder on the Mechanical and Microstructure Properties of Alkali-Activated Mortars. <i>Nanomaterials</i> , 2020, 10, 324. | 1.9 | 47 |
| 30 | Nanomaterials for enhancement of thermal energy storage in building applications. , 2020, , 829-864. | | 0 |
| 31 | Nanomaterials and Nanocomposites for Energy-Efficient Building Envelopes. , 2020, , 1-28. | | 0 |
| 32 | Utilizing spend garnets as sand replacement in alkali-activated mortars containing fly ash and GBFS. <i>Construction and Building Materials</i> , 2019, 225, 132-145. | 3.2 | 62 |
| 33 | Recent Advances in Aggregation-Induced Emission Chemosensors for Anion Sensing. <i>Molecules</i> , 2019, 24, 2711. | 1.7 | 65 |
| 34 | A Review on Catalytic Nanomaterials for Volatile Organic Compounds VOC Removal and Their Applications for Healthy Buildings. <i>Nanomaterials</i> , 2019, 9, 910. | 1.9 | 68 |
| 35 | Transparent nanomaterial-based solar cool coatings: Synthesis, morphologies and applications. <i>Solar Energy</i> , 2019, 193, 837-858. | 2.9 | 35 |
| 36 | Sustainability of nanomaterials based self-healing concrete: An all-inclusive insight. <i>Journal of Building Engineering</i> , 2019, 23, 155-171. | 1.6 | 92 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Microwave-assisted Synthesis of Hexagonal Gold Nanoparticles Reduced by Organosilane (3-Mercaptopropyl)trimethoxysilane. <i>Materials</i> , 2019, 12, 1680. | 1.3 | 14 |
| 38 | Multifunctional Metallic Nanowires in Advanced Building Applications. <i>Materials</i> , 2019, 12, 1731. | 1.3 | 21 |
| 39 | Diversity of electron acceptor groups in donor-acceptor type electrochromic conjugated polymers. <i>Solar Energy Materials and Solar Cells</i> , 2019, 197, 32-75. | 3.0 | 80 |
| 40 | Numerical investigation on the melting of nanoparticle-enhanced PCM in latent heat energy storage unit with spiral coil heat exchanger. <i>Building Simulation</i> , 2019, 12, 869-879. | 3.0 | 21 |
| 41 | Properties of ceramic tile waste based alkali-activated mortars incorporating GBFS and fly ash. <i>Construction and Building Materials</i> , 2019, 214, 355-368. | 3.2 | 92 |
| 42 | Evaluation of alkali-activated mortars containing high volume waste ceramic powder and fly ash replacing GBFS. <i>Construction and Building Materials</i> , 2019, 210, 78-92. | 3.2 | 110 |
| 43 | One-Dimensional Nanostructure Engineering of Conducting Polymers for Thermoelectric Applications. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 1422. | 1.3 | 23 |
| 44 | Solution-Based Synthesis and Processing of Metal Chalcogenides for Thermoelectric Applications. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 1511. | 1.3 | 12 |
| 45 | Thermal analysis in daytime radiative cooling. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019, 609, 072064. | 0.3 | 11 |
| 46 | Viologen-Based Electrochromic Materials: From Small Molecules, Polymers and Composites to Their Applications. <i>Polymers</i> , 2019, 11, 1839. | 2.0 | 127 |
| 47 | Electroluminochromic Materials: From Molecules to Polymers. <i>Polymers</i> , 2019, 11, 98. | 2.0 | 43 |
| 48 | Chapter 16. Electrochromic Smart Windows for Green Building Applications. <i>RSC Smart Materials</i> , 2019, , 494-520. | 0.1 | 5 |
| 49 | Effects of POFA replaced with FA on durability properties of GBFS included alkali activated mortars. <i>Construction and Building Materials</i> , 2018, 175, 174-186. | 3.2 | 79 |
| 50 | Impact of curing temperatures and alkaline activators on compressive strength and porosity of ternary blended geopolymer mortars. <i>Case Studies in Construction Materials</i> , 2018, 9, e00205. | 0.8 | 44 |
| 51 | A review on enhancement of phase change materials - A nanomaterials perspective. <i>Energy and Buildings</i> , 2018, 175, 57-68. | 3.1 | 93 |
| 52 | Waste ceramic powder incorporated alkali activated mortars exposed to elevated Temperatures: Performance evaluation. <i>Construction and Building Materials</i> , 2018, 187, 307-317. | 3.2 | 87 |
| 53 | Morphology, large scale synthesis and building applications of copper nanomaterials. <i>Construction and Building Materials</i> , 2018, 180, 544-578. | 3.2 | 27 |
| 54 | Evaluation of building glass performance metrics for the tropical climate. <i>Energy and Buildings</i> , 2017, 157, 195-203. | 3.1 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | A review on time series forecasting techniques for building energy consumption. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 74, 902-924. | 8.2 | 585 |
| 56 | Performance evaluation approach for solar heat storage systems using phase change material. <i>Energy and Buildings</i> , 2017, 155, 115-127. | 3.1 | 55 |
| 57 | Synthesis, Morphologies and Building Applications of Nanostructured Polymers. <i>Polymers</i> , 2017, 9, 506. | 2.0 | 30 |
| 58 | Time series forecasting for building energy consumption using weighted Support Vector Regression with differential evolution optimization technique. <i>Energy and Buildings</i> , 2016, 126, 94-103. | 3.1 | 219 |
| 59 | Perfluoropolyether/poly(ethylene glycol) triblock copolymers with controllable self-assembly behaviour for highly efficient anti-bacterial materials. <i>RSC Advances</i> , 2015, 5, 64170-64179. | 1.7 | 13 |
| 60 | Methods and Structures for Self-assembly of Anisotropic 1D Nanocrystals. <i>Nanoscience and Technology</i> , 2015, , 27-68. | 1.5 | 1 |
| 61 | Rapid Copper Metallization of Textile Materials: a Controlled Two-Step Route to Achieve User-Defined Patterns under Ambient Conditions. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 21545-21551. | 4.0 | 21 |
| 62 | Pyrrlophthalazine dione (PPD)-based donor-acceptor polymers as high performance electrochromic materials. <i>Polymer Chemistry</i> , 2015, 6, 1487-1494. | 1.9 | 36 |
| 63 | COLLOIDAL PREPARATION OF MONODISPERSE NANOCRYSTALS. <i>Journal of Molecular and Engineering Materials</i> , 2014, 02, 1430001. | 0.9 | 6 |
| 64 | Optimized production of copper nanostructures with high yields for efficient use as thermal conductivity-enhancing PCM dopant. <i>Journal of Materials Chemistry A</i> , 2014, 2, 3417. | 5.2 | 45 |
| 65 | Aqueous route to facile, efficient and functional silica coating of metal nanoparticles at room temperature. <i>Nanoscale</i> , 2014, 6, 11273-11281. | 2.8 | 44 |
| 66 | Composite Metal-Oxide Nanocatalysts. <i>ChemCatChem</i> , 2012, 4, 1462-1484. | 1.8 | 65 |
| 67 | Synthesis and multiple reuse of eccentric Au@TiO ₂ nanostructures as catalysts. <i>Chemical Communications</i> , 2011, 47, 6689. | 2.2 | 105 |
| 68 | Anisotropic Growth of Titania onto Various Gold Nanostructures: Synthesis, Theoretical Understanding, and Optimization for Catalysis. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 10140-10143. | 7.2 | 139 |
| 69 | Nanosynthesis Techniques of Silica-Coated Nanostructures. , 0, , . | | 3 |