

Assunta Bertaccini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5100600/publications.pdf>

Version: 2024-02-01

270
papers

5,243
citations

117453

34
h-index

138251

58
g-index

273
all docs

273
docs citations

273
times ranked

1952
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Phytoplasmas and Phytoplasma Diseases: A Severe Threat to Agriculture. American Journal of Plant Sciences, 2014, 05, 1763-1788. | 0.3 | 268 |
| 2 | Phytoplasmas: diversity, taxonomy, and epidemiology. Frontiers in Bioscience - Landmark, 2007, 12, 673. | 3.0 | 236 |
| 3 | Detection of Multiple Phytoplasmas in Perennial Fruit Trees with Decline Symptoms in Italy. Phytopathology, 1995, 85, 728. | 1.1 | 221 |
| 4 | Ribosomal protein gene-based phylogeny for finer differentiation and classification of phytoplasmas. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2037-2051. | 0.8 | 217 |
| 5 | Phytoplasma: Ecology and Genomic Diversity. Phytopathology, 1998, 88, 1359-1366. | 1.1 | 200 |
| 6 | Molecular Detection of Diverse Mycoplasma-like Organisms (MLOs) Associated with Grapevine Yellows and Their Classification with Aster Yellows, X-Disease, and Elm Yellows MLOs. Phytopathology, 1993, 83, 1130. | 1.1 | 134 |
| 7 | Revision of the "Candidatus Phytoplasma" species description guidelines. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, . | 0.8 | 119 |
| 8 | "Candidatus Phytoplasma japonicum", a new phytoplasma taxon associated with Japanese Hydrangea phyllody. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 1275-1285. | 0.8 | 104 |
| 9 | Global Status of Phytoplasma Diseases in Vegetable Crops. Frontiers in Microbiology, 2019, 10, 1349. | 1.5 | 102 |
| 10 | Genetic variability among flavescence dorée phytoplasmas from different origins in Italy and France. Molecular and Cellular Probes, 2002, 16, 197-208. | 0.9 | 95 |
| 11 | Molecular detection of the Australian grapevine yellows phytoplasma and comparison with grapevine yellows phytoplasmas from Italy. Australian Journal of Grape and Wine Research, 1995, 1, 25-31. | 1.0 | 87 |
| 12 | Identification and Epidemic Distribution of Two Flavescence Dorée-Related Phytoplasmas in Veneto (Italy). Plant Disease, 1999, 83, 925-930. | 0.7 | 76 |
| 13 | Potential Applications and Limitations of Electronic Nose Devices for Plant Disease Diagnosis. Sensors, 2017, 17, 2596. | 2.1 | 76 |
| 14 | Molecular Identification of a New Phytoplasma Associated with Alfalfa Witches'-Broom in Oman. Phytopathology, 2002, 92, 1038-1047. | 1.1 | 67 |
| 15 | Development and evaluation of different complex media for phytoplasma isolation and growth. Journal of Microbiological Methods, 2016, 127, 105-110. | 0.7 | 67 |
| 16 | Identification of phytoplasmas in eggs, nymphs and adults of Scaphoideus titanus Ball reared on healthy plants. Insect Molecular Biology, 1997, 6, 115-121. | 1.0 | 66 |
| 17 | The groEL gene as an additional marker for finer differentiation of "Candidatus Phytoplasma asteris"-related strains. Annals of Applied Biology, 2011, 159, 41-48. | 1.3 | 66 |
| 18 | Improved detection methods for fruit tree phytoplasmas. Plant Molecular Biology Reporter, 2001, 19, 169-179. | 1.0 | 62 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | 'Candidatus Phytoplasma omanense', associated with witches'-broom of <i>Cassia italica</i> (Mill.) Spreng. in Oman. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 461-466. | 0.8 | 58 |
| 20 | Characterization of a Phytoplasma Associated with Frogskin Disease in Cassava. <i>Plant Disease</i> , 2009, 93, 1139-1145. | 0.7 | 57 |
| 21 | DNA Barcoding for Identification of <i>â€ˆCandidatus Phytoplasmasâ€™</i> Using a Fragment of the Elongation Factor Tu Gene. <i>PLoS ONE</i> , 2012, 7, e52092. | 1.1 | 57 |
| 22 | Identification of genes expressed in response to phytoplasma infection in leaves of <i>Prunus armeniaca</i> by messenger RNA differential display. <i>Gene</i> , 2004, 332, 29-34. | 1.0 | 51 |
| 23 | Mixed Infection of Grapevines in Northern Italy by Phytoplasmas Including 16S rRNA RFLP Subgroup 16SrI-B Strains Previously Unreported in This Host. <i>Plant Disease</i> , 1996, 80, 418. | 0.7 | 50 |
| 24 | Phytoplasmas: An Update. , 2018, , 1-29. | | 47 |
| 25 | Corn with Symptoms of Reddening: New Host of Stolbur Phytoplasma. <i>Plant Disease</i> , 2006, 90, 1313-1319. | 0.7 | 45 |
| 26 | Differentiation and classification of phytoplasmas in the pigeon pea witchesâ€™-broom group (16SrIX): an update based on multiple gene sequence analysis. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2279-2285. | 0.8 | 43 |
| 27 | Herbal Drug Quality and Phytochemical Composition of <i>Hypericum perforatum</i> L. Affected by Ash Yellows Phytoplasma Infection. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 964-968. | 2.4 | 42 |
| 28 | Identification of Phytoplasmas Associated with Grapevine Yellows in Serbia. <i>Journal of Phytopathology</i> , 2004, 152, 575-579. | 0.5 | 41 |
| 29 | Phytoplasmas Associated with Grapevine Yellows Disease in Chile. <i>Plant Disease</i> , 2009, 93, 789-796. | 0.7 | 41 |
| 30 | <i>â€ˆCandidatus Phytoplasma convolvuliâ€™</i> , a new phytoplasma taxon associated with bindweed yellows in four European countries. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2910-2915. | 0.8 | 41 |
| 31 | <i>â€ˆCandidatus Phytoplasma balanitaeâ€™</i> associated with witchesâ€™ broom disease of <i>Balanites triflora</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 636-640. | 0.8 | 41 |
| 32 | Identification of a 16SrII-E Phytoplasma in <i>Calendula arvensis</i> , <i>Solanum nigrum</i> , and <i>Chenopodium</i> spp.. <i>Plant Disease</i> , 2006, 90, 325-330. | 0.7 | 37 |
| 33 | Phytoplasma classification: taxonomy based on 16S ribosomal gene, is it enough?. <i>Phytopathogenic Mollicutes</i> , 2011, 1, 3. | 0.1 | 37 |
| 34 | Phytoplasmas Associated with Elm Yellows: Molecular Variability and Differentiation from Related Organisms. <i>Plant Disease</i> , 1999, 83, 1101-1104. | 0.7 | 36 |
| 35 | Molecular characterization of phytoplasmas in lilies with fasciation in the Czech Republic. <i>FEMS Microbiology Letters</i> , 2005, 249, 79-85. | 0.7 | 36 |
| 36 | Genetic diversity and vector transmission of phytoplasmas associated with sesame phyllody in Iran. <i>Folia Microbiologica</i> , 2017, 62, 99-109. | 1.1 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Comparison of phytoplasmas infecting winter oilseed rape in the Czech Republic with Italian Brassica phytoplasmas and their relationship to the aster yellows group. <i>Plant Pathology</i> , 1998, 47, 317-324. | 1.2 | 35 |
| 38 | Detection of Chrysanthemum Yellows Mycoplasma-like Organism by Dot Hybridization and Southern Blot Analysis. <i>Plant Disease</i> , 1990, 74, 40. | 0.7 | 35 |
| 39 | Sensitive detection of mycoplasma-like organisms in field-collected and in vitro propagated plants of Brassica, Hydrangea and Chrysanthemum by polymerase chain reaction. <i>Annals of Applied Biology</i> , 1992, 121, 593-599. | 1.3 | 34 |
| 40 | <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> detection in kiwifruit plant tissue and bleeding sap. <i>Annals of Applied Biology</i> , 2013, 162, 60-70. | 1.3 | 34 |
| 41 | Plasma activated water as resistance inducer against bacterial leaf spot of tomato. <i>PLoS ONE</i> , 2019, 14, e0217788. | 1.1 | 34 |
| 42 | Title is missing!. <i>European Journal of Plant Pathology</i> , 1997, 103, 251-254. | 0.8 | 32 |
| 43 | â€ˆ <i>Candidatus</i> Phytoplasma asterisâ€™ Strains Associated with Oil Palm Lethal Wilt in Colombia. <i>Plant Disease</i> , 2014, 98, 311-318. | 0.7 | 32 |
| 44 | Generation and Analysis of Draft Sequences of â€ˆStolbur' Phytoplasma from Multiple Displacement Amplification Templates. <i>Journal of Molecular Microbiology and Biotechnology</i> , 2014, 24, 1-11. | 1.0 | 32 |
| 45 | Recommended rejection of the names <i>Malacoplasma</i> gen. nov., <i>Mesomycoplasma</i> gen. nov., <i>Metamycoplasma</i> gen. nov., <i>Metamycoplasmataceae</i> fam. nov., <i>Mycoplasmoidaceae</i> fam. nov., <i>Mycoplasmoidales</i> ord. nov., <i>Mycoplasmoides</i> gen. nov., <i>Mycoplasmosis</i> gen. nov. [Gupta, Sawnani, Adeolu, Alnajjar and Oren 2018] and all proposed species comb. nov. placed therein. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3650-3653. | 0.8 | 32 |
| 46 | Review Article: Phytoplasma on ornamentals: Detection, diversity and management. <i>Acta Phytopathologica Et Entomologica Hungarica</i> , 2010, 45, 31-69. | 0.1 | 31 |
| 47 | Chromatographic Methods for Metabolite Profiling of Virus- and Phytoplasma-Infected Plants of <i>Echinacea purpurea</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 10425-10434. | 2.4 | 31 |
| 48 | Occurrence of Phytoplasmas Related to Stolbur and to â€ˆ <i>Candidatus</i> Phytoplasma japonicumâ€™ in Woody Host Plants in China. <i>Journal of Phytopathology</i> , 2010, 158, 100-104. | 0.5 | 30 |
| 49 | Identification of Volatile Markers in Potato Brown Rot and Ring Rot by Combined GC-MS and PTR-MS Techniques: Study on in Vitro and in Vivo Samples. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 337-347. | 2.4 | 28 |
| 50 | Nested PCR and RFLP Analysis Based on the 16S rRNA Gene. <i>Methods in Molecular Biology</i> , 2013, 938, 159-171. | 0.4 | 27 |
| 51 | Multigene analysis for differentiation of aster yellows phytoplasmas infecting carrots in Serbia. <i>Annals of Applied Biology</i> , 2009, 154, 219-229. | 1.3 | 26 |
| 52 | Optimization and validation of a high-performance liquid chromatography method for the analysis of cardiac glycosides in <i>Digitalis lanata</i> . <i>Journal of Chromatography A</i> , 2009, 1216, 3260-3269. | 1.8 | 26 |
| 53 | VINE DECLINE IN KIWIFRUIT: CLIMATE CHANGE AND EFFECT ON WATERLOGGING AND PHYTOPHTHORA IN NORTH ITALY. <i>Acta Horticulturae</i> , 2015, , 93-97. | 0.1 | 24 |
| 54 | Molecular identification of diverse â€ˆ <i>Candidatus</i> Phytoplasmaâ€™ species associated with grapevine decline in Iran. <i>Journal of Phytopathology</i> , 2017, 165, 407-413. | 0.5 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Identification of phytoplasmas associated with a decline of European hackberry (<i>Celtis australis</i>). <i>Annals of Applied Biology</i> , 1996, 128, 245-253. | 1.3 | 23 |
| 56 | Correlation of bois noir disease with nettle and vector abundance in northern Italy vineyards. <i>Journal of Pest Science</i> , 2012, 85, 23-28. | 1.9 | 23 |
| 57 | The EASIN Editorial Board: quality assurance, exchange and sharing of alien species information in Europe. <i>Management of Biological Invasions</i> , 2016, 7, 321-328. | 0.5 | 23 |
| 58 | Differentiation of <i>Candidatus</i> <i>Phytoplasma cynodontis</i> ™ Based on 16S rRNA and <i>groEL</i> Genes and Identification of a New Subgroup, 16SrXIV-C. <i>Plant Disease</i> , 2015, 99, 1578-1583. | 0.7 | 22 |
| 59 | Grapevine Yellows Diseases and Their Phytoplasma Agents. <i>SpringerBriefs in Agriculture</i> , 2017, , . | 0.9 | 22 |
| 60 | Variability and functional role of chromosomal sequences in 16SrI-B subgroup phytoplasmas including aster yellows and related strains. <i>Journal of Applied Microbiology</i> , 2003, 94, 103-110. | 1.4 | 21 |
| 61 | Comparative transcriptome analysis of <i>Ziziphus jujuba</i> infected by jujube witches' broom phytoplasmas. <i>Scientia Horticulturae</i> , 2017, 226, 50-58. | 1.7 | 21 |
| 62 | Multilocus Genetic Characterization of Phytoplasmas. , 2019, , 161-200. | | 21 |
| 63 | Conventional and novel approaches for managing <i>Flavescence dorée</i> in grapevine: knowledge gaps and future prospects. <i>Plant Pathology</i> , 2019, 68, 3-17. | 1.2 | 21 |
| 64 | Plasma activated water triggers plant defence responses. <i>Scientific Reports</i> , 2020, 10, 19211. | 1.6 | 21 |
| 65 | Grapevine yellows in Northern Italy: molecular identification of <i>Flavescence dorée</i> phytoplasma strains and of Bois Noir phytoplasmas. <i>Journal of Applied Microbiology</i> , 2007, 103, 2325-2330. | 1.4 | 20 |
| 66 | An oligonucleotide microarray-based assay for identification of phytoplasma 16S ribosomal groups. <i>Plant Pathology</i> , 2007, 56, 332-336. | 1.2 | 20 |
| 67 | Molecular Diversity of Phytoplasmas Associated with Grapevine Yellows Disease in North-Eastern Italy. <i>Phytopathology</i> , 2018, 108, 206-214. | 1.1 | 20 |
| 68 | Plants and Phytoplasmas: When Bacteria Modify Plants. <i>Plants</i> , 2022, 11, 1425. | 1.6 | 20 |
| 69 | Association of phytoplasmas and viruses with malformed clovers. <i>Folia Microbiologica</i> , 2004, 49, 617-624. | 1.1 | 19 |
| 70 | Identification of a phytoplasma associated with pomegranate little leaf disease in Iran. <i>Crop Protection</i> , 2016, 87, 50-54. | 1.0 | 19 |
| 71 | <i>Xylella fastidiosa</i> and olive quick decline syndrome (CoDiRO) in Salento (southern Italy): a chemometric 1H NMR-based preliminary study on Ogliarola salentina and Cellina di Nardò cultivars. <i>Chemical and Biological Technologies in Agriculture</i> , 2017, 4, . | 1.9 | 19 |
| 72 | First Report of Pear Decline Phytoplasmas on Pear in Serbia. <i>Plant Disease</i> , 2005, 89, 774-774. | 0.7 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Genetic diversity of Czech <i>Candidatus Phytoplasma mali</i> ™ strains based on multilocus gene analyses. <i>European Journal of Plant Pathology</i> , 2013, 136, 675-688. | 0.8 | 18 |
| 74 | Population genetic analysis reveals a low level of genetic diversity of <i>Candidatus Phytoplasma aurantifolia</i> ™ causing witches' broom disease in lime. <i>SpringerPlus</i> , 2016, 5, 1701. | 1.2 | 18 |
| 75 | Occurrence and Characterization of a 16Sr<sc>II</sc> Subgroup <i>Phytoplasma</i> Associated with Parsley Witches' Broom Disease in Iran. <i>Journal of Phytopathology</i> , 2016, 164, 996-1002. | 0.5 | 18 |
| 76 | In Vitro Micropropagation for Maintenance of Mycoplasma-like Organisms in Infected Plant Tissues. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 1992, 27, 1041-1043. | 0.5 | 18 |
| 77 | Detection and Identification of Phytoplasmas in Pomegranate Trees with Yellowing Symptoms. <i>Journal of Phytopathology</i> , 2016, 164, 136-140. | 0.5 | 17 |
| 78 | Molecular and biological characterization of phytoplasmas from coconut palms affected by the lethal yellowing disease in Africa. <i>Microbiological Research</i> , 2019, 223-225, 51-57. | 2.5 | 17 |
| 79 | Spreading of ESFY Phytoplasmas in Stone Fruit in Catalonia (Spain). <i>Journal of Phytopathology</i> , 2004, 152, 432-437. | 0.5 | 16 |
| 80 | PHYTOPLASMA INFECTION IN PEACH AND CHERRY IN ITALY. <i>Acta Horticulturae</i> , 2001, , 365-370. | 0.1 | 16 |
| 81 | MOLECULAR EVIDENCE FOR MIXED PHYTOPLASMA INFECTION IN LILY PLANTS. <i>Acta Horticulturae</i> , 2002, , 35-41. | 0.1 | 15 |
| 82 | PHYTOPLASMA DETECTION IN EMPOASCA DECEDENS AND EMPOASCA SPP. AND THEIR POSSIBLE ROLE AS VECTORS OF EUROPEAN STONE FRUIT YELLOWING (16SRX-B) PHYTOPLASMA. <i>Acta Horticulturae</i> , 2004, , 507-511. | 0.1 | 15 |
| 83 | First report of multiple inflorescence disease of <i>Cirsium arvense</i> and its association with a 16SrIII-B subgroup phytoplasma in Serbia. <i>Plant Pathology</i> , 2005, 54, 561-561. | 1.2 | 15 |
| 84 | Occurrence and identification of grapevine phytoplasmas in main viticultural regions of Turkey. <i>Phytoparasitica</i> , 2015, 43, 303-310. | 0.6 | 15 |
| 85 | Detection and seed transmission of Bermudagrass phytoplasma in maize in Turkey. <i>Journal of Phytopathology</i> , 2019, 167, 248-255. | 0.5 | 15 |
| 86 | The use of plasma-activated water in viticulture: Induction of resistance and agronomic performance in greenhouse and open field. <i>Plasma Processes and Polymers</i> , 2021, 18, . | 1.6 | 15 |
| 87 | An up to date status of alfalfa witches' broom disease in Iran. <i>Phytopathogenic Mollicutes</i> , 2015, 5, 9. | 0.1 | 15 |
| 88 | MOLECULAR DETECTION OF PHYTOPLASMAS IN APPLE WITH RUBBERY WOOD SYMPTOMS. <i>Acta Horticulturae</i> , 1998, , 693-700. | 0.1 | 14 |
| 89 | A simple and rapid protocol of crude DNA extraction from apple trees for PCR and real-time PCR detection of <i>Candidatus Phytoplasma mali</i> ™. <i>Journal of Virological Methods</i> , 2009, 156, 96-101. | 1.0 | 14 |
| 90 | Identification and molecular characterization of the phytoplasma associated with peach rosette-like disease at the Canadian Clonal Genebank based on the 16S rRNA gene analysis. <i>Canadian Journal of Plant Pathology</i> , 2011, 33, 127-134. | 0.8 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Molecular and biologic characterization of a phytoplasma associated with Brassica campestris phyllody disease in Punjab province, Pakistan. European Journal of Plant Pathology, 2017, 149, 117-125. | 0.8 | 14 |
| 92 | Fruit Crop Phytoplasmas. , 2018, , 153-190. | | 14 |
| 93 | Characterization of 16SrII group phytoplasmas associated with alfalfa (Medicago sativa) witchesâ€™ broom disease in diverse areas of Iran. Journal of Crop Protection, 2016, 5, 581-590. | 0.5 | 14 |
| 94 | Geographical Distribution of Bois Noir Phytoplasmas Infecting Grapevines in Croatia. Journal of Phytopathology, 2000, 148, 239-242. | 0.5 | 13 |
| 95 | Aetiology of Opuntia ficus-indica malformations and stunting disease. Annals of Applied Biology, 2006, 149, 317-325. | 1.3 | 13 |
| 96 | Co-operational PCR coupled with dot blot hybridization for detection and 16SrX grouping of phytoplasmas. Plant Pathology, 2007, 56, 677-682. | 1.2 | 13 |
| 97 | Detection and identification of the coconut lethal yellowing phytoplasma in weeds growing in coconut farms in CÃ¢te d'Ivoire. Canadian Journal of Plant Pathology, 2016, 38, 164-173. | 0.8 | 13 |
| 98 | Grapevine Phytoplasmas. , 2018, , 123-151. | | 13 |
| 99 | Phytoplasma Diseases in Ornamental Crops. , 2018, , 191-233. | | 13 |
| 100 | Phytoplasma Transmission by Seed. , 2019, , 131-147. | | 13 |
| 101 | PHYTOPLASMAS IN DECLINING CHERRY PLANTS. Acta Horticulturae, 2008, , 409-416. | 0.1 | 12 |
| 102 | General phytoplasma detection by a q-PCR method using mycoplasma primers. Molecular and Cellular Probes, 2017, 35, 1-7. | 0.9 | 12 |
| 103 | Draft Whole Genome Sequence Analyses on <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Hypersensitive Response Negative Strains Detected from Kiwifruit Bleeding Sap Samples. Phytopathology, 2018, 108, 552-560. | 1.1 | 12 |
| 104 | Detection and molecular characterization of a 16SrI-F phytoplasma in potato showing purple top disease in Ecuador. Australasian Plant Pathology, 2018, 47, 311-315. | 0.5 | 12 |
| 105 | Identification and transmission of phytoplasmas and their impact on essential oil composition in Aerva javanica. 3 Biotech, 2019, 9, 310. | 1.1 | 12 |
| 106 | Standard Detection Protocol: PCR and RFLP Analyses Based on 16S rRNA Gene. Methods in Molecular Biology, 2019, 1875, 83-95. | 0.4 | 12 |
| 107 | Multigene characterization of a new <i>Candidatus</i> Phytoplasma rubi-related strain associated with blackberry witchesâ€™ broom. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 1438-1446. | 0.8 | 12 |
| 108 | First report of a 16SrIIâ€D phytoplasma associated with <i>Calendula officinalis</i> phyllody in Iran. New Disease Reports, 2016, 34, 22-22. | 0.4 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Presence of European stone fruit yellows (ESFY or 16SrX-B) phytoplasmas in apricots in Austria. <i>Plant Pathology</i> , 2001, 50, 130-135. | 1.2 | 11 |
| 110 | Involvement of phytoplasmas in a decline of <i>Ulmus chenmoui</i> in Central Italy. <i>Forest Pathology</i> , 2002, 32, 265-275. | 0.5 | 11 |
| 111 | Status of alfalfa witches' broom phytoplasma disease in Iran. <i>Phytopathogenic Mollicutes</i> , 2015, 5, S65. | 0.1 | 11 |
| 112 | Leafhoppers and cixiids in phytoplasma-infected carrot fields: Species composition and potential phytoplasma vectors. <i>Pesticidi I Fitomedicina = Pesticides and Phytomedicine</i> , 2010, 25, 311-318. | 0.1 | 11 |
| 113 | Phytoplasma detection and identification in declining pomegranate in Iran. <i>Phytopathogenic Mollicutes</i> , 2015, 5, 95. | 0.1 | 11 |
| 114 | TRANSMISSION BY PATCH GRAFTING OF ESFY PHYTOPLASMA TO APRICOT (<i>PRUNUS ARMENIACA</i> L) AND JAPANESE PLUM (<i>PRUNUS SALICINA</i> LINDL). <i>Acta Horticulturae</i> , 2001, , 339-344. | 0.1 | 10 |
| 115 | OLD AND NEW VIRUSES OF LILY IN ITALY. <i>Acta Horticulturae</i> , 2002, , 215-220. | 0.1 | 10 |
| 116 | Identification of <i>Graminella nigrifrons</i> as a potential vector for phytoplasmas affecting <i>Prunus</i> and <i>Pyrus</i> species in Canada. <i>Canadian Journal of Plant Pathology</i> , 2011, 33, 465-474. | 0.8 | 10 |
| 117 | cDNA-AFLP analysis of gene expression changes in apple trees induced by phytoplasma infection during compatible interaction. <i>European Journal of Plant Pathology</i> , 2012, 134, 117-130. | 0.8 | 10 |
| 118 | Genetic relatedness and recombination analysis of <i>Allorhizobium vitis</i> strains associated with grapevine crown gall outbreaks in Europe. <i>Journal of Applied Microbiology</i> , 2015, 119, 786-796. | 1.4 | 10 |
| 119 | Detection and differentiation of the coconut lethal yellowing phytoplasma in coconut-growing villages of Grand'Ahou, CÔte d'Ivoire. <i>Annals of Applied Biology</i> , 2017, 170, 333-347. | 1.3 | 10 |
| 120 | Identification of <i>Nedotepa curta</i> Dmitriev as a potential vector of the CÔte d'Ivoire lethal yellowing phytoplasma in coconut palms sole or in mixed infection with a <i>Candidatus Phytoplasma asteris</i> -related strain. <i>Crop Protection</i> , 2018, 110, 48-56. | 1.0 | 10 |
| 121 | Citrus industry: Phytoplasma-associated diseases and related challenges for Asia, America and Africa. <i>Crop Protection</i> , 2022, 151, 105822. | 1.0 | 10 |
| 122 | First Report of <i>Candidatus Phytoplasma asteris</i> -Related Strain Associated with Peach Rosette in Canada. <i>Plant Disease</i> , 2010, 94, 916-916. | 0.7 | 10 |
| 123 | First Report of an Elm Yellows Subgroup 16SrV-C Phytoplasma Infecting Grapevine in Serbia. <i>Plant Disease</i> , 2003, 87, 599-599. | 0.7 | 10 |
| 124 | Molecular Detection of Jujube Witches' Broom Phytoplasmas in Micropropagated Jujube Shoots. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2000, 35, 1274-1275. | 0.5 | 10 |
| 125 | Preliminary study on some ornamental plant phytoplasma diseases in north of Iran. <i>Phytopathogenic Mollicutes</i> , 2015, 5, S67. | 0.1 | 10 |
| 126 | Molecular identification and phylogenetic analysis of phytoplasmas associated with alfalfa witches' broom diseases in the western areas of Iran. <i>Phytopathogenic Mollicutes</i> , 2016, 6, 16. | 0.1 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Leek Proliferation: A New Phytoplasma Disease in the Czech Republic and Italy. <i>European Journal of Plant Pathology</i> , 1999, 105, 487-493. | 0.8 | 9 |
| 128 | Detection and identification of phytoplasmas associated with declining <i>Liquidambar styraciflua</i> trees in Colombia. <i>Tropical Plant Pathology</i> , 2017, 42, 352-361. | 0.8 | 9 |
| 129 | Detection and characterisation of phytoplasma strains associated with field bindweed witchesâ€™ broom disease in Iran. <i>Archives of Phytopathology and Plant Protection</i> , 2018, 51, 803-813. | 0.6 | 9 |
| 130 | Identification, occurrence, incidence and transmission of phytoplasma associated with <i>Petunia violacea</i> witchesâ€™ broom in Iran. <i>Journal of Phytopathology</i> , 2019, 167, 547-552. | 0.5 | 9 |
| 131 | Flavescence dorée impacts growth, productivity and ultrastructure of <i>Vitis vinifera</i> plants in Portuguese Vinhos Verdes region. <i>Scientia Horticulturae</i> , 2020, 261, 108742. | 1.7 | 9 |
| 132 | Simultaneous evaluation of <i>Candidatus</i> Phytoplasma and <i>Candidatus</i> Liberibacter solanacearum seed transmission in carrot. <i>Phytopathogenic Mollicutes</i> , 2019, 9, 141. | 0.1 | 9 |
| 133 | Containment of Phytoplasma-Associated Plant Diseases by Antibiotics and Other Antimicrobial Molecules. <i>Antibiotics</i> , 2021, 10, 1398. | 1.5 | 9 |
| 134 | Association of a <i>Candidatus</i> Phytoplasma aurantifolia-related strain with apricot showing European stone fruit yellows symptoms in Iran. <i>3 Biotech</i> , 2019, 9, 65. | 1.1 | 8 |
| 135 | A new species of planthopper belonging to the genus <i>Oecleus</i> Stål, 1862 (Hemiptera: Fulgoroidea: Cixiidae) from coconut palm (<i>Cocos nucifera</i> L) in Jamaica . <i>Zootaxa</i> , 2019, 4712, 127-137. | 0.2 | 8 |
| 136 | DETECTION OF MYCOPLASMALIKE ORGANISMS (PHYTOPLASMAS) IN RUBUS BY NESTED POLYMERASE CHAIN REACTION (PCR).. <i>Acta Horticulturae</i> , 1995, , 126-131. | 0.1 | 8 |
| 137 | IMPROVED DETECTION OF VIRUSES AND PHYTOPLASMAS IN FRUIT TREE TISSUE CULTURES. <i>Acta Horticulturae</i> , 2001, , 463-470. | 0.1 | 8 |
| 138 | Phytoplasma research between past and future: what directions?. <i>Phytopathogenic Mollicutes</i> , 2015, 5, S1. | 0.1 | 8 |
| 139 | Grassy shoot: The destructive disease of sugarcane. <i>Phytopathogenic Mollicutes</i> , 2020, 10, 10. | 0.1 | 8 |
| 140 | Identification and GroEl gene characterization of green petal phytoplasma infecting strawberry in Italy. <i>Phytopathogenic Mollicutes</i> , 2012, 2, 59. | 0.1 | 8 |
| 141 | PHYLLODY AND VIRESCENCE IN RANUNCULUS HYBRIDS. <i>Acta Horticulturae</i> , 1988, , 123-128. | 0.1 | 7 |
| 142 | IDENTIFICATION OF PHYTOPLASMAS INFECTING SOUR CHERRY IN HUNGARY. <i>Acta Horticulturae</i> , 2001, , 383-388. | 0.1 | 7 |
| 143 | Note: Molecular identification of <i>Candidatus</i> phytoplasma asteris inducing histological anomalies in <i>Silene nicaeensis</i> . <i>Phytoparasitica</i> , 2008, 36, 290-293. | 0.6 | 7 |
| 144 | Phytoplasma and virus diseases on tomato in Mauritius. <i>Australasian Plant Pathology</i> , 2013, 42, 659-665. | 0.5 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Worldwide Distribution and Identification of Grapevine Yellows Diseases. SpringerBriefs in Agriculture, 2017, , 17-46. | 0.9 | 7 |
| 146 | Molecular and Serological Approaches in Detection of Phytoplasmas in Plants and Insects. , 2019, , 105-136. | | 7 |
| 147 | Characterization of <i>Candidatus</i> Phytoplasma solani TM associated with a maize leaf reddening disease in Turkey. Journal of Phytopathology, 2021, 169, 658-666. | 0.5 | 7 |
| 148 | First Report of Phytoplasmas in Grapevine in South Africa. Plant Disease, 2006, 90, 1360-1360. | 0.7 | 7 |
| 149 | A MOLECULAR SURVEY TO IDENTIFY PHYTOPLASMAS ASSOCIATED WITH APPLE TREES SHOWING DIFFERENT DISEASES SYMPTOMS. Acta Horticulturae, 2001, , 371-376. | 0.1 | 7 |
| 150 | PHYTOPLASMAS INFECTING FRUIT TREES IN SERBIA. Acta Horticulturae, 2008, , 351-358. | 0.1 | 7 |
| 151 | A rhabdovirus inducing vein yellowing in croton. Plant Pathology, 1992, 41, 79-82. | 1.2 | 6 |
| 152 | IDENTIFICATION OF PHYTOPLASMAS IN ALSTROEMERIA. Acta Horticulturae, 1996, , 312-319. | 0.1 | 6 |
| 153 | NESTED-PCR ASSAYS FOR DETECTION OF PHYTOPLASMAS IN STRAWBERRY. Acta Horticulturae, 1997, , 787-790. | 0.1 | 6 |
| 154 | ROLE OF DIFFERENT PHYTOPLASMAS IN INDUCING POINSETTIA BRANCHING. Acta Horticulturae, 2002, , 169-176. | 0.1 | 6 |
| 155 | DNA Bar-Coding for Phytoplasma Identification. Methods in Molecular Biology, 2013, 938, 301-317. | 0.4 | 6 |
| 156 | Phytoplasmas and Their Insect Vectors: Implications for Date Palm. , 2015, , 287-314. | | 6 |
| 157 | Status of sesame phyllody and its control methods in Yazd, Iran. Phytopathogenic Mollicutes, 2015, 5, S119. | 0.1 | 6 |
| 158 | Evidence of association of a <i>Candidatus</i> Phytoplasma cynodontis TM with bermuda grass (Cynodon) Tj ETQq0 0 0 rgBT /Overlock 10 Uttar Pradesh, India. Crop Protection, 2015, 74, 138-144. | 1.0 | 6 |
| 159 | Association of <i>Eriophyes dimocarpi</i> (Acari: Eriophyidae) with longan witches TM broom disease in Vietnam. Archives of Phytopathology and Plant Protection, 2017, 50, 70-83. | 0.6 | 6 |
| 160 | Characterization of a 16SrII subgroup D phytoplasma strain associated with Calendula officinalis phyllody in Iran. 3 Biotech, 2018, 8, 295. | 1.1 | 6 |
| 161 | Surveys reveal a complex association of phytoplasmas and viruses with the blueberry stunt disease on Canadian blueberry farms. Annals of Applied Biology, 2019, 174, 142-152. | 1.3 | 6 |
| 162 | Occurrence and identification of a phytoplasma associated with Pinus brutia witches TM broom disease in Isfahan, Iran. Australasian Plant Pathology, 2020, 49, 655-660. | 0.5 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Phytoplasma presence in carrot seedlings. Australasian Plant Disease Notes, 2020, 15, 1. | 0.4 | 6 |
| 164 | Title is missing!. Anales Del Jardin Botanico De Madrid, 2005, 62, . | 0.2 | 6 |
| 165 | First report of a <i>Candidatus</i> Phytoplasma asteris TM (16SrI group) causing stunt of tomato in Cuba. New Disease Reports, 2014, 30, 10-10. | 0.4 | 6 |
| 166 | First report of a <i>Candidatus</i> Phytoplasma phoenicium TM -related strain (16SrIX ^{Cl}) associated with yellowing of <i>Onobrychis viciifolia</i> in Iran. New Disease Reports, 2016, 34, 30-30. | 0.4 | 6 |
| 167 | Incidence, distribution, economic importance of alfalfa witches TM broom disease in Sistan-Baluchestan (Iran) and characterization of associated phytoplasmas. Phytopathogenic Mollicutes, 2015, 5, 84. | 0.1 | 6 |
| 168 | Occurrence of a <i>Candidatus</i> Phytoplasma omanense TM -related strain in bindweed witches TM broom disease in Iran. Phytopathogenic Mollicutes, 2016, 6, 87. | 0.1 | 6 |
| 169 | DETECTION OF MYCOPLASMALIKE ORGANISMS IN GLADIOLUS USING MICROSCOPY AND DNA-PROBES. Acta Horticulturae, 1992, , 703-708. | 0.1 | 5 |
| 170 | SUSCEPTIBILITY TO PHYTOPLASMA INFECTION OF THREE PEAR VARIETIES GRAFTED ON DIFFERENT ROOTSTOCKS. Acta Horticulturae, 1998, , 673-680. | 0.1 | 5 |
| 171 | MICROPROPAGATION AND ESTABLISHMENT OF MITE-BORNE VIRUS-FREE GARLIC (ALLIUM SATIVUM). Acta Horticulturae, 2004, , 201-206. | 0.1 | 5 |
| 172 | New findings on phytoplasmas-affected Auchenorrhyncha populations in Sardinian vineyards. , 2006, , . | | 5 |
| 173 | Effects of <i>Candidatus</i> Phytoplasma asteris TM on the Volatile Chemical Content and Composition of Grindelia robusta Nutt.. Journal of Phytopathology, 2011, 159, 124-126. | 0.5 | 5 |
| 174 | SEVERE DISEASES INDUCED BY VIRUSES AND PHYTOPLASMAS IN HYDRANGEA IN ITALY. Acta Horticulturae, 2015, , 105-111. | 0.1 | 5 |
| 175 | First detection of <i>Candidatus</i> Phytoplasma asteris TM and <i>Candidatus</i> Phytoplasma solani TM -related strains in fig trees. Journal of Phytopathology, 2020, 168, 63-71. | 0.5 | 5 |
| 176 | Occurrence of <i>Candidatus</i> Phytoplasma omanense TM -related strains and other phytoplasmas in Sophora alopecuroides plants showing dwarfing and yellowing. Australasian Plant Pathology, 2020, 49, 403-411. | 0.5 | 5 |
| 177 | Identification of <i>Candidatus</i> Phytoplasma TM species in <i>huanglongbing</i> -infected citrus orchards in the Caribbean. European Journal of Plant Pathology, 2021, 160, 185-198. | 0.8 | 5 |
| 178 | Q-Bank Phytoplasma: A DNA Barcoding Tool for Phytoplasma Identification. Methods in Molecular Biology, 2015, 1302, 123-135. | 0.4 | 5 |
| 179 | ARE PHYTOPLASMAS INVOLVED IN A SEVERE PEACH DECLINE?. Acta Horticulturae, 2006, , 421-427. | 0.1 | 5 |
| 180 | Transmission of 16SrIII-J phytoplasma by <i>Paratanus exitiosus</i> (Beamer) leafhopper in grapevine. Phytopathogenic Mollicutes, 2015, 5, S43. | 0.1 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Viral Aggregates Induced by a Distinctive Strain of Strawberry Latent Ringspot Virus from Grapevine. <i>Journal of Phytopathology</i> , 1982, 104, 304-308. | 0.5 | 4 |
| 182 | First report of <i>Spartium witches</i> ™ broom disease in Spain. <i>Plant Pathology</i> , 2002, 51, 807-807. | 1.2 | 4 |
| 183 | PHYTOPLASMA INFECTION IN ASCLEPIAS PHYSOCARPA. <i>Acta Horticulturae</i> , 2006, , 349-354. | 0.1 | 4 |
| 184 | First report of <i>Candidatus</i> <i>Phytoplasma fraxini</i> ™ (group 16SrVII phytoplasma) associated with a peach disease in Canada. <i>Plant Pathology</i> , 2010, 59, 1162-1162. | 1.2 | 4 |
| 185 | RECENT FINDINGS OF VIRUSES INFECTING RANUNCULUS HYBRIDS IN LIGURIA (ITALY). <i>Acta Horticulturae</i> , 2011, , 113-117. | 0.1 | 4 |
| 186 | New phytoplasma subgroup identified from <i>Arecaceae</i> palm species in Grand-Lahou, CÔte d'Ivoire. <i>Canadian Journal of Plant Pathology</i> , 2017, 39, 297-306. | 0.8 | 4 |
| 187 | Integrated Management of Phytoplasma Diseases. , 2019, , 237-258. | | 4 |
| 188 | Phytoplasma Elimination from Perennial Horticultural Crops. , 2019, , 185-206. | | 4 |
| 189 | Update and New Epidemiological Aspects about Grapevine Yellows in Chile. <i>Pathogens</i> , 2020, 9, 933. | 1.2 | 4 |
| 190 | PCR INDEXING OF PHYTOPLASMA-INFECTED MICROPROPAGATED PERIWINKLE TREATED WITH PAP-II, A RIBOSOME INACTIVATING PROTEIN FROM <i>PHYTOLACCA AMERICANA</i> LEAVES. <i>Acta Horticulturae</i> , 2000, , 113-120. | 0.1 | 4 |
| 191 | THREE YEARS OF MOLECULAR MONITORING OF PHYTOPLASMA SPREADING IN A PLUM GROWING AREA IN ITALY. <i>Acta Horticulturae</i> , 2004, , 501-506. | 0.1 | 4 |
| 192 | MOLECULAR DETECTION OF 'CANDIDATUS PHYTOPLASMA ZIZIPHAE' IN DIFFERENT JUJUBE CULTIVARS. <i>Acta Horticulturae</i> , 2008, , 207-210. | 0.1 | 4 |
| 193 | Molecular detection and characterisation of phytoplasma in <i>Trigonella foenum-graecum</i> and identification of potential insect vectors in Punjab, Pakistan. <i>Pakistan Journal of Botany</i> , 2020, 52, . | 0.2 | 4 |
| 194 | Transmission of 16SrIII-J phytoplasma by <i>Bergallia valdiviana</i> Berg 1881 leafhopper. <i>Phytopathogenic Mollicutes</i> , 2015, 5, S47. | 0.1 | 4 |
| 195 | Identification of phytoplasmas in mango and pomegranate fruits in Guadeloupe. <i>Phytopathogenic Mollicutes</i> , 2018, 8, 89. | 0.1 | 4 |
| 196 | The phytoplasma classification between <i>Candidatus</i> species™ provisional status and ribosomal grouping system. <i>Phytopathogenic Mollicutes</i> , 2019, 9, 1. | 0.1 | 4 |
| 197 | <i>Candidatus</i> <i>Phytoplasma</i> ™ species detection in coconuts in Cuba. <i>Phytopathogenic Mollicutes</i> , 2019, 9, 191. | 0.1 | 4 |
| 198 | Detection and identification of phytoplasmas associated with longan witches' broom in Vietnam. <i>Phytopathogenic Mollicutes</i> , 2012, 2, 23. | 0.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Molecular Variability and Host Distribution of <i>Candidatus Phytoplasma solani</i> ™ Strains from Different Geographic Origins. <i>Microorganisms</i> , 2021, 9, 2530. | 1.6 | 4 |
| 200 | BYMV-FREE CLONES OF EIGHT GLADIOLUS CULTIVARS OBTAINED BY MERISTEM-TIP CULTURE. <i>Acta Horticulturae</i> , 1986, , 299-308. | 0.1 | 3 |
| 201 | ELECTRON MICROSCOPY OF VIRESCENT GLOXINIA PLANTS. <i>Acta Horticulturae</i> , 1990, , 509-516. | 0.1 | 3 |
| 202 | PHYTOPLASMAS, ACERIA BEZZII AND DROUGHT IN DECLINING EUROPEAN HACKBERRY (CELTIS AUSTRALIS L.). <i>Acta Horticulturae</i> , 1999, , 87-92. | 0.1 | 3 |
| 203 | TOBACCO STREAK VIRUS INFECTING BUXUS SEMPERVIRENS. <i>Acta Horticulturae</i> , 2006, , 229-234. | 0.1 | 3 |
| 204 | Micropropagation and Maintenance of Phytoplasmas in Tissue Culture. <i>Methods in Molecular Biology</i> , 2013, 938, 33-39. | 0.4 | 3 |
| 205 | FIRST REPORT OF PHYTOPLASMAS ASSOCIATED WITH ERYSIMUM LINIFOLIUM STUNTING. <i>Acta Horticulturae</i> , 2015, , 117-121. | 0.1 | 3 |
| 206 | PCR-based diagnostic methods for 'Candidatus Liberibacter solanacearum' - Review. <i>Plant Protection Science</i> , 2019, 55, 229-242. | 0.7 | 3 |
| 207 | Detection of 16SrVI and 16SrIX phytoplasma groups in pot marigold and tickseed plants in northeastern Iran. <i>Folia Microbiologica</i> , 2020, 65, 697-703. | 1.1 | 3 |
| 208 | Molecular diversity of phytoplasmas associated with eggplant phyllody disease in Iran. <i>European Journal of Plant Pathology</i> , 2021, 161, 195-205. | 0.8 | 3 |
| 209 | Detection and identification of a 16SrIIIâ€š subgroup phytoplasma associated with faba bean in Peru. <i>Journal of Phytopathology</i> , 2021, 169, 203-208. | 0.5 | 3 |
| 210 | IDENTIFICATION BY MOLECULAR TECHNIQUES OF PHYTOPLASMAS ASSOCIATED WITH APRICOT CHLOROTIC LEAFROLL IN ITALY. <i>Acta Horticulturae</i> , 1999, , 779-782. | 0.1 | 3 |
| 211 | IDENTIFICATION OF PHYTOPLASMAS ON POMACEOUS FRUIT TREE SPECIES IN HUNGARY. <i>Acta Horticulturae</i> , 2004, , 443-448. | 0.1 | 3 |
| 212 | IMPROVED MOLECULAR METHODS FOR DETECTION OF EUROPEAN STONE FRUIT YELLOWS (ESFY) PHYTOPLASMAS FROM IN VITRO SHOOTS OF FRUIT TREES. <i>Acta Horticulturae</i> , 2004, , 495-500. | 0.1 | 3 |
| 213 | COMPARISON OF DIFFERENT DETECTION SYSTEMS FOR APPLE PROLIFERATION PHYTOPLASMAS IN TRENTO (NORTH ITALY). <i>Acta Horticulturae</i> , 2008, , 453-458. | 0.1 | 3 |
| 214 | First report of the identification of a <i>Candidatus</i> <i>Phytoplasma pruni</i> â€š related strain in <i>Trillium</i> species in Canada. <i>New Disease Reports</i> , 2016, 34, 19-19. | 0.4 | 3 |
| 215 | Molecular characterization of a new phytoplasma associated with <i>Helianthus annuus</i> phyllody in Iran. <i>Phytopathogenic Mollicutes</i> , 2017, 7, 81. | 0.1 | 3 |
| 216 | Molecular differentiation of 16SrIX-I phytoplasmas detected in <i>Onobrychis viciifolia</i> leaf yellowing in Iran from phytoplasmas in 16SrIX-J subgroup. <i>Phytopathogenic Mollicutes</i> , 2018, 8, 24. | 0.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Phytoplasmas infecting greenhouse cucumber in Iran. <i>Phytopathogenic Mollicutes</i> , 2019, 9, 31. | 0.1 | 3 |
| 218 | â€ˆCandidatus <i>Phytoplasma</i> â€™™ and â€ˆCandidatus <i>Liberibacter</i> â€™™ species detection in citrus. <i>Phytopathogenic Mollicutes</i> , 2019, 9, 187. | 0.1 | 3 |
| 219 | Occurrence of single and mixed infection of <i>Spiroplasma citri</i> and phytoplasmas in sesame plants in Iran. <i>Australasian Plant Pathology</i> , 2022, 51, 13-26. | 0.5 | 3 |
| 220 | Preliminary evaluation of antimicrobial activity of some chemicals on in vitro apple shoots infected by 'Candidatus <i>Phytoplasma mali</i> '. <i>Communications in Agricultural and Applied Biological Sciences</i> , 2008, 73, 335-41. | 0.0 | 3 |
| 221 | THE OCCURRENCE OF STRAWBERRY VIRUSES AND PHYTOPLASMAS IN THE CZECH REPUBLIC. <i>Acta Horticulturae</i> , 2001, , 81-86. | 0.1 | 2 |
| 222 | IDENTIFICATION AND MOLECULAR CHARACTERIZATION OF MULTIPLE PHYTOPLASMA INFECTION IN SPARTIUM JUNCEUM AND CYTISUS SCOPARIUS. <i>Acta Horticulturae</i> , 2015, , 113-116. | 0.1 | 2 |
| 223 | Rapid screening for phytoplasma presence in flower crops using <i>tuf</i> gene barcode. <i>Acta Horticulturae</i> , 2018, , 63-68. | 0.1 | 2 |
| 224 | A new species of planthopper in the genus <i>Agoo</i> Bahder & Bartlett (Hemiptera: Fulgoroidea: Derbidae) from coconut palm (<i>Cocos nucifera</i> L.) in Jamaica. <i>Zootaxa</i> , 2020, 4853, 254-264. | 0.2 | 2 |
| 225 | Molecular detection of phytoplasmas in potato psyllids in Ecuador. <i>Phytopathogenic Mollicutes</i> , 2021, 11, 51-58. | 0.1 | 2 |
| 226 | <i>Phytoplasma</i> Cultivation. , 2019, , 89-104. | | 2 |
| 227 | PHYTOPLASMA INFECTION IN STRAWBERRY CULTIVATION IN SOUTHERN ITALY. <i>Acta Horticulturae</i> , 2002, , 639-642. | 0.1 | 2 |
| 228 | Characterization of a â€ˆCandidatus <i>Phytoplasma asteris</i> â€™™ strains associated with periwinkle virescence in Southern Italy. <i>Phytopathogenic Mollicutes</i> , 2014, 4, 53. | 0.1 | 2 |
| 229 | <i>Phytoplasma</i> identification in <i>Iberis</i> exhibiting stunting and witchesâ€™ broom symptoms. <i>Phytopathogenic Mollicutes</i> , 2015, 5, S85. | 0.1 | 2 |
| 230 | <i>Cyperus rotundus</i> L. a new host species for â€ˆCandidatus <i>Phytoplasma aurantifolia</i> â€™™ - related phytoplasmas in Cuba. <i>Phytopathogenic Mollicutes</i> , 2015, 5, 42. | 0.1 | 2 |
| 231 | Molecular detection and identification of 16SrII group and aster yellows phytoplasmas associated with longan witchesâ€™ broom syndrome in Vietnam. <i>Phytopathogenic Mollicutes</i> , 2016, 6, 10. | 0.1 | 2 |
| 232 | New host plants and distribution areas of â€ˆCandidatus <i>Phytoplasma omanense</i> â€™™-related strains in Iran. <i>Phytopathogenic Mollicutes</i> , 2019, 9, 13. | 0.1 | 2 |
| 233 | Use of 12p and 36p genes as molecular markers in support of subgroup identification of two 16SrXIII phytoplasmas associated with strawberry phyllody in Chile. <i>Phytopathogenic Mollicutes</i> , 2019, 9, 89. | 0.1 | 2 |
| 234 | Outlook on relevant phytoplasma diseases in Europe. <i>Phytopathogenic Mollicutes</i> , 2013, 3, 9. | 0.1 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Characterization on six genes of <i>Candidatus</i> Phytoplasma asteris™-related phytoplasmas infecting cyclamen. <i>Phytopathogenic Mollicutes</i> , 2013, 3, 72. | 0.1 | 2 |
| 236 | Molecular identification and characterization of phytoplasmas in insect vectors of chickpea phyllody disease in Punjab, Pakistan. <i>Phytopathogenic Mollicutes</i> , 2019, 9, 105. | 0.1 | 2 |
| 237 | Does salicylic acid alleviate the impacts on growth, development and productivity of <i>Flavescence dorée</i> in Portuguese <i>Vinhos Verdes</i> grapevines?. <i>Phytopathogenic Mollicutes</i> , 2019, 9, 167. | 0.1 | 2 |
| 238 | Methyl jasmonate triggers metabolic responses and gene expression on <i>Vitis vinifera</i> cultivar Loureiro infected with <i>Flavescence dorée</i> . <i>Phytopathogenic Mollicutes</i> , 2019, 9, 165. | 0.1 | 2 |
| 239 | Identification of a 16S rDNA phytoplasma strain associated with <i>Daphne mucronata</i> phyllody in Iran. <i>Forest Pathology</i> , 2021, 51, e12703. | 0.5 | 2 |
| 240 | Diverse phytoplasmas associated with maize bushy stunt disease in Peru. <i>European Journal of Plant Pathology</i> , 2022, 163, 223-235. | 0.8 | 2 |
| 241 | Microarrays for Universal Detection and Identification of Phytoplasmas. <i>Methods in Molecular Biology</i> , 2013, 938, 223-232. | 0.4 | 1 |
| 242 | Phytoplasmas – Dangerous and Intriguing Bacteria. <i>SpringerBriefs in Agriculture</i> , 2017, , 1-15. | 0.9 | 1 |
| 243 | Plant Pathogens, Minor (Phytoplasmas) <i>et al.</i> , 2018, , . | | 1 |
| 244 | Transovarial Transmission in Insect Vectors. , 2019, , 115-130. | | 1 |
| 245 | Phytoplasma cultivation: State of the art. <i>Phytopathogenic Mollicutes</i> , 2021, 11, 3-8. | 0.1 | 1 |
| 246 | Multilocus typing for characterization of <i>Candidatus</i> Phytoplasma asteris™-related strains in several ornamental species in Italy. <i>Acta Horticulturae</i> , 2018, , 55-62. | 0.1 | 1 |
| 247 | Multigene characterization of phytoplasmas infecting jujube and paulownia in China. <i>Phytopathogenic Mollicutes</i> , 2016, 6, 93. | 0.1 | 1 |
| 248 | Detection of phytoplasmas in <i>Passiflora edulis</i> in Guadeloupe. <i>Phytopathogenic Mollicutes</i> , 2018, 8, 8. | 0.1 | 1 |
| 249 | Plasma activated water as a possible sustainable strategy towards grapevine yellows disease management. <i>Phytopathogenic Mollicutes</i> , 2019, 9, 163. | 0.1 | 1 |
| 250 | Phytoplasma detection in date palm plant tissues by colony isolation followed by molecular analyses. <i>Phytopathogenic Mollicutes</i> , 2019, 9, 263. | 0.1 | 1 |
| 251 | Preliminary results on susceptibility to bacterial canker of <i>Actinidia</i> spp. accessions. <i>Acta Horticulturae</i> , 2019, , 115-120. | 0.1 | 1 |
| 252 | Molecular characterization of phytoplasmas infecting neem trees in India. <i>Phytopathogenic Mollicutes</i> , 2020, 10, 158-165. | 0.1 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Identification of phytoplasmas and Auchenorrhyncha in Tunisian vineyards. <i>Phytopathogenic Mollicutes</i> , 2020, 10, 25. | 0.1 | 1 |
| 254 | First report of a 16SrII-D phytoplasma associated with phyllody in <i>Heliopsis helianthoides</i> . <i>Australasian Plant Pathology</i> , 2022, 51, 117-122. | 0.5 | 1 |
| 255 | Survey for <i>Candidatus Liberibacter</i> ™ and <i>Candidatus Phytoplasma</i> ™ in Citrus in Chile. <i>Pathogens</i> , 2022, 11, 48. | 1.2 | 1 |
| 256 | European primary datasets of alien bacteria and viruses. <i>Scientific Data</i> , 2022, 9, . | 2.4 | 1 |
| 257 | PRELIMINARY RESULTS ON IDENTIFICATION OF MOLECULES INDUCED IN APRICOT TREES AFTER ESFY PHYTOPLASMA INOCULATION BY GRAFTING. <i>Acta Horticulturae</i> , 2006, , 455-458. | 0.1 | 0 |
| 258 | Ten years journey of phytopathogenic mollicutes. <i>Phytopathogenic Mollicutes</i> , 2021, 11, 1-2. | 0.1 | 0 |
| 259 | Tropicsafe project: Detection and management of lethal yellowing and grapevine yellows diseases in partner countries. <i>Phytopathogenic Mollicutes</i> , 2021, 11, 9-14. | 0.1 | 0 |
| 260 | A chrysanthemum decline associated with phytoplasma presence in Italy. <i>Phytopathogenic Mollicutes</i> , 2021, 11, 15-22. | 0.1 | 0 |
| 261 | PHYTOPLASMA SUB-GROUPS INFECTING INSECTS COLLECTED IN DAMAGED STRAWBERRY FIELDS. <i>Acta Horticulturae</i> , 2006, , 161-166. | 0.1 | 0 |
| 262 | Small RNA profiling of aster yellows infected <i>Catharanthus roseus</i> plants. <i>Phytopathogenic Mollicutes</i> , 2019, 9, 131. | 0.1 | 0 |
| 263 | Phytoplasma cultivation: lights and shadows. <i>Phytopathogenic Mollicutes</i> , 2019, 9, 95. | 0.1 | 0 |
| 264 | Host Metabolic Interaction and Perspectives in Phytoplasma Research. , 2019, , 201-226. | | 0 |
| 265 | Phytoplasmas detected in insects and spontaneous vegetation near vineyards with yellows diseases in Italy. <i>Phytopathogenic Mollicutes</i> , 2019, 9, 55. | 0.1 | 0 |
| 266 | A severe case of pear decline disease. <i>Phytopathogenic Mollicutes</i> , 2019, 9, 252. | 0.1 | 0 |
| 267 | Potential insect vectors and alternative host plants of phytoplasmas in the Fynbos and Succulent Karoo biomes in South Africa. <i>Phytopathogenic Mollicutes</i> , 2019, 9, 197. | 0.1 | 0 |
| 268 | Preliminary evaluation of the use of an antiserum obtained from phytoplasma culture. <i>Phytopathogenic Mollicutes</i> , 2019, 9, 201. | 0.1 | 0 |
| 269 | Identification of 16SrXI phytoplasmas in sugarcane and alternative hostplants in Karnataka, India. <i>Phytopathogenic Mollicutes</i> , 2020, 10, 50. | 0.1 | 0 |
| 270 | Confirmation of the association of an aster yellows phytoplasma with flat stem and witches™ broom disease of <i>Hibiscus cannabinus</i> in the north east region of India. <i>Phytopathogenic Mollicutes</i> , 2020, 10, 152-157. | 0.1 | 0 |