

Francisco J Ares-Pena

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5101456/francisco-j-ares-pena-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143
papers

2,013
citations

21
h-index

39
g-index

160
ext. papers

2,381
ext. citations

2.2
avg, IF

4.47
L-index

#	Paper	IF	Citations
143	Optimizing Radiation Patterns of Thinned Arrays with Deep Nulls Fixed through Their Representation in the Schelkunoff Unit Circle and a Simulated Annealing Algorithm.. <i>Sensors</i> , 2022 , 22,	3.8	3
142	An Improved Pattern Synthesis Iterative Method in Planar Arrays for Obtaining Efficient Footprints with Arbitrary Boundaries. <i>Sensors</i> , 2021 , 21,	3.8	1
141	Exposure to 2.45 GHz Radiation Triggers Changes in HSP-70, Glucocorticoid Receptors and GFAP Biomarkers in Rat Brain. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
140	Radiofrequency at 2.45GHz increases toxicity, pro-inflammatory and pre-apoptotic activity caused by black carbon in the RAW 264.7 macrophage cell line. <i>Science of the Total Environment</i> , 2021 , 765, 142681	10.2	6
139	Enhanced Multiplicity on Shaped Patterns by Introducing Symmetric Pure Real Distributions: Taylor Linear and Circular Sources. <i>IEEE Access</i> , 2021 , 9, 13636-13642	3.5	
138	Exposure to 2.45 GHz radiofrequency modulates calcitonin-dependent activity and HSP-90 protein in parafollicular cells of rat thyroid gland. <i>Tissue and Cell</i> , 2021 , 68, 101478	2.7	1
137	Feasibility Study on Measuring the Particulate Matter Level in the Atmosphere by Means of Yagi-Uda-Like Antennas. <i>Sensors</i> , 2020 , 20,	3.8	1
136	Multiple Solutions Starting from Real Shaped Beams in Equispaced Linear Arrays. <i>Sensors</i> , 2020 , 21,	3.8	2
135	Improvement of Edge Brightening by Means of Q Factor Minimization in Circular Antenna Apertures: High Efficient Taylor-Like Patterns. <i>IEEE Access</i> , 2020 , 8, 184004-184012	3.5	
134	Validation of Potential Effects on Human Health of in Vivo Experimental Models Studied in Rats Exposed to Sub-Thermal Radiofrequency. Possible Health Risks Due to the Interaction of Electromagnetic Pollution and Environmental Particles. <i>IEEE Access</i> , 2019 , 7, 79186-79198	3.5	4
133	Exposure to radiation from single or combined radio frequencies provokes macrophage dysfunction in the RAW 264.7 cell line. <i>International Journal of Radiation Biology</i> , 2018 , 94, 607-618	2.9	8
132	Design of Polyimide-Coated Yagi-Uda Antennas for Monitoring the Relative Humidity Level. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2017 , 14, 961-963	4.1	3
131	Simple and effective monitoring of the electromagnetic field in the smart cities arena. <i>Radio Science</i> , 2016 , 51, 1249-1262	1.4	
130	Evidence of cellular stress and caspase-3 resulting from a combined two-frequency signal in the cerebrum and cerebellum of sprague-dawley rats. <i>Oncotarget</i> , 2016 , 7, 64674-64689	3.3	11
129	Technique for Determination of Particulate Matter Pollution in the Atmosphere Using Waveguide Slot Linear Array Antennas: A Feasibility Study. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2016 , 13, 1502-1506	4.1	2
128	Exposure to non-ionizing radiation provokes changes in rat thyroid morphology and expression of HSP-90. <i>Experimental Biology and Medicine</i> , 2015 , 240, 1123-35	3.7	6
127	Measured characteristics of a planar array of parasitic elements fed by one active element. <i>Microwave and Optical Technology Letters</i> , 2015 , 57, 2807-2809	1.2	

126	EMF radiation at 2450 MHz triggers changes in the morphology and expression of heat shock proteins and glucocorticoid receptors in rat thymus. <i>Life Sciences</i> , 2015 , 127, 1-11	6.8	15
125	Synthesis of Taylor-Like Patterns With Uniformly Excited Multi-Ring Planar Antennas. <i>IEEE Transactions on Antennas and Propagation</i> , 2014 , 62, 1589-1595	4.9	11
124	Pencil Beams and Flat-Topped Beams with Asymmetric Sidelobes from Circular Arrays [Antenna Designer's Notebook]. <i>IEEE Antennas and Propagation Magazine</i> , 2014 , 56, 153-161	1.7	4
123	Arrays of Concentric Rings of Elements: Synthesis of Pencil Beams With and Without Allowance for Nonexcitation Blockage. <i>IEEE Transactions on Antennas and Propagation</i> , 2013 , 61, 2865-2867	4.9	0
122	A Cautionary Note on Optimization [Antenna Designer's Notebook]. <i>IEEE Antennas and Propagation Magazine</i> , 2013 , 55, 136-139	1.7	1
121	Synthesis of Array Radiation Pattern Footprints Using Radial Stretching, Fourier Analysis, and Hankel Transformation. <i>IEEE Transactions on Antennas and Propagation</i> , 2012 , 60, 2106-2109	4.9	12
120	Realizing E Symmetric Radiation Patterns of Circular Apertures Using Circular Square-Grid Arrays [Antenna Designer's Notebook]. <i>IEEE Antennas and Propagation Magazine</i> , 2012 , 54, 135-142	1.7	0
119	AN EXPERIMENTAL MULTI-FREQUENCY SYSTEM FOR STUDYING DOSIMETRY AND ACUTE EFFECTS ON CELL AND NUCLEAR MORPHOLOGY IN RAT TISSUES. <i>Progress in Electromagnetics Research</i> , 2012 , 129, 541-558	3.8	7
118	Electromagnetic fields at 2.45 GHz trigger changes in heat shock proteins 90 and 70 without altering apoptotic activity in rat thyroid gland. <i>Biology Open</i> , 2012 , 1, 831-8	2.2	16
117	A study of neurotoxic biomarkers, c-fos and GFAP after acute exposure to GSM radiation at 900 MHz in the picrotoxin model of rat brains. <i>NeuroToxicology</i> , 2011 , 32, 478-94	4.4	26
116	DESIGN OF PLANAR ARRAYS COMPOSED BY AN ACTIVE DIPOLE ABOVE A GROUND PLANE WITH PARASITIC ELEMENTS. <i>Progress in Electromagnetics Research</i> , 2011 , 119, 265-277	3.8	2
115	EXPERIMENTAL RESULTS ON A PLANAR ARRAY OF PARASITIC DIPOLES FED BY ONE ACTIVE ELEMENT. <i>Progress in Electromagnetics Research</i> , 2011 , 113, 369-377	3.8	2
114	The effects of single and repeated exposure to 2.45 GHz radiofrequency fields on c-Fos protein expression in the paraventricular nucleus of rat hypothalamus. <i>Neurochemical Research</i> , 2011 , 36, 2322-32	4.6	10
113	EXPOSURE TO 2.45 GHz MICROWAVE RADIATION PROVOKES CEREBRAL CHANGES IN INDUCTION OF HSP-90 α / β HEAT SHOCK PROTEIN IN RAT.. <i>Progress in Electromagnetics Research</i> , 2010 , 100, 351-379	3.8	21
112	PENCIL BEAM PATTERNS OBTAINED BY PLANAR ARRAYS OF PARASITIC DIPOLES FED BY ONLY ONE ACTIVE ELEMENT. <i>Progress in Electromagnetics Research</i> , 2010 , 103, 419-431	3.8	7
111	A WiMAX Conformal Broad-Beam Antenna [Antenna Designer's Notebook]. <i>IEEE Antennas and Propagation Magazine</i> , 2010 , 52, 106-109	1.7	4
110	Arbitrary Footprints from Arrays with Concentric Ring Geometry and Low Dynamic Range Ratio. <i>Journal of Electromagnetic Waves and Applications</i> , 2010 , 24, 1795-1806	1.3	9
109	Analysis of Tolerance Among the Solutions to Shaped-Beam Synthesis Problems. <i>Journal of Electromagnetic Waves and Applications</i> , 2010 , 24, 1341-1352	1.3	2

108	Effects of Cell-Phone Radiation on the Electroencephalographic Spectra of Epileptic Patients [Telecommunications Health & Safety]. <i>IEEE Antennas and Propagation Magazine</i> , 2010 , 52, 173-179	1.7	12
107	Shaped-Pattern Synthesis by Spreading Out Collapsed Distributions. <i>IEEE Antennas and Propagation Magazine</i> , 2010 , 52, 110-114	1.7	4
106	Fast Array Thinning using Global Optimization Methods. <i>Journal of Electromagnetic Waves and Applications</i> , 2010 , 24, 2259-2271	1.3	20
105	Synthesising Taylor and Bayliss linear distributions with common aperture tail. <i>Electronics Letters</i> , 2009 , 45, 18	1.1	27
104	The action of pulse-modulated GSM radiation increases regional changes in brain activity and c-Fos expression in cortical and subcortical areas in a rat model of picrotoxin-induced seizure proneness. <i>Journal of Neuroscience Research</i> , 2009 , 87, 1484-99	4.4	23
103	High-performance uniformly excited linear and planar arrays based on linear semiarrays composed of subarrays with different uniform spacings. <i>IEEE Transactions on Antennas and Propagation</i> , 2009 , 57, 4002-4006	4.9	7
102	Optimal Compromise Among Sum and Difference Patterns in Monopulse Antennas: Use of Subarrays and Distributions with Common Aperture Tail. <i>Journal of Electromagnetic Waves and Applications</i> , 2009 , 23, 2301-2311	1.3	19
101	Rapid method for finding faulty elements in antenna arrays using far field pattern samples. <i>IEEE Transactions on Antennas and Propagation</i> , 2009 , 57, 1679-1683	4.9	33
100	Low-Sidelobe Patterns From Small, Low-Loss Uniformly Fed Linear Arrays Illuminating Parasitic Dipoles. <i>IEEE Transactions on Antennas and Propagation</i> , 2009 , 57, 1584-1586	4.9	7
99	Element failure detection in linear antenna arrays using case-based reasoning. <i>IEEE Antennas and Propagation Magazine</i> , 2008 , 50, 198-204	1.7	30
98	. <i>IEEE Transactions on Antennas and Propagation</i> , 2008 , 56, 1799-1804	4.9	134
97	Rapid method for obtaining footprint patterns for very large antenna arrays. <i>Electronics Letters</i> , 2008 , 44, 264	1.1	3
96	Synthesis of Very Large Planar Arrays for Prescribed Footprint Illumination. <i>IEEE Transactions on Antennas and Propagation</i> , 2008 , 56, 584-589	4.9	15
95	A SIMPLE ALTERNATIVE FOR BEAM RECONFIGURATION OF ARRAY ANTENNAS. <i>Progress in Electromagnetics Research</i> , 2008 , 88, 227-240	3.8	16
94	AN EXPERIMENTAL SET-UP FOR MEASUREMENT OF THE POWER ABSORBED FROM 900 MHZ GSM STANDING WAVES BY SMALL ANIMALS, ILLUSTRATED BY APPLICATION TO PICROTOXIN-TREATED RATS. <i>Progress in Electromagnetics Research</i> , 2008 , 87, 149-165	3.8	10
93	Beam reconfiguration in antenna arrays by using parasitic elements 2007 ,		2
92	Very fast method to synthesise conformal arrays. <i>Electronics Letters</i> , 2007 , 43, 856	1.1	4
91	Quasi-Analytical Synthesis of Moderate and Large Arrays Radiating Arbitrary "Star-Shaped" Footprint Patterns [Antenna Designer's Notebook]. <i>IEEE Antennas and Propagation Magazine</i> , 2007 , 49, 105-112	1.7	4

90	New Toroidal Beam Antennas for WLAN Communications. <i>IEEE Transactions on Antennas and Propagation</i> , 2007 , 55, 389-398	4.9	10
89	Design of Reconfigurable Array Antennas With Minimum Variation of Active Impedances. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2006 , 5, 541-544	3.8	5
88	Application of time modulation in the synthesis of sum and difference patterns by using linear arrays. <i>Microwave and Optical Technology Letters</i> , 2006 , 48, 829-832	1.2	72
87	Analysis, synthesis, and diagnostics of antenna arrays through complex-valued neural networks. <i>Microwave and Optical Technology Letters</i> , 2006 , 48, 1512-1515	1.2	10
86	Beam reconfiguration of linear arrays using parasitic elements. <i>Electronics Letters</i> , 2006 , 42, 131	1.1	13
85	A Simple Way of Obtaining Optimized Patterns Using the Woodward-Lawson Method. <i>IEEE Antennas and Propagation Magazine</i> , 2006 , 48, 100-103	1.7	2
84	GSM radiation triggers seizures and increases cerebral c-Fos positivity in rats pretreated with subconvulsive doses of picrotoxin. <i>Neuroscience Letters</i> , 2006 , 398, 139-44	3.3	25
83	Feeding in-phase dipole arrays: a tutorial and a MATLAB program. <i>IEEE Antennas and Propagation Magazine</i> , 2005 , 47, 169-173	1.7	3
82	A comparison of optimization techniques for power patterns with low sidelobes generated by linear arrays with efficient excitation distributions. <i>Microwave and Optical Technology Letters</i> , 2005 , 45, 57-60	1.2	5
81	Matrix pseudo-inversion technique for diagnostics of planar arrays. <i>Electronics Letters</i> , 2005 , 41, 7	1.1	18
80	Synthesis of planar arrays with arbitrary geometry generating arbitrary footprint patterns. <i>IEEE Transactions on Antennas and Propagation</i> , 2004 , 52, 2484-2488	4.9	14
79	Perturbation of the phases of Taylor field samples in the synthesis of linear and circular array antennas. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2004 , 3, 38-40	3.8	1
78	Arbitrary footprint patterns obtained by circular apertures. <i>Electronics Letters</i> , 2004 , 40, 1565	1.1	9
77	Two-pattern linear array antenna: synthesis and analysis of tolerance. <i>IET Microwaves Antennas and Propagation</i> , 2004 , 151, 127		18
76	Optimization of array boundaries for arbitrary footprint patterns. <i>IEEE Transactions on Antennas and Propagation</i> , 2004 , 52, 635-637	4.9	10
75	Optimizing uniformly excited linear arrays through time modulation. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2004 , 3, 298-301	3.8	178
74	Phase-only synthesis of non-/spl phi/-symmetric patterns for reflectarray antennas with circular boundary. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2004 , 3, 246-248	3.8	4
73	On the multiplicity of solutions of Taylor linear sources generating symmetrical power patterns with filled nulls [antenna design applications]. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2004 , 3, 169-171	3.8	1

72	Visualizing the 3D polar power patterns and excitations of planar arrays with Matlab. <i>IEEE Antennas and Propagation Magazine</i> , 2004 , 46, 108-112	1.7	4
71	NEAR FIELD QUASI-NULL CONTROL WITH FAR FIELD SIDELobe LEVEL MAINTENANCE IN LINE SOURCE DIFFERENCE PATTERNS. <i>Journal of Electromagnetic Waves and Applications</i> , 2003 , 17, 1365-1371 ¹³		
70	Optimal Synthesis Of Circular Apertures Based On Ludwig Distributions. <i>Electromagnetics</i> , 2003 , 23, 41-538		4
69	Synthesis of multi-radial line antenna for HIPERLAN. <i>Electronics Letters</i> , 2003 , 39, 1162	1.1	
68	Almost uniformly excited arrays. <i>Microwave and Optical Technology Letters</i> , 2003 , 37, 297-300	1.2	1
67	Satellite communication with moving vehicles on earth: Two prototype circular array antennas. <i>Microwave and Optical Technology Letters</i> , 2003 , 39, 14-16	1.2	7
66	Measurement distance effects on ϕ -symmetric shaped patterns generated by circular continuous apertures. <i>IEEE Antennas and Propagation Magazine</i> , 2003 , 45, 68-70	1.7	
65	Sum pattern side lobe minimization for high-efficiency linear arrays with a uniformly excited central segment. <i>Journal of Electromagnetic Waves and Applications</i> , 2003 , 17, 409-417	1.3	3
64	Variation in the bandwidths of pattern-quality parameters and maximum embedded impedance among the solutions to shaped-beam synthesis problems for collinear dipole arrays. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2003 , 2, 267-268	3.8	3
63	Optimization of aperture distributions for double-difference patterns. <i>IEEE Transactions on Antennas and Propagation</i> , 2003 , 51, 668-669	4.9	1
62	Effects of measurement distance on measurements of symmetrically shaped patterns generated by line sources. <i>IEEE Antennas and Propagation Magazine</i> , 2003 , 45, 106-109	1.7	1
61	Synthesis of multiple-pattern planar antenna arrays with single prefixed or jointly optimized amplitude distributions. <i>Microwave and Optical Technology Letters</i> , 2002 , 32, 74-78	1.2	8
60	Waveguide-fed longitudinal slot array antennas: Fault diagnosis using measurements of input impedance. <i>Microwave and Optical Technology Letters</i> , 2002 , 32, 200-201	1.2	3
59	Minimizing the variability of scattering coefficients in multihole directional couplers. <i>Microwave and Optical Technology Letters</i> , 2002 , 35, 412-413	1.2	
58	Synthesis of a geostationary antenna with eight independently variable beams. <i>IEEE Antennas and Propagation Magazine</i> , 2002 , 44, 21-29	1.7	2
57	Optimal Synthesis of Line Source Antennas Based On Rhodes Distributions - Abstract. <i>Journal of Electromagnetic Waves and Applications</i> , 2002 , 16, 415-417	1.3	
56	. <i>IEEE Transactions on Antennas and Propagation</i> , 2002 , 50, 1555-1559	4.9	20
55	Synthesis of non-symmetric patterns from circular arrays. <i>Electronics Letters</i> , 2002 , 38, 1631	1.1	6

54	Near-field quasi-null control with far-field sidelobe level maintenance in line source distributions. <i>Electronics Letters</i> , 2002 , 38, 540	1.1	2
53	A note on the limitations of Orchard's method. <i>IEEE Antennas and Propagation Magazine</i> , 2002 , 44, 109	1.7	4
52	Avoiding interference in planar arrays through the use of artificial neural networks. <i>IEEE Antennas and Propagation Magazine</i> , 2002 , 44, 61-65	1.7	11
51	Low-sidelobe patterns from linear and planar arrays with uniform excitations except for phases of a small number of elements. <i>Electronics Letters</i> , 2001 , 37, 1495	1.1	8
50	Subarray weighting for the difference patterns of monopulse antennas: joint optimization of subarray configurations and weights. <i>IEEE Transactions on Antennas and Propagation</i> , 2001 , 49, 1606-1608	1.9	83
49	Planar arrays with square lattices and circular boundaries: sum patterns from distributions with uniform, amplitude or very low dynamic-range ratio. <i>IEEE Antennas and Propagation Magazine</i> , 2001 , 43, 90-93	1.7	13
48	Synthesis of tapered transmission lines with characteristic impedance optimization. <i>Microwave and Optical Technology Letters</i> , 2000 , 24, 277-281	1.2	1
47	Design of phase-differentiated multiple-pattern antenna arrays. <i>Microwave and Optical Technology Letters</i> , 2000 , 26, 52-53	1.2	30
46	Design of a circular aperture yielding a double-difference beam with sidelobes of individually arbitrary heights. <i>Microwave and Optical Technology Letters</i> , 2000 , 26, 402-403	1.2	1
45	Radiation Pattern Synthesis for Conformal Antenna Arrays. <i>Journal of Electromagnetic Waves and Applications</i> , 2000 , 14, 473-492	1.3	8
44	Multiple-pattern linear antenna arrays with single prefixed amplitude distributions: modified Woodward-Lawson synthesis. <i>Electronics Letters</i> , 2000 , 36, 1345	1.1	63
43	Synthesis of Satellite Footprints By Perturbation of Woodward-Lawson Solutions for Planar Array Antennas. <i>Journal of Electromagnetic Waves and Applications</i> , 2000 , 14, 3-10	1.3	18
42	Low sidelobe level in almost uniformly excited array. <i>Electronics Letters</i> , 2000 , 36, 1991	1.1	7
41	Genetic algorithm procedure for linear array failure correction. <i>Electronics Letters</i> , 2000 , 36, 196	1.1	44
40	Finding Defective Elements in Planar Arrays Using Genetic Algorithms - Abstract. <i>Journal of Electromagnetic Waves and Applications</i> , 2000 , 14, 827-828	1.3	1
39	Pencil-beam pattern synthesis with a uniformly excited multi-ring planar antenna. <i>IEEE Antennas and Propagation Magazine</i> , 2000 , 42, 70-74	1.7	19
38	Phase-Only Control of Antenna Sum Patterns - Abstract. <i>Journal of Electromagnetic Waves and Applications</i> , 2000 , 14, 1103-1104	1.3	1
37	Shaped beams from circular apertures and arrays with uniform amplitude. <i>Electronics Letters</i> , 2000 , 36, 1180	1.1	8

36	Arbitrary footprint patterns from planar arrays with complex excitations. <i>Electronics Letters</i> , 2000 , 36, 1678	1.1	9
35	Placing Quasi-Nulls in Planar and Conformal Arrays. <i>Electromagnetics</i> , 1999 , 19, 373-383	0.8	3
34	Pattern synthesis of array antennas with arbitrary elements by simulated annealing and adaptive array theory. <i>Microwave and Optical Technology Letters</i> , 1999 , 20, 48-50	1.2	18
33	Antenna array pattern synthesis in the presence of near-zone scatterers: Two-dimensional scalar case. <i>Microwave and Optical Technology Letters</i> , 1999 , 21, 275-277	1.2	4
32	Minimizing the variability of characteristic impedances in multisection quarter-wavelength transformers. <i>Microwave and Optical Technology Letters</i> , 1999 , 23, 194-196	1.2	1
31	Shaped Power Patterns Produced By Equispaced Linear Arrays: Optimized Synthesis Using Orthogonal $\sin(Nx)/\sin(x)$ Beams. <i>Journal of Electromagnetic Waves and Applications</i> , 1999 , 13, 985-992	1.3	26
30	Recalculating Linear Array Antennas To Compensate for Failed Elements While Maintaining Fixed Nulls. <i>Journal of Electromagnetic Waves and Applications</i> , 1999 , 13, 397-412	1.3	12
29	Antenna Array Pattern Synthesis in the Presence of Near-Zone Scatterers: Three-Dimensional Vector Case. <i>Journal of Electromagnetic Waves and Applications</i> , 1999 , 13, 1493-1507	1.3	1
28	Optimal Compromise Between Sum and Difference Patterns While Fixing Quasi-Nulls in Both. <i>Journal of Electromagnetic Waves and Applications</i> , 1999 , 13, 655-664	1.3	8
27	Phase-Only Null Fixing in Equispaced Linear Arrays Using Roots Searching. <i>Journal of Electromagnetic Waves and Applications</i> , 1999 , 13, 1569-1578	1.3	4
26	Genetic algorithms in the design and optimization of antenna array patterns. <i>IEEE Transactions on Antennas and Propagation</i> , 1999 , 47, 506-510	4.9	248
25	Design of shunt slot arrays without weak excitations. <i>Electronics Letters</i> , 1999 , 35, 1396	1.1	3
24	Combinatorial constraints on searching for optimal real or symmetric linear array excitation distributions. <i>Microwave and Optical Technology Letters</i> , 1998 , 19, 208-210	1.2	
23	Optimization of the Performance of Arrays With Failed Elements Using the Simulated Annealing Technique. <i>Journal of Electromagnetic Waves and Applications</i> , 1998 , 12, 1625-1638	1.3	20
22	Smooth, efficient real amplitude distributions with no edge brightening for linear and circular near-Taylor sum patterns. <i>Electronics Letters</i> , 1998 , 34, 611	1.1	4
21	Pattern synthesis of array antennas with additional isolation of near field arbitrary objects. <i>Electronics Letters</i> , 1998 , 34, 1540	1.1	22
20	Phase-only synthesis of continuous linear aperture distribution patterns with asymmetric side lobes. <i>Electronics Letters</i> , 1998 , 34, 1916	1.1	8
19	Design of efficient, easily feed-matched array antennas by joint optimisation of excitations and element geometry: pencil beam example. <i>Electronics Letters</i> , 1998 , 34, 1280	1.1	3

18	Extension of Orchard's Pattern Synthesis Technique for Overdetermined Systems. <i>Electromagnetics</i> , 1997 , 17, 15-23	0.8	4
17	Extension of the Orchard-Elliott synthesis method to pure-real nonsymmetrical-shaped patterns. <i>IEEE Transactions on Antennas and Propagation</i> , 1997 , 45, 1317-1318	4.9	9
16	Pattern synthesis of conformal arrays by the simulated annealing technique. <i>Electronics Letters</i> , 1997 , 33, 1187	1.1	78
15	Synthesis of shaped beam antenna patterns with null-filling in the sidelobe region. <i>Electronics Letters</i> , 1997 , 33, 2004	1.1	6
14	Efficient footprint patterns obtained by spreading out collapsed distributions. <i>Microwave and Optical Technology Letters</i> , 1997 , 14, 108-111	1.2	4
13	Asymmetric-shaped beam patterns from a continuous linear aperture distribution. <i>Microwave and Optical Technology Letters</i> , 1997 , 15, 288-291	1.2	4
12	Linear array pattern synthesis with minimum sidelobe level and null control. <i>Microwave and Optical Technology Letters</i> , 1997 , 16, 322-325	1.2	10
11	Application of genetic algorithms and simulated annealing technique in optimising the aperture distributions of antenna array patterns. <i>Electronics Letters</i> , 1996 , 32, 148	1.1	32
10	Optimal compromise among sum and difference patterns. <i>Journal of Electromagnetic Waves and Applications</i> , 1996 , 10, 1543-1555	1.3	30
9	Remarks on comparison between real and power optimisation methods for arrays synthesis of antennas. <i>Electronics Letters</i> , 1996 , 32, 1338	1.1	1
8	Synthesis of antenna patterns of circular arc arrays. <i>Electronics Letters</i> , 1996 , 32, 1845	1.1	12
7	Optimization of aperture distributions for difference patterns. <i>Journal of Electromagnetic Waves and Applications</i> , 1996 , 10, 383-402	1.3	11
6	Optimization of Aperture Distributions for Sum patterns. <i>Electromagnetics</i> , 1996 , 16, 129-143	0.8	11
5	Synthesis of shaped line-source antenna beams using pure real distributions. <i>Electronics Letters</i> , 1994 , 30, 280-281	1.1	12
4	. <i>IEEE Transactions on Antennas and Propagation</i> , 1994 , 42, 1509-1514	4.9	31
3	Optimised synthesis of shaped line-source antenna beams. <i>Electronics Letters</i> , 1993 , 29, 1136	1.1	11
2	. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 1989 , 37, 634-637	4.1	
1	Simultaneous Suppression of Dissipationless Transmission Line Harmonics of Multiple Orders by a Single Quarter-Wave Stub Pair. <i>International Journal of Electrical Engineering and Education</i> , 1989 , 26, 373-376	0.6	1

