

Naoya Nishi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5102735/publications.pdf>

Version: 2024-02-01

119
papers

2,647
citations

172207

29
h-index

223531

46
g-index

121
all docs

121
docs citations

121
times ranked

2088
citing authors

#	ARTICLE	IF	CITATIONS
1	Hysteresis of Potential-Dependent Changes in Ion Density and Structure of an Ionic Liquid on a Gold Electrode: In Situ Observation by Surface-Enhanced Infrared Absorption Spectroscopy. <i>Journal of Physical Chemistry Letters</i> , 2013, 4, 3110-3114.	2.1	121
2	Chain-length-dependent change in the structure of self-assembled monolayers of n-alkanethiols on Au(111) probed by broad-bandwidth sum frequency generation spectroscopy. <i>Journal of Chemical Physics</i> , 2003, 118, 1904-1911.	1.2	114
3	New Class of Ag/AgCl Electrodes Based on Hydrophobic Ionic Liquid Saturated with AgCl. <i>Analytical Chemistry</i> , 2007, 79, 7187-7191.	3.2	106
4	Wide Electrochemical Window at the Interface between Water and a Hydrophobic Room-Temperature Ionic Liquid of Tetrakis[3,5-bis(Trifluoromethyl)phenyl]borate. <i>Analytical Chemistry</i> , 2006, 78, 2726-2731.	3.2	95
5	Oxygen chemical potential variation in ceria-based solid oxide fuel cells determined by Raman spectroscopy. <i>Solid State Ionics</i> , 2000, 135, 481-485.	1.3	92
6	Ionic multilayers at the free surface of an ionic liquid, trioctylmethylammonium bis(nonafluorobutanesulfonyl)amide, probed by x-ray reflectivity measurements. <i>Journal of Chemical Physics</i> , 2010, 132, 164705.	1.2	76
7	Ultraslow relaxation of the structure at the ionic liquid gold electrode interface to a potential step probed by electrochemical surface plasmon resonance measurements: asymmetry of the relaxation time to the potential-step direction. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 11615.	1.3	75
8	Facilitated Transfer of Alkali-Metal Cations by Dibenzo-18-crown-6 across the Electrochemically Polarized Interface between an Aqueous Solution and a Hydrophobic Room-Temperature Ionic Liquid. <i>Analytical Chemistry</i> , 2006, 78, 5805-5812.	3.2	71
9	Fluorine-free and hydrophobic room-temperature ionic liquids, tetraalkylammonium bis(2-ethylhexyl)sulfosuccinates, and their ionic liquidâ€“water two-phase properties. <i>Green Chemistry</i> , 2006, 8, 349.	4.6	70
10	Effects of pulse width on nascent laser-induced bubbles for underwater laser-induced breakdown spectroscopy. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2014, 97, 94-98.	1.5	65
11	On-Site Quantitative Elemental Analysis of Metal Ions in Aqueous Solutions by Underwater Laser-Induced Breakdown Spectroscopy Combined with Electrodeposition under Controlled Potential. <i>Analytical Chemistry</i> , 2015, 87, 1655-1661.	3.2	64
12	Simultaneous observation of nascent plasma and bubble induced by laser ablation in water with various pulse durations. <i>Journal of Applied Physics</i> , 2015, 117, 173304.	1.1	60
13	Ultraslow Response of Interfacial Tension to the Change in the Phase-Boundary Potential at the Interface between Water and a Room-Temperature Ionic Liquid, Trioctylmethylammonium bis(nonafluorobutanesulfonyl)amide. <i>Journal of Physical Chemistry B</i> , 2009, 113, 3273-3276.	1.2	47
14	Ion Distribution and Hydration Structure in the Stern Layer on Muscovite Surface. <i>Langmuir</i> , 2017, 33, 3892-3899.	1.6	47
15	Temperature Dependence of Multilayering at the Free Surface of Ionic Liquids Probed by X-ray Reflectivity Measurements. <i>Langmuir</i> , 2011, 27, 7531-7536.	1.6	46
16	AC-Modulated Voltfluorometric Study of the Transient Adsorption of Rose Bengal Dianions in the Transfer across the 1,2-Dichloroethane Water Interface. <i>Journal of Physical Chemistry B</i> , 2001, 105, 8162-8169.	1.2	45
17	Electrochemical Instability in the Transfer of Cationic Surfactant across the 1,2-Dichloroethane/Water Interface. <i>Langmuir</i> , 2004, 20, 875-881.	1.6	44
18	Use of Highly Hydrophobic Ionic Liquids for Ion-selective Electrodes of the Liquid Membrane Type. <i>Analytical Sciences</i> , 2008, 24, 1315-1320.	0.8	44

#	ARTICLE	IF	CITATIONS
19	Charging current probing of the slow relaxation of the ionic liquid double layer at the Pt electrode. <i>Electrochemistry Communications</i> , 2011, 13, 1365-1368.	2.3	41
20	Interfacial Structure at the Quaternary Ammonium-Based Ionic Liquids Gold Electrode Interface Probed by Surface-Enhanced Infrared Absorption Spectroscopy: Anion Dependence of the Cationic Behavior. <i>Journal of Physical Chemistry C</i> , 2017, 121, 1658-1666.	1.5	41
21	Transfer of the Species Dissolved in a Liquid into Laser Ablation Plasma: An Approach Using Emission Spectroscopy. <i>Journal of Physical Chemistry C</i> , 2015, 119, 26506-26511.	1.5	40
22	Potential-induced restructuring dynamics of ionic liquids on a gold electrode: Steric effect of constituent ions studied by surface-enhanced infrared absorption spectroscopy. <i>Journal of Electroanalytical Chemistry</i> , 2017, 800, 126-133.	1.9	36
23	Voltammetry of Ion Transfer across the Electrochemically Polarized Micro Liquid-Liquid Interface between Water and a Room-temperature Ionic Liquid, Tetrahexylammonium Bis(trifluoromethylsulfonyl)imide, Using a Glass Capillary Micropipette. <i>Analytical Sciences</i> , 2006, 22, 667-671.	0.8	35
24	Dendritic nanofibers of gold formed by the electron transfer at the interface between water and a highly hydrophobic ionic liquid. <i>Chemical Communications</i> , 2015, 51, 13638-13641.	2.2	35
25	Stability Evaluation of Cation Bridging on Muscovite Surface for Improved Description of Ion-Specific Wettability Alteration. <i>Journal of Physical Chemistry C</i> , 2017, 121, 9273-9281.	1.5	35
26	Regular Irregularity in the Transfer of Anionic Surfactant across the Liquid/Liquid Interface. <i>ChemPhysChem</i> , 2003, 4, 179-185.	1.0	32
27	Potential dependent structure of an ionic liquid at ionic liquid/water interface probed by x-ray reflectivity measurements. <i>Journal of Electroanalytical Chemistry</i> , 2015, 759, 129-136.	1.9	32
28	A digital simulation study of steady-state voltammograms for the ion transfer across the liquid-liquid interface formed at the orifice of a micropipette. <i>Journal of Electroanalytical Chemistry</i> , 2008, 621, 297-303.	1.9	31
29	Structure of the Electrical Double Layer on the Aqueous Solution Side of the Polarized Interface between Water and a Room-Temperature Ionic Liquid, Tetrahexylammonium Bis(trifluoromethylsulfonyl)imide. <i>Langmuir</i> , 2007, 23, 925-929.	1.6	29
30	Potential-Dependent Structure of the Ionic Layer at the Electrode Interface of an Ionic Liquid Probed Using Neutron Reflectometry. <i>Journal of Physical Chemistry C</i> , 2019, 123, 9223-9230.	1.5	29
31	Polarized Potential Window Available at the Interface Between an Aqueous Electrolyte Solution and Tetraalkylammonium Imide Salts. <i>Electrochemistry</i> , 2004, 72, 833-835.	0.6	29
32	Phase Separation of Ternary Self-Assembled Monolayers into Hydrophobic 1-Dodecanethiol Domains and Electrostatically Stabilized Hydrophilic Domains Composed of 2-Aminoethanethiol and 2-Mercaptoethanesulfonic Acid on Au(111). <i>Langmuir</i> , 2005, 21, 10581-10586.	1.6	28
33	Molecular Dynamics Simulation of Atomic Force Microscopy at the Water-Muscovite Interface: Hydration Layer Structure and Force Analysis. <i>Langmuir</i> , 2016, 32, 3608-3616.	1.6	28
34	Electrocapillarity at the nonpolarized interface between the aqueous solution and the room-temperature molten salt composed of 1-octyl-3-methylimidazolium bis(pentafluoroethylsulfonyl)imide. <i>Physical Chemistry Chemical Physics</i> , 2004, 6, 4445.	1.3	27
35	Electroneutrality Coupling of Electron Transfer at an Electrode Surface and Ion Transfer across the Interface between Thin-layer of 1-Octyl-3-methylimidazolium Bis(perfluoroalkylsulfonyl)imide Covering the Electrode Surface and an Outer Electrolyte Solution. <i>Analytical Sciences</i> , 2004, 20, 1553-1557.	0.8	27
36	A comparison of the ultraslow relaxation processes at the ionic liquid water interface for three hydrophobic ionic liquids. <i>Electrochemistry Communications</i> , 2010, 12, 1479-1482.	2.3	26

#	ARTICLE	IF	CITATIONS
37	Electrocapillarity and zero-frequency differential capacitance at the interface between mercury and ionic liquids measured using the pendant drop method. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 5219-5226.	1.3	24
38	Surface Structure of a Hydrophobic Ionic Liquid Probed by Spectroscopic Ellipsometry. <i>Journal of Physical Chemistry C</i> , 2012, 116, 5097-5102.	1.5	23
39	Ionic Liquid Water Interface: A New Electrified System for Electrochemistry. <i>Electrochemistry</i> , 2006, 74, 942-948.	0.6	22
40	Interfacial Ion Pairing at the Interface between Water and a Room-Temperature Ionic Liquid, N-Tetradecylisoquinolinium Bis(pentafluoroethylsulfonyl)imide. <i>Langmuir</i> , 2007, 23, 7608-7611.	1.6	22
41	Voltammetric Manifestation of the Ultraslow Dynamics at the Interface between Water and an Ionic Liquid. <i>ChemPhysChem</i> , 2010, 11, 2912-2918.	1.0	21
42	A relationship between the force curve measured by atomic force microscopy in an ionic liquid and its density distribution on a substrate. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 30504-30512.	1.3	21
43	Janus-Type Gold/Polythiophene Composites Formed via Redox Reaction at the Ionic Liquid Water Interface. <i>Langmuir</i> , 2018, 34, 2441-2447.	1.6	20
44	Effect of Switching the Length of Alkyl Chains on Electric Double Layer Structure and Differential Capacitance at the Electrode Interface of Quaternary Ammonium-Based Ionic Liquids Studied Using Molecular Dynamics Simulation. <i>Journal of Physical Chemistry C</i> , 2020, 124, 7873-7883.	1.5	20
45	Orientation of 1-Dodecyl-4-phenylpyridinium Ions Constituting an Ionic Liquid at the Ionic Liquid Water Interface Studied by Second Harmonic Generation. <i>Journal of Physical Chemistry C</i> , 2007, 111, 12461-12466.	1.5	19
46	Phase Transition of a Binary Room-Temperature Ionic Liquid Composed of Bis(pentafluoroethanesulfonyl)amide Salts of Tetraheptylammonium and <i>i</i> -N-Tetradecylisoquinolinium and Its Surface Properties at the Ionic Liquid Water Interface. <i>Journal of Physical Chemistry B</i> , 2009, 113, 9321-9325.	1.2	18
47	Electrocapillarity under Ultraslow Relaxation of the Ionic Liquid Double Layer at the Interface between Trioctylmethylammonium Bis(nonafluorobutanesulfonyl)amide and Water. <i>Journal of Physical Chemistry B</i> , 2010, 114, 11141-11148.	1.2	18
48	Number density distribution of solvent molecules on a substrate: a transform theory for atomic force microscopy. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 15534-15544.	1.3	18
49	Ionic liquid structure at the electrified ionic liquid Hg interface studied using in situ spectroscopic ellipsometry. <i>Thin Solid Films</i> , 2014, 571, 735-738.	0.8	17
50	One-dimensional Pt nanofibers formed by the redox reaction at the ionic liquid water interface. <i>Electrochimica Acta</i> , 2018, 282, 886-891.	2.6	17
51	Evolution and Reversible Polarity of Multilayering at the Ionic Liquid/Water Interface. <i>Journal of Physical Chemistry B</i> , 2020, 124, 6412-6419.	1.2	17
52	Characterization of Electrodeposited Gold and Palladium Nanowire Gratings with Optical Diffraction Measurements. <i>Analytical Chemistry</i> , 2009, 81, 5585-5592.	3.2	16
53	Comparison of the overall temporal behavior of the bubbles produced by short- and long-pulse nanosecond laser ablations in water using a laser-beam-transmission probe. <i>Applied Physics A: Materials Science and Processing</i> , 2016, 122, 1.	1.1	16
54	Anion dependence of camel-shape capacitance at the interface between mercury and ionic liquids studied using pendant drop method. <i>Journal of Electroanalytical Chemistry</i> , 2017, 789, 108-113.	1.9	16

#	ARTICLE	IF	CITATIONS
55	Wide Polarized Potential Windows at the Interface between Water and an Ionic Liquid, Tetraheptylammonium Tetrakis[3,5-bis(trifluoromethyl)phenyl]borate. <i>Chemistry Letters</i> , 2007, 36, 1166-1167.	0.7	15
56	A calibration-free approach for on-site multi-element analysis of metal ions in aqueous solutions by electrodeposition-assisted underwater laser-induced breakdown spectroscopy. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2016, 118, 45-55.	1.5	15
57	Surface Structure of Quaternary Ammonium-Based Ionic Liquids Studied Using Molecular Dynamics Simulation: Effect of Switching the Length of Alkyl Chains. <i>Journal of Physical Chemistry C</i> , 2019, 123, 7246-7258.	1.5	14
58	Orientation of o-, m-, and p-Methylbenzylmercaptans Adsorbed on Au(111) Probed by Broad-Bandwidth Sum Frequency Generation Spectroscopy. <i>Langmuir</i> , 2003, 19, 6187-6192.	1.6	13
59	Electrochemical surface plasmon resonance as a probe of redox reactions at the ionic liquid gold interface. <i>Journal of Electroanalytical Chemistry</i> , 2018, 817, 210-216.	1.9	13
60	Template-Free and Spontaneous Formation of Vertically Aligned Pd Nanofiber Arrays at the Liquid-Liquid Interface between Redox-Active Ionic Liquid and Water. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 23731-23740.	4.0	13
61	One-step fabrication of Au@Pd core-shell bimetallic nanofibers at the interface between water and redox-active ionic liquid. <i>Electrochimica Acta</i> , 2019, 325, 134919.	2.6	12
62	Electrochemical surface plasmon resonance measurements of camel-shaped static capacitance and slow dynamics of electric double layer structure at the ionic liquid/electrode interface. <i>Journal of Chemical Physics</i> , 2020, 153, 044707.	1.2	12
63	Signal enhancement in underwater long-pulse laser-induced breakdown spectroscopy for the analysis of bulk water. <i>Journal of Analytical Atomic Spectrometry</i> , 2021, 36, 1170-1179.	1.6	12
64	Hydrophobic Ionic Liquids Composed of Perfluoroalkyltrifluoroborates for Ionic Liquid-Water Two-Phase Systems. <i>Bulletin of the Chemical Society of Japan</i> , 2009, 82, 86-92.	2.0	11
65	Differential pulse stripping voltammetry of moderately hydrophobic ions based on hydrophobic ionic liquid membranes supported on the Ag/AgCl electrode. <i>Journal of Electroanalytical Chemistry</i> , 2011, 656, 102-105.	1.9	11
66	Ionic Liquid-in-Water Emulsion-templated Synthesis of Gold Nanoshells at the Liquid-Liquid Interface between Water and Primary Ammonium-based Ionic Liquids. <i>Chemistry Letters</i> , 2019, 48, 589-592.	0.7	11
67	Effect of cation species on surface-induced phase transition observed for platinum complex anions in platinum electrodeposition using nanoporous silicon. <i>Journal of Chemical Physics</i> , 2014, 141, 074701.	1.2	10
68	Preparation of Dendritic Gold Nanofibers Using a Redox Reaction at the Interface between an Ionic Liquid and Water: Correlation between Viscosity and Nanostructure. <i>Bunseki Kagaku</i> , 2016, 65, 157-161.	0.1	10
69	Total-internal-reflection Broad-bandwidth Sum Frequency Generation Spectroscopy of Hexadecanethiol Adsorbed on Thin Gold Film Deposited on CaF ₂ . <i>Analytical Sciences</i> , 2003, 19, 887-890.	0.8	9
70	Analysis of Equilibrium Electrocapillary Curves at the Interface between Hydrophobic Ionic Liquid, Trioctylmethylammonium Bis(nonafluorobutanesulfonyl)amide, and Aqueous Lithium Chloride Solutions. <i>Journal of Chemical & Engineering Data</i> , 2010, 55, 4463-4466.	1.0	9
71	Effects of temporal laser profile on the emission spectra for underwater laser-induced breakdown spectroscopy: Study by short-interval double pulses with different pulse durations. <i>Journal of Applied Physics</i> , 2015, 117, 023302.	1.1	9
72	Potential of mean force between spherical particles in an ionic liquid and its decomposition into energetic and entropic components: An analysis using an integral equation theory. <i>Journal of Molecular Liquids</i> , 2018, 257, 121-131.	2.3	9

#	ARTICLE	IF	CITATIONS
73	Integral equation theory based method to determine number density distribution of colloidal particles near a substrate using a force curve from colloidal probe atomic force microscopy. Journal of Molecular Liquids, 2019, 294, 111584.	2.3	9
74	Simultaneous Synthesis of One-and Two-Dimensional Gold Nanostructures/Reduced Graphene Oxide Composites in the Redox-Active Ionic Liquid/Water Interfacial System. Chemistry of Materials, 2020, 32, 6374-6383.	3.2	9
75	In-situ electrochemical SPR study of gold surface smoothing by repetitive cathodic deposition and anodic dissolution of copper in an ionic liquid. Journal of Electroanalytical Chemistry, 2020, 877, 114611.	1.9	9
76	An electric double layer structure and differential capacitance at the electrode interface of tributylmethylammonium bis(trifluoromethanesulfonyl)amide studied using a molecular dynamics simulation. Physical Chemistry Chemical Physics, 2020, 22, 5198-5210.	1.3	9
77	Evaluation of static differential capacitance at the [C _{4mim}][TfSA]/electrode interface using molecular dynamics simulation combined with electrochemical surface plasmon resonance measurements. Physical Chemistry Chemical Physics, 2021, 23, 13905-13917.	1.3	9
78	Orientation Correlation of Sulfosuccinate-based Room-Temperature Ionic Liquids Studied by Polarization-Resolved Hyper-Rayleigh Scattering. Journal of Physical Chemistry B, 2009, 113, 15322-15326.	1.2	8
79	Determination of the Activity of 1-Methyl-3-octylimidazolium Bis(trifluoromethanesulfonyl)amide in Binary Ionic Liquids from the Solubility in Water. Journal of Chemical & Engineering Data, 2010, 55, 1980-1985.	1.0	8
80	Number Density Distribution of Small Particles around a Large Particle: Structural Analysis of a Colloidal Suspension. Langmuir, 2016, 32, 11063-11070.	1.6	8
81	Static Capacitance at the Electrochemical Liquid-liquid Interface Between Ionic Liquids and Eutectic Ga-In Alloy Measured Using the Pendant Drop Method. Electrochemistry, 2018, 86, 38-41.	0.6	8
82	Efficient detection of emission lines for H and O and the use as an internal standard for underwater LIBS. Journal of Analytical Atomic Spectrometry, 2021, 36, 345-351.	1.6	8
83	Concentration-dependent switching of the mode of phase separation in ternary self-assembled monolayers of 2-mercaptoethane sulfonic acid, 2-aminoethanethiol and 1-dodecanethiol on Au(111). Journal of Electroanalytical Chemistry, 2007, 600, 35-44.	1.9	7
84	Artificially phase-separated binary self-assembled monolayers composed of 11-amino-1-undecanethiolate and 10-carboxy-1-decanethiolate on Au(111): A comparative study of two preparing methods. Electrochimica Acta, 2008, 53, 4900-4906.	2.6	7
85	How Viscous Is the Solidlike Structure at the Interface of Ionic Liquids? A Study Using Total Internal Reflection Fluorescence Spectroscopy with a Fluorescent Molecular Probe Sensitive to High Viscosity. Langmuir, 2020, 36, 10397-10403.	1.6	7
86	Simultaneous detection of a submerged Cu target and bulk water by long-pulse laser-induced breakdown spectroscopy. Journal of Analytical Atomic Spectrometry, 2021, 36, 1960-1968.	1.6	7
87	Analysis of pulse-to-pulse fluctuation in underwater Laser-Induced Breakdown Spectroscopy on the basis of error propagation calculation. Spectrochimica Acta, Part B: Atomic Spectroscopy, 2021, 183, 106271.	1.5	7
88	Potential dependence of the ionic structure at the ionic liquid/water interface studied using MD simulation. Physical Chemistry Chemical Physics, 2021, 23, 22367-22374.	1.3	7
89	Title is missing!. Russian Journal of Electrochemistry, 2003, 39, 125-129.	0.3	6
90	Lateral Growth of Polypyrrole Electropolymerized along Hydrophobic Insulative Substrates. ECS Electrochemistry Letters, 2014, 3, G5-G7.	1.9	6

#	ARTICLE	IF	CITATIONS
91	Spontaneous Formation of Microgroove Arrays on the Surface of p-type Porous Silicon Induced by a Turing Instability in Electrochemical Dissolution. <i>ChemPhysChem</i> , 2015, 16, 1613-1618.	1.0	6
92	Force measurement reveals structure of a confined liquid: Observation of the impenetrable space. <i>Surface Science</i> , 2015, 641, 242-246.	0.8	6
93	Stratification of Colloidal Particles on a Surface: Study by a Colloidal Probe Atomic Force Microscopy Combined with a Transform Theory. <i>Journal of Physical Chemistry B</i> , 2018, 122, 4592-4599.	1.2	6
94	Interface-templated synthesis of single-crystalline silver chain-like nanobelts at the liquid-liquid interface between water and redox-active ionic liquid. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 597, 124747.	2.3	6
95	Electrochemical liquid-liquid interface between oil and ionic liquid for reductive deposition of metal nanostructures. <i>Journal of Electroanalytical Chemistry</i> , 2021, 881, 114959.	1.9	6
96	In Situ Surface Roughness Analysis of Electrodeposited Co Films in an Ionic Liquid Using Electrochemical Surface Plasmon Resonance: Effect of Leveling Additives. <i>Journal of the Electrochemical Society</i> , 2021, 168, 072505.	1.3	6
97	Overscreening Induced by Ionic Adsorption at the Ionic Liquid/Electrode Interface Detected Using Neutron Reflectometry with a Rational Material Design. <i>Bulletin of the Chemical Society of Japan</i> , 2021, 94, 2914-2918.	2.0	6
98	In Situ Electrochemical Surface Plasmon Resonance Study on Lithium Underpotential Deposition and Stripping in Bis(fluorosulfonyl)amide-Based Ionic Liquids. <i>Journal of Physical Chemistry C</i> , 0, , .	1.5	6
99	Ionic Liquids as Liquid Materials for Analytical Chemistry. <i>Analytical Sciences</i> , 2020, 36, 1-2.	0.8	5
100	Formation of Au Nanofiber/Fullerene Nanowhisker 1D/1D Composites via Reductive Deposition at the Interface between an Ionic Liquid and Water. <i>Chemistry Letters</i> , 2022, 51, 643-645.	0.7	4
101	Fluorescence Lifetime Measurements of Coumarin 343 for Sub-ps Solvation Dynamics in W Aerosol-OT 1,2-Dichloroethane Reverse Micelle Systems. <i>Bunseki Kagaku</i> , 2005, 54, 485-494.	0.1	3
102	æœ%œé™è ç'æ³•ã«ã,^ã,é»æº—âCE—â-â-ââžœã@ãf‡ã,ã,ããf«ã,ãfÿãf¥ãf-ãf¼ã,ãf\$ãf³. <i>Review of Polarography</i> , 2007, 53, 41-50.		
103	Two-dimensional array of particles originating from dipole-dipole interaction as evidenced by potential curve measurements at vertical oil/water interfaces. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 16976-16984.	1.3	3
104	Enhancement of stratification of colloidal particles near a substrate induced by addition of non-adsorbing polymers. <i>Chemical Physics Letters</i> , 2019, 734, 136705.	1.2	3
105	Improvement of the Nelder-Mead method using Direct Inversion in Iterative Subspace. <i>Optimization and Engineering</i> , 2022, 23, 1033-1055.	1.3	3
106	Comparison of atomic force microscopy force curve and solvation structure studied by integral equation theory. <i>Journal of Chemical Physics</i> , 2021, 154, 164702.	1.2	3
107	Au Nanofiber/CNT 1D/1D Composites Formed Via Redox Reaction at the Ionic Liquid/Water Interface. <i>Langmuir</i> , 2021, 37, 9553-9559.	1.6	3
108	Interfacial viscosity and ionic reorientation probed using electrochemical surface plasmon resonance at the gold electrode interface of ionic liquids. <i>Journal of Electroanalytical Chemistry</i> , 2022, 913, 116299.	1.9	3

#	ARTICLE	IF	CITATIONS
109	Surface Structure of Quaternary Ammonium Based Ionic Liquid Studied Using Molecular Dynamics Simulation. <i>Bunseki Kagaku</i> , 2015, 64, 219-224.	0.1	2
110	An Improved Model-potential-free Analysis of the Structure Factor Obtained from a Small-angle Scattering: Acquisitions of the Pair Distribution Function and the Pair Potential. <i>Chemistry Letters</i> , 2020, 49, 1017-1021.	0.7	2
111	Solid Surface Induced Anisotropic Clustering in Ethanol-Cyclohexane Binary Liquids Studied by Molecular Dynamics Simulations. <i>Chemistry Letters</i> , 2021, 50, 1662-1666.	0.7	2
112	Slow and Fast Dynamics at the Ionic Liquid/Gold Electrode Interface Separately Probed by Electrochemical Surface Plasmon Resonance Combined with Sequential Potential Pulse Techniques. <i>Journal of the Electrochemical Society</i> , 2022, 169, 066501.	1.3	2
113	Optical Second Harmonic Generation Study of the Structure of the Interface between Water and an Ionic Liquid Based on N-Alkylisoquinolinium Ions. <i>Bunseki Kagaku</i> , 2007, 56, 491-497.	0.1	1
114	Calculation method of the number density distribution of liquid molecules or colloidal particles near a substrate from surface force apparatus measurement. <i>Chemical Physics Letters</i> , 2020, 754, 137666.	1.2	1
115	Molecular-level Structure at the Surface of Ionic Liquids. <i>Oleosience</i> , 2015, 15, 305-310.	0.0	1
116	Correction: Number density distribution of solvent molecules on a substrate: a transform theory for atomic force microscopy. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 19973-19974.	1.3	0
117	Vibration of Water Sessile Drops in Various Oils. <i>Chemistry Letters</i> , 2017, 46, 1337-1340.	0.7	0
118	Ionic Liquid Water Interface As an Electrochemical Reaction Field for the Formation of Novel Metal Nanostructure. <i>ECS Meeting Abstracts</i> , 2016, , .	0.0	0
119	Adsorption Properties of Alkylsulfate Ions at the Ionic Liquid/Water Interfaces: Ionic Liquid Cation Dependence. <i>Bunseki Kagaku</i> , 2021, 70, 521-527.	0.1	0