## Paul Jakob Myland

## List of Publications by Citations

Source: https://exaly.com/author-pdf/5102869/paul-jakob-myland-publications-by-citations.pdf

Version: 2024-04-16

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

8 papers 2 h-index g-index

8 17 2.4 1.65 ext. papers ext. citations avg, IF L-index

| # | Paper   | IF    | Citations |
|---|---|-------|-----------|
| 8 | Task-related Luminance Distributions for Office Lighting Scenarios <b>2021</b> , 115-128  |       | 5         |
| 7 | Measurement of Circadian Effectiveness in Lighting for Office Applications. <i>Applied Sciences</i> (Switzerland), <b>2021</b> , 11, 6936   | 2.6   | 3         |
| 6 | Spectral reflectance estimation of organic tissue for improved color correction of video-assisted surgery. <i>Journal of Electronic Imaging</i> , <b>2018</b> , 27, 1                           | 0.7   | 2         |
| 5 | Tackling Heterogeneous Color Registration: Binning Color Sensors. Sensors, 2021, 21,  | 3.8   | 2         |
| 4 | Processing RGB Color Sensors for Measuring the Circadian Stimulus of Artificial and Daylight Light Sources. <i>Applied Sciences (Switzerland)</i> , <b>2022</b> , 12, 1132                      | 2.6   | 1         |
| 3 | Memory colors and the assessment of color quality in lighting applications. <i>Optics Express</i> , <b>2021</b> , 29, 28968-28983   |       |           |
| 2 | High-resolution depth measurements in digital microscopic surgery. <i>Engineering Reports</i> , <b>2021</b> , 3, e12:   | 311.2 |           |
| 1 | Study protocol for measuring the impact of (quasi-)monochromatic light on post-awakening cortisol secretion under controlled laboratory conditions <i>PLoS ONE</i> , <b>2022</b> , 17, e0267659 | 3.7   |           |