

Kim Delbaere

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5102952/publications.pdf>

Version: 2024-02-01

196
papers

9,999
citations

39113

52
h-index

49824

91
g-index

203
all docs

203
docs citations

203
times ranked

10305
citing authors

#	ARTICLE	IF	CITATIONS
1	Depression, childhood trauma, and physical activity in older Indigenous Australians. <i>International Psychogeriatrics</i> , 2023, 35, 259-269.	0.6	3
2	A Self-Guided Online Cognitive Behavioural Therapy to Reduce Fear of Falling in Older People: a Randomised Controlled Trial. <i>International Journal of Behavioral Medicine</i> , 2023, 30, 455-462.	0.8	4
3	Use of tricyclic antidepressants and other anticholinergic medicines by older Aboriginal Australians: association with negative health outcomes. <i>International Psychogeriatrics</i> , 2022, 34, 71-78.	0.6	7
4	Multifaceted needs of individuals living with peripheral arterial disease: A qualitative study. <i>Chronic Illness</i> , 2022, 18, 562-573.	0.6	2
5	Rapid Inhibition Accuracy and Leg Strength Are Required for Community-Dwelling Older People to Recover Balance From Induced Trips and Slips: An Experimental Prospective Study. <i>Journal of Geriatric Physical Therapy</i> , 2022, 45, 160-166.	0.6	12
6	Disentangling interventions to reduce fear of falling in community-dwelling older people: a systematic review and meta-analysis of intervention components. <i>Disability and Rehabilitation</i> , 2022, 44, 6247-6257.	0.9	8
7	The association between white matter hyperintensity volume and cognitive/physical decline in older people with dementia: A one-year longitudinal study. <i>Aging and Mental Health</i> , 2022, 26, 2503-2510.	1.5	2
8	Longitudinal Impact of Vision Impairment on Concern About Falling in People With Age-Related Macular Degeneration. <i>Translational Vision Science and Technology</i> , 2022, 11, 34.	1.1	1
9	Development and initial validation of the falls health literacy scale. <i>Maturitas</i> , 2022, 159, 40-45.	1.0	3
10	Dementia Incidence, <i>APOE</i> Genotype, and Risk Factors for Cognitive Decline in Aboriginal Australians. <i>Neurology</i> , 2022, 98, .	1.5	4
11	Short Daily-Life Walking Bouts and Poor Self-Reported Health Predict the Onset of Depression in Community-Dwelling Older People: A 2-Year Longitudinal Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 1242-1247.e3.	1.2	4
12	Sunbeam Program Reduces Rate of Falls in Long-Term Care Residents With Mild to Moderate Cognitive Impairment or Dementia: Subgroup Analysis of a Cluster Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 743-749.e1.	1.2	4
13	Community co-selection of measures to evaluate the health and wellbeing impact of Aboriginal and Torres Strait Islander community running groups. <i>Health Promotion Journal of Australia</i> , 2022, , .	0.6	2
14	Effect of eHealth-delivered exercise programmes on balance in people aged 65 years and over living in the community: a systematic review and meta-analysis of randomised controlled trials. <i>BMJ Open</i> , 2022, 12, e051377.	0.8	9
15	Economic evaluation of the e-Health <i>StandingTall</i> balance exercise programme for fall prevention in people aged 70 years and over. <i>Age and Ageing</i> , 2022, 51, .	0.7	3
16	Intervention Characteristics Associated With a Reduction in Fear of Falling Among Community-Dwelling Older People: A Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>Gerontologist</i> , The, 2021, 61, e269-e282.	2.3	27
17	Sensorimotor, Cognitive, and Affective Functions Contribute to the Prediction of Falls in Old Age and Neurologic Disorders: An Observational Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 874-880.	0.5	10
18	Predicting Falls in Nursing Homes: A Prospective Multicenter Cohort Study Comparing Fall History, Staff Clinical Judgment, the Care Home Falls Screen, and the Fall Risk Classification Algorithm. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 380-387.	1.2	11

#	ARTICLE	IF	CITATIONS
19	The Relationship Between Concerns About Falling and Daily Life Activity in Older Men and Women. <i>Journal of Aging and Physical Activity</i> , 2021, , 1-8.	0.5	1
20	Fall prevention interventions. , 2021, , 1627-1647.		0
21	Association between health literacy and physical activity in older people: a systematic review and meta-analysis. <i>Health Promotion International</i> , 2021, 36, 1482-1497.	0.9	17
22	Validation of Walking Speed Estimation from Trunk Mounted Accelerometers for a Range of Walking Speeds. <i>Sensors</i> , 2021, 21, 1854.	2.1	1
23	Predictors of development and persistence of musculoskeletal pain in community-dwelling older people: A <sc>two</sc>-year longitudinal study. <i>Geriatrics and Gerontology International</i> , 2021, 21, 519-524.	0.7	5
24	Protocol of a 12-month multifactorial eHealth programme targeting balance, dual-tasking and mood to prevent falls in older people: the <i>StandingTall</i>+ randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e051085.	0.8	4
25	E-health StandingTall balance exercise for fall prevention in older people: results of a two year randomised controlled trial. <i>BMJ, The</i> , 2021, 373, n740.	3.0	48
26	Implementation of the <i>StandingTall</i> programme to prevent falls in older people: a process evaluation protocol. <i>BMJ Open</i> , 2021, 11, e048395.	0.8	2
27	The association between white matter hyperintensity volume and gait performance under single and dual task conditions in older people with dementia: A cross-sectional study. <i>Archives of Gerontology and Geriatrics</i> , 2021, 95, 104427.	1.4	11
28	Ngarraanga Giinganay (â€˜thinking peacefullyâ€™™): Co-design and pilot study of a culturally-grounded mindfulness-based stress reduction program with older First Nations Australians. <i>Evaluation and Program Planning</i> , 2021, 87, 101929.	0.9	10
29	A novel cognitive-motor exercise program delivered via a tablet to improve mobility in older people with cognitive impairment â€“ StandingTall Cognition and Mobility. <i>Experimental Gerontology</i> , 2021, 152, 111434.	1.2	15
30	Facilitators and Barriers to Physical Activity and Sport Participation Experienced by Aboriginal and Torres Strait Islander Adults: A Mixed Method Review. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9893.	1.2	6
31	Determinants of concern about falling in adults with age-related macular degeneration. <i>Ophthalmic and Physiological Optics</i> , 2021, 41, 245-254.	1.0	3
32	Brain Function and Falls. , 2021, , 130-143.		0
33	The Psychology of Fall Risk: Fear, Anxiety, Depression, and Balance Confidence. , 2021, , 160-171.		2
34	Cognitive Behavioural Interventions for Addressing Fear of Falling and Fall Risk. , 2021, , 311-321.		0
35	The Iconographical Falls Efficacy Scale (IconFES) in community-dwelling older peopleâ€™a longitudinal validation study. <i>Age and Ageing</i> , 2021, 50, 822-829.	0.7	6
36	Associations Between Planned Exercise, Walking, Incidental Physical Activity, and Habit Strength in Older People: A Cross-Sectional Study. <i>Journal of Aging and Physical Activity</i> , 2021, , 1-11.	0.5	1

#	ARTICLE	IF	CITATIONS
37	Relationship between Depressive Symptoms and Cognitive, Psychological, and Physical Performance in Community-Dwelling Older People with Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2021, 50, 482-490.	0.7	1
38	Caring for Spirit: Developing online dementia education and training with Aboriginal and Torres Strait Islander Australians. <i>Alzheimer's and Dementia</i> , 2021, 17, e053769.	0.4	1
39	Developing a protocol for neuroimaging to investigate brain ageing and dementia in collaboration with aboriginal Australian communities. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
40	Telephone cognitive screening with older aboriginal Australians: A preliminary study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
41	Identifying Key Risk Factors for Dizziness Handicap in Middle-Aged and Older People. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 344-350.e2.	1.2	5
42	Pilot feasibility study of a home-based fall prevention exercise program (<i>StandingTall</i>) delivered through a tablet computer (iPad) in older people with dementia. <i>Australasian Journal on Ageing</i> , 2020, 39, e278-e287.	0.4	22
43	Association between Daily-Life Gait Quality Characteristics and Physiological Fall Risk in Older People. <i>Sensors</i> , 2020, 20, 5580.	2.1	4
44	Evidence on technology-driven preoperative exercise interventions: are we there yet?. <i>British Journal of Anaesthesia</i> , 2020, 125, 646-649.	1.5	11
45	Mild cognitive impairment in Aboriginal Australians. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2020, 6, e12054.	1.8	6
46	Deep Learning for Activity Recognition in Older People Using a Pocket-Worn Smartphone. <i>Sensors</i> , 2020, 20, 7195.	2.1	21
47	Identifying dementia risk factors and implementing a culturally grounded risk-reduction intervention in urban and regional Aboriginal Australian communities. <i>Alzheimer's and Dementia</i> , 2020, 16, e041446.	0.4	0
48	Collaborative design of an active and healthy ageing program using mobile technology to reduce dementia risk in older Aboriginal Australians. <i>Alzheimer's and Dementia</i> , 2020, 16, e045659.	0.4	0
49	The role of automatic habit in physical activity behaviours in older people: A new target for lifestyle interventions for dementia risk reduction?. <i>Alzheimer's and Dementia</i> , 2020, 16, e047510.	0.4	0
50	Older Aboriginal Australians' Health Concerns and Preferences for Healthy Ageing Programs. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7390.	1.2	17
51	The effects of cognitive-motor training interventions on executive functions in older people: a systematic review and meta-analysis. <i>European Review of Aging and Physical Activity</i> , 2020, 17, 9.	1.3	67
52	The effect of eHealth-based falls prevention programmes on balance in people aged 65 years and over living in the community: protocol for a systematic review of randomised controlled trials. <i>BMJ Open</i> , 2020, 10, e031200.	0.8	7
53	Mobile Phone Technologies in the Management of Ischemic Heart Disease, Heart Failure, and Hypertension: Systematic Review and Meta-Analysis. <i>JMIR MHealth and UHealth</i> , 2020, 8, e16695.	1.8	45
54	Do Automatic Habits Predict Physical Activity Engagement in Older People?. <i>Innovation in Aging</i> , 2020, 4, 496-496.	0.0	0

#	ARTICLE	IF	CITATIONS
55	The role of cognitive function and physical activity in physical decline in older adults across the cognitive spectrum. <i>Aging and Mental Health</i> , 2019, 23, 863-871.	1.5	17
56	White matter hyperintensities are associated with falls in older people with dementia. <i>Brain Imaging and Behavior</i> , 2019, 13, 1265-1272.	1.1	19
57	Effect of cognitive-only and cognitive-motor training on preventing falls in community-dwelling older people: protocol for the smart ² step randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e029409.	0.8	12
58	A taxonomy of cognitive tasks to evaluate cognitive-motor interference on spatiotemporal gait parameters in older people: a systematic review and meta-analysis. <i>European Review of Aging and Physical Activity</i> , 2019, 16, 12.	1.3	38
59	Preliminary evidence for physical activity following pelvic exenteration: a pilot longitudinal cohort study. <i>BMC Cancer</i> , 2019, 19, 661.	1.1	11
60	Older People with Dementia Have Reduced Daily-Life Activity and Impaired Daily-Life Gait When Compared to Age-Sex Matched Controls. <i>Journal of Alzheimer's Disease</i> , 2019, 71, S125-S135.	1.2	27
61	Remote timed up and go evaluation from activities of daily living reveals changing mobility after surgery. <i>Physiological Measurement</i> , 2019, 40, 035004.	1.2	13
62	Concern About Falling Is Associated With Gait Speed, Independently From Physical and Cognitive Function. <i>Physical Therapy</i> , 2019, 99, 989-997.	1.1	19
63	Cognitive test norms and comparison between healthy ageing, mild cognitive impairment, and dementia: A population-based study of older Aboriginal Australians. <i>Australian Journal of Psychology</i> , 2019, 71, 249-260.	1.4	8
64	162 Walking, Thinking and Daily-Life Activity in Older People with Dementia. <i>Age and Ageing</i> , 2019, 48, iv34-iv39.	0.7	0
65	The role of concern about falling on stepping performance during complex activities. <i>BMC Geriatrics</i> , 2019, 19, 333.	1.1	3
66	Cut-off for the Life-Space Assessment in persons with cognitive impairment. <i>Aging Clinical and Experimental Research</i> , 2019, 31, 1331-1335.	1.4	11
67	Factors Associated with the High Prevalence of Dementia in Older Aboriginal Australians. <i>Journal of Alzheimer's Disease</i> , 2019, 70, S75-S85.	1.2	32
68	Catch the ruler: concurrent validity and test-retest reliability of the ReacStick measures of reaction time and inhibitory executive function in older people. <i>Aging Clinical and Experimental Research</i> , 2019, 31, 1147-1154.	1.4	17
69	Cross-cultural adaptation and measurement properties testing of the Iconographical Falls Efficacy Scale (Icon-FES). <i>Brazilian Journal of Physical Therapy</i> , 2018, 22, 291-303.	1.1	12
70	Deep white matter hyperintensities, microstructural integrity and dual task walking in older people. <i>Brain Imaging and Behavior</i> , 2018, 12, 1488-1496.	1.1	30
71	Translation and validation study of the Chinese version Iconographical Falls Efficacy Scale-Short Version (Icon-FES). <i>Archives of Gerontology and Geriatrics</i> , 2018, 77, 1-7.	1.4	10
72	Adherence to Technology-Based Exercise Programs in Older Adults: A Systematic Review. <i>Journal of Geriatric Physical Therapy</i> , 2018, 41, 49-61.	0.6	187

#	ARTICLE	IF	CITATIONS
73	Development and initial validation of the Retrospective Indigenous Childhood Enrichment scale (RICE). <i>International Psychogeriatrics</i> , 2018, 30, 519-526.	0.6	8
74	Risk factors for falls among older Aboriginal and Torres Strait Islander people in urban and regional communities. <i>Australasian Journal on Ageing</i> , 2018, 37, 113-119.	0.4	6
75	P3â€564: RESILIENCE, COGNITIVE DECLINE AND DEMENTIA IN OLDER ABORIGINAL AUSTRALIANS: A LONGITUDINAL, POPULATIONâ€BASED STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P1340.	0.4	1
76	P4â€157: NEURAL CORRELATES OF EARLY LIFE STRESS IN A POPULATION AT HIGHER RISK FOR DEMENTIA: A PILOT STUDY IN OLDER ABORIGINAL AUSTRALIANS. <i>Alzheimer's and Dementia</i> , 2018, 14, P1499.	0.4	0
77	Commentary on: "Mobility Function and Recovery After Stroke: Preliminary Insights From Sympathetic Nervous System Activity". <i>Journal of Neurologic Physical Therapy</i> , 2018, 42, 233-234.	0.7	1
78	Ageing. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2018, 159, 157-171.	1.0	35
79	Inaccurate judgement of reach is associated with slow reaction time, poor balance, impaired executive function and predicts prospective falls in older people with cognitive impairment. <i>Experimental Gerontology</i> , 2018, 114, 50-56.	1.2	8
80	Reducing the burden of dizziness in middle-aged and older people: A multifactorial, tailored, single-blind randomized controlled trial. <i>PLoS Medicine</i> , 2018, 15, e1002620.	3.9	15
81	An Interactive Home-Based Cognitive-Motor Step Training Program to Reduce Fall Risk in Older Adults: Qualitative Descriptive Study of Older Adultsâ€™ Experiences and Requirements. <i>JMIR Aging</i> , 2018, 1, e11975.	1.4	18
82	Comparison between clinical gait and daily life gait assessments of fall risk in older people. <i>Geriatrics and Gerontology International</i> , 2017, 17, 2274-2282.	0.7	84
83	Impaired Response Selection During Stepping Predicts Falls in Older People" A Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 719-725.	1.2	38
84	Analysis of effects and usage indicators for a ICT-based fall prevention system in community dwelling older adults. <i>International Journal of Human Computer Studies</i> , 2017, 106, 10-25.	3.7	26
85	Childhood Stress and Adversity is Associated with Late-Life Dementia in Aboriginal Australians. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 1097-1106.	0.6	107
86	Differences Between Gait on Stairs and Flat Surfaces in Relation to Fall Risk and Future Falls. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2017, 21, 1479-1486.	3.9	49
87	Slow Processing Speed Predicts Falls in Older Adults With a Falls History: 1â€Year Prospective Cohort Study. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 916-923.	1.3	32
88	Disentangling the health benefits of walking from increased exposure to falls in older people using remote gait monitoring and multi-dimensional analysis. <i>Physiological Measurement</i> , 2017, 38, 45-62.	1.2	27
89	Slow gait speed is associated with executive function decline in older people with mild to moderate dementia: A one year longitudinal study. <i>Archives of Gerontology and Geriatrics</i> , 2017, 73, 148-153.	1.4	39
90	Tailored multifactorial intervention to improve dizziness symptoms and quality of life, balance and gait in dizziness sufferers aged over 50 years: protocol for a randomised controlled trial. <i>BMC Geriatrics</i> , 2017, 17, 56.	1.1	4

#	ARTICLE	IF	CITATIONS
91	Reaction Time and Postural Sway Modify the Effect of Executive Function on Risk of Falls in Older People with Mild to Moderate Cognitive Impairment. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 397-406.	0.6	35
92	Wavelet-Based Sit-To-Stand Detection and Assessment of Fall Risk in Older People Using a Wearable Pendant Device. <i>IEEE Transactions on Biomedical Engineering</i> , 2017, 64, 1602-1607.	2.5	54
93	Does dual task training improve walking performance of older adults with concern of falling?. <i>BMC Geriatrics</i> , 2017, 17, 213.	1.1	53
94	Kinect-Based Five-Times-Sit-to-Stand Test for Clinical and In-Home Assessment of Fall Risk in Older People. <i>Gerontology</i> , 2016, 62, 118-124.	1.4	75
95	Use of a physiological profile to document motor impairment in ageing and in clinical groups. <i>Journal of Physiology</i> , 2016, 594, 4513-4523.	1.3	38
96	S2â€2â€02â€02: Indigenous Australians: Lifespan, Health, Ageing and Dementia. <i>Alzheimer's and Dementia</i> , 2016, 12, P212.	0.4	0
97	Exercise for reducing fear of falling in older people living in the community: Cochrane systematic review and meta-analysis. <i>Age and Ageing</i> , 2016, 45, 345-352.	0.7	174
98	Intraindividual Stepping Reaction Time Variability Predicts Falls in Older Adults With Mild Cognitive Impairment. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 72, glw164.	1.7	9
99	The influence of age, anxiety and concern about falling on postural sway when standing at an elevated level. <i>Human Movement Science</i> , 2016, 49, 206-215.	0.6	31
100	A Bespoke Kinect Stepping Exergame for Improving Physical and Cognitive Function in Older People: A Pilot Study. <i>Games for Health Journal</i> , 2016, 5, 382-388.	1.1	36
101	Exploring user experience and technology acceptance for a fall prevention system: results from a randomized clinical trial and a living lab. <i>European Review of Aging and Physical Activity</i> , 2016, 13, 6.	1.3	65
102	Validity and reliability of a simple â€low-techâ€™ test for measuring choice stepping reaction time in older people. <i>Clinical Rehabilitation</i> , 2016, 30, 1128-1135.	1.0	16
103	Effectiveness of a home-based cognitive behavioral program to manage concerns about falls in community-dwelling, frail older people: results of a randomized controlled trial. <i>BMC Geriatrics</i> , 2016, 16, 2.	1.1	51
104	Regional Gray Matter Volumes Are Related to Concern About Falling in Older People: A Voxel-Based Morphometric Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 138-144.	1.7	34
105	Kinect-based choice reaching and stepping reaction time tests for clinical and in-home assessment of fall risk in older people: a prospective study. <i>European Review of Aging and Physical Activity</i> , 2016, 13, 2.	1.3	24
106	A Kinect and Inertial Sensor-Based System for the Self-Assessment of Fall Risk: A Home-Based Study in Older People. <i>Human-Computer Interaction</i> , 2016, 31, 261-293.	3.1	30
107	Wearable pendant device monitoring using new wavelet-based methods shows daily life and laboratory gaits are different. <i>Medical and Biological Engineering and Computing</i> , 2016, 54, 663-674.	1.6	126
108	Exercise for reducing fear of falling in older people living in the community. <i>The Cochrane Library</i> , 2015, 2015, CD009848.	1.5	176

#	ARTICLE	IF	CITATIONS
109	Multiple sclerosis severity and concern about falling: Physical, cognitive and psychological mediating factors. <i>NeuroRehabilitation</i> , 2015, 37, 139-147.	0.5	8
110	Evaluating the effectiveness of a home-based exercise programme delivered through a tablet computer for preventing falls in older community-dwelling people over 2â€¦years: study protocol for the Standing Tall randomised controlled trial. <i>BMJ Open</i> , 2015, 5, e009173.	0.8	56
111	ICT-based system to predict and prevent falls (iStoppFalls): results from an international multicenter randomized controlled trial. <i>European Review of Aging and Physical Activity</i> , 2015, 12, 10.	1.3	92
112	The effect of sensor-based exercise at home on functional performance associated with fall risk in older people â€” a comparison of two exergame interventions. <i>European Review of Aging and Physical Activity</i> , 2015, 12, 11.	1.3	56
113	The design of a purpose-built exergame for fall prediction and prevention for older people. <i>European Review of Aging and Physical Activity</i> , 2015, 12, 13.	1.3	28
114	Fear of Falling in Vision Impairment. <i>Optometry and Vision Science</i> , 2015, 92, 730-735.	0.6	33
115	Eight-Week Remote Monitoring Using a Freely Worn Device Reveals Unstable Gait Patterns in Older Fallers. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 62, 2588-2594.	2.5	78
116	Predicting Cognitive, Functional, and Diagnostic Change over 4 Years Using Baseline Subjective Cognitive Complaints inÂthe Sydney Memory and Ageing Study. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 906-914.	0.6	45
117	Characteristics and Effectiveness of Fall Prevention Programs in Nursing Homes: A Systematic Review and Metaâ€Analysis of Randomized Controlled Trials. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 211-221.	1.3	120
118	Neuroticism scores increase with lateâ€life cognitive decline. <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 985-993.	1.3	15
119	Prevalence of dementia in urban and regional Aboriginal Australians. <i>Alzheimer's and Dementia</i> , 2015, 11, 271-279.	0.4	71
120	Comparison of Three Cognitive Screening Tools in Older Urban and Regional Aboriginal Australians. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 40, 22-32.	0.7	30
121	New Methods to Monitor Stair Ascents Using a Wearable Pendant Device Reveal How Behavior, Fear, and Frailty Influence Falls in Octogenarians. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 62, 2595-2601.	2.5	22
122	Depressive symptoms increase fall risk in older people, independent of antidepressant use, and reduced executive and physical functioning. <i>Archives of Gerontology and Geriatrics</i> , 2015, 60, 190-195.	1.4	95
123	Good Lateral Harmonic Stability Combined with Adequate Gait Speed Is Required for Low Fall Risk in Older People. <i>Gerontology</i> , 2015, 61, 69-78.	1.4	28
124	Interactive Cognitive-Motor Step Training Improves Cognitive Risk Factors of Falling in Older Adults â€” A Randomized Controlled Trial. <i>PLoS ONE</i> , 2015, 10, e0145161.	1.1	106
125	Inertial measurements of free-living activities: Assessing mobility to predict falls. , 2014, 2014, 6892-5.		9
126	Neuropsychological, Physical, and Functional Mobility Measures Associated With Falls in Cognitively Impaired Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 987-995.	1.7	105

#	ARTICLE	IF	CITATIONS
127	Gait as a biomarker? Accelerometers reveal that reduced movement quality while walking is associated with Parkinson's disease, ageing and fall risk. , 2014, 2014, 5968-71.		18
128	Choice stepping reaction time test using exergame technology for fall risk assessment in older people. , 2014, 2014, 6957-60.		17
129	New methods for fall risk prediction. Current Opinion in Clinical Nutrition and Metabolic Care, 2014, 17, 407-411.	1.3	44
130	Incidental and Planned Exercise Questionnaire for Seniors. Medicine and Science in Sports and Exercise, 2014, 46, 947-954.	0.2	29
131	A Stroop Stepping Test (SST) using low-cost computer game technology discriminates between older fallers and non-fallers. Age and Ageing, 2014, 43, 285-289.	0.7	56
132	High Arterial Pulse Wave Velocity Is a Risk Factor for Falls in Community-Dwelling Older People. Journal of the American Geriatrics Society, 2014, 62, 1534-1539.	1.3	14
133	A comparison of activity classification in younger and older cohorts using a smartphone. Physiological Measurement, 2014, 35, 2269-2286.	1.2	64
134	ICT-based system to predict and prevent falls (iStoppFalls): study protocol for an international multicenter randomized controlled trial. BMC Geriatrics, 2014, 14, 91.	1.1	58
135	Sub-Cortical Infarcts and the Risk of Falls in Older People: Combined Results of TASCOG and Sydney MAS Studies. International Journal of Stroke, 2014, 9, 55-60.	2.9	16
136	Rol van fysieke activiteit bij ouder worden: CoMBAT, een wapen in de strijd tegen vallen. , 2014, , 127-145.		0
137	Falls Prevention Interventions. , 2013, , 1649-1666.		2
138	Depressive Symptomatology as a Risk Factor for Falls in Older People: Systematic Review and Meta-Analysis. Journal of the American Geriatrics Society, 2013, 61, 694-706.	1.3	151
139	Feasibility of implementing a practice guideline for fall prevention on geriatric wards: A multicentre study. International Journal of Nursing Studies, 2013, 50, 495-507.	2.5	19
140	Development of a standard fall data format for signals from body-worn sensors. Zeitschrift Fur Gerontologie Und Geriatrie, 2013, 46, 720-726.	0.8	22
141	Validation of the Iconographical Falls Efficacy Scale in Cognitively Impaired Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 1098-1102.	1.7	36
142	The Impact of Peripheral Neuropathy and Cognitive Decrements on Gait in Older Adults With Type 2 Diabetes Mellitus. Archives of Physical Medicine and Rehabilitation, 2013, 94, 1074-1079.	0.5	39
143	Falls Efficacy Scale-International: A Cross-Sectional Validation in People With Multiple Sclerosis. Archives of Physical Medicine and Rehabilitation, 2013, 94, 883-889.	0.5	97
144	Pain and Anxiety Mediate the Relationship Between Dizziness and Falls in Older People. Journal of the American Geriatrics Society, 2013, 61, 423-428.	1.3	23

#	ARTICLE	IF	CITATIONS
145	Discriminative Ability and Predictive Validity of the Timed Up and Go Test in Identifying Older People Who Fall: Systematic Review and Meta-Analysis. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 202-208.	1.3	340
146	Gait parameter risk factors for falls under simple and dual task conditions in cognitively impaired older people. <i>Gait and Posture</i> , 2013, 37, 126-130.	0.6	141
147	Angiotensin System-Blocking Medications Are Associated with Fewer Falls over 12 Months in Community-Dwelling Older People. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 776-781.	1.3	41
148	Physical impairments in cognitively impaired older people: implications for risk of falls. <i>International Psychogeriatrics</i> , 2013, 25, 148-156.	0.6	51
149	Change in Vision, Visual Disability, and Health After Cataract Surgery. <i>Optometry and Vision Science</i> , 2013, 90, 392-399.	0.6	15
150	A Randomized Controlled Pilot Study of Home-Based Step Training in Older People Using Videogame Technology. <i>PLoS ONE</i> , 2013, 8, e57734.	1.1	209
151	Understanding the Relationship between Type 2 Diabetes Mellitus and Falls in Older Adults: A Prospective Cohort Study. <i>PLoS ONE</i> , 2013, 8, e67055.	1.1	91
152	Force-Controlled Balance Perturbations Associated with Falls in Older People: A Prospective Cohort Study. <i>PLoS ONE</i> , 2013, 8, e70981.	1.1	72
153	Good memory as a predictor of falls: fact or artefact. <i>Age and Ageing</i> , 2012, 41, 404-408.	0.7	17
154	The relationship of fear of falling and balance confidence with balance and dual tasking performance.. <i>Psychology and Aging</i> , 2012, 27, 1-13.	1.4	62
155	Physiological Fall Risk Factors in Cognitively Impaired Older People: A One-Year Prospective Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 34, 181-189.	0.7	52
156	Gait impairment and falls in cognitively impaired older adults: an explanatory model of sensorimotor and neuropsychological mediators. <i>Age and Ageing</i> , 2012, 41, 665-669.	0.7	54
157	White Matter Hyperintensities Are an Independent Predictor of Physical Decline in Community-Dwelling Older People. <i>Gerontology</i> , 2012, 58, 398-406.	1.4	35
158	Managing falls in older patients with cognitive impairment. <i>Aging Health</i> , 2012, 8, 573-588.	0.3	23
159	White matter hyperintensities and impaired choice stepping reaction time in older people. <i>Neurobiology of Aging</i> , 2012, 33, 1177-1185.	1.5	12
160	Relationships between $HMG\text{-}CoA$ reductase inhibitors (statin) use and strength, balance and falls in older people. <i>Internal Medicine Journal</i> , 2012, 42, 1329-1334.	0.5	27
161	Sensorimotor and neuropsychological correlates of force perturbations that induce stepping in older adults. <i>Gait and Posture</i> , 2012, 36, 356-360.	0.6	33
162	Mild Cognitive Impairment as a Predictor of Falls in Community-Dwelling Older People. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 845-853.	0.6	171

#	ARTICLE	IF	CITATIONS
163	Brain White Matter Hyperintensities, Executive Dysfunction, Instability, and Falls in Older People: A Prospective Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2012, 67, 1085-1091.	1.7	65
164	Relationships between serum vitamin D levels, neuromuscular and neuropsychological function and falls in older men and women. <i>Osteoporosis International</i> , 2012, 23, 981-989.	1.3	65
165	Depressive symptoms and quality of life in people with age-related macular degeneration. <i>Ophthalmic and Physiological Optics</i> , 2011, 31, 375-380.	1.0	61
166	RESPONSE TO KATHLEEN MICHELLE CONNELL. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 770-771.	1.3	0
167	Evaluating an in-home multicomponent cognitive behavioural programme to manage concerns about falls and associated activity avoidance in frail community-dwelling older people: Design of a randomised control trial [NCT01358032]. <i>BMC Health Services Research</i> , 2011, 11, 228.	0.9	21
168	Reconceptualizing the Role of Fear of Falling and Balance Confidence in Fall Risk. <i>Journal of Aging and Health</i> , 2011, 23, 3-23.	0.9	256
169	Development and Initial Validation of the Iconographical Falls Efficacy Scale. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011, 66A, 674-680.	1.7	100
170	Impact of White Matter Lesions on Physical Functioning and Fall Risk in Older People. <i>Stroke</i> , 2011, 42, 2086-2090.	1.0	139
171	Implementing falls prevention research into policy and practice: an overview of a new National Health and Medical Research Council Partnership Grant. <i>NSW Public Health Bulletin</i> , 2011, 22, 84.	0.3	6
172	Consequences of lower extremity and trunk muscle fatigue on balance and functional tasks in older people: A systematic literature review. <i>BMC Geriatrics</i> , 2010, 10, 56.	1.1	98
173	A Multifactorial Approach to Understanding Fall Risk in Older People. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 1679-1685.	1.3	251
174	A Falls Concern Scale for people with spinal cord injury (SCI-FCS). <i>Spinal Cord</i> , 2010, 48, 704-709.	0.9	52
175	Physiological and Cognitive Mediators for the Association Between Self-reported Depressed Mood and Impaired Choice Stepping Reaction Time in Older People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010, 65A, 538-544.	1.7	29
176	Evaluation of the incidental and planned activity questionnaire for older people. <i>British Journal of Sports Medicine</i> , 2010, 44, 1029-1034.	3.1	153
177	The association between choice stepping reaction time and falls in older adults—a path analysis model. <i>Age and Ageing</i> , 2010, 39, 99-104.	0.7	75
178	Determinants of disparities between perceived and physiological risk of falling among elderly people: cohort study. <i>BMJ: British Medical Journal</i> , 2010, 341, c4165-c4165.	2.4	305
179	The Falls Efficacy Scale International (FES-I). A comprehensive longitudinal validation study. <i>Age and Ageing</i> , 2010, 39, 210-216.	0.7	592
180	Determinants of disparities between perceived and physiological risk of falling among elderly people: cohort study. <i>BMJ: British Medical Journal</i> , 2010, 341, c4165-c4165.	2.4	110

#	ARTICLE	IF	CITATIONS
181	Sleep Quality and Falls in Older People Living in Self- and Assisted-Care Villages. <i>Gerontology</i> , 2009, 55, 162-168.	1.4	48
182	Concern About Falls Elicits Changes in Gait Parameters in Conditions of Postural Threat in Older People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009, 64A, 237-242.	1.7	122
183	Socio-demographic, health-related and psychosocial correlates of fear of falling and avoidance of activity in community-living older persons who avoid activity due to fear of falling. <i>BMC Public Health</i> , 2009, 9, 170.	1.2	133
184	Falls and catastrophic thoughts about falls predict mobility restriction in community-dwelling older people: A structural equation modelling approach. <i>Aging and Mental Health</i> , 2009, 13, 587-592.	1.5	50
185	Development and validation of fall risk screening tools for use in residential aged care facilities. <i>Medical Journal of Australia</i> , 2008, 189, 193-196.	0.8	43
186	The Physical Performance Test as a predictor of frequent fallers: a prospective community-based cohort study. <i>Clinical Rehabilitation</i> , 2006, 20, 83-90.	1.0	76
187	The risk of being fearful or fearless of falls in older people: An empirical validation. <i>Disability and Rehabilitation</i> , 2006, 28, 751-756.	0.9	60
188	A prospective study of gait related risk factors for exercise-related lower leg pain. <i>Gait and Posture</i> , 2006, 23, 91-98.	0.6	215
189	A HOME-BASED MULTIDIMENSIONAL EXERCISE PROGRAM REDUCED PHYSICAL IMPAIRMENT AND FEAR OF FALLING. <i>Acta Clinica Belgica</i> , 2006, 61, 340-350.	0.5	26
190	Intrinsic risk factors for inversion ankle sprains in females - a prospective study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2005, 15, 336-345.	1.3	124
191	Intrinsic Risk Factors for Inversion Ankle Sprains in Male Subjects: A Prospective Study. <i>American Journal of Sports Medicine</i> , 2005, 33, 415-423.	1.9	231
192	Relationship between gait biomechanics and inversion sprains: a prospective study of risk factors. <i>Gait and Posture</i> , 2005, 21, 379-387.	0.6	149
193	Fear-related avoidance of activities, falls and physical frailty. A prospective community-based cohort study. <i>Age and Ageing</i> , 2004, 33, 368-373.	0.7	497
194	Age-related changes in concentric and eccentric muscle strength in the lower and upper extremity: A cross-sectional study. <i>Isokinetics and Exercise Science</i> , 2003, 11, 145-151.	0.2	9
195	Determinants of disparities between perceived and physiological risk of falling among elderly people: cohort study. , 0, .		1
196	Risk factors for falls in community-dwelling older people with mild cognitive impairment: a prospective one-year study. <i>PeerJ</i> , 0, 10, e13484.	0.9	13