João Pedro Silva

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5103428/publications.pdf

Version: 2024-02-01

84 papers 56,710 citations

76031 42 h-index 81 g-index

90 all docs 90 docs citations

times ranked

90

74767 citing authors

#	Article	IF	CITATIONS
1	Global, regional, and national sex differences in the global burden of tuberculosis by HIV status, 1990–2019: results from the Global Burden of Disease Study 2019. Lancet Infectious Diseases, The, 2022, 22, 222-241.	4.6	53
2	Estimation of the global prevalence of dementia in 2019 and forecasted prevalence in 2050: an analysis for the Global Burden of Disease Study 2019. Lancet Public Health, The, 2022, 7, e105-e125.	4.7	1,199
3	The burden of mental disorders, substance use disorders and self-harm among young people in Europe, 1990–2019: Findings from the Global Burden of Disease Study 2019. Lancet Regional Health - Europe, The, 2022, 16, 100341.	3.0	70
4	Drugs of Abuse and Kidney Toxicity. Current Opinion in Toxicology, 2022, , 100360.	2.6	0
5	Global mortality from dementia: Application of a new method and results from the Global Burden of Disease Study 2019. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2021, 7, e12200.	1.8	53
6	Overview of Synthetic Cannabinoids ADB-FUBINACA and AMB-FUBINACA: Clinical, Analytical, and Forensic Implications. Pharmaceuticals, 2021, 14, 186.	1.7	16
7	From street to lab: in vitro hepatotoxicity of buphedrone, butylone and 3,4-DMMC. Archives of Toxicology, 2021, 95, 1443-1462.	1.9	6
8	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet Public Health, The, 2021, 6, e482-e499.	4.7	38
9	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 2337-2360.	6.3	609
10	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 870-905.	6.3	229
11	The Burden of Dementia due to Down Syndrome, Parkinson's Disease, Stroke, and Traumatic Brain Injury: A Systematic Analysis for the Global Burden of Disease Study 2019. Neuroepidemiology, 2021, 55, 286-296.	1.1	24
12	Cannabinoids and psychosis: current challenges of mechanistic toxicology., 2021,, 601-615.		2
13	Neurotoxicity of psychoactive substances: A mechanistic overview. Current Opinion in Toxicology, 2021, 28, 76-83.	2.6	4
14	4-Fluoromethamphetamine (4-FMA) induces in vitro hepatotoxicity mediated by CYP2E1, CYP2D6, and CYP3A4 metabolism. Toxicology, 2021, 463, 152988.	2.0	7
15	Polychlorinated environmental toxicants affect sphingolipid metabolism during neurogenesis in vitro. Toxicology, 2021, 463, 152986.	2.0	2
16	Synthetic cannabinoids and their impact on neurodevelopmental processes. Addiction Biology, 2020, 25, e12824.	1.4	29
17	Biodistribution and metabolic profile of 3,4-dimethylmethcathinone (3,4-DMMC) in Wistar rats through gas chromatography–mass spectrometry (GC–MS) analysis. Toxicology Letters, 2020, 320, 113-123.	0.4	6
18	Emerging club drugs: 5-(2-aminopropyl)benzofuran (5-APB) is more toxic than its isomer 6-(2-aminopropyl)benzofuran (6-APB) in hepatocyte cellular models. Archives of Toxicology, 2020, 94, 609-629.	1.9	11

#	Article	IF	CITATIONS
19	Epigenetics and the endocannabinoid system signaling: An intricate interplay modulating neurodevelopment. Pharmacological Research, 2020, 162, 105237.	3.1	27
20	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	6.3	7,664
21	Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249.	6.3	3,928
22	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	6.3	335
23	The Synthetic Cannabinoids THJ-2201 and 5F-PB22 Enhance In Vitro CB1 Receptor-Mediated Neuronal Differentiation at Biologically Relevant Concentrations. International Journal of Molecular Sciences, 2020, 21, 6277.	1.8	16
24	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1250-1284.	6.3	330
25	Drinking to death: Hyponatraemia induced by synthetic phenethylamines. Drug and Alcohol Dependence, 2020, 212, 108045.	1.6	12
26	Molecular basis of mood and cognitive adverse events elucidated via a combination of pharmacovigilance data mining and functional enrichment analysis. Archives of Toxicology, 2020, 94, 2829-2845.	1.9	7
27	Global and regional burden of chronic respiratory disease in 2016 arising from non-infectious airborne occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. Occupational and Environmental Medicine, 2020, 77, 142-150.	1.3	56
28	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26.	1,2	44
29	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. Nature, 2019, 574, 353-358.	13.7	161
30	The new psychoactive substance 3-methylmethcathinone (3-MMC or metaphedrone) induces oxidative stress, apoptosis, and autophagy in primary rat hepatocytes at human-relevant concentrations. Archives of Toxicology, 2019, 93, 2617-2634.	1.9	21
31	Inhalation of Bacterial Cellulose Nanofibrils Triggers an Inflammatory Response and Changes Lung Tissue Morphology of Mice. Toxicological Research, 2019, 35, 45-63.	1.1	19
32	Global, regional, and national burden of neurological disorders, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 459-480.	4.9	2,625
33	Synthetic Cannabinoids JWH-122 and THJ-2201 Disrupt Endocannabinoid-Regulated Mitochondrial Function and Activate Apoptotic Pathways as a Primary Mechanism of In Vitro Nephrotoxicity at In Vivo Relevant Concentrations. Toxicological Sciences, 2019, 169, 422-435.	1.4	18
34	Global, regional, and national burden of suicide mortality 1990 to 2016: systematic analysis for the Global Burden of Disease Study 2016. BMJ: British Medical Journal, 2019, 364, 194.	2.4	558
35	Global, regional, and national burden of Alzheimer's disease and other dementias, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 88-106.	4.9	1,512
36	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 56-87.	4.9	1,064

#	Article	IF	CITATIONS
37	Phenolic Imidazole Derivatives with Dual Antioxidant/Antifungal Activity: Synthesis and Structure-Activity Relationship. Medicinal Chemistry, 2019, 15, 341-351.	0.7	9
38	The synthetic cannabinoid XLR-11 induces in vitro nephrotoxicity by impairment of endocannabinoid-mediated regulation of mitochondrial function homeostasis and triggering of apoptosis. Toxicology Letters, 2018, 287, 59-69.	0.4	32
39	Synthetic cannabinoids enhance neuronal differentiation in neuroblastoma cells at in vivo relevant concentrations. Toxicology Letters, 2018, 295, S267.	0.4	O
40	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	6.3	716
41	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	6.3	4,989
42	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	6.3	3,269
43	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	6.3	294
44	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	6.3	8,569
45	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	6.3	335
46	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	6.3	2,123
47	Global, regional, and national burden of tuberculosis, 1990–2016: results from the Global Burden of Diseases, Injuries, and Risk Factors 2016 Study. Lancet Infectious Diseases, The, 2018, 18, 1329-1349.	4.6	144
48	New Nitrogen Compounds Coupled to Phenolic Units with Antioxidant and Antifungal Activities: Synthesis and Structure–Activity Relationship. Molecules, 2018, 23, 2530.	1.7	9
49	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. Lancet, The, 2018, 391, 2236-2271.	6.3	638
50	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150.	6.3	573
51	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	6.3	1,589
52	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210.	6.3	3,565
53	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	6.3	5,578
54	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.	6.3	1,879

#	Article	IF	Citations
55	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459.	6.3	284
56	In vitro nephrotoxicity of synthetic cannabinoids. Toxicology Letters, 2017, 280, S137.	0.4	2
57	Antimicrobial peptides as novel anti-tuberculosis therapeutics. Biotechnology Advances, 2016, 34, 924-940.	6.0	66
58	Delivery of LLKKK18 loaded into self-assembling hyaluronic acid nanogel for tuberculosis treatment. Journal of Controlled Release, 2016, 235, 112-124.	4.8	80
59	First record of Algarvia alba GarcÃa-Gómez and Cervera, 1989 (Gastropoda: Heterobranchia) outside the type locality. Marine Biodiversity, 2016, 46, 7-8.	0.3	1
60	Acetylated bacterial cellulose coated with urinary bladder matrix as a substrate for retinal pigment epithelium. Colloids and Surfaces B: Biointerfaces, 2016, 139, 1-9.	2.5	39
61	Bacterial cellulose-lactoferrin as an antimicrobial edible packaging. Food Hydrocolloids, 2016, 58, 126-140.	5.6	117
62	Laccase immobilization on bacterial nanocellulose membranes: Antimicrobial, kinetic and stability properties. Carbohydrate Polymers, 2016, 145, 1-12.	5.1	90
63	Release of insulin from PLGA–alginate dressing stimulates regenerative healing of burn wounds in rats. Clinical Science, 2015, 129, 1115-1129.	1.8	48
64	Large pseudoscalar Yukawa couplings in the complex 2HDM. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
65	Dextrin-Based Nanomagnetogel: In Vivo Biodistribution and Stability. Bioconjugate Chemistry, 2015, 26, 699-706.	1.8	9
66	Improved burn wound healing by the antimicrobial peptide LLKKK18 released from conjugates with dextrin embedded in a carbopol gel. Acta Biomaterialia, 2015, 26, 249-262.	4.1	63
67	Bacterial Cellulose As a Support for the Growth of Retinal Pigment Epithelium. Biomacromolecules, 2015, 16, 1341-1351.	2.6	57
68	Endogenous cathelicidin production limits inflammation and protective immunity to Mycobacterium avium in mice. Immunity, Inflammation and Disease, 2014, 2, 1-12.	1.3	18
69	Processing and characterization of $\hat{l}\pm$ -elastin electrospun membranes. Applied Physics A: Materials Science and Processing, 2014, 115, 1291-1298.	1.1	12
70	Modifying Fish Gelatin Electrospun Membranes for Biomedical Applications: Cross-Linking and Swelling Behavior. Soft Materials, 2014, 12, 247-252.	0.8	16
71	Evading death by vacuum. European Physical Journal C, 2013, 73, 1.	1.4	33
72	Hemocompatibility study of a bacterial cellulose/polyvinyl alcohol nanocomposite. Colloids and Surfaces B: Biointerfaces, 2013, 111, 493-502.	2.5	82

#	Article	IF	CITATIONS
73	Neuronal cells' behavior on polypyrrole coated bacterial nanocellulose three-dimensional (3D) scaffolds. Journal of Biomaterials Science, Polymer Edition, 2013, 24, 1368-1377.	1.9	51
74	Production and Characterization of a New Bacterial Cellulose/Poly(Vinyl Alcohol) Nanocomposite. Materials, 2013, 6, 1956-1966.	1.3	40
75	EGCG Prevents the Loss of Pontine Noradrenergic Neurons Induced by Diabetes: A Role in Diabetic Neuropathic Pain. Microscopy and Microanalysis, 2012, 18, 5-6.	0.2	4
76	Adenoma incidence decreases under the effect of polypectomy. World Journal of Gastroenterology, 2012, 18, 1243.	1.4	5
77	Wound healing activity of the human antimicrobial peptide LL37. Peptides, 2011, 32, 1469-1476.	1.2	203
78	Studies on the hemocompatibility of bacterial cellulose. Journal of Biomedical Materials Research - Part A, 2011, 98A, 554-566.	2.1	106
79	Nitrogen Compounds Prevent H9c2 Myoblast Oxidative Stress-Induced Mitochondrial Dysfunction and Cell Death. Cardiovascular Toxicology, 2010, 10, 51-65.	1.1	18
80	Novel nitrogen compounds enhance protection and repair of oxidative DNA damage in a neuronal cell model: Comparison with quercetin. Chemico-Biological Interactions, 2009, 181, 328-337.	1.7	9
81	Antioxidant activity of synthetic diarylamines: A mitochondrial and cellular approach. Mitochondrion, 2009, 9, 17-26.	1.6	11
82	Oxidative DNA damage protection and repair by polyphenolic compounds in PC12 cells. European Journal of Pharmacology, 2008, 601, 50-60.	1.7	99
83	Protective role of new nitrogen compounds on ROS/RNS-mediated damage to PC12 cells. Free Radical Research, 2008, 42, 57-69.	1.5	20
84	Oxidative stress protection by newly synthesized nitrogen compounds with pharmacological potential. Life Sciences, 2006, 78, 1256-1267.	2.0	29