

Guangxue Chen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5105102/guangxue-chen-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71
papers

1,317
citations

22
h-index

33
g-index

76
ext. papers

1,848
ext. citations

6.1
avg, IF

5.33
L-index

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 71 | Highly Stretchable and Compressible Cellulose Ionic Hydrogels for Flexible Strain Sensors. <i>Biomacromolecules</i> , 2019 , 20, 2096-2104 | 6.9 | 111 |
| 70 | Xylan-based temperature/pH sensitive hydrogels for drug controlled release. <i>Carbohydrate Polymers</i> , 2016 , 151, 189-197 | 10.3 | 73 |
| 69 | Autonomous Self-Healing, Antifreezing, and Transparent Conductive Elastomers. <i>Chemistry of Materials</i> , 2020 , 32, 874-881 | 9.6 | 57 |
| 68 | Rapid shape memory TEMPO-oxidized cellulose nanofibers/polyacrylamide/gelatin hydrogels with enhanced mechanical strength. <i>Carbohydrate Polymers</i> , 2017 , 171, 77-84 | 10.3 | 53 |
| 67 | Multivalent cations-triggered rapid shape memory sodium carboxymethyl cellulose/polyacrylamide hydrogels with tunable mechanical strength. <i>Carbohydrate Polymers</i> , 2017 , 178, 159-165 | 10.3 | 51 |
| 66 | Patternable transparent and conductive elastomers towards flexible tactile/strain sensors. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 8475-8481 | 7.1 | 49 |
| 65 | Ultrastretchable and Antifreezing Double-Cross-Linked Cellulose Ionic Hydrogels with High Strain Sensitivity under a Broad Range of Temperature. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 14256-14265 | 8.3 | 46 |
| 64 | Castor Oil Based Biothiol as a Highly Stable and Self-Initiated Oligomer for Photoinitiator-Free UV Coatings. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 376-381 | 8.3 | 46 |
| 63 | Enhanced mechanical and hydrophobic properties of composite cassava starch films with stearic acid modified MCC (microcrystalline cellulose)/NCC (nanocellulose) as strength agent. <i>International Journal of Biological Macromolecules</i> , 2020 , 142, 846-854 | 7.9 | 44 |
| 62 | Robust fabrication of fluorine-free superhydrophobic steel mesh for efficient oil/water separation. <i>Journal of Materials Science</i> , 2017 , 52, 2549-2559 | 4.3 | 40 |
| 61 | Highly transparent, self-healing conductive elastomers enabled by synergistic hydrogen bonding interactions. <i>Chemical Engineering Journal</i> , 2020 , 393, 124685 | 14.7 | 39 |
| 60 | Development of high-strength, tough, and self-healing carboxymethyl guar gum-based hydrogels for human motion detection. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 900-908 | 7.1 | 36 |
| 59 | Green polymerizable deep eutectic solvent (PDES) type conductive paper for origami 3D circuits. <i>Chemical Communications</i> , 2018 , 54, 2304-2307 | 5.8 | 32 |
| 58 | Comparative study on temperature/pH sensitive xylan-based hydrogels: their properties and drug controlled release. <i>RSC Advances</i> , 2015 , 5, 90671-90681 | 3.7 | 30 |
| 57 | Transparent conductive elastomers with excellent autonomous self-healing capability in harsh organic solvent environments. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 5056-5061 | 13 | 30 |
| 56 | A comparative study on the starch-based biocomposite films reinforced by nanocellulose prepared from different non-wood fibers. <i>Cellulose</i> , 2019 , 26, 2425-2435 | 5.5 | 30 |
| 55 | Engineering Biocompatible Hydrogels from Bicomponent Natural Nanofibers for Anticancer Drug Delivery. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 935-942 | 5.7 | 28 |

| | | | |
|----|---|------|----|
| 54 | Photoluminescent Composites of Lanthanide-Based Nanocrystal-Functionalized Cellulose Fibers for Anticounterfeiting Applications. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 13960-13967 | 8.3 | 28 |
| 53 | An Image Stitching Algorithm Based on Histogram Matching and SIFT Algorithm. <i>International Journal of Pattern Recognition and Artificial Intelligence</i> , 2017 , 31, 1754006 | 1.1 | 27 |
| 52 | Ionic Gel Paper with Long-Term Bendable Electrical Robustness for Use in Flexible Electroluminescent Devices. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 16466-16473 | 9.5 | 22 |
| 51 | High-strength, tough, and self-healing hydrogel based on carboxymethyl cellulose. <i>Cellulose</i> , 2020 , 27, 853-865 | 5.5 | 22 |
| 50 | Polymerizable deep eutectic solvent-based mechanically strong and ultra-stretchable conductive elastomers for detecting human motions. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 4890-4897 | 13 | 22 |
| 49 | Highly stretchable ionic conducting hydrogels for strain/tactile sensors. <i>Polymer</i> , 2019 , 167, 154-158 | 3.9 | 21 |
| 48 | N-Phthaloyltranexamic acid ammonium salt derivatives as photocaged superbase for redox free radical photopolymerization. <i>Polymer Chemistry</i> , 2014 , 5, 2951-2960 | 4.9 | 20 |
| 47 | The preparation of β -chitin nanowhiskers-poly (vinyl alcohol) hydrogels for drug release. <i>International Journal of Biological Macromolecules</i> , 2019 , 131, 336-342 | 7.9 | 19 |
| 46 | Low-Cost, Sustainable, and Environmentally Sound Cellulose Absorbent with High Efficiency for Collecting Methane Bubbles from Seawater. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 6370-6377 | 8.3 | 19 |
| 45 | Highly transparent, weakly hydrophilic and biodegradable cellulose film for flexible electroluminescent devices. <i>Carbohydrate Polymers</i> , 2020 , 227, 115366 | 10.3 | 18 |
| 44 | Preparation and Assessment of Heat-Treated β -Chitin Nanowhiskers Reinforced Poly(vinyl alcohol) Film for Packaging Application. <i>Materials</i> , 2018 , 11, | 3.5 | 17 |
| 43 | Three-dimensional Printed Ultrahighly Sensitive Bioinspired Ionic Skin Based on Submicrometer-Scale Structures by Polymerization Shrinkage. <i>Chemistry of Materials</i> , 2021 , 33, 2072-2079 | 9.6 | 14 |
| 42 | Microwave-assisted hydrothermal treatment of corncob using tin(IV) chloride as catalyst for furfural production. <i>Cellulose</i> , 2016 , 23, 1649-1661 | 5.5 | 14 |
| 41 | Preparation and characterization of highly transparent hydrophobic nanocellulose film using corn husks as main material. <i>International Journal of Biological Macromolecules</i> , 2020 , 158, 781-789 | 7.9 | 12 |
| 40 | Highly Transparent, Flexible and Conductive CNF/AgNW Paper for Paper Electronics. <i>Materials</i> , 2019 , 12, | 3.5 | 11 |
| 39 | Design of strong and tough methylcellulose-based hydrogels using kosmotropic Hofmeister salts. <i>Cellulose</i> , 2020 , 27, 1113-1126 | 5.5 | 11 |
| 38 | Stiff, Self-Healable, Transparent Polymers with Synergetic Hydrogen Bonding Interactions. <i>Chemistry of Materials</i> , 2021 , 33, 5189-5196 | 9.6 | 11 |
| 37 | Color Reproduction Accuracy Promotion of 3D-Printed Surfaces Based on Microscopic Image Analysis. <i>International Journal of Pattern Recognition and Artificial Intelligence</i> , 2020 , 34, 2054004 | 1.1 | 11 |

| | | | |
|----|--|------|----|
| 36 | 3D printing of ultra-tough, self-healing transparent conductive elastomeric sensors. <i>Chemical Engineering Journal</i> , 2021 , 426, 130545 | 14.7 | 11 |
| 35 | Kinetic research on dechlorinating dichlorobenzene in aqueous system by nano-scale nickel/iron loaded with CMC/NFC hydrogel. <i>Chemosphere</i> , 2018 , 194, 297-305 | 8.4 | 10 |
| 34 | Highly Stretchable, Strain-Sensitive, and Ionic-Conductive Cellulose-Based Hydrogels for Wearable Sensors. <i>Polymers</i> , 2019 , 11, | 4.5 | 10 |
| 33 | In Situ Synthesis of Silver Nanoparticles on Cellulose Fibers Using D-Glucuronic Acid and Its Antibacterial Application. <i>Materials</i> , 2019 , 12, | 3.5 | 9 |
| 32 | Facile Approach to Develop Hierarchical Roughness fiber@SiO Blocks for Superhydrophobic Paper. <i>Materials</i> , 2019 , 12, | 3.5 | 9 |
| 31 | 3D Printing of Oil Paintings Based on Material Jetting and Its Reduction of Staircase Effect. <i>Polymers</i> , 2020 , 12, | 4.5 | 9 |
| 30 | Facile Preparation of Highly Transparent Conducting Nanopaper with Electrical Robustness. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 5132-5139 | 8.3 | 9 |
| 29 | Biosynthesis of silver nanoparticles applied for UV-curing conductive ink by using rice straw extract as reducing agent. <i>Canadian Journal of Chemical Engineering</i> , 2017 , 95, 2350-2356 | 2.3 | 9 |
| 28 | Experimental Investigation of Color Reproduction Quality of Color 3D Printing Based on Colored Layer Features. <i>Molecules</i> , 2020 , 25, | 4.8 | 8 |
| 27 | Nanochitin/metal ion dual reinforcement in synthetic polyacrylamide network-based nanocomposite hydrogels. <i>Carbohydrate Polymers</i> , 2020 , 236, 116061 | 10.3 | 8 |
| 26 | High cycling stability and well printability poly(3,4-ethylenedioxythiophene):poly(styrene sulfonate)/multi-walled carbon nanotube nanocomposites via in situ polymerization applied on electrochromic display. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 45943 | 2.9 | 8 |
| 25 | Domino free radical photopolymerization based on phototriggered base proliferation reaction and redox initiation. <i>Journal of Polymer Science Part A</i> , 2014 , 52, 1560-1569 | 2.5 | 8 |
| 24 | High-strength paper enhanced by chitin nanowhiskers and its potential bioassay applications. <i>International Journal of Biological Macromolecules</i> , 2020 , 150, 885-893 | 7.9 | 7 |
| 23 | Thioxanthone dicarboxamide derivatives as one-component photoinitiators for near-UV and visible LED (365-405 nm) induced photopolymerizations. <i>RSC Advances</i> , 2016 , 6, 77093-77099 | 3.7 | 7 |
| 22 | Mechanically tough yet self-healing transparent conductive elastomers obtained using a synergic dual cross-linking strategy. <i>Polymer Chemistry</i> , 2021 , 12, 2016-2023 | 4.9 | 7 |
| 21 | Rapid preparation of highly transparent piezoresistive balls for optoelectronic devices. <i>Chemical Communications</i> , 2020 , 56, 2771-2774 | 5.8 | 6 |
| 20 | Controllable preparation of carboxymethyl cellulose/LaF:Eu composites and its application in anti-counterfeiting. <i>International Journal of Biological Macromolecules</i> , 2020 , 164, 2224-2231 | 7.9 | 6 |
| 19 | Tuning of the photophysical and electrochemical properties of symmetric and asymmetric conjugated thiophenoazomethines.. <i>RSC Advances</i> , 2018 , 8, 12779-12784 | 3.7 | 5 |

| | | | |
|----|--|-----|---|
| 18 | Weavable Transparent Conductive Fibers with Harsh Environment Tolerance. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 8952-8959 | 9.5 | 5 |
| 17 | Preparation of Modified Montmorillonite-Plant Fiber Composite Foam Materials. <i>Materials</i> , 2019 , 12, | 3.5 | 4 |
| 16 | A green method of reducing silver nanoparticles based on bagasse pulp extract for preparing ultraviolet (UV)-curable conductive ink. <i>Journal of Vinyl and Additive Technology</i> , 2020 , 26, 90-96 | 2 | 4 |
| 15 | Paper-based analytical device for high-throughput monitoring tetracycline residue in milk. <i>Food Chemistry</i> , 2021 , 354, 129548 | 8.5 | 4 |
| 14 | Naked-Eye 3D Display Based on Microlens Array Using Combined Micro-Nano Imprint and UV Offset Printing Methods. <i>Molecules</i> , 2020 , 25, | 4.8 | 3 |
| 13 | Evaluation of image quality metrics for sharpness enhancement 2017 , | | 3 |
| 12 | Development and evaluation of a hybrid point-wise gamut mapping framework 2015 , | | 3 |
| 11 | Superhydrophilic three-dimensional porous spent coffee ground reduced palladium nanoparticles for efficient catalytic reduction. <i>Journal of Colloid and Interface Science</i> , 2021 , 608, 1414-1421 | 9.3 | 3 |
| 10 | Reflectance model for filament yarn composed of different color monofilaments. <i>Journal of the Textile Institute</i> ,1-9 | 1.5 | 3 |
| 9 | Realization of Rapid Large-Size 3D Printing Based on Full-Color Powder-Based 3DP Technique. <i>Molecules</i> , 2020 , 25, | 4.8 | 2 |
| 8 | Advanced Surface Color Quality Assessment in Paper-Based Full-Color 3D Printing. <i>Materials</i> , 2021 , 14, | 3.5 | 2 |
| 7 | Preparation and Characterization of Polyvinyl Alcohol-Chitosan/Cerium Hydrogel with Significant Antibacterial Activity. <i>Starch/Staerke</i> , 2021 , 73, 2000253 | 2.3 | 1 |
| 6 | Hibiscus Leachate Dye-Based Low-Cost and Flexible Dye-Sensitized Solar Cell Prepared by Screen Printing. <i>Materials</i> , 2021 , 14, | 3.5 | 1 |
| 5 | Preparation and Characterization of Polyvinyl Alcohol-Chitosan/Cerium-Nanocellulose Hydrogel for Medical Dressing Application. <i>Starch/Staerke</i> ,2100197 | 2.3 | 0 |
| 4 | Straightforward fabrication of robust and healable superhydrophobic steel mesh based on polydimethylsiloxane. <i>Journal of Applied Polymer Science</i> ,52206 | 2.9 | |
| 3 | Effect of Reaction Temperature on the Fluorescence Properties of CMC/LaF ₃ : Eu ³⁺ Composites. <i>Lecture Notes in Electrical Engineering</i> , 2020 , 814-820 | 0.2 | |
| 2 | The Research and Application of System for Paper Surface Morphology Stereoscopic Observation and Characterization. <i>International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems</i> , 2021 , 29, 89-100 | 0.8 | |
| 1 | Color Prediction Model of Gray Hybrid Multifilament Fabric. <i>Journal of Shanghai Jiaotong University (Science)</i> ,1 | 0.6 | |

