
Masakazu Yamada

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5105257/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Combining Optical Coherence Tomography and Fundus Photography to Improve Glaucoma Screening. Diagnostics, 2022, 12, 1100.	2.6	4
2	Tear protein analysis in patients with primary acquired nasolacrimal duct obstruction treated with lacrimal passage intubation. Japanese Journal of Ophthalmology, 2021, 65, 409-415.	1.9	2
3	Higher Participation Rate for Specific Health Checkups Concerning Simultaneous Ophthalmic Checkups. Journal of Epidemiology, 2021, 31, 315-319.	2.4	4
4	Effects of 0.01% Atropine Instillation Assessed Using Swept-Source Anterior Segment Optical Coherence Tomography. Journal of Clinical Medicine, 2021, 10, 4384.	2.4	7
5	Safety and efficacy of depatuxizumab mafodotin in Japanese patients with malignant glioma: A nonrandomized, phase 1/2 trial. Cancer Science, 2021, 112, 5020-5033.	3.9	19
6	Characteristics and Utility of Fluorescein Breakup Patterns among Dry Eyes in Clinic-Based Settings. Diagnostics, 2020, 10, 711.	2.6	7
7	Anterior Segment Biometry During Accommodation and Effects of Cycloplegics by Swept-Source Optical Coherence Tomography. Clinical Ophthalmology, 2020, Volume 14, 1237-1243.	1.8	7
8	Association of Systemic Comorbidities with Dry Eye Disease. Journal of Clinical Medicine, 2020, 9, 2040.	2.4	10
9	<p>Detection of Glaucoma and Other Vision-Threatening Ocular Diseases in the Population Recruited at Specific Health Checkups in Japan</p> . Clinical Epidemiology, 2020, Volume 12, 1381-1388.	3.0	6
10	Influence of Meibomian Gland Dysfunction and Friction-Related Disease on the Severity of Dry Eye. Ophthalmology, 2018, 125, 1181-1188.	5.2	35
11	Tear protein analysis in presumed congenital alacrima. Clinical Ophthalmology, 2018, Volume 12, 2591-2595.	1.8	5
12	Association between vision-specific quality of life and falls in community-dwelling older adults: LOHAS. PLoS ONE, 2018, 13, e0195806.	2.5	12
13	A Clinic-based Survey of Clinical Characteristics and Practice Pattern of Dry Eye in Japan. Advances in Therapy, 2017, 34, 732-743.	2.9	34
14	New Perspectives on Dry Eye Definition and Diagnosis: A Consensus Report by the Asia Dry Eye Society. Ocular Surface, 2017, 15, 65-76.	4.4	377
15	Assessment of quality of life in patients with visual impairments using a new visual function questionnaire: the VFQ-J11. Clinical Ophthalmology, 2016, Volume 10, 1939-1944.	1.8	2
16	The Clinical Effectiveness and Cost-Effectiveness of Screening for Age-Related Macular Degeneration in Japan: A Markov Modeling Study. PLoS ONE, 2015, 10, e0133628.	2.5	31
17	Cost-utility Analysis of Screening for Diabetic Retinopathy in Japan: A Probabilistic Markov Modeling Study. Ophthalmic Epidemiology, 2015, 22, 4-12.	1.7	23
18	Evaluation of the Frequency of Ophthalmic Solution Application: Washout Effects of Topical Saline Application on Tear Components. Current Eye Research, 2013, 38, 722-728.	1.5	10

#	Article	IF	CITATIONS
19	Economic Cost of Visual Impairment in Japan. JAMA Ophthalmology, 2010, 128, 766.	2.4	56
20	Prevalence of Visual Impairment in the Adult Japanese Population by Cause and Severity and Future Projections. Ophthalmic Epidemiology, 2010, 17, 50-57.	1.7	150