

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5105289/ole-mors-publications-by-citations.pdf>
Version: 2024-03-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

213 papers	16,708 citations	60 h-index	128 g-index
233 ext. papers	23,030 ext. citations	8.5 avg, IF	6.19 L-index

#	Paper	IF	Citations
213	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018 , 50, 668-681	36.3	1301
212	Genome-wide association analysis identifies 13 new risk loci for schizophrenia. <i>Nature Genetics</i> , 2013 , 45, 1150-9	36.3	1153
211	The Danish Psychiatric Central Research Register. <i>Scandinavian Journal of Public Health</i> , 2011 , 39, 54-7	3	914
210	Discovery of the first genome-wide significant risk loci for attention deficit/hyperactivity disorder. <i>Nature Genetics</i> , 2019 , 51, 63-75	36.3	826
209	Common schizophrenia alleles are enriched in mutation-intolerant genes and in regions under strong background selection. <i>Nature Genetics</i> , 2018 , 50, 381-389	36.3	787
208	Identification of common genetic risk variants for autism spectrum disorder. <i>Nature Genetics</i> , 2019 , 51, 431-444	36.3	746
207	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019 , 51, 793-803	36.3	662
206	Modeling Linkage Disequilibrium Increases Accuracy of Polygenic Risk Scores. <i>American Journal of Human Genetics</i> , 2015 , 97, 576-92	11	649
205	Effects of family history and place and season of birth on the risk of schizophrenia. <i>New England Journal of Medicine</i> , 1999 , 340, 603-8	59.2	624
204	Large-Scale Exome Sequencing Study Implicates Both Developmental and Functional Changes in the Neurobiology of Autism. <i>Cell</i> , 2020 , 180, 568-584.e23	56.2	578
203	Effect of anti-inflammatory treatment on depression, depressive symptoms, and adverse effects: a systematic review and meta-analysis of randomized clinical trials. <i>JAMA Psychiatry</i> , 2014 , 71, 1381-91	14.5	563
202	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019 , 179, 1469-1482.e11	56.2	402
201	A comprehensive nationwide study of the incidence rate and lifetime risk for treated mental disorders. <i>JAMA Psychiatry</i> , 2014 , 71, 573-81	14.5	313
200	Genome-wide pharmacogenetics of antidepressant response in the GENDEP project. <i>American Journal of Psychiatry</i> , 2010 , 167, 555-64	11.9	280
199	Measuring depression: comparison and integration of three scales in the GENDEP study. <i>Psychological Medicine</i> , 2008 , 38, 289-300	6.9	193
198	Exploring Comorbidity Within Mental Disorders Among a Danish National Population. <i>JAMA Psychiatry</i> , 2019 , 76, 259-270	14.5	188
197	Common genetic variation and antidepressant efficacy in major depressive disorder: a meta-analysis of three genome-wide pharmacogenetic studies. <i>American Journal of Psychiatry</i> , 2013 , 170, 207-17	11.9	181

196	Polygenic Risk Score, Parental Socioeconomic Status, Family History of Psychiatric Disorders, and the Risk for Schizophrenia: A Danish Population-Based Study and Meta-analysis. <i>JAMA Psychiatry</i> , 2015 , 72, 635-41	14.5	177
195	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. <i>Nature Communications</i> , 2019 , 10, 4558	17.4	151
194	Differential efficacy of escitalopram and nortriptyline on dimensional measures of depression. <i>British Journal of Psychiatry</i> , 2009 , 194, 252-9	5.4	150
193	The iPSYCH2012 case-cohort sample: new directions for unravelling genetic and environmental architectures of severe mental disorders. <i>Molecular Psychiatry</i> , 2018 , 23, 6-14	15.1	140
192	Genome-wide study of association and interaction with maternal cytomegalovirus infection suggests new schizophrenia loci. <i>Molecular Psychiatry</i> , 2014 , 19, 325-33	15.1	133
191	Genome-wide Association for Major Depression Through Age at Onset Stratification: Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2017 , 81, 325-335	7.9	129
190	Association between C-reactive protein (CRP) with depression symptom severity and specific depressive symptoms in major depression. <i>Brain, Behavior, and Immunity</i> , 2017 , 62, 344-350	16.6	128
189	A major role for common genetic variation in anxiety disorders. <i>Molecular Psychiatry</i> , 2020 , 25, 3292-3303	15.1	114
188	The hypercholesterolemia-risk gene SORT1 facilitates PCSK9 secretion. <i>Cell Metabolism</i> , 2014 , 19, 310-8	24.6	110
187	Combining clinical variables to optimize prediction of antidepressant treatment outcomes. <i>Journal of Psychiatric Research</i> , 2016 , 78, 94-102	5.2	106
186	Association between Mental Disorders and Subsequent Medical Conditions. <i>New England Journal of Medicine</i> , 2020 , 382, 1721-1731	59.2	103
185	Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. <i>Translational Psychiatry</i> , 2017 , 7, e1155	8.6	100
184	Ten-year follow-up of the OPUS specialized early intervention trial for patients with a first episode of psychosis. <i>Schizophrenia Bulletin</i> , 2015 , 41, 617-26	1.3	94
183	Genetic predictors of response to serotonergic and noradrenergic antidepressants in major depressive disorder: a genome-wide analysis of individual-level data and a meta-analysis. <i>PLoS Medicine</i> , 2012 , 9, e1001326	11.6	94
182	The CHANGE trial: no superiority of lifestyle coaching plus care coordination plus treatment as usual compared to treatment as usual alone in reducing risk of cardiovascular disease in adults with schizophrenia spectrum disorders and abdominal obesity. <i>World Psychiatry</i> , 2016 , 15, 155-65	14.4	93
181	A Genetic Investigation of Sex Bias in the Prevalence of Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry</i> , 2018 , 83, 1044-1053	7.9	93
180	Sequencing and de novo assembly of 150 genomes from Denmark as a population reference. <i>Nature</i> , 2017 , 548, 87-91	50.4	87
179	A Nationwide Study in Denmark of the Association Between Treated Infections and the Subsequent Risk of Treated Mental Disorders in Children and Adolescents. <i>JAMA Psychiatry</i> , 2019 , 76, 271-279	14.5	85

178	Minimal phenotyping yields genome-wide association signals of low specificity for major depression. <i>Nature Genetics</i> , 2020 , 52, 437-447	36.3	80
177	F18. PSYCHOPATHOLOGY AND SELF-CONCEPT IN A LONGITUDINAL COHORT OF CHILDREN WITH FAMILIAL HIGH RISK OF SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2019 , 45, S261-S261	1.3	78
176	F52. WHO CO-PARENT CHILDREN WITH MOTHERS AND FATHERS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER? CHARACTERIZING INDIVIDUALS WHO HAVE CHILDREN TOGETHER WITH INDIVIDUALS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2019 , 45, S275-S275	1.3	78
175	7.2 PSYCHOTIC LIKE EXPERIENCES AND THEIR ASSOCIATIONS IN SEVEN-YEAR-OLD CHILDREN WITH FAMILIAL HIGH RISK OF SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2019 , 45, S98-S98	1.3	78
174	T123. PERSISTENT NEGATIVE SYMPTOMS IN FIRST EPISODE PSYCHOSIS: PREVALENCE, PREDICTORS AND PROGNOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S163-S163	1.3	78
173	F28. CLINICAL VALIDATION OF THE GLASGOW ANTIPSYCHOTIC SIDE EFFECT SCALE (GASS). <i>Schizophrenia Bulletin</i> , 2019 , 45, S265-S265	1.3	78
172	M57. NEUROCOGNITIVE HETEROGENEITY IN 7-YEAR-OLD CHILDREN AT FAMILIAL HIGH RISK OF SCHIZOPHRENIA OR BIPOLAR DISORDER - THE DANISH HIGH RISK AND RESILIENCE STUDY VIA 7. <i>Schizophrenia Bulletin</i> , 2020 , 46, S156-S156	1.3	78
171	T128. ATTACHMENT REPRESENTATIONS IN CHILDREN AT FAMILIAL HIGH RISK OF SEVERE MENTAL DISORDERS. ASSOCIATIONS WITH PSYCHOPATHOLOGY, LEVEL OF FUNCTIONING, AND PSYCHOTIC EXPERIENCES. <i>Schizophrenia Bulletin</i> , 2020 , 46, S279-S279	1.3	78
170	S244. RELIABILITY OF CORE SCHIZOPHRENIA SYMPTOMS RATINGS USING THE SIX-ITEM POSITIVE AND NEGATIVE SYNDROME SCALE (PANSS-6) PERFORMED BY MEDICAL STUDENTS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S131-S132	1.3	78
169	S48. INTER-RATER RELIABILITY OF PANSS-6 SCHIZOPHRENIA SEVERITY RATINGS OBTAINED USING THE SIMPLIFIED NEGATIVE AND POSITIVE SYMPTOMS INTERVIEW (SNAPSI). <i>Schizophrenia Bulletin</i> , 2018 , 44, S342-S343	1.3	78
168	O12.5. GENETIC AND ENVIRONMENTAL PREDICTORS OF MAIN OUTCOMES IN THE DANISH HIGH RISK AND RESILIENCE STUDY - VIA 7. A STUDY OF 522 7-YEAR-OLD CHILDREN OF PARENTS WITH SCHIZOPHRENIA, BIPOLAR DISORDER OR NEITHER OF THESE DISORDERS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S110-S111	1.3	78
167	S34. DEVELOPMENTAL TRAJECTORIES OF PSYCHOTIC EXPERIENCES AND THEORY OF MIND IN 11-YEAR-OLD OFFSPRING OF PARENTS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2018 , 44, S336-S337	1.3	78
166	F67. NEUROCOGNITION IN 7-YEAR-OLD CHILDREN OF PARENTS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2018 , 44, S245-S246	1.3	78
165	S46. THE VALIDITY AND SENSITIVITY OF PANSS-6 IN TREATMENT-RESISTANT SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018 , 44, S341-S342	1.3	78
164	S67. INTEGRATION OF SENSORY AND SOCIAL INFORMATION DURING DECISION MAKING IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018 , 44, S350-S350	1.3	78
163	Endogenous and Antipsychotic-Related Risks for Diabetes Mellitus in Young People With Schizophrenia: A Danish Population-Based Cohort Study. <i>American Journal of Psychiatry</i> , 2017 , 174, 686-694	11.9	77
162	Infantile Autism and Associated Autosomal Chromosome Abnormalities: A Register-based Study and a Literature Survey. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1999 , 40, 335-345	7.9	76
161	An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. <i>Biological Psychiatry</i> , 2017 , 82, 322-329	7.9	68

160	Common variant at 16p11.2 conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2014 , 19, 108-14	15.1	67
159	Genetic Variants Associated With Anxiety and Stress-Related Disorders: A Genome-Wide Association Study and Mouse-Model Study. <i>JAMA Psychiatry</i> , 2019 , 76, 924-932	14.5	64
158	Autism spectrum disorder and attention deficit hyperactivity disorder have a similar burden of rare protein-truncating variants. <i>Nature Neuroscience</i> , 2019 , 22, 1961-1965	25.5	64
157	Genetics of suicide attempts in individuals with and without mental disorders: a population-based genome-wide association study. <i>Molecular Psychiatry</i> , 2020 , 25, 2410-2421	15.1	63
156	Infections and exposure to anti-infective agents and the risk of severe mental disorders: a nationwide study. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 97-105	6.5	62
155	Obsessive-compulsive disorder as a risk factor for schizophrenia: a nationwide study. <i>JAMA Psychiatry</i> , 2014 , 71, 1215-21	14.5	62
154	Genome-wide scans using archived neonatal dried blood spot samples. <i>BMC Genomics</i> , 2009 , 10, 297	4.5	60
153	Quantifying the Impact of Rare and Ultra-rare Coding Variation across the Phenotypic Spectrum. <i>American Journal of Human Genetics</i> , 2018 , 102, 1204-1211	11	59
152	Elevated polygenic burden for autism is associated with differential DNA methylation at birth. <i>Genome Medicine</i> , 2018 , 10, 19	14.4	58
151	Robustness of genome-wide scanning using archived dried blood spot samples as a DNA source. <i>BMC Genetics</i> , 2011 , 12, 58	2.6	58
150	Secondary depression in severe anxiety disorders: a population-based cohort study in Denmark. <i>Lancet Psychiatry</i> , 2015 , 2, 515-23	23.3	55
149	Antipsychotic medication and remission of psychotic symptoms 10years after a first-episode psychosis. <i>Schizophrenia Research</i> , 2017 , 182, 42-48	3.6	55
148	Pharmacogenetics of antidepressant response: A polygenic approach. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 75, 128-134	5.5	54
147	Consensus paper of the WFSBP Task Force on Genetics: Genetics, epigenetics and gene expression markers of major depressive disorder and antidepressant response. <i>World Journal of Biological Psychiatry</i> , 2017 , 18, 5-28	3.8	54
146	Prevalence of rearrangements in the 22q11.2 region and population-based risk of neuropsychiatric and developmental disorders in a Danish population: a case-cohort study. <i>Lancet Psychiatry</i> , 2018 , 5, 573-580	23.3	53
145	Five years of specialised early intervention versus two years of specialised early intervention followed by three years of standard treatment for patients with a first episode psychosis: randomised, superiority, parallel group trial in Denmark (OPUS II). <i>BMJ, The</i> , 2017 , 356, i6681	5.9	53
144	The Effect of Concomitant Treatment With SSRIs and Statins: A Population-Based Study. <i>American Journal of Psychiatry</i> , 2016 , 173, 807-15	11.9	51
143	Obsessive-Compulsive Disorder and Autism Spectrum Disorders: Longitudinal and Offspring Risk. <i>PLoS ONE</i> , 2015 , 10, e0141703	3.7	50

142	Genetic effects influencing risk for major depressive disorder in China and Europe. <i>Translational Psychiatry</i> , 2017 , 7, e1074	8.6	48
141	PANSS-6: a brief rating scale for the measurement of severity in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 436-44	6.5	47
140	A genetic risk score combining 32 SNPs is associated with body mass index and improves obesity prediction in people with major depressive disorder. <i>BMC Medicine</i> , 2015 , 13, 86	11.4	45
139	Inflammation and depression: combined use of selective serotonin reuptake inhibitors and NSAIDs or paracetamol and psychiatric outcomes. <i>Brain and Behavior</i> , 2015 , 5, e00338	3.4	43
138	A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry</i> , 2020 , 7, 1032-1045	23.3	43
137	Effect of cytochrome CYP2C19 metabolizing activity on antidepressant response and side effects: Meta-analysis of data from genome-wide association studies. <i>European Neuropsychopharmacology</i> , 2018 , 28, 945-954	1.2	43
136	Cuba: exploring the history of admixture and the genetic basis of pigmentation using autosomal and uniparental markers. <i>PLoS Genetics</i> , 2014 , 10, e1004488	6	42
135	Support of association between BRD1 and both schizophrenia and bipolar affective disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 582-591	3.5	42
134	The Danish High Risk and Resilience Study--VIA 7--a cohort study of 520 7-year-old children born of parents diagnosed with either schizophrenia, bipolar disorder or neither of these two mental disorders. <i>BMC Psychiatry</i> , 2015 , 15, 233	4.2	37
133	Systematic Integration of Brain eQTL and GWAS Identifies ZNF323 as a Novel Schizophrenia Risk Gene and Suggests Recent Positive Selection Based on Compensatory Advantage on Pulmonary Function. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1294-308	1.3	36
132	Neurotrophic factors in depression in response to treatment. <i>Journal of Affective Disorders</i> , 2015 , 183, 287-94	6.6	36
131	Psychopathology in 7-year-old children with familial high risk of developing schizophrenia spectrum psychosis or bipolar disorder - The Danish High Risk and Resilience Study - VIA 7, a population-based cohort study. <i>World Psychiatry</i> , 2018 , 17, 210-219	14.4	35
130	Reduced neonatal brain-derived neurotrophic factor is associated with autism spectrum disorders. <i>Translational Psychiatry</i> , 2019 , 9, 252	8.6	34
129	Genetics of schizophrenia: A consensus paper of the WFSBP Task Force on Genetics. <i>World Journal of Biological Psychiatry</i> , 2017 , 18, 492-505	3.8	33
128	Dietary patterns and physical activity in people with schizophrenia and increased waist circumference. <i>Schizophrenia Research</i> , 2018 , 199, 109-115	3.6	33
127	Parental Psychiatric Disease and Risks of Attempted Suicide and Violent Criminal Offending in Offspring: A Population-Based Cohort Study. <i>JAMA Psychiatry</i> , 2016 , 73, 1015-1022	14.5	33
126	Antidepressant drug-specific prediction of depression treatment outcomes from genetic and clinical variables. <i>Scientific Reports</i> , 2018 , 8, 5530	4.9	31
125	Influence of Polygenic Risk Scores on the Association Between Infections and Schizophrenia. <i>Biological Psychiatry</i> , 2016 , 80, 609-16	7.9	31

124	Impairments of motor function among children with a familial risk of schizophrenia or bipolar disorder at 7 years old in Denmark: an observational cohort study. <i>Lancet Psychiatry</i> , 2017 , 4, 400-408	33.3	29
123	Bipolar and panic disorders may be associated with hereditary defects in the innate immune system. <i>Journal of Affective Disorders</i> , 2014 , 164, 148-54	6.6	29
122	Modelling the contribution of family history and variation in single nucleotide polymorphisms to risk of schizophrenia: a Danish national birth cohort-based study. <i>Schizophrenia Research</i> , 2012 , 134, 246-52	3.6	28
121	Genome-wide DNA methylation profiling with MeDIP-seq using archived dried blood spots. <i>Clinical Epigenetics</i> , 2016 , 8, 81	7.7	27
120	Hippocampal volume and serotonin transporter polymorphism in major depressive disorder. <i>Acta Neuropsychiatrica</i> , 2013 , 25, 206-14	3.9	27
119	A MBD-seq protocol for large-scale methylome-wide studies with (very) low amounts of DNA. <i>Epigenetics</i> , 2017 , 12, 743-750	5.7	26
118	Trends in the psychopharmacological treatment of bipolar disorder: a nationwide register-based study. <i>Acta Neuropsychiatrica</i> , 2016 , 28, 75-84	3.9	26
117	New insights into the pharmacogenomics of antidepressant response from the GENDEP and STAR*D studies: rare variant analysis and high-density imputation. <i>Pharmacogenomics Journal</i> , 2018 , 18, 413-421	3.5	26
116	Associations between clinical and psychosocial factors and metabolic and cardiovascular risk factors in overweight patients with schizophrenia spectrum disorders - Baseline and two-years findings from the CHANGE trial. <i>Schizophrenia Research</i> , 2018 , 199, 96-102	3.6	24
115	Genome-wide association study of antidepressant treatment resistance in a population-based cohort using health service prescription data and meta-analysis with GENDEP. <i>Pharmacogenomics Journal</i> , 2020 , 20, 329-341	3.5	24
114	Predicting ADHD by Assessment of RutterQ Indicators of Adversity in Infancy. <i>PLoS ONE</i> , 2016 , 11, e0157352	3.52	22
113	Whole-Exome Sequencing Reveals Increased Burden of Rare Functional and Disruptive Variants in Candidate Risk Genes in Individuals With Persistent Attention-Deficit/Hyperactivity Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016 , 55, 521-3	7.2	22
112	Blood DNA methylation age is not associated with cognitive functioning in middle-aged monozygotic twins. <i>Neurobiology of Aging</i> , 2017 , 50, 60-63	5.6	21
111	Association of the polygenic risk score for schizophrenia with mortality and suicidal behavior - A Danish population-based study. <i>Schizophrenia Research</i> , 2017 , 184, 122-127	3.6	21
110	Increased use of primary care during 6 years of prodromal schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 225-33	6.5	21
109	Statin treatment and the risk of depression. <i>Journal of Affective Disorders</i> , 2019 , 246, 706-715	6.6	20
108	Effect of lifestyle coaching versus care coordination versus treatment as usual in people with severe mental illness and overweight: Two-years follow-up of the randomized CHANGE trial. <i>PLoS ONE</i> , 2017 , 12, e0185881	3.7	19
107	Investigation of blood mRNA biomarkers for suicidality in an independent sample. <i>Translational Psychiatry</i> , 2014 , 4, e474	8.6	19

106	Polygenic Risk Scores, School Achievement, and Risk for Schizophrenia: A Danish Population-Based Study. <i>Biological Psychiatry</i> , 2018 , 84, 684-691	7.9	18
105	Attention-deficit hyperactivity disorder and anxiety disorders as precursors of bipolar disorder onset in adulthood. <i>British Journal of Psychiatry</i> , 2018 , 213, 555-560	5.4	18
104	Copy number variants and therapeutic response to antidepressant medication in major depressive disorder. <i>Pharmacogenomics Journal</i> , 2014 , 14, 395-9	3.5	18
103	Familiality and SNP heritability of age at onset and episodicity in major depressive disorder. <i>Psychological Medicine</i> , 2015 , 45, 2215-25	6.9	18
102	Genetic liability to ADHD and substance use disorders in individuals with ADHD. <i>Addiction</i> , 2020 , 115, 1368-1377	4.6	18
101	Meta-analysis of GWA studies provides new insights on the genetic architecture of skin pigmentation in recently admixed populations. <i>BMC Genetics</i> , 2019 , 20, 59	2.6	17
100	Association of Childhood Exposure to Nitrogen Dioxide and Polygenic Risk Score for Schizophrenia With the Risk of Developing Schizophrenia. <i>JAMA Network Open</i> , 2019 , 2, e1914401	10.4	17
99	Stakeholders in psychiatry and their attitudes toward receiving pertinent and incident findings in genomic research. <i>American Journal of Medical Genetics, Part A</i> , 2017 , 173, 2649-2658	2.5	17
98	Familial confounding of the association between maternal smoking during pregnancy and internalizing disorders in offspring. <i>Psychological Medicine</i> , 2017 , 1-10	6.9	16
97	Phenotypic Association Analyses With Copy Number Variation in Recurrent Depressive Disorder. <i>Biological Psychiatry</i> , 2016 , 79, 329-36	7.9	15
96	Transcriptomics and the mechanisms of antidepressant efficacy. <i>European Neuropsychopharmacology</i> , 2016 , 26, 105-112	1.2	15
95	Genome-wide Burden of Rare Short Deletions Is Enriched in Major Depressive Disorder in Four Cohorts. <i>Biological Psychiatry</i> , 2019 , 85, 1065-1073	7.9	14
94	TAILOR - tapered discontinuation versus maintenance therapy of antipsychotic medication in patients with newly diagnosed schizophrenia or persistent delusional disorder in remission of psychotic symptoms: study protocol for a randomized clinical trial. <i>Trials</i> , 2017 , 18, 445	2.8	14
93	The Validity and Sensitivity of PANSS-6 in the Clinical Antipsychotic Trials of Intervention Effectiveness (CATIE) Study. <i>Schizophrenia Bulletin</i> , 2018 , 44, 453-462	1.3	14
92	Association between Global Assessment of Functioning scores and indicators of functioning, severity, and prognosis in first-time schizophrenia. <i>Clinical Epidemiology</i> , 2016 , 8, 323-32	5.9	14
91	Hypomethylation of FAM63B in bipolar disorder patients. <i>Clinical Epigenetics</i> , 2016 , 8, 52	7.7	14
90	Sustained Attention and Interference Control Among 7-Year-Old Children With a Familial High Risk of Schizophrenia or Bipolar Disorder-A Nationwide Observational Cohort Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018 , 3, 704-712	3.4	14
89	Polygenic risk for circulating reproductive hormone levels and their influence on hippocampal volume and depression susceptibility. <i>Psychoneuroendocrinology</i> , 2019 , 106, 284-292	5	13

88	Investigating the genetic variation underlying episodicity in major depressive disorder: suggestive evidence for a bipolar contribution. <i>Journal of Affective Disorders</i> , 2014 , 155, 81-9	6.6	13
87	Home visits in the Danish High Risk and Resilience Study - VIA 7: assessment of the home environment of 508 7-year-old children born to parents diagnosed with schizophrenia or bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 140, 126-134	6.5	12
86	Genetic disposition to inflammation and response to antidepressants in major depressive disorder. <i>Journal of Psychiatric Research</i> , 2018 , 105, 17-22	5.2	12
85	Salivary cortisol and depression in public sector employees: cross-sectional and short term follow-up findings. <i>Psychoneuroendocrinology</i> , 2014 , 41, 63-74	5	12
84	The Schizophrenia-Associated BRD1 Gene Regulates Behavior, Neurotransmission, and Expression of Schizophrenia Risk Enriched Gene Sets in Mice. <i>Biological Psychiatry</i> , 2017 , 82, 62-76	7.9	12
83	Are changes in workplace bullying status related to changes in salivary cortisol? A longitudinal study among Danish employees. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 435-42	4.1	12
82	Minimal phenotyping yields GWAS hits of reduced specificity for major depression		12
81	A functional variant in the serotonin receptor 7 gene (HTR7), rs7905446, is associated with good response to SSRIs in bipolar and unipolar depression. <i>Molecular Psychiatry</i> , 2020 , 25, 1312-1322	15.1	12
80	Attitudes of stakeholders in psychiatry towards the inclusion of children in genomic research. <i>Human Genomics</i> , 2018 , 12, 12	6.8	11
79	Genes associated with anhedonia: a new analysis in a large clinical trial (GENDEP). <i>Translational Psychiatry</i> , 2018 , 8, 150	8.6	11
78	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022 , 91, 102-117	7.9	11
77	Risk of Early-Onset Depression Associated With Polygenic Liability, Parental Psychiatric History, and Socioeconomic Status. <i>JAMA Psychiatry</i> , 2021 , 78, 387-397	14.5	11
76	Exome sequencing in large, multiplex bipolar disorder families from Cuba. <i>PLoS ONE</i> , 2018 , 13, e0205895	5.7	11
75	Mice heterozygous for an inactivated allele of the schizophrenia associated Brd1 gene display selective cognitive deficits with translational relevance to schizophrenia. <i>Neurobiology of Learning and Memory</i> , 2017 , 141, 44-52	3.1	10
74	Protocol for CHANGE: a randomized clinical trial assessing lifestyle coaching plus care coordination versus care coordination alone versus treatment as usual to reduce risks of cardiovascular disease in adults with schizophrenia and abdominal obesity. <i>BMC Psychiatry</i> , 2015 , 15, 119	4.2	10
73	Concomitant NSAID use during antipsychotic treatment and risk of 2-year relapse - a population-based study of 16,253 incident patients with schizophrenia. <i>Expert Opinion on Pharmacotherapy</i> , 2016 , 17, 1055-62	4	10
72	Inter-rater reliability of ratings on the six-item Positive and Negative Syndrome Scale (PANSS-6) obtained using the Simplified Negative and Positive Symptoms Interview (SNAPSI). <i>Nordic Journal of Psychiatry</i> , 2018 , 72, 431-436	2.3	10
71	Latent toxoplasmosis and psychiatric symptoms - A role of tryptophan metabolism?. <i>Journal of Psychiatric Research</i> , 2019 , 110, 45-50	5.2	10

70	Psychopharmacological treatment of psychotic mania and psychotic bipolar depression compared to non-psychotic mania and non-psychotic bipolar depression. <i>Bipolar Disorders</i> , 2017 , 19, 505-512	3.8	9
69	Students' Learning Experiences from Didactic Teaching Sessions Including Patient Case Examples as Either Text or Video: A Qualitative Study. <i>Academic Psychiatry</i> , 2018 , 42, 622-629	1.1	9
68	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020 , 87, 419-430	7.9	9
67	The validity and sensitivity of PANSS-6 in treatment-resistant schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 420-431	6.5	9
66	The Serotonin Transporter Gene Polymorphisms and Risk of Ischemic Stroke. <i>Cerebrovascular Diseases</i> , 2018 , 45, 187-192	3.2	8
65	Visual attention in 7-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish high risk and resilience study VIA 7. <i>Journal of Affective Disorders</i> , 2019 , 258, 56-65	6.6	8
64	Brain proteome changes in female Brd1 mice unmask dendritic spine pathology and show enrichment for schizophrenia risk. <i>Neurobiology of Disease</i> , 2019 , 124, 479-488	7.5	8
63	Enhanced Automatic Action Imitation and Intact Imitation-Inhibition in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019 , 45, 87-95	1.3	8
62	Identification of genetic loci associated with nocturnal enuresis: a genome-wide association study. <i>The Lancet Child and Adolescent Health</i> , 2021 , 5, 201-209	14.5	7
61	The Danish High Risk and Resilience Study-VIA 11: Study Protocol for the First Follow-Up of the VIA 7 Cohort -522 Children Born to Parents With Schizophrenia Spectrum Disorders or Bipolar Disorder and Controls Being Re-examined for the First Time at Age 11. <i>Frontiers in Psychiatry</i> , 2018 , 9, 661	5	7
60	Effect of antidepressant switching between nortriptyline and escitalopram after a failed first antidepressant treatment among patients with major depressive disorder. <i>British Journal of Psychiatry</i> , 2019 , 215, 494-501	5.4	6
59	Investigating interactions between early life stress and two single nucleotide polymorphisms in HSD11B2 on the risk of schizophrenia. <i>Psychoneuroendocrinology</i> , 2015 , 60, 18-27	5	6
58	Adolescent residential mobility, genetic liability and risk of schizophrenia, bipolar disorder and major depression. <i>British Journal of Psychiatry</i> , 2020 , 217, 390-396	5.4	6
57	MBL and MASP-2 concentrations in serum and MBL2 promoter polymorphisms are associated to schizophrenia. <i>Acta Neuropsychiatrica</i> , 2012 , 24, 199-207	3.9	6
56	Analysis of risk factors for schizophrenia with two different case definitions: a nationwide register-based external validation study. <i>Schizophrenia Research</i> , 2015 , 162, 74-8	3.6	6
55	Combinations of genetic variants associated with bipolar disorder. <i>PLoS ONE</i> , 2017 , 12, e0189739	3.7	6
54	The iPSYCH2015 Case-Cohort sample: updated directions for unravelling genetic and environmental architectures of severe mental disorders		6
53	Familial Confounding of the Association Between Maternal Smoking During Pregnancy and Schizophrenia. <i>American Journal of Psychiatry</i> , 2017 , 174, 187	11.9	5

52	Schizophrenia and attendance in primary healthcare: a population-based matched cohort study. <i>Scandinavian Journal of Primary Health Care</i> , 2019 , 37, 358-365	2.7	5
51	Saliva as a Blood Alternative for Genome-Wide DNA Methylation Profiling by Methylated DNA Immunoprecipitation (MeDIP) Sequencing. <i>Epigenomes</i> , 2017 , 1, 14	2.3	5
50	Schizophrenia-associated mt-DNA SNPs exhibit highly variable haplogroup affiliation and nuclear ancestry: Bi-genomic dependence raises major concerns for link to disease. <i>PLoS ONE</i> , 2018 , 13, e0208829	2.7	5
49	Combinations of Genetic Data Present in Bipolar Patients, but Absent in Control Persons. <i>PLoS ONE</i> , 2015 , 10, e0143432	3.7	4
48	The iPSYCH2012 case-cohort sample: New directions for unravelling genetic and environmental architectures of severe mental disorders		4
47	Genetic Architecture of 11 Major Psychiatric Disorders at Biobehavioral, Functional Genomic, and Molecular Genetic Levels of Analysis		4
46	Genetic factors underlying the bidirectional relationship between autoimmune and mental disorders - Findings from a Danish population-based study. <i>Brain, Behavior, and Immunity</i> , 2021 , 91, 10-23	16.6	4
45	Association of the leucine-7 to proline-7 variation in the signal sequence of neuropeptide Y with major depression. <i>Acta Neuropsychiatrica</i> , 2012 , 24, 81-90	3.9	3
44	Genome-wide association study of school grades identifies a genetic overlap between language ability, psychopathology and creativity		3
43	Polygenic risk score, psychosocial environment and the risk of attention-deficit/hyperactivity disorder. <i>Translational Psychiatry</i> , 2020 , 10, 335	8.6	3
42	Executive functions in 7-year-old children of parents with schizophrenia or bipolar disorder compared with controls: The Danish High Risk and Resilience Study-VIA 7, a population-based cohort study. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 1871-1884	5.5	3
41	A Nationwide Cohort Study of Nonrandom Mating in Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1342-1350	1.3	3
40	Taking others into account: combining directly experienced and indirect information in schizophrenia. <i>Brain</i> , 2021 , 144, 1603-1614	11.2	3
39	Complex spatio-temporal distribution and genomic ancestry of mitochondrial DNA haplogroups in 24,216 Danes. <i>PLoS ONE</i> , 2018 , 13, e0208829	3.7	3
38	Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. <i>Biological Psychiatry</i> , 2021 ,	7.9	3
37	Socially Learned Attitude Change is not reduced in Medicated Patients with Schizophrenia. <i>Scientific Reports</i> , 2019 , 9, 992	4.9	2
36	T54. TAILOR TAPERED DISCONTINUATION VERSUS MAINTENANCE THERAPY OF ANTIPSYCHOTIC MEDICATION IN PATIENTS WITH NEWLY DIAGNOSED SCHIZOPHRENIA SPECTRUM DISORDERS IN REMISSION OF PSYCHOTIC SYMPTOMS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S134-S135	1.3	2
35	Genome-wide association study of febrile seizures identifies seven new loci implicating fever response and neuronal excitability genes		2

34	Complex spatio-temporal distribution and genogeographic affinity of mitochondrial DNA haplogroups in 24,216 Danes		2
33	Mitochondrial DNA SNPs associated with Schizophrenia exhibit Highly Variable Inter-allelic Haplogroup Affiliation and Nuclear Genogeographic Affinity: Bi-Genomic Linkage Disequilibrium raises Major Concerns for Link to Disease		2
32	Accounting for age-of-onset and family history improves power in genome-wide association studies		2
31	Genetic predictors of educational attainment and intelligence test performance predict voter turnout. <i>Nature Human Behaviour</i> , 2021 , 5, 281-291	12.8	2
30	Psychotic experiences in seven-year-old children with familial high risk of schizophrenia or bipolar disorder in: The Danish High Risk and Resilience Study - VIA 7; A population-based cohort study. <i>Schizophrenia Research</i> , 2021 , 228, 510-518	3.6	2
29	Examining sex differences in neurodevelopmental and psychiatric genetic risk in anxiety and depression. <i>PLoS ONE</i> , 2021 , 16, e0248254	3.7	2
28	Depression and inflammation: Correlation between changes in inflammatory markers with antidepressant response and long-term prognosis. <i>European Neuropsychopharmacology</i> , 2021 ,	1.2	2
27	T22. CLINICAL VALIDATION OF THE SIX-ITEM POSITIVE AND NEGATIVE SYNDROME SCALE (PANSS-6). <i>Schizophrenia Bulletin</i> , 2019 , 45, S211-S212	1.3	1
26	Is the association between offspring intelligence and parents' educational attainment influenced by schizophrenia or mood disorder in parents?. <i>Schizophrenia Research: Cognition</i> , 2017 , 9, 18-22	2.8	1
25	Accounting for age of onset and family history improves power in genome-wide association studies.. <i>American Journal of Human Genetics</i> , 2022 ,	11	1
24	Meta-analysis of Scandinavian Schizophrenia Exomes		1
23	Odor identification in 7-year-old children at familial high risk of schizophrenia or bipolar disorder - the Danish high risk and resilience study VIA 7. <i>Schizophrenia Research</i> , 2020 , 216, 77-84	3.6	1
22	Polygenic profiles define aspects of clinical heterogeneity in ADHD		1
21	Decision making and its associations to neurocognitive functions, psychopathology, and the home environment in seven-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish High Risk and Resilience Study VIA 7. <i>Journal of Affective Disorders</i> , 2021 , 281, 609-617	6.6	1
20	Standardized training in the rating of the six-item Positive And Negative Syndrome Scale (PANSS-6). <i>Schizophrenia Research</i> , 2021 , 228, 438-446	3.6	1
19	F84. ASSOCIATIONS BETWEEN INTELLIGENCE, VERBAL WORKING MEMORY AND PROCESSING SPEED IN PARENTS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER AND THEIR 7-YEAR OLD OFFSPRING. <i>Schizophrenia Bulletin</i> , 2018 , 44, S252-S252	1.3	1
18	Differences in the genetic architecture of common and rare variants in childhood, persistent and late-diagnosed attention deficit hyperactivity disorder		1
17	Exploring the sortilin related receptor, SorLA, in depression. <i>Journal of Affective Disorders</i> , 2018 , 232, 260-267	6.6	0

16	Methodology for clinical genotyping of CYP2D6 and CYP2C19. <i>Translational Psychiatry</i> , 2021 , 11, 596	8.6	o
15	Polygenic risk score for bipolar disorder and school grades. <i>Journal of Affective Disorders</i> , 2020 , 263, 555-557	6.6	o
14	Post-error adjustment among children aged 7 years with a familial high risk of schizophrenia or bipolar disorder: A population-based cohort study. <i>Development and Psychopathology</i> , 2021 , 1-11	4.3	o
13	Attitudes Toward Psychiatric Genetic Testing and Research: A Comparative Study Between Denmark and Cuba. <i>Genetic Testing and Molecular Biomarkers</i> , 2019 , 23, 857-864	1.6	o
12	The Danish High-Risk and Resilience Study-VIA 15 - A Study Protocol for the Third Clinical Assessment of a Cohort of 522 Children Born to Parents Diagnosed With Schizophrenia or Bipolar Disorder and Population-Based Controls.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 809807	5	o
11	The Genome-Wide DNA Methylation Profile of Peripheral Blood Is Not Systematically Changed by Short-Time Storage at Room Temperature. <i>Epigenomes</i> , 2017 , 1, 23	2.3	
10	The Association Between School Achievement and Subsequent Development of Bipolar Disorder. <i>European Psychiatry</i> , 2017 , 41, S208-S209	6	
9	The Impact of the Change Trial on Physical Health in People With Schizophrenia. <i>European Psychiatry</i> , 2017 , 41, S10-S10	6	
8	Home environment of 11-year-old children born to parents with schizophrenia or bipolar disorder □ a controlled, 4-year follow-up study: The Danish High Risk and Resilience Study VIA 11. <i>Psychological Medicine</i> , 1-11	6.9	
7	The association between genetically determined ABO blood types and major depressive disorder. <i>Psychiatry Research</i> , 2021 , 299, 113837	9.9	
6	Association of Positive and Negative Syndrome Scale (PANSS) short forms with global functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 565-566	6.5	
5	Problematic definitions of bipolar I disorder and mixed episode in the upcoming ICD-11. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 361-362	6.5	
4	Discrepancies between staff and gold standard ratings of schizophrenia symptom severity. <i>Psychiatry Research</i> , 2021 , 301, 113963	9.9	
3	Standardized training in the rating of the six-item positive and negative syndrome scale (PANSS-6). <i>European Psychiatry</i> , 2021 , 64, S592-S593	6	
2	Association between early risk factors and level of functioning at age seven in children at familial risk for schizophrenia or bipolar disorder - The Danish High Risk and Resilience Study VIA 7. <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , 2022 , 10, 12-23	0.6	
1	School performance and genetic propensities for educational attainment and depression in the etiology of self-harm: a Danish population-based study. <i>Nordic Journal of Psychiatry</i> , 1-9	2.3	