List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5107015/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Pharmacogenetics research in Brazil: a systematic review. Pharmacogenomics, 2022, 23, 263-275. | 0.6 | О |
| 2 | Population genetics of <i>PDE4B</i> (phosphodiesteraseâ€4B) in neglected Native Americans: Implications for cancer pharmacogenetics. Clinical and Translational Science, 2022, , . | 1.5 | 4 |
| 3 | An International Adult Guideline for Making Clozapine Titration Safer by Using Six Ancestry-Based Personalized Dosing Titrations, CRP, and Clozapine Levels. Pharmacopsychiatry, 2022, 55, 73-86. | 1.7 | 107 |
| 4 | Clinical Pharmacogenetics Implementation Consortium (CPIC) Guideline for <i>CYP2C9</i> and <i>HLAâ€B</i> Genotypes and Phenytoin Dosing: 2020 Update. Clinical Pharmacology and Therapeutics, 2021, 109, 302-309. | 2.3 | 102 |
| 5 | Relationships between CYP1A2, CYP2C9, CYP2C19, CYP2D6 and CYP3A4 metabolic phenotypes and genotypes in a Nicaraguan Mestizo population. Pharmacogenomics Journal, 2021, 21, 140-151. | 0.9 | 12 |
| 6 | The need of the clinical implementation of pharmacogenetics in European health services for routine drug prescription. What's next? An urgent clinical unmet need for patients. Drug Metabolism and Personalized Therapy, 2021, . | 0.3 | 1 |
| 7 | Relevance of <i>NR1I2</i> variants on carbamazepine therapy in Mexican Mestizos with epilepsy at a tertiary-care hospital. Pharmacogenomics, 2021, 22, 983-996. | 0.6 | Ο |
| 8 | Genomic Ancestry, <i><scp>CYP</scp>2D6</i> , <i><scp>CYP</scp>2C9</i> , and <i><scp>CYP</scp>2C19</i> Among Latin Americans. Clinical Pharmacology and Therapeutics, 2020, 107, 257-268. | 2.3 | 27 |
| 9 | High prevalence of CYP2D6 ultrarapid metabolizers in a mestizo Colombian population in relation to Hispanic mestizo populations. Pharmacogenomics, 2020, 21, 1227-1236. | 0.6 | Ο |
| 10 | Influence of genetic variants and antiepileptic drug co-treatment on lamotrigine plasma concentration in Mexican Mestizo patients with epilepsy. Pharmacogenomics Journal, 2020, 20, 845-856. | 0.9 | 6 |
| 11 | Clinical implementation of pharmacogenetics and personalized drug prescription based on e-health: the MedeA initiative. Drug Metabolism and Personalized Therapy, 2020, . | 0.3 | 3 |
| 12 | Clinical implementation of pharmacogenetics and personalized drug prescription based on e-health: the MedeA initiative. Drug Metabolism and Drug Interactions, 2020, 35, . | 0.3 | 1 |
| 13 | The need of the clinical implementation of pharmacogenetics in European health services for routine drug prescription. What's next? An urgent clinical unmet need for patients. Drug Metabolism and Drug Interactions, 2020, 35, . | 0.3 | Ο |
| 14 | Frequency of CYP2C9 (*2, *3 and IVS8‑109A>T) allelic variants, and their clinical implications, among Mexican patients with diabetes mellitus type 2 undergoing treatment with glibenclamide and metformin. Biomedical Reports, 2019, 10, 283-295. | 0.9 | 4 |
| 15 | Pharmacogenetics of amfepramone in healthy Mexican subjects reveals potential markers for tailoring pharmacotherapy of obesity: results of a randomised trial. Scientific Reports, 2019, 9, 17833. | 1.6 | 5 |
| 16 | Genetic structure of pharmacogenetic biomarkers in Brazil inferred from a systematic review and population-based cohorts: a RIBEF/EPIGEN-Brazil initiative. Pharmacogenomics Journal, 2018, 18, 749-759. | 0.9 | 25 |
| 17 | Evolution of metabolic risk factors over a two-year period in a cohort of first episodes of psychosis. Schizophrenia Research, 2018, 193, 188-196. | 1.1 | 50 |
| 18 | Interethnic Variability in <i>CYP2D6</i> , <i>CYP2C9</i> , and <i>CYP2C19</i> Genes and Predicted Drug Metabolism Phenotypes Among 6060 Ibero- and Native Americans: RIBEF-CEIBA Consortium Report on Population Pharmacogenomics. OMICS A Journal of Integrative Biology, 2018, 22, 575-588. | 1.0 | 32 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Effects of Khat (Catha edulis) use on catalytic activities of major drug-metabolizing cytochrome P450 enzymes and implication of pharmacogenetic variations. Scientific Reports, 2018, 8, 12726. | 1.6 | 20 |
| 20 | Impact of <i>NTRK2, DRD2</i> and <i>ACE</i> polymorphisms on prolactin levels in antipsychotic-treated patients with first-episode psychosis. Journal of Psychopharmacology, 2018, 32, 702-710. | 2.0 | 8 |
| 21 | New perspectives in personalised medicine for ethnicity in cancer: population pharmacogenomics and pharmacometrics. Drug Metabolism and Personalized Therapy, 2018, 33, 61-64. | 0.3 | 9 |
| 22 | High frequency of CYP2D6 ultrarapid metabolizer genotypes in an Ashkenazi Jewish population from Argentina. Pharmacogenomics Journal, 2017, 17, 378-381. | 0.9 | 7 |
| 23 | Lessons from Cuba for Global Precision Medicine: CYP2D6 Genotype Is Not a Robust Predictor of CYP2D6 Ultrarapid Metabolism. OMICS A Journal of Integrative Biology, 2017, 21, 17-26. | 1.0 | 20 |
| 24 | Water pipe (Shisha, Hookah, Arghile) Smoking and Secondhand Tobacco Smoke Effects on CYP1A2 and CYP2A6 Phenotypes as Measured by Caffeine Urine Test. OMICS A Journal of Integrative Biology, 2017, 21, 177-182. | 1.0 | 2 |
| 25 | Intuitive pharmacogenetic dosing of risperidone according to CYP2D6 phenotype extrapolated from genotype in a cohort of first episode psychosis patients. European Neuropsychopharmacology, 2017, 27, 647-656. | 0.3 | 13 |
| 26 | Elevated CYP2C19 expression is associated with depressive symptoms and hippocampal homeostasis impairment. Molecular Psychiatry, 2017, 22, 1155-1163. | 4.1 | 39 |
| 27 | What is the future of pharmacogenomics in pain management?. Pharmacogenomics, 2017, 18, 101-103. | 0.6 | 2 |
| 28 | CYP450 Genotype/Phenotype Concordance in Mexican Amerindian Indigenous Populations–Where to from Here for Global Precision Medicine?. OMICS A Journal of Integrative Biology, 2017, 21, 509-519. | 1.0 | 30 |
| 29 | Multiple adverse drug reactions and genetic polymorphism testing. Medicine (United States), 2017, 96, e8505. | 0.4 | 5 |
| 30 | Therapeutic Drug Monitoring of Fluoxetine, Norfluoxetine and Paroxetine: A New Tool Based on Microextraction by Packed Sorbent Coupled to Liquid Chromatography. Journal of Analytical Toxicology, 2017, 41, 631-638. | 1.7 | 20 |
| 31 | Can the CEIBA Cocktail Designed for Human Cytochrome P450 Enzymes be Used in the Rat for Drug Interaction Studies?. Journal of Pharmacy and Pharmaceutical Sciences, 2016, 19, 520. | 0.9 | 7 |
| 32 | Predictive biomarkers candidates for patients with metastatic colorectal cancer treated with bevacizumab-containing regimen. Drug Metabolism and Personalized Therapy, 2016, 31, 83-90. | 0.3 | 11 |
| 33 | Pharmacogenomics in pain treatment. Drug Metabolism and Personalized Therapy, 2016, 31, 131-142. | 0.3 | 15 |
| 34 | Pharmacogenetic research activity in Central America and the Caribbean: a systematic review. Pharmacogenomics, 2016, 17, 1707-1724. | 0.6 | 7 |
| 35 | To Genotype or Phenotype for Personalized Medicine? CYP450 Drug Metabolizing Enzyme Genotype–Phenotype Concordance and Discordance in the Ecuadorian Population. OMICS A Journal of Integrative Biology, 2016, 20, 699-710. | 1.0 | 31 |
| 36 | Allele and genotype frequencies of genes relevant to anti-epileptic drug therapy in Mexican-Mestizo healthy volunteers. Pharmacogenomics, 2016, 17, 1913-1930. | 0.6 | 8 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Genetic variability of <i>CYP2C9*2</i> and <i>CYP2C9*3</i> in seven indigenous groups from Mexico. Pharmacogenomics, 2016, 17, 1881-1889. | 0.6 | 4 |
| 38 | Pharmacogenetics and ethnicity: relevance for clinical implementation, clinical trials, pharmacovigilance and drug regulation in Latin America. Pharmacogenomics, 2016, 17, 1741-1747. | 0.6 | 14 |
| 39 | High frequency of CYP2D6 ultrarapid metabolizers in Spain: controversy about their misclassification in worldwide population studies. Pharmacogenomics Journal, 2016, 16, 485-490. | 0.9 | 20 |
| 40 | Pharmacogenetic study of antipsychotic induced acute extrapyramidal symptoms in a first episode psychosis cohort: role of dopamine, serotonin and glutamate candidate genes. Pharmacogenomics Journal, 2016, 16, 439-445. | 0.9 | 30 |
| 41 | CYP450 genotype and pharmacogenetic association studies: a critical appraisal. Pharmacogenomics, 2016, 17, 259-275. | 0.6 | 38 |
| 42 | Interethnic variability of pharmacogenetic biomarkers in Mexican healthy volunteers: a report from the RIBEF (Ibero-American Network of Pharmacogenetics and Pharmacogenomics). Drug Metabolism and Personalized Therapy, 2016, 31, 61-81. | 0.3 | 17 |
| 43 | Multiplex Phenotyping for Systems Medicine: A One-Point Optimized Practical Sampling Strategy for Simultaneous Estimation of CYP1A2, CYP2C9, CYP2C19, and CYP2D6 Activities Using a Cocktail Approach. OMICS A Journal of Integrative Biology, 2016, 20, 88-96. | 1.0 | 23 |
| 44 | A Pharmacovigilance Study in First Episode of Psychosis: Psychopharmacological Interventions and Safety Profiles in the PEPs Project. International Journal of Neuropsychopharmacology, 2016, 19, pyv121. | 1.0 | 29 |
| 45 | Pharmacogenetic Studies of Suicide: Potential Relevance of Main Polymorphic CYPs and ABCB1. , 2016, , 415-433. | | 0 |
| 46 | Progress in pharmacogenetics: consortiums and new strategies. Drug Metabolism and Personalized Therapy, 2016, 31, 17-23. | 0.3 | 12 |
| 47 | CYP2C9, CYP2C19, ABCB1 genetic polymorphisms and phenytoin plasma concentrations in Mexican-Mestizo patients with epilepsy. Pharmacogenomics Journal, 2016, 16, 286-292. | 0.9 | 22 |
| 48 | Relevance of the ancestry for the variability of the Drug-Metabolizing Enzymes CYP2C9, CYP2C19 and CYP2D6 polymorphisms in a multiethnic Costa Rican population. Revista De Biologia Tropical, 2016, 64, 1067-76. | 0.1 | 10 |
| 49 | Simultaneous Determination of Cytochrome P450 Oxidation Capacity in Humans: A Review on the Phenotyping Cocktail Approach. Current Pharmaceutical Biotechnology, 2016, 17, 1159-1180. | 0.9 | 28 |
| 50 | The Psychostimulant Khat (Catha edulis) Inhibits CYP2D6 Enzyme Activity in Humans. Journal of Clinical Psychopharmacology, 2015, 35, 694-699. | 0.7 | 25 |
| 51 | Pharmacogenetics in Central American healthy volunteers: interethnic variability. Drug Metabolism and Personalized Therapy, 2015, 30, 19-31. | 0.3 | 16 |
| 52 | Clinical drug-drug interactions: focus on venlafaxine. Drug Metabolism and Personalized Therapy, 2015, 30, 3-17. | 0.3 | 14 |
| 53 | Clinical Pharmacogenetics Implementation Consortium (CPIC) Guideline for <i>CYP2D6</i> and <i>CYP2C19</i> Genotypes and Dosing of Selective Serotonin Reuptake Inhibitors. Clinical Pharmacology and Therapeutics, 2015, 98, 127-134. | 2.3 | 739 |
| 54 | Population pharmacogenetics and global health. Drug Metabolism and Personalized Therapy, 2015, 30, 73-74. | 0.3 | 7 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Success stories in genomic medicine from resource-limited countries. Human Genomics, 2015, 9, 11. | 1.4 | 41 |
| 56 | Worldwide interethnic variability and geographical distribution of CYP2C9 genotypes and phenotypes. Expert Opinion on Drug Metabolism and Toxicology, 2015, 11, 1893-1905. | 1.5 | 49 |
| 57 | A combined high CYP2D6-CYP2C19 metabolic capacity is associated with the severity of suicide attempt as measured by objective circumstances. Pharmacogenomics Journal, 2015, 15, 172-176. | 0.9 | 25 |
| 58 | Pharmacogenomic information in drug labels: European Medicines Agency perspective. Pharmacogenomics Journal, 2015, 15, 201-210. | 0.9 | 110 |
| 59 | A Code of Ethics for Ethicists: What Would Pierre Bourdieu Say? "Do Not Misuse Social Capital in the Age of Consortia Ethics― American Journal of Bioethics, 2015, 15, 64-67. | 0.5 | 14 |
| 60 | Interethnic relationships of <i>CYP2D6</i> variants in native and Mestizo populations sharing the same ecosystem. Pharmacogenomics, 2015, 16, 703-712. | 0.6 | 13 |
| 61 | An Appeal to the Clobal Health Community for a Tripartite Innovation: An "Essential Diagnostics List,― "Health in All Policies,―and "See-Through 21 st Century Science and Ethics― OMICS A Journal of Integrative Biology, 2015, 19, 435-442. | 1.0 | 14 |
| 62 | Metabolic phenotype prediction from genotyping data: a bottleneck for the implementation of pharmacogenetics in drug development and clinical practice. Drug Metabolism and Personalized Therapy, 2015, 30, 143-145. | 0.3 | 4 |
| 63 | ABCB1 gene polymorphisms and violent suicide attempt among survivors. Journal of Psychiatric Research, 2015, 61, 52-56. | 1.5 | 14 |
| 64 | High frequency and founder effect of the CYP3A4*20 loss-of-function allele in the Spanish population classifies CYP3A4 as a polymorphic enzyme. Pharmacogenomics Journal, 2015, 15, 288-292. | 0.9 | 48 |
| 65 | A tribute to José MarÃa ("Chema") Cantú. Genetics and Molecular Biology, 2014, 37, 310-314. | 0.6 | 4 |
| 66 | CYP2D6Polymorphism and Mental and Personality Disorders in Suicide Attempters. Journal of Personality Disorders, 2014, 28, 873-883. | 0.8 | 6 |
| 67 | <i>CYP2D6</i> gene polymorphisms and predicted phenotypes in eight indigenous groups from northwestern Mexico. Pharmacogenomics, 2014, 15, 339-348. | 0.6 | 28 |
| 68 | First MEPS/HPLC assay for the simultaneous determination of venlafaxine and <i>O</i> -desmethylvenlafaxine in human plasma. Bioanalysis, 2014, 6, 3025-3038. | 0.6 | 10 |
| 69 | Venlafaxine pharmacokinetics focused on drug metabolism and potential biomarkers. Drug Metabolism and Drug Interactions, 2014, 29, 129-141. | 0.3 | 34 |
| 70 | Research Highlights: Novel <i>CYP2C9</i> genetic polymorphisms and assessment of their impact on hydroxylation capacity. Pharmacogenomics, 2014, 15, 261-264. | 0.6 | 1 |
| 71 | <i>CYP2D6</i> genetic polymorphisms in Southern Mexican Mayan Lacandones and Mestizos from Chiapas. Pharmacogenomics, 2014, 15, 1859-1865. | 0.6 | 13 |
| 72 | Interethnic variability of <i>CYP2D6</i> alleles and of predicted and measured metabolic phenotypes across world populations. Expert Opinion on Drug Metabolism and Toxicology, 2014, 10, 1569-1583. | 1.5 | 129 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Ready to Put Metadata on the Post-2015 Development Agenda? Linking Data Publications to Responsible Innovation and Science Diplomacy. OMICS A Journal of Integrative Biology, 2014, 18, 1-9. | 1.0 | 31 |
| 74 | Bernard Lerer: Recipient of the 2014 Inaugural Werner Kalow Responsible Innovation Prize in Global Omics and Personalized Medicine (Pacific Rim Association for Clinical Pharmacogenetics). OMICS A Journal of Integrative Biology, 2014, 18, 211-221. | 1.0 | 7 |
| 75 | Present status and perspective of pharmacogenetics in Mexico. Drug Metabolism and Drug Interactions, 2014, 29, 37-45. | 0.3 | 16 |
| 76 | <scp>CYP2D6</scp> variation, behaviour and psychopathology: implications for pharmacogenomicsâ€guided clinical trials. British Journal of Clinical Pharmacology, 2014, 77, 673-683. | 1.1 | 42 |
| 77 | Interethnic differences in the relevance of CYP2C9 genotype and environmental factors for diclofenac metabolism in Hispanics from Cuba and Spain. Pharmacogenomics Journal, 2014, 14, 229-234. | 0.9 | 31 |
| 78 | Translating Biotechnology to Knowledge-Based Innovation, Peace, and Development? Deploy a Science Peace Corps—An Open Letter to World Leaders. OMICS A Journal of Integrative Biology, 2014, 18, 415-420. | 1.0 | 6 |
| 79 | Liver enzyme abnormalities during antipsychotic treatment: a case report of risperidone-associated hepatotoxicity. Drug Metabolism and Drug Interactions, 2014, 29, 123-126. | 0.3 | 9 |
| 80 | Relationship between the <i>CYP2C9</i> IVS8-109A>T polymorphism and high losartan hydroxylation in healthy Ecuadorian volunteers. Pharmacogenomics, 2014, 15, 1417-1421. | 0.6 | 15 |
| 81 | Toward More Transparent and Reproducible Omics Studies Through a Common Metadata Checklist and Data Publications. OMICS A Journal of Integrative Biology, 2014, 18, 10-14. | 1.0 | 54 |
| 82 | A rapid and simple LC–MS/MS method for the simultaneous evaluation of CYP1A2, CYP2C9, CYP2C19, CYP2D6 and CYP3A4 hydroxylation capacity. Bioanalysis, 2014, 6, 683-696. | 0.6 | 31 |
| 83 | Pharmacogenetic potential biomarkers for carbamazepine adverse drug reactions and clinical response. Drug Metabolism and Drug Interactions, 2014, 29, 67-79. | 0.3 | 14 |
| 84 | Ethnic background and CYP2D6 genetic polymorphisms in Costa Ricans. Revista De Biologia Tropical, 2014, 62, 1659. | 0.1 | 15 |
| 85 | Ethnic background and CYP2D6 genetic polymorphisms in Costa Ricans. Revista De Biologia Tropical, 2014, 62, 1659-71. | 0.1 | 7 |
| 86 | Use of pharmacogenetics in bioequivalence studies to reduce sample size: an example with mirtazapine and CYP2D6. Pharmacogenomics Journal, 2013, 13, 452-455. | 0.9 | 12 |
| 87 | Interethnic differences in UGT1A4 genetic polymorphisms between Mexican Mestizo and Spanish populations. Molecular Biology Reports, 2013, 40, 3187-3192. | 1.0 | 18 |
| 88 | Neurological toxicity after phenytoin infusion in a pediatric patient with epilepsy: influence of CYP2C9, CYP2C19 and ABCB1 genetic polymorphisms. Pharmacogenomics Journal, 2013, 13, 359-361. | 0.9 | 33 |
| 89 | Influence of admixture components on CYP2C9*2 allele frequency in eight indigenous populations from Northwest Mexico. Pharmacogenomics Journal, 2013, 13, 567-572. | 0.9 | 22 |
| 90 | Cytochrome P450 genetic polymorphisms of Mexican indigenous populations. Drug Metabolism and Drug Interactions, 2013, 28, 193-208. | 0.3 | 15 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Characterization of <i>CYP2D6</i> genotypes and metabolic profiles in the Portuguese population: pharmacogenetic implications. Personalized Medicine, 2013, 10, 709-718. | 0.8 | 11 |
| 92 | Criterios de valoración clÃnicos y de funcionamiento en un estudio de interacción gen-ambiente en primeros episodios psicóticos (PEPs). Revista De PsiquiatrÃa Y Salud Mental, 2013, 6, 4-16. | 1.0 | 99 |
| 93 | Impact of cytochrome P450 genes on suicide attempt and risk. European Archives of Psychiatry and Clinical Neuroscience, 2013, 263, 703-704. | 1.8 | 3 |
| 94 | Pharmacogenetics of clinical response to risperidone. Pharmacogenomics, 2013, 14, 177-194. | 0.6 | 36 |
| 95 | Newly identified synergy between clopidogrel and calcium-channel blockers for blood pressure regulation possibly involves CYP2C19 rs4244285. International Journal of Cardiology, 2013, 168, 3057-3058. | 0.8 | 2 |
| 96 | <i>CYP2D6</i> genetic polymorphism and psychiatry patients' hospitalization period. Biomarkers in Medicine, 2013, 7, 915-916. | 0.6 | 5 |
| 97 | Research Highlights. Pharmacogenomics, 2013, 14, 603-606. | 0.6 | 0 |
| 98 | MDR-1 genotypes and quetiapine pharmacokinetics in healthy volunteers. Drug Metabolism and Drug Interactions, 2013, 28, 163-166. | 0.3 | 12 |
| 99 | Clinical pharmacology of drug metabolism and drug interactions: clinical, interethnical and regulatory aspects. Drug Metabolism and Drug Interactions, 2013, 28, 1-3. | 0.3 | 3 |
| 100 | Evaluation of drug-metabolizing enzyme hydroxylation phenotypes in Hispanic populations: the CEIBA cocktail. Drug Metabolism and Drug Interactions, 2013, 28, 135-146. | 0.3 | 11 |
| 101 | CYP2D6 poor metabolizer status might be associated with better response to risperidone treatment. Pharmacogenetics and Genomics, 2013, 23, 627-630. | 0.7 | 25 |
| 102 | Toward More Transparent and Reproducible Omics Studies Through a Common Metadata Checklist and Data Publications. Big Data, 2013, 1, 196-201. | 2.1 | 5 |
| 103 | CYP2D6 ultrarapid metabolism and early dropout from fluoxetine or amitriptyline monotherapy treatment in major depressive patients. Molecular Psychiatry, 2013, 18, 8-9. | 4.1 | 46 |
| 104 | Association of common genetic variants with risperidone adverse events in a Spanish schizophrenic population. Pharmacogenomics Journal, 2013, 13, 197-204. | 0.9 | 20 |
| 105 | <i>CYP2D6</i> -1584C>G promoter polymorphism and debrisoquine ultrarapid hydroxylation in healthy volunteers. Pharmacogenomics, 2013, 14, 1973-1977. | 0.6 | 23 |
| 106 | Editorial: CPPM 2013 Onward: Building a Socio-Technical GPS for Global Personalized Medicine – A Welcome to Editors-In-Chief Adrian LLerena (Spain) and Ross A. McKinnon (Australia). Current Pharmacogenomics and Personalized Medicine, 2013, 11, 87-92. | 0.2 | 0 |
| 107 | <i>CYP2D6</i> and the severity of suicide attempts. Pharmacogenomics, 2012, 13, 179-184. | 0.6 | 37 |
| 108 | CYP2D6 polymorphism in patients with eating disorders. Pharmacogenomics Journal, 2012, 12, 173-175. | 0.9 | 25 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | High-performance liquid chromatography method using ultraviolet detection for the quantification of aripiprazole and dehydroaripiprazole in psychiatric patients. Drug Metabolism and Drug Interactions, 2012, 27, 165-70. | 0.3 | 2 |
| 110 | Losartan hydroxylation phenotype in an Ecuadorian population: influence of <i>CYP2C9</i> genetic polymorphism, habits and gender. Pharmacogenomics, 2012, 13, 1711-1717. | 0.6 | 28 |
| 111 | CYP2D6 genotype and debrisoquine hydroxylation phenotype in Cubans and Nicaraguans. Pharmacogenomics Journal, 2012, 12, 176-183. | 0.9 | 62 |
| 112 | Strengths and weaknesses of pharmacogenetic studies of antipsychotic drugs: the potential value of the PEPs study. Pharmacogenomics, 2012, 13, 1773-1782. | 0.6 | 17 |
| 113 | Development of a HPLC method for the determination of losartan urinary metabolic ratio to be used for the determination of CYP2C9 hydroxylation phenotypes. Drug Metabolism and Drug Interactions, 2012, 27, 217-223. | 0.3 | 8 |
| 114 | CYP2D6 genotype and dextromethorphan hydroxylation phenotype in an Ecuadorian population. European Journal of Clinical Pharmacology, 2012, 68, 637-644. | 0.8 | 27 |
| 115 | Eating Disorder Symptoms and CYP2D6 Variation in Cuban Healthy Females: A Report from the Ibero-American Network of Pharmacogenetics. Current Pharmacogenomics and Personalized Medicine, 2012, 10, 288-292. | 0.2 | 4 |
| 116 | CYP2C9 allele frequency differences between populations of Mexican-Mestizo, Mexican-Tepehuano, and Spaniards. Pharmacogenomics Journal, 2011, 11, 108-112. | 0.9 | 46 |
| 117 | Pharmacogenetics of the antiepileptic drugs phenytoin and lamotrigine. Drug Metabolism and Drug Interactions, 2011, 26, 5-12. | 0.3 | 22 |
| 118 | High risk of lifetime history of suicide attempts among CYP2D6 ultrarapid metabolizers with eating disorders. Molecular Psychiatry, 2011, 16, 691-692. | 4.1 | 45 |
| 119 | ATA homozigosity in the IL-10gene promoter is a risk factor for schizophrenia in Spanish females: a case control study. BMC Medical Genetics, 2011, 12, 81. | 2.1 | 15 |
| 120 | Research Highlights. Pharmacogenomics, 2011, 12, 311-313. | 0.6 | 2 |
| 121 | Pharmacogenomics and Personality: Role of CYP2D6 and Implications for Psychopathology. Advances in Biological Psychiatry, 2010, , 30-45. | 0.2 | 3 |
| 122 | Influence of CYP2D6 Deletion, Multiplication, –1584C→G, 31G→A and 2988G→A Gene Polymorphisms on Dextromethorphan Metabolism among Mexican Tepehuanos and Mestizos. Pharmacology, 2010, 86, 30-36. | 0.9 | 32 |
| 123 | Evaluating a newly developed pharmacogenetic array: screening in a Spanish population. Pharmacogenomics, 2010, 11, 1619-1625. | 0.6 | 12 |
| 124 | Pharmacogenetics of debrisoquine and its use as a marker for CYP2D6 hydroxylation capacity. Pharmacogenomics, 2009, 10, 17-28. | 0.6 | 65 |
| 125 | Development of a new genotyping assay for detection of the <i>BDNF</i> Val66Met polymorphism using melting-curve analysis. Pharmacogenomics, 2009, 10, 989-995. | 0.6 | 6 |
| 126 | Relation between <i>CYP2D6</i> genotype, personality, neurocognition and overall psychopathology in healthy volunteers. Pharmacogenomics, 2009, 10, 1111-1120. | 0.6 | 49 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | <i>CYP2D6</i> genotyping for psychiatric patients treated with risperidone: considerations for cost–effectiveness studies. Pharmacogenomics, 2009, 10, 685-699. | 0.6 | 34 |
| 128 | Relevance of <i>CYP2D6</i> -1584C>G polymorphism for thioridazine:mesoridazine plasma concentration ratio in psychiatric patients. Pharmacogenomics, 2009, 10, 1083-1089. | 0.6 | 17 |
| 129 | Increased use of second generation antipsychotic drugs in primary care: potential relevance for hospitalizations in schizophrenia patients. European Journal of Clinical Pharmacology, 2008, 64, 73-76. | 0.8 | 16 |
| 130 | Relationship between CYP2C8 genotypes and diclofenac 5-hydroxylation in healthy Spanish volunteers. European Journal of Clinical Pharmacology, 2008, 64, 967-970. | 0.8 | 30 |
| 131 | High risk of polydipsia and water intoxication in schizophrenia patients. Schizophrenia Research, 2008, 99, 377-378. | 1.1 | 5 |
| 132 | Subtyping undergraduate women along dietary restraint and negative affect. Appetite, 2008, 51, 727-730. | 1.8 | 14 |
| 133 | Relation between CYP2D6 phenotype and genotype and personality in healthy volunteers. Pharmacogenomics, 2008, 9, 833-840. | 0.6 | 66 |
| 134 | Aripiprazole-Induced Parkinsonism and Its Association With Dopamine and Serotonin Receptor Polymorphisms. Journal of Clinical Psychopharmacology, 2008, 28, 352-353. | 0.7 | 9 |
| 135 | Antipsychotic drugs and QTc prolongation: the potential role ofCYP2D6genetic polymorphism. Expert Opinion on Drug Metabolism and Toxicology, 2007, 3, 9-19. | 1.5 | 17 |
| 136 | Low frequency of CYP2D6 poor metabolizers among schizophrenia patients. Pharmacogenomics Journal, 2007, 7, 408-410. | 0.9 | 37 |
| 137 | Association between T102C and A–1438G polymorphisms in the serotonin receptor 2A (5-HT2A) gene and schizophrenia: relevance for treatment with antipsychotic drugs. Clinical Chemistry and Laboratory Medicine, 2007, 45, 835-8. | 1.4 | 23 |
| 138 | <i>CYP2D6</i> polymorphism: implications for antipsychotic drug response, schizophrenia and personality traits. Pharmacogenomics, 2007, 8, 1597-1608. | 0.6 | 58 |
| 139 | Increased risk for major depression associated with the short allele of the serotonin transporter promoter region (5-HTTLPR-S) and the CYP2C9*3 allele. Fundamental and Clinical Pharmacology, 2007, 21, 451-453. | 1.0 | 33 |
| 140 | No effect of the CYP1A2*1F genotype on thioridazine, mesoridazine, sulforidazine plasma concentrations in psychiatric patients. European Journal of Clinical Pharmacology, 2007, 63, 527-528. | 0.8 | 3 |
| 141 | Clinical Implications of CYP2D6 Genetic Polymorphism During Treatment with Antipsychotic Drugs. Current Drug Targets, 2006, 7, 1671-1680. | 1.0 | 24 |
| 142 | Editorial [Hot Topic: Pharmacogenetic and Pharmacogenomics (Guest Editors: A. LLerena and J. Licinio)]. Current Drug Targets, 2006, 7, 1639-1640. | 1.0 | 0 |
| 143 | Pharmacogenomics Education: International Society of Pharmacogenomics Recommendations for Medical, Pharmaceutical, and Health Schools Deans of Education. Pharmacogenomics Journal, 2005, 5, 221-225. | 0.9 | 119 |
| 144 | Reduced completed suicide rate in Hungary from 1990 to 2001: Relation to suicide methods. Journal of Affective Disorders, 2005, 88, 235-238. | 2.0 | 22 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Development of a PCR-based strategy for <i>CYP2D6</i> genotyping including gene multiplication of worldwide potential use. BioTechniques, 2005, 39, S571-S574. | 0.8 | 68 |
| 146 | Determination of debrisoquine and 4-hydroxydebrisoquine by high-performance liquid chromatography: application to the evaluation of CYP2D6 genotype and debrisoquine metabolic ratio relationship. Clinical Chemistry and Laboratory Medicine, 2005, 43, 275-9. | 1.4 | 13 |
| 147 | Relationship between Haloperidol Plasma Concentration, Debrisoquine Metabolic Ratio,CYP2D6andCYP2C9Genotypes in Psychiatric Patients. Pharmacopsychiatry, 2004, 37, 69-73. | 1.7 | 18 |
| 148 | The Role of Cytochrome P450 Enzymes in the Metabolism of Risperidone and Its Clinical Relevance for Drug Interactions. Current Drug Targets, 2004, 5, 573-579. | 1.0 | 52 |
| 149 | Lower frequency of CYP2C9*2 in Mexican-Americans compared to Spaniards. Pharmacogenomics Journal, 2004, 4, 403-406. | 0.9 | 62 |
| 150 | Effect of CYP2D6 and CYP2C9 genotypes on fluoxetine and norfluoxetine plasma concentrations during steady-state conditions. European Journal of Clinical Pharmacology, 2004, 59, 869-873. | 0.8 | 69 |
| 151 | QTc Interval, CYP2D6 and CYP2C9 Genotypes and Risperidone Plasma Concentrations. Journal of Psychopharmacology, 2004, 18, 189-193. | 2.0 | 69 |
| 152 | Reproducibility over time of the urinary diclofenac/4â€2-OH diclofenac ratio among differentCYP2C9 genotypes. European Journal of Drug Metabolism and Pharmacokinetics, 2003, 28, 213-215. | 0.6 | 2 |
| 153 | Thioridazine steady-state plasma concentrations are influenced by tobacco smoking and CYP2D6, but not by the CYP2C9 genotype. European Journal of Clinical Pharmacology, 2003, 59, 45-50. | 0.8 | 46 |
| 154 | CYP2C9 genotypes and diclofenac metabolism in Spanish healthy volunteers. European Journal of Clinical Pharmacology, 2003, 59, 221-225. | 0.8 | 95 |
| 155 | Determination of fluoxetine and norfluoxetine in human plasma by high-performance liquid chromatography with ultraviolet detection in psychiatric patients. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 783, 25-31. | 1.2 | 52 |
| 156 | Determination of risperidone and 9-hydroxyrisperidone in human plasma by liquid chromatography: application to the evaluation of CYP2D6 drug interactions. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 783, 213-219. | 1.2 | 40 |
| 157 | CYP2C9 gene and susceptibility to major depressive disorder. Pharmacogenomics Journal, 2003, 3, 300-302. | 0.9 | 27 |
| 158 | Analysis of diclofenac and its metabolites by high-performance liquid chromatography: relevance of CYP2C9 genotypes in diclofenac urinary metabolic ratios. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 789, 437-442. | 1.2 | 20 |
| 159 | Schizophrenia and tobacco smoking in a Spanish psychiatric hospital. Schizophrenia Research, 2003, 60, 313-317. | 1.1 | 32 |
| 160 | El estigma de la esquizofrenia entre estudiantes no graduados de medicina y enfermerÃa. European Psychiatry (Ed Española), 2003, 10, 132-133. | 0.0 | 0 |
| 161 | Relationship between Risperidone and 9-hydroxy-risperidone Plasma Concentrations and CYP2D6 Enzyme Activity in Psychiatric Patients. Pharmacopsychiatry, 2002, 35, 231-234. | 1.7 | 37 |
| 162 | QTc interval lengthening is related to CYP2D6 hydroxylation capacity and plasma concentration of thioridazine in patients. Journal of Psychopharmacology, 2002, 16, 361-364. | 2.0 | 58 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Schizophrenia and tobacco smoking in a Spanish psychiatric hospital. Schizophrenia Research, 2002, 58, 323-327. | 1.1 | 13 |
| 164 | Schizophrenia stigma among medical and nursing undergraduates. European Psychiatry, 2002, 17, 298-299. | 0.1 | 43 |
| 165 | QTc interval lengthening and debrisoquine metabolic ratio in psychiatric patients treated with oral haloperidol monotherapy. European Journal of Clinical Pharmacology, 2002, 58, 223-224. | 0.8 | 18 |
| 166 | Pharmacokinetics of losartan and its metabolite E-3174 in relation to the CYP2C9 genotype. Clinical Pharmacology and Therapeutics, 2002, 71, 89-98. | 2.3 | 164 |
| 167 | The Underlying Traits of the Karolinska Scales of Personality (KSP). European Journal of Psychological Assessment, 2002, 18, 139-148. | 1.7 | 42 |
| 168 | Effect of Thioridazine Dosage on the Debrisoquine Hydroxylation Phenotype in Psychiatric Patients With Different CYP2D6 Genotypes. Therapeutic Drug Monitoring, 2001, 23, 616-620. | 1.0 | 48 |
| 169 | Determination of clozapine and its N-desmethyl metabolite by high-performance liquid chromatography with ultraviolet detection. Biomedical Applications, 2001, 755, 349-354. | 1.7 | 18 |
| 170 | Clozapine Withdrawal Symptoms after Change to Sertindole in a Schizophrenic Patient. Pharmacopsychiatry, 2000, 33, 42-44. | 1.7 | 10 |
| 171 | Use of the Mesoridazine/Thioridazine Ratio as a Marker for CYP2D6 Enzyme Activity. Therapeutic Drug Monitoring, 2000, 22, 397-401. | 1.0 | 38 |
| 172 | Pharmacokinetic Interaction of Fluvoxamine and Thioridazine in Schizophrenic Patients. Journal of Clinical Psychopharmacology, 1999, 19, 494-499. | 0.7 | 58 |
| 173 | Influence of genetic admixture on polymorphisms of drug-metabolizing enzymes: Analyses of mutations on NAT2 and CYP2E1 genes in a mixed Hispanic population*. Clinical Pharmacology and Therapeutics, 1998, 63, 623-628. | 2.3 | 27 |
| 174 | Antibiotic Use in 3 European University Hospitals. Scandinavian Journal of Infectious Diseases, 1998, 30, 277-280. | 1.5 | 40 |
| 175 | Molecular heterogeneity at the CYP2D gene locus in Nicaraguans: impact of gene-flow from Europe. Pharmacogenetics and Genomics, 1997, 7, 337-340. | 5.7 | 23 |
| 176 | A PVC–graphite composite electrode for electroanalytical use. Preparation and some applications. Analytica Chimica Acta, 1997, 355, 23-32. | 2.6 | 53 |
| 177 | Interethnic differences in drug metabolism: influence of genetic and environmental factors on debrisoquine hydroxylation phenotype. European Journal of Drug Metabolism and Pharmacokinetics, 1996, 21, 129-138. | 0.6 | 76 |
| 178 | References used in a Drug Information Centre. European Journal of Clinical Pharmacology, 1995, 49, 87-9. | 0.8 | 14 |
| 179 | Patterns of drug treatment of schizophrenic patients in Estonia, Spain and Sweden British Journal of Clinical Pharmacology, 1995, 40, 467-476. | 1.1 | 53 |
| 180 | Disposition of clozapine in man: lack of association with debrisoquine and Sâ€mephenytoin hydroxylation polymorphisms British Journal of Clinical Pharmacology, 1994, 37, 71-74. | 1.1 | 87 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Fixed combinations of neuroleptics with antidepressants: potential risks and estimation of use British Journal of Clinical Pharmacology, 1994, 37, 531-532. | 1.1 | 5 |
| 182 | Clozapine disposition covaries with CYP1A2 activity determined by a caffeine test British Journal of Clinical Pharmacology, 1994, 38, 471-473. | 1.1 | 245 |
| 183 | Debrisoquin and mephenytoin hydroxylation phenotypes and CYP2D6 genotype in patients treated with neuroleptic and antidepressant agents. Clinical Pharmacology and Therapeutics, 1993, 54, 606-611. | 2.3 | 58 |
| 184 | Reproducibility over Time of Mephenytoin and Debrisoquine Hydroxylation Phenotypes. Basic and Clinical Pharmacology and Toxicology, 1993, 73, 46-48. | 0.0 | 5 |
| 185 | Frequency of S-mephenytoin hydroxylation deficiency in 373 spanish subjects compared to other Caucasian populations. European Journal of Clinical Pharmacology, 1993, 44, 593-595. | 0.8 | 16 |
| 186 | Relationship between personality and debrisoquine hydroxylation capacity. Acta Psychiatrica Scandinavica, 1993, 87, 23-28. | 2.2 | 152 |
| 187 | GENETIC FACTORS IN THE METABOLISM OF HALOPERIDOL Clinical Neuropharmacology, 1992, 15, 84A-85A. | 0.2 | 2 |
| 188 | Haloperidol Disposition Is Dependent on the Debrisoquine Hydroxylation Phenotype. Therapeutic Drug Monitoring, 1992, 14, 261-264. | 1.0 | 99 |
| 189 | Haloperidol Disposition Is Dependent on Debrisoquine Hydroxylation Phenotype. Therapeutic Drug Monitoring, 1992, 14, 92-97. | 1.0 | 174 |
| 190 | Polymorphic oxidation of debrisoquine in lung cancer patients. European Journal of Cancer & Clinical Oncology, 1991, 27, 158-161. | 0.9 | 20 |
| 191 | Polymorphic Oxidation of Debrisoquine in Women with Breast Cancer. Oncology, 1991, 48, 107-110. | 0.9 | 21 |
| 192 | Polymorphic Oxidation of Debrisoquine in Bladder Cancer. Annals of Medicine, 1990, 22, 157-160. | 1.5 | 13 |
| 193 | Acetylator polymorphism in Parkinson's disease. European Journal of Clinical Pharmacology, 1989, 37, 391-393. | 0.8 | 14 |
| 194 | Assessment of the debrisoquin and dextromethorphan phenotyping tests by gaussian mixture distributions analysis. Clinical Pharmacology and Therapeutics, 1989, 45, 328-333. | 2.3 | 46 |
| 195 | DEBRISOQUINE HYDROXYLATION PHENOTYPES IN HEALTHY VOLUNTEERS. Lancet, The, 1989, 333, 1398. | 6.3 | 13 |
| 196 | Debrisoquine oxidation in schizophrenic patients treated with neuroleptics. Pharmacological Research Communications, 1988, 20, 1103-1104. | 0.2 | 3 |
| 197 | Debrisoquin oxidation polymorphism in a Spanish population. Clinical Pharmacology and Therapeutics, 1988, 44, 74-76. | 2.3 | 54 |
| 198 | <i>CYP2D6</i> Polymorphism and Mental and Personality Disorders in Suicide Attempters. Journal of Personality Disorders, 0, , 1-11. | 0.8 | 4 |