List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5107461/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Polymeric membranes incorporated with metal/metal oxide nanoparticles: A comprehensive review. Desalination, 2013, 308, 15-33.	8.2	805
2	Current challenges in membrane separation of CO2 from natural gas: A review. International Journal of Greenhouse Gas Control, 2013, 17, 46-65.	4.6	323
3	A review on the applicability of integrated/hybrid membrane processes in water treatment and desalination plants. Desalination, 2015, 363, 2-18.	8.2	316
4	Polysulfone membranes blended with ZnO nanoparticles for reducing fouling by oleic acid. Separation and Purification Technology, 2012, 89, 51-56.	7.9	186
5	Membranes with Great Hydrophobicity: A Review on Preparation and Characterization. Separation and Purification Reviews, 2015, 44, 109-134.	5.5	134
6	Current advances in membrane technologies for saline wastewater treatment: A comprehensive review. Desalination, 2021, 517, 115170.	8.2	91
7	Carbon dioxide separation using asymmetric polysulfone mixed matrix membranes incorporated with SAPO-34 zeolite. Fuel Processing Technology, 2014, 118, 125-132.	7.2	84
8	The effects of solvents on the modification of SAPO-34 zeolite using 3-aminopropyl trimethoxy silane for the preparation of asymmetric polysulfone mixed matrix membrane in the application of CO2 separation. Microporous and Mesoporous Materials, 2014, 192, 52-59.	4.4	75
9	Fouling prevention in the membrane distillation of phenolic-rich solution using superhydrophobic PVDF membrane incorporated with TiO2 nanoparticles. Separation and Purification Technology, 2016, 167, 79-87.	7.9	73
10	Selective removal of dyes by molecular imprinted TiO2 nanoparticles in polysulfone ultrafiltration membrane. Journal of Environmental Chemical Engineering, 2017, 5, 3991-3998.	6.7	72
11	Superhydrophobic rice husk ash coating on concrete. Construction and Building Materials, 2017, 144, 385-391.	7.2	69
12	Membrane distillation of saline with phenolic compound using superhydrophobic PVDF membrane incorporated with TiO 2 nanoparticles: Separation, fouling and self-cleaning evaluation. Desalination, 2017, 418, 79-88.	8.2	69
13	Comparison between hydrothermal and microwave-assisted synthesis of carbon dots from biowaste and chemical for heavy metal detection: A review. Microchemical Journal, 2021, 165, 106116.	4.5	69
14	Modification of gas selective SAPO zeolites using imidazolium ionic liquid to develop polysulfone mixed matrix membrane for CO2 gas separation. Microporous and Mesoporous Materials, 2017, 244, 21-30.	4.4	67
15	Optimizing the incorporation of silica nanoparticles in polysulfone/poly(vinyl alcohol) membranes with response surface methodology. Journal of Applied Polymer Science, 2011, 121, 1804-1814.	2.6	66
16	Development of nanofiltration membrane with high salt selectivity and performance stability using polyelectrolyte multilayers. Desalination, 2014, 351, 19-26.	8.2	63
17	Future perspectives of nanocellulose-based membrane for water treatment. Journal of Water Process Engineering, 2020, 37, 101502.	5.6	60
18	The potential of SAPO-44 zeolite filler in fouling mitigation of polysulfone ultrafiltration membrane. Separation and Purification Technology, 2013, 103, 84-91.	7.9	56

#	Article	IF	CITATIONS
19	Phosphorus removal using nanofiltration membranes. Water Science and Technology, 2011, 64, 199-205.	2.5	52
20	Fluorocarbon functionalized SAPO-34 zeolite incorporated in asymmetric mixed matrix membranes for carbon dioxide separation in wet gases. Microporous and Mesoporous Materials, 2015, 206, 23-33.	4.4	51
21	A review on the emerging applications of cellulose, cellulose derivatives and nanocellulose in carbon capture. Environmental Research, 2021, 197, 111100.	7.5	50
22	Nanofiltration of glucose solution containing salts: Effects of membrane characteristics, organic component and salts on retention. Journal of Food Engineering, 2010, 97, 510-518.	5.2	48
23	Flux decline study during ultrafiltration of glycerin-rich fatty acid solutions. Journal of Membrane Science, 2010, 351, 75-86.	8.2	46
24	Prediction of plasticization pressure of polymeric membranes for CO2 removal from natural gas. Journal of Membrane Science, 2015, 480, 39-46.	8.2	45
25	Superhydrophobic alumina membrane by steam impingement: Minimum resistance in microfiltration. Separation and Purification Technology, 2013, 107, 187-194.	7.9	43
26	Carbon dioxide removal from methane by using polysulfone/SAPO-44 mixed matrix membranes. Fuel Processing Technology, 2013, 112, 1-6.	7.2	43
27	Optimisation of polyethersulfone/polyaniline blended membranes using response surface methodology approach. Desalination, 2013, 311, 182-191.	8.2	42
28	Interfacial sealing and functionalization of polysulfone/SAPO-34 mixed matrix membrane using acetate-based ionic liquid in post-impregnation for CO2 capture. Separation and Purification Technology, 2018, 197, 439-448.	7.9	42
29	Reinforced lignin-phenol-glyoxal (LPG) wood adhesives from coconut husk. International Journal of Biological Macromolecules, 2019, 141, 185-196.	7.5	42
30	A feasibility investigation on ultrafiltration of palm oil and oleic acid removal from glycerin solutions: Flux decline, fouling pattern, rejection and membrane characterizations. Journal of Membrane Science, 2012, 389, 245-256.	8.2	40
31	Synthesis of superhydrophobic alumina membrane: Effects of sol–gel coating, steam impingement and water treatment. Applied Surface Science, 2013, 284, 556-564.	6.1	38
32	A critical review to bridge the gaps between carbon capture, storage and use of CaCO3. Journal of CO2 Utilization, 2020, 42, 101333.	6.8	37
33	Hybrid coagulation–NF membrane process for brackish water treatment: Effect of antiscalant on water characteristics and membrane fouling. Desalination, 2016, 393, 144-150.	8.2	35
34	Modelling microwave heating of discrete samples of oil palm kernels. Applied Thermal Engineering, 2016, 98, 702-726.	6.0	35
35	Effects of solvent and ionic liquid properties on ionic liquid enhanced polysulfone/SAPO-34 mixed matrix membrane for CO2 removal. Microporous and Mesoporous Materials, 2019, 283, 64-72.	4.4	35
36	Separation of CO2 from hydrogen using membrane gas absorption with PVDF/PBI membrane. International Journal of Hydrogen Energy, 2016, 41, 4855-4861.	7.1	33

#	Article	IF	CITATIONS
37	Superhydrophobic coating of silica with photoluminescence properties synthesized from rice husk ash. Progress in Organic Coatings, 2017, 111, 29-37.	3.9	33
38	Near superhydrophobic coating synthesized from rice husk ash: Anti-fouling evaluation. Progress in Organic Coatings, 2016, 99, 140-146.	3.9	32
39	CO2 removal using membrane gas absorption with PVDF membrane incorporated with POSS and SAPO-34 zeolite. Chemical Engineering Research and Design, 2017, 118, 238-247.	5.6	31
40	Translucent and adsorptive PVA thin film containing microfibrillated cellulose intercalated with TiO2 nanoparticles for dye removal. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2019, 578, 123590.	4.7	31
41	Comparative studies on the effects of casting solvent on physicoâ€chemical and gas transport properties of dense polysulfone membrane used for CO <sub>2</sub> /CH <sub>4</sub> separation. Journal of Applied Polymer Science, 2015, 132, .	2.6	28
42	Recent progress in the development of ionic liquidâ€based mixed matrix membrane for <scp> CO <sub>2</sub> </scp> separation: A review. International Journal of Energy Research, 2021, 45, 9800-9830.	4.5	28
43	Effects of palm oil-based fatty acids on fouling of ultrafiltration membranes during the clarification of glycerin-rich solution. Journal of Food Engineering, 2010, 101, 264-272.	5.2	27
44	Microwave-assisted conversion of palm kernel shell biomass waste to photoluminescent carbon dots. Scientific Reports, 2020, 10, 21199.	3.3	27
45	Analysis of deposition mechanism during ultrafiltration of glycerin-rich solutions. Desalination, 2010, 261, 313-320.	8.2	26
46	Superhydrophobic PVDF/TiO2-SiO2 Membrane with Hierarchical Roughness in Membrane Distillation for Water Recovery from Phenolic Rich Solution Containing Surfactant. Chinese Journal of Polymer Science (English Edition), 2019, 37, 609-616.	3.8	25
47	The coherence between TiO2 nanoparticles and microfibrillated cellulose in thin film for enhanced dispersal and photodegradation of dye. Progress in Organic Coatings, 2019, 132, 70-75.	3.9	23
48	Tailoring of a γâ€Alumina Membrane with a Bimodal Pore Size Distribution for Improved Permeability. Journal of the American Ceramic Society, 2008, 91, 246-251.	3.8	20
49	Preparation and characterization of polysulfone mixed-matrix membrane incorporated with palladium nanoparticles dispersed in polyvinylpyrrolidone for hydrogen separation. Journal of Polymer Research, 2014, 21, 1.	2.4	20
50	Microwave-Assisted Extraction of <i>Trigona</i> Propolis: The Effects of Processing Parameters. International Journal of Food Engineering, 2015, 11, 861-870.	1.5	20
51	Deposition of a polymeric porous superhydrophobic thin layer on the surface of poly(vinylidenefluoride) hollow fiber membrane. Polish Journal of Chemical Technology, 2013, 15, 1-6.	O.5	18
52	Fouling mitigation in humic acid ultrafiltration using polysulfone/SAPO-34 mixed matrix membrane. Water Science and Technology, 2013, 67, 2102-2109.	2.5	18
53	Microwave Assisted Extraction of Defatted Roselle ( <i>Hibiscus sabdariffa</i> L.) Seed at Subcritical Conditions with Statistical Analysis. Journal of Food Quality, 2017, 2017, 1-10.	2.6	18
54	Phosphorus removal by NF90 membrane: Optimisation using central composite design. Journal of the Taiwan Institute of Chemical Engineers, 2014, 45, 1260-1269.	5.3	17

CHOE PENG LEO

#	Article	IF	CITATIONS
55	Preparation and gas transport properties of dualâ€layer polysulfone membranes for high pressure <scp>CO<sub>2</sub></scp> removal from natural gas. Journal of Applied Polymer Science, 2014, 131, .	2.6	17
56	Superhydrophobic PVDF/micro fibrillated cellulose membrane for membrane distillation crystallization of struvite. Chemical Engineering Research and Design, 2021, 170, 54-68.	5.6	17
57	Model-based analysis of polymeric membranes performance in high pressure CO2 removal from natural gas. Journal of Polymer Research, 2015, 22, 1.	2.4	16
58	Ultrasonic Enhancement on Propolis Extraction at Varied <scp>pH</scp> and Alcohol Content. Journal of Food Process Engineering, 2015, 38, 562-570.	2.9	16
59	PVDF/PBI membrane incorporated with SAPO-34 zeolite for membrane gas absorption. Journal of the Taiwan Institute of Chemical Engineers, 2016, 63, 143-150.	5.3	16
60	Carbon-dot dispersal in PVA thin film for food colorant sensing. Journal of Environmental Chemical Engineering, 2020, 8, 103187.	6.7	15
61	Recent advances of natural biopolymeric culture scaffold: synthesis and modification. Bioengineered, 2022, 13, 2226-2247.	3.2	15
62	3D imprinted superhydrophobic polyvinylidene fluoride/carbon black membrane for membrane distillation with electrochemical cleaning evaluation. Journal of Environmental Chemical Engineering, 2022, 10, 107346.	6.7	15
63	An assessment of technological development and applications of decentralized water reuse: A critical review and conceptual framework. Wiley Interdisciplinary Reviews: Water, 2022, 9, .	6.5	15
64	Fabrication and characterization of superhydrophobic surface by using water vapor impingement method. Applied Surface Science, 2012, 258, 6739-6744.	6.1	14
65	Hydrogen Purification Using Polybenzimidazole Mixedâ€Matrix Membranes with Stabilized Palladium Nanoparticles. Chemical Engineering and Technology, 2017, 40, 631-638.	1.5	14
66	Numerical study on performance and efficiency of batch submerged vacuum membrane distillation for desalination. Chemical Engineering Research and Design, 2020, 163, 217-229.	5.6	14
67	Air bubbling assisted solar-driven submerged vacuum membrane distillation for aquaculture seawater desalination. Journal of Environmental Chemical Engineering, 2022, 10, 107088.	6.7	14
68	Surface Modification of Polytetrafluoroethylene Hollow Fiber Membrane for Direct Contact Membrane Distillation through Low-Density Polyethylene Solution Coating. ACS Omega, 2021, 6, 4609-4618.	3.5	13
69	Microalgal exopolymeric substances fouling in submerged vacuum membrane distillation and its mitigation via enhanced air bubbling. Desalination, 2021, 508, 115047.	8.2	12
70	Preparation and characterization of a porous superhydrophobic polymeric surface via facile technique. Journal of Polymer Research, 2013, 20, 1.	2.4	11
71	Performance studies of phosphorus removal using cross-flow nanofiltration. Desalination and Water Treatment, 2014, 52, 5974-5982.	1.0	11
72	Membrane distillation of saline and oily water using nearly superhydrophobic PVDF membrane incorporated with SiO2 nanoparticles. Water Science and Technology, 2018, 78, 2532-2541.	2.5	11

#	Article	IF	CITATIONS
73	Correlating scalants characteristic and air bubbling rate in submerged vacuum membrane distillation: A fouling control strategy. Journal of Membrane Science, 2021, 621, 118991.	8.2	11
74	Effects of APTEOS content and electron beam irradiation on physical and separation properties of hybrid nylon-66 membranes. Materials Chemistry and Physics, 2012, 133, 110-117.	4.0	10
75	Amine wetting evaluation on hydrophobic silane modified polyvinylidene fluoride/silicoaluminophosphate zeolite membrane for membrane gas absorption. Journal of Natural Gas Science and Engineering, 2018, 58, 115-125.	4.4	10
76	Swelling reduction of polyvinylidenefluoride hollow fiber membrane incorporated with silicoaluminophosphate-34 zeotype filler for membrane gas absorption. Separation and Purification Technology, 2019, 212, 941-951.	7.9	10
77	Ionic liquidâ€modified materials as polymer electrolyte membrane and electrocatalyst in fuel cell application: An update. International Journal of Energy Research, 2022, 46, 2166-2211.	4.5	10
78	Preparation of Silica/γâ€Alumina Membrane with Bimodal Porous Layer for Improved Permeation in Ions Separation. Journal of the American Ceramic Society, 2008, 91, 2009-2014.	3.8	9
79	Potential of nanofiltration and low pressure reverse osmosis in the removal of phosphorus for aquaculture. Water Science and Technology, 2013, 67, 831-837.	2.5	9
80	Polishing monoclonal antibody using pH-responsive TiO2/polysulfone membrane in dual size-exclusion strategy. Separation and Purification Technology, 2019, 213, 359-367.	7.9	9
81	Effects of γâ€aminopropyltriethoxylsilane on morphological characteristics of hybrid nylonâ€66â€based membranes before electron beam irradiation. Journal of Applied Polymer Science, 2011, 122, 3339-3350.	2.6	8
82	Effects of THF as cosolvent in the preparation of polydimethylsiloxane/polyethersulfone membrane for gas separation. Polymer Engineering and Science, 2014, 54, 2177-2186.	3.1	8
83	Preparation and characterization of polysulfone mixed matrix membrane incorporated with palladium nanoparticles in the inversed microemulsion for hydrogen separation. Chemical Engineering and Processing: Process Intensification, 2014, 77, 30-37.	3.6	8
84	N-modified carbon quantum dot in 3D-network of microfibrillated cellulose for building photoluminescent thin film as tartrazine sensor. Journal of Photochemistry and Photobiology A: Chemistry, 2020, 389, 112286.	3.9	8
85	Carbon dioxide conversion into calcium carbonate nanoparticles using membrane gas absorption. Journal of CO2 Utilization, 2021, 48, 101533.	6.8	8
86	Lignin modified PVDF membrane with antifouling properties for oil filtration. Journal of Water Process Engineering, 2021, 43, 102248.	5.6	8
87	Enhancement on the CO2 separation performance of mixed matrix membrane using ionic liquid. Materials Letters, 2021, 304, 130736.	2.6	8
88	Preparation of Î <sup>3</sup> -alumina thin layer with bimodal pore size distribution for diminution of transport resistance in bi-layered membrane. Thin Solid Films, 2008, 516, 4319-4324.	1.8	7
89	Statistical design of experiments for dye-salt-water separation study using bimodal porous silica/γ-alumina membrane. Desalination and Water Treatment, 2009, 5, 80-90.	1.0	7
90	Membrane Separation of CO <sub>2 </sub> from Natural Gas: A State-of-the-Art Review on Material Development. Defect and Diffusion Forum, 0, 333, 135-147.	0.4	7

CHOE PENG LEO

#	Article	IF	CITATIONS
91	MEMBRANE WETTING IN CARBON DIOXIDE ABSORPTION PROCESS USING MEMBRANE CONTACTORS: A REVIEW. Environmental Engineering and Management Journal, 2018, 17, 723-738.	0.6	7
92	Progress in polyvinyl alcohol membranes with facilitated transport properties for carbon capture. Journal of Environmental Chemical Engineering, 2021, 9, 106783.	6.7	7
93	Hydrogen separation using polybenzimidazole membrane with palladium nanoparticles stabilized by polyvinylpyrrolidone. International Journal of Energy Research, 2021, 45, 15171-15181.	4.5	6
94	3D-imprinted superhydrophobic polyvinylidene fluoride membrane contactor incorporated with CaCO3 nanoparticles for carbon capture. Separation and Purification Technology, 2022, 287, 120519.	7.9	6
95	Carbon capture by alkaline absorbent using octadecyltrichlorosilane modified PVDF/TiO2 membrane. Korean Journal of Chemical Engineering, 2020, 37, 505-512.	2.7	5
96	The effects of DMAEMA polyelectrolyte and TiO2 photocatalyst on the tartrazine quenching of N-doped carbon dot immobilized in PVA/microfibrillated cellulose film. Journal of Environmental Chemical Engineering, 2021, 9, 104850.	6.7	5
97	Sustainable cultivation of Navicula incerta using cellulose-based scaffold incorporated with nanoparticles in air-liquid interface cultivation system. Chemosphere, 2021, 273, 129657.	8.2	5
98	Electrochemical cleaning of superhydrophobic polyvinylidene fluoride/polymethyl methacrylate/carbon black membrane after membrane distillation. Journal of the Taiwan Institute of Chemical Engineers, 2022, 138, 104448.	5.3	5
99	Synthesis and Characterization of Polymeric V <sub>2</sub> O <sub>5</sub> /AlO(OH) with Nanopores on Alumina Support. Journal of Nanoscience and Nanotechnology, 2006, 6, 3910-3914.	0.9	4
100	Vanadium oxide supported $\hat{I}^3$ -alumina with bimodal porous structure for intra-particle diffusion enhancement in styrene oxidation reaction. Journal of Porous Materials, 2009, 16, 33-40.	2.6	4
101	Fouling evaluation on membrane distillation used for reducing solvent in polyphenol rich propolis extract. Chinese Journal of Chemical Engineering, 2018, 26, 477-483.	3.5	4
102	Preparation and Characterization of Polysulfone Mixed Matrix Membrane Incorporated with Thermodynamically Stable Nano-Palladium for Hydrogen Separation. Advanced Materials Research, 0, 832, 143-148.	0.3	2
103	Effect of polymer loading on superhydrophobic PVDF/TiO2 supported membrane for membrane distillation. AIP Conference Proceedings, 2019, , .	0.4	2
104	Polysulfone-POSS membrane impregnated with ionic liquid for CO2 gas separation. AIP Conference Proceedings, 2019, , .	0.4	2
105	Polysulfone/SAPO-34 zeolite membrane impregnated with 1-ethyl-3-methyl imidazolium bis(tri-fluoromethylsulfonyl)imide ionic liquid for CO2 removal. AIP Conference Proceedings, 2019, , .	0.4	2
106	Stability evaluation and formula optimization of cellulose-based scaffold for the air-liquid interface cultivation of Navicula incerta. Environmental Research, 2021, 199, 111298.	7.5	2
107	Air-liquid interface cultivation of Navicula incerta using hollow fiber membranes. Chemosphere, 2022, 307, 135625.	8.2	2
108	CO2 Absorption in Membrane Contactor using Piperazine, Monoethanolamine and Diethanolamine: A Mass Transfer and Performance Study. Jurnal Teknologi (Sciences and Engineering), 2014, 69, .	0.4	1

#	Article	IF	CITATIONS
109	Comparative microstructure study of oil palm fruit bunch fibre, mesocarp and kernels after microwave pre-treatment. IOP Conference Series: Materials Science and Engineering, 2017, 217, 012026.	0.6	1
110	Non-solvent Flux Augmentation of an LDPE-Coated Polytetrafluoroethylene Hollow Fiber Membrane for Direct Contact Membrane Distillation. ACS Omega, 2021, 6, 25201-25210.	3.5	1
111	Fouling evaluation on nanofiltration for concentrating phenolic and flavonoid compounds in propolis extract. Membrane Water Treatment, 2016, 7, 327-339.	0.5	1
112	Phosphate Removal with pHâ€Responsive Calcium Carbonate Nanoparticles. Chemical Engineering and Technology, 2022, 45, 1976-1981.	1.5	1
113	Non-Solvent Influence of Hydrophobic Polymeric Layer Deposition on PVDF Hollow Fiber Membrane for CO2 Gas Absorption. Membranes, 2022, 12, 41.	3.0	0