Takeshi Kimura

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5107828/takeshi-kimura-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

337	11,384	50	97
papers	citations	h-index	g-index
356	14,311 ext. citations	5.5	5.74
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
337	JCS 2018 Guideline on Revascularization of Stable Coronary Artery Disease <i>Circulation Journal</i> , 2022 , 86,	2.9	3
336	JCS/JHRS 2021 guideline focused update on non-pharmacotherapy of cardiac arrhythmias <i>Journal of Arrhythmia</i> , 2022 , 38, 1-30	1.5	1
335	Current use of inotropes according to initial blood pressure and peripheral perfusion in the treatment of congestive heart failure: findings from a multicentre observational study <i>BMJ Open</i> , 2022 , 12, e053254	3	1
334	JCS/JHRS 2021 Guideline Focused Update on Non-Pharmacotherapy of Cardiac Arrhythmias <i>Circulation Journal</i> , 2022 ,	2.9	1
333	Venous thromboembolism: Recent advancement and future perspective. <i>Journal of Cardiology</i> , 2022 , 79, 79-89	3	3
332	Incidence, clinical characteristics and long-term prognosis of postoperative symptomatic venous thromboembolism: a retrospective cohort study <i>BMJ Open</i> , 2022 , 12, e055090	3	0
331	Left atrial reverse remodeling improves risk stratification in patients with heart failure with recovered ejection fraction <i>Scientific Reports</i> , 2022 , 12, 4473	4.9	1
330	Comparison of Clopidogrel Monotherapy After 1 to 2 Months of Dual Antiplatelet Therapy With 12 Months of Dual Antiplatelet Therapy in Patients With Acute Coronary Syndrome: The STOPDAPT-2 ACS Randomized Clinical Trial <i>JAMA Cardiology</i> , 2022 ,	16.2	12
329	Unravelling the Difference Between Men and Women in Post-CABG Survival <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 768972	5.4	O
328	Appetite loss at discharge from acute decompensated heart failure: Observation from KCHF registry <i>PLoS ONE</i> , 2022 , 17, e0267327	3.7	
327	Optimal duration of anticoagulation therapy for venous thromboembolism in autoimmune diseases. <i>European Journal of Internal Medicine</i> , 2021 ,	3.9	
326	Stent-Related Adverse Events as Related to Dual Antiplatelet Therapy in First- vs Second-Generation Drug-Eluting Stents. <i>JACC Asia</i> , 2021 , 1, 345-345		O
325	Differences in mortality and causes of death between STEMI and NSTEMI in the early and late phases after acute myocardial infarction. <i>PLoS ONE</i> , 2021 , 16, e0259268	3.7	O
324	Five-year outcomes after coronary artery bypass grafting and percutaneous coronary intervention in octogenarians with complex coronary artery disease. <i>General Thoracic and Cardiovascular Surgery</i> , 2021 , 1	1.6	1
323	Influence of CYP2C19 genotypes for the effect of 1-month dual antiplatelet therapy followed by clopidogrel monotherapy relative to 12-month dual antiplatelet therapy on clinical outcomes after percutaneous coronary intervention: a genetic substudy from the STOPDAPT-2. <i>Cardiovascular</i>	2.5	1
322	Periprocedural Stroke After Coronary Revascularization (from the CREDO-Kyoto PCI/CABG Registry Cohort-3). <i>American Journal of Cardiology</i> , 2021 , 142, 35-43	3	2
321	Changes in demographics, clinical practices and long-term outcomes of patients with ST segment-elevation myocardial infarction who underwent coronary revascularisation in the past two decades: cohort study. <i>BMJ Open</i> , 2021 , 11, e043683	3	1

(2021-2021)

320	Comparison of Outcomes of Percutaneous Coronary Intervention Versus Coronary Artery Bypass Grafting Among Patients With Three-Vessel Coronary Artery Disease in the New-Generation Drug-Eluting Stents Era (From CREDO-Kyoto PCI/CABG Registry Cohort-3). <i>American Journal of</i>	3	7
319	Cardiology, 2021 , 145, 25-36 Percutaneous Coronary Intervention Versus Coronary Artery Bypass Grafting in Patients With Versus Without Chronic Kidney Disease. <i>American Journal of Cardiology</i> , 2021 , 145, 37-46	3	4
318	Percutaneous Coronary Intervention Versus Coronary Artery Bypass Graftinge Among Patients with Unprotected Left Main Coronary Artery Disease in the New-Generation Drug-Eluting Stents Era (From the CREDO-Kyoto PCI/CABG Registry Cohort-3). <i>American Journal of Cardiology</i> , 2021 ,	3	3
317	145, 47-57 JCS/JHFS 2021 Statement on Palliative Care in Cardiovascular Diseases. <i>Circulation Journal</i> , 2021 , 85, 695-757	2.9	5
316	Effects of Acute Coronary Syndrome and Stable Coronary Artery Disease on Bleeding and Ischemic Risk After Percutaneous Coronary Intervention. <i>Circulation Journal</i> , 2021 , 85, 1928-1941	2.9	1
315	Application of the Modified High Bleeding Risk Criteria for Japanese Patients in an All-Comers Registry of Percutaneous Coronary Intervention - From the CREDO-Kyoto Registry Cohort-3. <i>Circulation Journal</i> , 2021 , 85, 769-781	2.9	11
314	Risk Factors and Outcomes of Recurrent Drug-Eluting Stent Thrombosis: Insights From the REAL-ST Registry. <i>Journal of the American Heart Association</i> , 2021 , 10, e018972	6	2
313	Outcomes of Drug-Eluting Stent Thrombosis After Treatment for Acutel Versus Chronic Coronary Syndrome. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 1082-1090	5	O
312	Very Short Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation in Patients Who Underwent Complex Percutaneous Coronary Intervention: Insight From the STOPDAPT-2 Trial. <i>Circulation: Cardiovascular Interventions</i> , 2021 , 14, e010384	6	0
311	Long-Term Impact of Diabetes Mellitus on Initially Conservatively Managed Patients With Severe Aortic Stenosis. <i>Circulation Journal</i> , 2021 , 85, 1083-1092	2.9	3
310	Frailty and Bleeding After Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2021 , 148, 22-29	3	
309	JCS/JHRS 2019 guideline on non-pharmacotherapy of cardiac arrhythmias. <i>Journal of Arrhythmia</i> , 2021 , 37, 709-870	1.5	22
308	Refinement of a modified simplified Pulmonary Embolism Severity Index for elderly patients with acute pulmonary embolism. <i>International Journal of Cardiology</i> , 2021 , 335, 111-117	3.2	О
307	Clinical outcome after surgical aortic valve replacement in low-risk Japanese patients with severe aortic stenosis. <i>Cardiovascular Intervention and Therapeutics</i> , 2021 , 36, 121-130	2.5	O
306	Details on the effect of very short dual antiplatelet therapy after drug-eluting stent implantation in patients with high bleeding risk: insight from the STOPDAPT-2 trial. <i>Cardiovascular Intervention and Therapeutics</i> , 2021 , 36, 91-103	2.5	12
305	Clinical characteristics and outcomes of patients with venous thromboembolism according to diagnosis on weekends versus on weekdays. <i>Journal of Thrombosis and Thrombolysis</i> , 2021 , 51, 779-788	5.1	O
304	Ischemic and bleeding risk after complex percutaneous coronary intervention in patients with or without high bleeding risk. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 97, E758-E770	2.7	1
303	Influence of low body weight on long-term clinical outcomes in patients with venous thromboembolism: From the COMMAND VTE registry. <i>Thrombosis Research</i> , 2021 , 198, 26-33	8.2	1

302	Impact of no, distal, and proximal deep vein thrombosis on clinical outcomes in patients with acute pulmonary embolism: From the COMMAND VTE registry. <i>Journal of Cardiology</i> , 2021 , 77, 395-403	3	0
301	Autoimmune disorders and venous thromboembolism: An update from the COMMAND VTE registry. <i>European Journal of Internal Medicine</i> , 2021 , 84, 106-108	3.9	3
300	Drug-eluting stent thrombosis: current and future perspectives. <i>Cardiovascular Intervention and Therapeutics</i> , 2021 , 36, 158-168	2.5	10
299	Prognostic value of reduction in left atrial size during a follow-up of heart failure: an observational study. <i>BMJ Open</i> , 2021 , 11, e044409	3	2
298	Demographics, practice patterns and long-term outcomes of patients with non-ST-segment elevation acute coronary syndrome in the past two decades: the CREDO-Kyoto Cohort-2 and Cohort-3. <i>BMJ Open</i> , 2021 , 11, e044329	3	1
297	Overview of the 84 Annual Scientific Meeting of the Japanese Circulation Society - Change Practice!. <i>Circulation Journal</i> , 2021 , 85, 323-329	2.9	
296	Patient Selection and Clinical Outcomes in the STOPDAPT-2 Trial: An All-Comer Single-Center Registry During the Enrollment Period of the STOPDAPT-2 Randomized Controlled Trial. <i>Circulation: Cardiovascular Interventions</i> , 2021 , 14, e010007	6	5
295	Risk factors of thrombotic recurrence and major bleeding in patients with intermediate-risk for recurrence of venous thromboembolism. <i>Journal of Thrombosis and Thrombolysis</i> , 2021 , 1	5.1	O
294	Coronary Revascularization in the Past Two Decades in Japan (From the CREDO-Kyoto PCI/CABG Registries Cohort-1, -2, and -3). <i>American Journal of Cardiology</i> , 2021 , 153, 20-29	3	O
293	Effect of Heart Failure on Long-Term Clinical Outcomes After Percutaneous Coronary Intervention Versus Coronary Artery Bypass Grafting in Patients With Severe Coronary Artery Disease. <i>Journal of the American Heart Association</i> , 2021 , 10, e021257	6	O
292	Improved and new-onset anemia during follow-up in patients with acute decompensated heart failure: Characteristics and outcomes. <i>Medicine (United States)</i> , 2021 , 100, e26892	1.8	2
291	Bleeding avoidance strategies in percutaneous coronary intervention. <i>Nature Reviews Cardiology</i> , 2021 ,	14.8	10
290	External Validation of the SYNTAXIScore II 2020. <i>Journal of the American College of Cardiology</i> , 2021 , 78, 1227-1238	15.1	3
289	Intravascular ultrasound predictors of long-term outcomes following ABSORB bioresorbable scaffold implantation: A pooled analysis of the ABSORB III and ABSORB Japan trials. <i>Journal of Cardiology</i> , 2021 , 78, 224-229	3	1
288	Severity of pulmonary embolism at initial diagnosis and long-term clinical outcomes: From the COMMAND VTE Registry. <i>International Journal of Cardiology</i> , 2021 , 343, 107-113	3.2	O
287	Periprocedural management and clinical outcomes of invasive procedures after venous thromboembolism: from the COMMAND VTE registry. <i>Journal of Thrombosis and Thrombolysis</i> , 2021 , 1	5.1	1
286	Newly Diagnosed Atrial Fibrillation in Acute Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2021 , 10, e021417	6	1
285	Effect of Polypharmacy on Long-Term Mortality After Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2021 , 159, 19-29	3	

(2020-2020)

284	Scaffold underexpansion and late lumen loss after bioresorbable scaffold implantation: Insights from ABSORB JAPAN trial. <i>IJC Heart and Vasculature</i> , 2020 , 31, 100623	2.4	1
283	Transradial vs. Transfemoral Percutaneous Coronary Intervention in Patients With or Without High Bleeding Risk Criteria. <i>Circulation Journal</i> , 2020 , 84, 723-732	2.9	1
282	Mode of Death Among Japanese Adults With Heart Failure With Preserved, Midrange, and Reduced Ejection Fraction. <i>JAMA Network Open</i> , 2020 , 3, e204296	10.4	18
281	Long-Term Outcomes of Absorb Bioresorbable Vascular Scaffold vs. Everolimus-Eluting Metallic Stent - A Randomized Comparison Through 5 Years in Japan. <i>Circulation Journal</i> , 2020 , 84, 733-741	2.9	7
280	Predictive ability of modified Ottawa score for recurrence in patients with cancer-associated venous thromboembolism: From the COMMAND VTE Registry. <i>Thrombosis Research</i> , 2020 , 191, 66-75	8.2	2
279	JCS 2020 Guideline Focused Update on Antithrombotic Therapy in Patients With Coronary Artery Disease. <i>Circulation Journal</i> , 2020 , 84, 831-865	2.9	77
278	Contemporary issues in severe aortic stenosis: review of current and future strategies from the Contemporary Outcomes after Surgery and Medical Treatment in Patients with Severe Aortic Stenosis registry. <i>Heart</i> , 2020 , 106, 802-809	5.1	3
277	One-year clinical outcomes of patients with versus without acute coronary syndrome with 3-month duration of dual antiplatelet therapy after everolimus-eluting stent implantation. <i>PLoS ONE</i> , 2020 , 15, e0227612	3.7	2
276	Transcatheter Aortic Valve Implantation vs. Surgical Aortic Valve Replacement for Severe Aortic Stenosis in Real-World Clinical Practice. <i>Circulation Journal</i> , 2020 , 84, 806-814	2.9	4
275	Association with Controlling Nutritional Status (CONUT) Score and In-hospital Mortality and Infection in Acute Heart Failure. <i>Scientific Reports</i> , 2020 , 10, 3320	4.9	31
274	Renal dysfunction and long-term clinical outcomes in patients with venous thromboembolism: From the COMMAND VTE Registry. <i>Thrombosis Research</i> , 2020 , 187, 39-47	8.2	
273	Low blood pressure and cardiovascular events in diabetic patients with coronary artery disease after revascularization: the CREDO-Kyoto registry cohort-1. <i>Hypertension Research</i> , 2020 , 43, 715-723	4.7	1
272	Risk factors and clinical outcomes of functional decline during hospitalisation in very old patients with acute decompensated heart failure: an observational study. <i>BMJ Open</i> , 2020 , 10, e032674	3	9
271	C-reactive protein at discharge and 1-year mortality in hospitalised patients with acute decompensated heart failure: an observational study. <i>BMJ Open</i> , 2020 , 10, e041068	3	7
270	Diabetes Mellitus and Long-Term Risk for Heart Failure After Coronary Revascularization. <i>Circulation Journal</i> , 2020 , 84, 471-478	2.9	3
269	Elective Non-Cardiac Surgery in Patients With Severe Aortic Stenosis - Observations From the CURRENT AS Registry. <i>Circulation Journal</i> , 2020 , 84, 1173-1182	2.9	3
268	JCS/JSCS/JATS/JSVS 2020 Guidelines on the Management of Valvular Heart Disease. <i>Circulation Journal</i> , 2020 , 84, 2037-2119	2.9	46
267	Risk Factors for Major Bleeding During Anticoagulation Therapy in Cancer-Associated Venous Thromboembolism - From the COMMAND VTE Registry. <i>Circulation Journal</i> , 2020 , 84, 2006-2014	2.9	6

266	Effects of Body Weight on Bleeding and Ischemic Events in Patients Undergoing Percutaneous Coronary Intervention - From the CREDO-Kyoto Registry Cohort-2. <i>Circulation Journal</i> , 2020 , 84, 1734-1	748	1
265	Clopidogrel Monotherapy vs. Aspirin Monotherapy Following Short-Term Dual Antiplatelet Therapy in Patients Receiving Everolimus-Eluting Coronary Stent Implantation. <i>Circulation Journal</i> , 2020 , 84, 148	3 3 -9492	<u>2</u> 3
264	Randomized Comparison Between Everolimus-Eluting Bioresorbable Scaffold and Metallic Stent: Multimodality Imaging Through 3 Years. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 116-127	5	12
263	Temporal Trends in the Practice Pattern for Venous Thromboembolism in Japan: Insight From JROAD-DPC. <i>Journal of the American Heart Association</i> , 2020 , 9, e014582	6	14
262	Effect of Statins on Recurrent Venous Thromboembolism (from the COMMAND VTE Registry). <i>American Journal of Cardiology</i> , 2020 , 125, 189-197	3	1
261	Comparison of Clinical Characteristics of Stent Thrombosis Between the Right Coronary Artery and the Left Coronary Artery - A Subanalysis of the REAL-ST Registry. <i>Circulation Journal</i> , 2020 , 84, 169-177	2.9	2
2 60	Effect of Renal Dysfunction on the Risks for Ischemic and Bleeding Events in Patients With Atrial Fibrillation Receiving Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2020 , 125, 399-408	3	1
259	Validation of the VTE-BLEED scoreMlong-term performance for major bleeding in patients with venous thromboembolisms: From the COMMAND VTE registry. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 624-632	15.4	12
258	Age-Related Differences in the Effects of Initial Aortic Valve Replacement vs. Conservative Strategy on Long-Term Outcomes in Asymptomatic Patients With Severe Aortic Stenosis. <i>Circulation Journal</i> , 2020 , 84, 252-261	2.9	3
257	Long-term effects of non-retrieved inferior vena cava filters on recurrences of venous thromboembolism in cancer and non-cancer patients: From the COMMAND VTE registry. <i>European Journal of Internal Medicine</i> , 2020 , 82,	3.9	2
256	Outcomes After First- Versus Second-Generation Drug-Eluting Stent Thrombosis (from the REAL-ST Registry). <i>American Journal of Cardiology</i> , 2020 , 132, 52-58	3	3
255	Derivation and validation of a clinical prediction rule for thrombolysis-associated major bleeding in patients with acute pulmonary embolism: the BACS score. <i>European Respiratory Journal</i> , 2020 ,	13.6	10
254	Sex differences in patients with acute decompensated heart failure in Japan: observation from the KCHF registry. <i>ESC Heart Failure</i> , 2020 , 7, 2485-2493	3.7	7
253	Validation of simplified PESI score for identification of low-risk patients with pulmonary embolism: From the COMMAND VTE Registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, 262-270	4.3	18
252	D-dimer levels at diagnosis and long-term clinical outcomes in venous thromboembolism: from the COMMAND VTE Registry. <i>Journal of Thrombosis and Thrombolysis</i> , 2020 , 49, 551-561	5.1	5
251	Usefulness of Simplified Pulmonary Embolism Severity Index Score for Identification of Patients With Low-Risk Pulmonary Embolism and Active Cancer: From the COMMAND VTE Registry. <i>Chest</i> , 2020 , 157, 636-644	5.3	10
250	A risk prediction model in asymptomatic patients with severe aortic stenosis: CURRENT-AS risk score. <i>European Heart Journal Quality of Care & Dutcomes</i> , 2020 , 6, 166-174	4.6	6
249	Percutaneous coronary intervention versus coronary arterial bypass grafting in patients with multi-vessel coronary revascularization (from the CREDO-Kyoto PCI/CABG registry/cohort-2). <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, 42-51	2.7	4

Surgical Ineligibility and Long-Term Outcomes in Patients With Severe Coronary Artery Disease. <i>Circulation Journal</i> , 2019 , 83, 2061-2069	2.9	1
Clinical Characteristics and Outcomes of Venous Thromboembolisms According to an Out-of-Hospital vs. In-Hospital Onset - From the COMMAND VTE Registry. <i>Circulation Journal</i> , 2019 , 83, 1377-1384	2.9	6
Cancer-Associated Venous Thromboembolism in the Real World - From the COMMAND VTE Registry. <i>Circulation Journal</i> , 2019 , 83, 2271-2281	2.9	24
Very Short Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation in Patients With High Bleeding Risk: Insight From the STOPDAPT-2 Trial. <i>Circulation</i> , 2019 , 140, 1957-1959	16.7	24
Transcatheter aortic valve implantation versus conservative management for severe aortic stenosis in real clinical practice. <i>PLoS ONE</i> , 2019 , 14, e0222979	3.7	7
Time-Varying Outcomes With the Absorb Bioresorbable Vascular Scaffold During 5-Year Follow-up: A Systematic Meta-analysis and Individual Patient Data Pooled Study. <i>JAMA Cardiology</i> , 2019 , 4, 1261-12	269 ²	48
Prognostic Impact of Aortic Valve Area in Conservatively Managed Patients With Asymptomatic Severe Aortic Stenosis With Preserved Ejection Fraction. <i>Journal of the American Heart Association</i> , 2019 , 8, e010198	6	11
Association of Mineralocorticoid Receptor Antagonist Use With All-Cause Mortality and Hospital Readmission in Older Adults With Acute Decompensated Heart Failure. <i>JAMA Network Open</i> , 2019 , 2, e195892	10.4	26
Effect of 1-Month Dual Antiplatelet Therapy Followed by Clopidogrel vs 12-Month Dual Antiplatelet Therapy on Cardiovascular and Bleeding Events in Patients Receiving PCI: The STOPDAPT-2 Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2019 ,	27.4	362
The association of recurrence and bleeding events with mortality after venous thromboembolism: From the COMMAND VTE Registry. <i>International Journal of Cardiology</i> , 2019 , 292, 198-204	3.2	2
Sex Differences in Clinical Characteristics and Outcomes of Patients With Venous Thromboembolism - From the COMMAND VTE Registry. <i>Circulation Journal</i> , 2019 , 83, 1581-1589	2.9	7
Prognostic Value and Risk Continuum of Noninvasive Fractional Flow Reserve Derived from Coronary CT Angiography. <i>Radiology</i> , 2019 , 292, 343-351	20.5	41
Risk Factors and Long-Term Clinical Outcomes of Second-Generation Drug-Eluting Stent Thrombosis. <i>Circulation: Cardiovascular Interventions</i> , 2019 , 12, e007822	6	17
Defining high bleeding risk in patients undergoing percutaneous coronary intervention: a consensus document from the Academic Research Consortium for High Bleeding Risk. <i>European Heart Journal</i> , 2019 , 40, 2632-2653	9.5	169
Defining High Bleeding Risk in Patients Undergoing Percutaneous Coronary Intervention. <i>Circulation</i> , 2019 , 140, 240-261	16.7	183
Deep vein thrombosis in upper extremities: Clinical characteristics, management strategies and long-term outcomes from the COMMAND VTE Registry. <i>Thrombosis Research</i> , 2019 , 177, 1-9	8.2	14
Influence of baseline anemia on long-term clinical outcomes in patients with venous thromboembolism: from the COMMAND VTE registry. <i>Journal of Thrombosis and Thrombolysis</i> , 2019 , 47, 444-453	5.1	6
Long-Term Outcomes of Drug-Eluting Stent Implantation After Rotational Atherectomy for Left Main Coronary Artery Bifurcation Lesions. <i>American Journal of Cardiology</i> , 2019 , 123, 1796-1805	3	4
	Circulation Journal, 2019, 83, 2061-2069 Clinical Characteristics and Outcomes of Venous Thromboembolisms According to an Out-of-hospital vs. In-Hospital Onset - From the COMMAND VTE Registry. Circulation Journal, 2019, 83, 1377-1384 Cancer-Associated Venous Thromboembolism in the Real World - From the COMMAND VTE Registry. Circulation Journal, 2019, 83, 2271-2281 Very Short Dual Antiplatelet Therapy After Drug-Elluting Stent Implantation in Patients With High Bleeding Risk: Insight From the STOPDAPT-2 Trial. Circulation, 2019, 140, 1957-1959 Transcatheter aortic valve implantation versus conservative management for severe aortic stenosis in real clinical practice. PLoS ONE, 2019, 14, e0222979 Time-Varying Outcomes With the Absorb Bioresorbable Vascular Scaffold During S-Year Follow-up: A Systematic Meta-analysis and Individual Patient Data Pooled Study. JAMA Cardiology, 2019, 4, 1261-12 Prognostic Impact of Aortic Valve Area in Conservatively Managed Patients With Asymptomatic Severe Aortic Stenosis With Preserved Ejection Fraction. Journal of the American Heart Association, 2019, 8, e010198 Association of Mineralocorticoid Receptor Antagonist Use With All-Cause Mortality and Hospital Readmission in Older Adults With Acute Decompensated Heart Failure. JAMA Network Open, 2019, 2, e195892 Effect of 1-Month Dual Antiplatelet Therapy Followed by Clopidogrel vs 12-Month Dual Antiplatelet Therapy on Cardiovascular and Bleeding Events in Patients Receiving PCI: The STOPDAPT-2 Randomized Clinical Trial. JAMA - Journal of the American Medical Association, 2019, 321, 2414-2427 The association of recurrence and bleeding events with mortality after venous thromboembolism: From the COMMAND VTE Registry. International Journal of Cardiology, 2019, 292, 198-204 Sex Differences in Clinical Characteristics and Outcomes of Patients With Venous Thrombosis. Circulation: Cardiovascular Interventions, 2019, 12, e007822 Defining high Bleeding risk in patients Undergoing Percutaneous coronary Intervention. Circulation, 2019	Circulation Journal, 2019, 83, 2061-2069 Clinical Characteristics and Outcomes of Venous Thromboembolisms According to an Outc-of-Hospital vs. In-Hospital Onset - From the COMMAND VTE Registry. Circulation Journal, 2019, 83, 1377-1384 Cancer-Associated Venous Thromboembolism in the Real World - From the COMMAND VTE Registry. Circulation Journal, 2019, 83, 2271-2281 2-9 Very Short Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation in Patients With High Bleeding Risk. Insight From the STOPDAPT-2 Trial. Circulation, 2019, 140, 1957-1959 Transcatheter aortic valve implantation versus conservative management for severe aortic stenosis in real clinical practice. PLoS ONE, 2019, 14, e0222979 Time-Varying Outcomes With the Absorb Bioresorbable Vascular Scaffold During 5-Year Follow-up: A Systematic Meta-analysis and Individual Patient Data Pooled Study. JAMA Cardialogy, 2019, 4, 1261-12692 Prognostic Impact of Aortic Valve Area in Conservatively Managed Patients With Asymptomatic Severe Aortic Stenosis With Preserved Ejection Fraction. Journal of the American Heart Association, 2019, 8, e010198 Association of Mineralocorticoid Receptor Antagonist Use With All-Cause Mortality and Hospital Readmission in Older Adults With Acute Decompensated Heart Failure. JAMA Network Open, 2019, 2, e195892 Effect of 1-Month Dual Antiplatelet Therapy Followed by Clopidogral vs 12-Month Dual Antiplatelet Therapy on Cardiovascular and Bleeding Events in Patients Receiving PC: The STOPDAPT-2 Randomized Clinical Trial. JAMA - Journal of the American Medical Association, 2019, 2312, 2414-2427 The association of recurrence and bleeding events with mortality after venous thromboembolism: From the COMMAND VTE Registry. International Journal of Cardiology, 2019, 292, 198-204 Sex Differences in Clinical Characteristics and Outcomes of Patients With Venous Thromboembolism: From the COMMAND VTE Registry. International Flow Reserve Derived from Coronary CT Angiography. Radiology, 2019, 292, 343-351 Defining high bleeding ris

230	7-Year Outcomes of a Randomized Trial Comparing the First-Generation Sirolimus-Eluting Stent Versus the New-Generation Everolimus-Eluting Stent: The RESET Trial. <i>JACC: Cardiovascular Interventions</i> , 2019 , 12, 637-647	5	15
229	Impact of concomitant tricuspid regurgitation on long-term outcomes in severe aortic stenosis. <i>European Heart Journal Cardiovascular Imaging</i> , 2019 , 20, 353-360	4.1	16
228	More- Versus Less-Intensive Lipid-Lowering Therapy. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2019 , 12, e005460	5.8	2
227	Thrombolysis with tissue plasminogen activator in patients with acute pulmonary embolisms in the real world: from the COMMAND VTE registry. <i>Journal of Thrombosis and Thrombolysis</i> , 2019 , 48, 587-59	5 ^{5.1}	4
226	Reasons for Choosing Conservative Management in Symptomatic Patients With Severe Aortic Stenosis - Observations From the CURRENT AS Registry. <i>Circulation Journal</i> , 2019 , 83, 1944-1953	2.9	3
225	Risk Factors for Major Bleeding during Prolonged Anticoagulation Therapy in Patients with Venous Thromboembolism: From the COMMAND VTE Registry. <i>Thrombosis and Haemostasis</i> , 2019 , 119, 1498-1.	507	13
224	Prognostic Impact of Baseline Hemoglobin Levels on Long-Term Thrombotic and Bleeding Events After Percutaneous Coronary Interventions. <i>Journal of the American Heart Association</i> , 2019 , 8, e013703	3 ⁶	9
223	Ischemic and Bleeding Risk After Percutaneous Coronary Intervention in Patients With Prior Ischemic and Hemorrhagic Stroke. <i>Journal of the American Heart Association</i> , 2019 , 8, e013356	6	6
222	Clinical outcomes of patients with pulmonary embolism versus deep vein thrombosis: From the COMMAND VTE Registry. <i>Thrombosis Research</i> , 2019 , 184, 50-57	8.2	5
221	Anemia in Patients with Severe Aortic Stenosis. <i>Scientific Reports</i> , 2019 , 9, 1924	4.9	9
220	Application of the Academic Research Consortium High Bleeding Risk Criteria in an All-Comers Registry of Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2019 , 12, e00	8307	55
219	Decline in Left Ventricular Ejection Fraction During Follow-Up in Patients With Severe Aortic Stenosis. <i>JACC: Cardiovascular Interventions</i> , 2019 , 12, 2499-2511	5	2
218	Association of Previous Hospitalization for Heart Failure With Increased Mortality in Patients Hospitalized for Acute Decompensated Heart Failure. <i>Circulation Reports</i> , 2019 , 1, 517-524	0.7	11
217	JCS 2017/JHFS 2017 Guideline on Diagnosis and Treatment of Acute and Chronic Heart Failure - Digest Version. <i>Circulation Journal</i> , 2019 , 83, 2084-2184	2.9	228
216	Open-Label Randomized Trial Comparing Oral Anticoagulation With and Without Single Antiplatelet Therapy in Patients With Atrial Fibrillation and Stable Coronary Artery Disease Beyond 1 Year After Coronary Stent Implantation. <i>Circulation</i> , 2019 , 139, 604-616	16.7	75
215	Mortality impact of post-discharge myocardial infarction size after percutaneous coronary intervention: a patient-level pooled analysis from the 4 large-scale Japanese studies. <i>Cardiovascular Intervention and Therapeutics</i> , 2019 , 34, 47-58	2.5	1
214	Prognostic impact of final kissing balloon technique after crossover stenting for the left main coronary artery: from the AOI-LMCA registry. <i>Cardiovascular Intervention and Therapeutics</i> , 2019 , 34, 197-206	2.5	6
213	B-type natriuretic peptide in patients with asymptomatic severe aortic stenosis. <i>Heart</i> , 2019 , 105, 384-3	1901	17

212	Bioresorbable Scaffold for Treatment of Coronary Artery Lesions: Intravascular Ultrasound Results From the ABSORB Japan Trial. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 648-661	5	6
211	Asian patients versus non-Asian patients in the efficacy and safety of direct oral anticoagulants relative to vitamin K antagonist for venous thromboembolism: A systemic review and meta-analysis. <i>Thrombosis Research</i> , 2018 , 166, 37-42	8.2	14
210	Documented coronary atherothrombosis as the cause of death in post-discharge patients after coronary revascularization. <i>Cardiovascular Revascularization Medicine</i> , 2018 , 19, 597-606	1.6	
209	Prognostic Impact of Left Ventricular Ejection Fraction in Patients With Severe[Aortic Stenosis. JACC: Cardiovascular Interventions, 2018 , 11, 145-157	5	47
208	Effect of Increasing Stent Length on 3-Year Clinical Outcomes in Women Undergoing Percutaneous Coronary Intervention With New-Generation Drug-Eluting Stents: Patient-Level Pooled Analysis of Randomized Trials From the WIN-DES Initiative. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 53-65	5	13
207	MiStent: just another example of non-inferiority?. <i>Lancet, The</i> , 2018 , 391, 403-404	40	
206	Anticoagulation Therapy for Venous Thromboembolism in the Real World - From the COMMAND VTE Registry. <i>Circulation Journal</i> , 2018 , 82, 1262-1270	2.9	65
205	Malignant disease as a comorbidity in patients with severe aortic stenosis: clinical presentation, outcomes, and management. <i>European Heart Journal Quality of Care & Dutcomes, Clinical Outcomes, 2018</i> , 4, 180-188	4.6	6
204	Impact of Baseline Thrombocytopenia on Bleeding and Mortality After Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2018 , 121, 1304-1314	3	23
203	Long-term clinical outcomes in patients with ST-segment elevation acute myocardial infarction complicated by cardiogenic shock due to acute pump failure. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018 , 7, 743-754	4.3	14
202	Short versus prolonged dual antiplatelet therapy duration after bare-metal stent implantation: 2-month landmark analysis from the CREDO-Kyoto registry cohort-2. <i>Cardiovascular Intervention and Therapeutics</i> , 2018 , 33, 23-34	2.5	3
201	Second-generation versus first-generation drug-eluting stents in patients with and without diabetes mellitus: pooled analysis from the RESET and NEXT trials. <i>Cardiovascular Intervention and Therapeutics</i> , 2018 , 33, 125-134	2.5	6
200	Fate of post-procedural malapposition of everolimus-eluting polymeric bioresorbable scaffold and everolimus-eluting cobalt chromium metallic stent in human coronary arteries: sequential assessment with optical coherence tomography in ABSORB Japan trial. European Heart Journal Cardiovascular Imaging, 2018, 19, 59-66	4.1	17
199	Three-Year Outcomes With the Absorb Bioresorbable Scaffold: Individual-Patient-Data Meta-Analysis From the ABSORB Randomized Trials. <i>Circulation</i> , 2018 , 137, 464-479	16.7	108
198	Chronic total occlusion in non-infarct-related artery is associated with increased short-and long-term mortality in patients with ST-segment elevation acute myocardial infarction complicated by cardiogenic shock (from the CREDO-Kyoto AMI registry). Catheterization and Cardiovascular	2.7	7
197	Interventions, 2018 , 92, 455-463 Validating Utility of Dual Antiplatelet Therapy Score in a Large Pooled Cohort From 3 Japanese Percutaneous Coronary Intervention Studies. <i>Circulation</i> , 2018 , 137, 551-562	16.7	37
196	Asymptomatic versus Symptomatic Patients with Severe Aortic Stenosis. <i>Scientific Reports</i> , 2018 , 8, 10	08p 9	4
195	High-Dose Versus Low-Dose Pitavastatin in Japanese Patients With Stable Coronary Artery Disease (REAL-CAD): A Randomized Superiority Trial. <i>Circulation</i> , 2018 , 137, 1997-2009	16.7	95

194	Influence of a history of cancer on long-term cardiovascular outcomes after coronary stent implantation (an Observation from Coronary Revascularization Demonstrating Outcome Study-Kyoto Registry Cohort-2). European Heart Journal Quality of Care & Clinical Outcomes,	4.6	14
193	Multislice computed tomography assessment of everolimus-eluting Absorb bioresorbable scaffolds in comparison with metallic drug-eluting stents from the ABSORB Japan randomised trial. <i>EuroIntervention</i> , 2018 , 14, e1020-e1028	3.1	2
192	Impact of previous drug-eluting stent restenosis in non-left main coronary artery lesions on long-term outcomes after left main coronary artery stenting: an observation from the AOI-LMCA registry. <i>Cardiovascular Intervention and Therapeutics</i> , 2018 , 33, 350-359	2.5	
191	Single-session versus staged procedures for elective multivessel percutaneous coronary intervention. <i>Heart</i> , 2018 , 104, 936-944	5.1	1
190	Acute Coronary Syndrome With Unprotected Left Main Coronary Artery Culprit - An Observation From the AOI-LMCA Registry. <i>Circulation Journal</i> , 2018 , 83, 198-208	2.9	7
189	Sex Differences in Long-Term Clinical Outcomes in Patients With Atrial Fibrillation Undergoing Coronary Stent Implantation. <i>Circulation Journal</i> , 2018 , 82, 1754-1762	2.9	1
188	Demographics, Management, and In-Hospital Outcome of Hospitalized Acute Heart Failure Syndrome Patients in Contemporary Real Clinical Practice in Japan - Observations From the Prospective, Multicenter Kyoto Congestive Heart Failure (KCHF) Registry. <i>Circulation Journal</i> , 2018 ,	2.9	49
187	82, 2811-2819 The East-West late lumen loss study: Comparison of angiographic late lumen loss between Eastern and Western drug-eluting stent study cohorts. <i>American Heart Journal</i> , 2018, 206, 61-71	4.9	2
186	Influence of Baseline Platelet Count on Outcomes in Patients With Venous Thromboembolism (from the COMMAND VTE Registry). <i>American Journal of Cardiology</i> , 2018 , 122, 2131-2141	3	10
185	Second-Generation vs. First-Generation Drug-Eluting Stents in Patients With Calcified Coronary Lesions - Pooled Analysis From the RESET and NEXT Trials. <i>Circulation Journal</i> , 2018 , 82, 376-387	2.9	9
184	Long-term use of carvedilol in patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. <i>PLoS ONE</i> , 2018 , 13, e0199347	3.7	17
183	Early Surgery vs. Surgery After Watchful Waiting for Asymptomatic Severe Aortic Stenosis. <i>Circulation Journal</i> , 2018 , 82, 2663-2671	2.9	10
182	Acute Heart Failure in Patients With Severe Aortic Stenosis - Insights From the CURRENT AS Registry. <i>Circulation Journal</i> , 2018 , 82, 874-885	2.9	26
181	Prediction of Thrombotic and Bleeding Events After Percutaneous Coronary Intervention: CREDO-Kyoto Thrombotic and Bleeding Risk Scores. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	66
180	Sudden Death in Patients With Severe Aortic Stenosis: Observations From the CURRENT AS Registry. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	29
179	COMBO dual-therapy stent: non-inferior to drug-eluting stents or stepping back to bare metal stents?. <i>European Heart Journal</i> , 2018 , 39, 2469-2471	9.5	3
178	Impact of Angiographic Residual Stenosis on Clinical Outcomes After New-Generation Drug-Eluting Stents Implantation: Insights From a Pooled Analysis of the RESET and NEXT Trials. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	4
177	Aspirin-free strategies in cardiovascular disease and cardioembolic stroke prevention. <i>Nature Reviews Cardiology</i> , 2018 , 15, 480-496	14.8	134

176	Very Late Scaffold Thrombosis of Bioresorbable Vascular Scaffold: Systematic Review and heta-Analysis. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 27-37	5	54
175	Cardiac and Noncardiac Causes of Long-Term Mortality in ST-Segment-Elevation Acute Myocardial Infarction Patients Who Underwent Primary Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017 , 10,	5.8	28
174	High- Versus Low-Gradient Severe Aortic Stenosis: Demographics, Clinical Outcomes, and Effects of the Initial Aortic Valve Replacement Strategy on Long-Term Prognosis. <i>Circulation: Cardiovascular Interventions</i> , 2017 , 10,	6	13
173	Late thrombotic events after bioresorbable scaffold implantation: a systematic review and meta-analysis of randomized clinical trials. <i>European Heart Journal</i> , 2017 , 38, 2559-2566	9.5	39
172	Thoracic endovascular aortic repair with branched Inoue Stent Graft for arch aortic aneurysms. Journal of Vascular Surgery, 2017 , 66, 1340-1348.e5	3.5	33
171	Two-year vascular responses to drug-eluting stents with biodegradable polymer versus durable polymer: An optical coherence tomography sub-study of the NEXT. <i>Journal of Cardiology</i> , 2017 , 70, 530-	- <i>ร</i> ่36	9
170	Incidence and Prognostic Impact of Heart Failure Hospitalization During Follow-Up After Primary Percutaneous Coronary Intervention in ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2017 , 119, 1729-1739	3	18
169	Different clinical outcomes in patients with asymptomatic severe aortic stenosis according to the stage classification: Does the aortic valve area matter?. <i>International Journal of Cardiology</i> , 2017 , 228, 244-252	3.2	6
168	The ReACT Trial: Randomized Evaluation of Routine Follow-up Coronary Angiography After Percutaneous Coronary Intervention Trial. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 109-117	5	27
167	Efficacy and Safety of the Absorb Everolimus-Eluting Bioresorbable Scaffold[for Treatment of Patients[With[Diabetes Mellitus: Results of the Absorb Diabetic Substudy. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 42-49	5	17
166	Long-Term Outcomes After Stent Implantation for Left Main Coronary Artery (from the Multicenter Assessing Optimal Percutaneous Coronary Intervention for Left Main Coronary Artery Stenting Registry). <i>American Journal of Cardiology</i> , 2017 , 119, 355-364	3	10
165	Effect of Technique on Outcomes Following Bioresorbable Vascular Scaffold Implantation: Analysis From the ABSORB Trials. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 2863-2874	15.1	103
164	Successful Percutaneous Transcatheter Angioplasty of Radial Artery in Thromboangiitis Obliterans (BuergerMDisease). <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, e205-e206	5	1
163	Impact of Transient or Persistent Contrast-induced Nephropathy on Long-term Mortality After Elective Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2017 , 120, 2146-2153	3	17
162	QRS Score at Presentation Electrocardiogram Is Correlated With Infarct Size and Mortality in ST-Segment Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention. <i>Circulation Journal</i> , 2017 , 81, 1129-1136	2.9	6
161	Short versus prolonged dual antiplatelet therapy (DAPT) duration after coronary stent implantation: A comparison between the DAPT study and 9 other trials evaluating DAPT duration. <i>PLoS ONE</i> , 2017 , 12, e0174502	3.7	18
160	Dual Antithrombotic Therapy with Dabigatran after PCI in Atrial Fibrillation. <i>New England Journal of Medicine</i> , 2017 , 377, 1513-1524	59.2	804
159	Efficacy and Safety of the Absorb Bioresorbable Vascular Scaffold in Females and Males: Results of an Individual Patient-Level Pooled Meta-Analysis of Randomized Controlled Trials. <i>JACC:</i> Cardiovascular Interventions, 2017 , 10, 1881-1890	5	9

158	2-year outcomes with the Absorb bioresorbable scaffold for treatment of coronary artery disease: a systematic review and meta-analysis of seven randomised trials with an individual patient data substudy. <i>Lancet, The</i> , 2017 , 390, 760-772	40	133
157	Prognostic Impact of Peak Aortic Jet Velocity in Conservatively Managed Patients With Severe Aortic Stenosis: An Observation From the CURRENT AS Registry. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	4
156	Severe Aortic Stenosis in Dialysis Patients. Journal of the American Heart Association, 2017, 6,	6	26
155	Kyoto Congestive Heart Failure (KCHF) study: rationale and design. <i>ESC Heart Failure</i> , 2017 , 4, 216-223	3.7	28
154	Causes of Death in Patients with Severe Aortic Stenosis: An Observational study. <i>Scientific Reports</i> , 2017 , 7, 14723	4.9	23
153	Reply: Angiographic Follow-Up in Patients With Coronary Artery Disease: Is There a Window to Be Definitively Closed?. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 844-845	5	
152	Impact of the left ventricular mass index on the outcomes of severe aortic stenosis. <i>Heart</i> , 2017 , 103, 1992-1999	5.1	27
151	Transradial versus transfemoral approach in patients undergoing primary percutaneous coronary intervention for ST-elevation acute myocardial infarction: insight from the CREDO-Kyoto AMI registry. <i>Heart and Vessels</i> , 2017 , 32, 1448-1457	2.1	6
150	Ad hoc vs. Non-ad hoc Percutaneous Coronary Intervention Strategies in Patients With Stable Coronary Artery Disease. <i>Circulation Journal</i> , 2017 , 81, 458-467	2.9	6
149	Five-Year Clinical Outcome of Asymptomatic vs. Symptomatic Severe Aortic Stenosis After Aortic Valve Replacement. <i>Circulation Journal</i> , 2017 , 81, 485-494	2.9	11
148	Sex Differences in Severe Aortic Stenosis - Clinical Presentation and Mortality. <i>Circulation Journal</i> , 2017 , 81, 1213-1221	2.9	20
147	3) Optimal Antithrombotic Therapy in Coronary Artery Disease. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2017 , 106, 1858-1862	Ο	
146	Diagnostic Performance of Transluminal Attenuation Gradient and Noninvasive Fractional Flow Reserve Derived from 320-Detector Row CT Angiography to Diagnose Hemodynamically Significant Coronary Stenosis: An NXT Substudy. <i>Radiology</i> , 2016 , 279, 75-83	20.5	43
145	Very Long-Term (10 to 14 Year) Outcomes After Percutaneous Coronary Intervention Versus Coronary Artery Bypass Grafting for Multivessel Coronary Artery Disease in the Bare-Metal Stent Era. <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9,	6	1
144	Culprit Vessel-Only vs. Staged Multivessel Percutaneous Coronary Intervention Strategies in Patients With Multivessel Coronary Artery Disease Undergoing Primary Percutaneous Coronary Intervention for ST-Segment Elevation Myocardial Infarction. <i>Circulation Journal</i> , 2016 , 80, 371-8	2.9	20
143	Intravascular Ultrasound Guidance vs. Angiographic Guidance in Primary Percutaneous Coronary Intervention for ST-Segment Elevation Myocardial Infarction - Long-Term Clinical Outcomes From the CREDO-Kyoto AMI Registry. <i>Circulation Journal</i> , 2016 , 80, 477-84	2.9	22
142	Impact of Low Diastolic Blood Pressure on Risk of Cardiovascular Death in Elderly Patients With Coronary Artery Disease After Revascularization - The CREDO-Kyoto Registry Cohort-1. <i>Circulation Journal</i> , 2016 , 80, 1232-41	2.9	3
141	Three-Year Clinical Outcomes of Everolimus-Eluting Stents From the Post-Marketing Surveillance Study of Cobalt-Chromium Everolimus-Eluting Stent (XIENCE V/PROMUS) in Japan. <i>Circulation Journal</i> , 2016 , 80, 906-12	2.9	24

140	Inter-Facility Transfer vs. Direct Admission of Patients With ST-Segment Elevation Acute Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Circulation Journal</i> , 2016 , 80, 1764-	729	16
139	Impact of Implantation Technique and Plaque Morphology on Strut Embedment and Scaffold Expansion of Polylactide Bioresorbable Scaffold - Insights From ABSORB Japan Trial. <i>Circulation Journal</i> , 2016 , 80, 2317-2326	2.9	22
138	Quantitative assessment of the stent/scaffold strut embedment analysis by optical coherence tomography. <i>International Journal of Cardiovascular Imaging</i> , 2016 , 32, 871-83	2.5	33
137	1-year outcomes with the Absorb bioresorbable scaffold in patients with coronary artery disease: a patient-level, pooled meta-analysis. <i>Lancet, The</i> , 2016 , 387, 1277-89	40	217
136	Effect of Chronic Kidney Disease in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents: A Patient-Level Pooled Analysis of Randomized Controlled Trials. <i>JACC:</i> Cardiovascular Interventions, 2016 , 9, 28-38	5	24
135	Everolimus-eluting bioresorbable vascular scaffolds versus everolimus-eluting metallic stents: a meta-analysis of randomised controlled trials. <i>Lancet, The</i> , 2016 , 387, 537-544	40	266
134	Effects of Age and Sex on Clinical Outcomes After Percutaneous Coronary Intervention Relative to Coronary Artery Bypass Grafting in Patients With Triple-Vessel Coronary Artery Disease. <i>Circulation</i> , 2016 , 133, 1878-91	16.7	17
133	Duration of Prehospital Resuscitation Efforts After Out-of-Hospital Cardiac Arrest. <i>Circulation</i> , 2016 , 133, 1386-96	16.7	93
132	Safety and Efficacy of New-Generation Drug-Eluting Stents in Women at High Risk for Atherothrombosis: From the Women in Innovation and Drug-Eluting Stents Collaborative Patient-Level Pooled Analysis. <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9, e002995	6	9
131	Favorable Clinical Outcomes of Transcatheter Aortic Valve Implantation in Japanese Patients - First Report From the Post-Approval K-TAVI Registry. <i>Circulation Journal</i> , 2016 , 81, 103-109	2.9	16
130	Is quantitative coronary angiography reliable in assessing the lumen gain after treatment with the everolimus-eluting bioresorbable polylactide scaffold?. <i>EuroIntervention</i> , 2016 , 12, e998-e1008	3.1	15
129	Two-year clinical, angiographic, and serial optical coherence tomographic follow-up after implantation of an everolimus-eluting bioresorbable scaffold and an everolimus-eluting metallic stent: insights from the randomised ABSORB Japan trial. <i>EuroIntervention</i> , 2016 , 12, 1090-1101	3.1	108
128	Reply: Is it Time for a New Paradigm in Asymptomatic Severe Aortic Stenosis?: Asymptomatic Severe Aortic Stenosis: Oxymoron? A Randomized Trial in Patients With Asymptomatic Severe Aortic Stenosis: A Future Has Begun! Might Outcome of Patients With Asymptomatic Severe AS Be		1
127	Safety and Efficacy of New-Generation Drug-Eluting Stents in Women Undergoing Complex Percutaneous Coronary Artery Revascularization: From the WIN-DES Collaborative Patient-Level Pooled Analysis. JACC: Cardiovascular Interventions, 2016, 9, 674-84	5	35
126	One-year outcome of a prospective trial stopping dual antiplatelet therapy at 3 months after everolimus-eluting cobalt-chromium stent implantation: ShortT and OPtimal duration of Dual AntiPlatelet Therapy after everolimus-eluting cobalt-chromium stent (STOPDAPT) trial.	2.5	39
125	Cardiovascular Intervention and Therapeutics, 2016 , 31, 196-209 Rationale and design of the East-West late lumen loss study: Comparison of late lumen loss between Eastern and Western drug-eluting stent study cohorts. <i>American Heart Journal</i> , 2016 , 182, 103	-4:20	3
124	Cost analysis of non-invasive fractional flow reserve derived from coronary computed tomographic angiography in Japan. <i>Cardiovascular Intervention and Therapeutics</i> , 2015 , 30, 38-44	2.5	33
123	Long-term clinical outcomes after sirolimus-eluting stent implantation for unprotected left main coronary artery disease. <i>Cardiovascular Intervention and Therapeutics</i> , 2015 , 30, 189-97	2.5	5

122	Antiplatelet therapy discontinuation and stent thrombosis after sirolimus-eluting stent implantation: five-year outcome of the j-Cypher Registry. <i>International Journal of Cardiology</i> , 2015 , 199, 296-301	3.2	8
121	Impact of Clinical Presentation (Stable Angina Pectoris vs Unstable Angina Pectoris or Non-ST-Elevation Myocardial Infarction vs ST-Elevation Myocardial Infarction) on Long-Term Outcomes in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents.	3	26
12 0	Meta-analysis of long-term clinical outcomes of everolimus-eluting stents. <i>American Journal of Cardiology</i> , 2015 , 116, 187-94	3	23
119	Comparison of Five-Year Outcome of Percutaneous Coronary Intervention With Coronary Artery Bypass Grafting in Triple-Vessel Coronary Artery Disease (from the Coronary Revascularization Demonstrating Outcome Study in Kyoto PCI/CABG Registry Cohort-2). <i>American Journal of</i>	3	22
118	Long-Term Outcomes After Coronary Stent Implantation in Patients Presenting With Versus Without Acute Myocardial Infarction (an Observation from Coronary Revascularization Demonstrating Outcome Study-Kyoto Registry Cohort-2). <i>American Journal of Cardiology</i> , 2015 ,	3	9
117	116, 15-23 Efficacy and safety of a novel bioabsorbable polymer-coated, everolimus-eluting coronary stent: the EVOLVE II Randomized Trial. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8,	6	185
116	Five-year outcomes of percutaneous versus surgical coronary revascularization in patients with diabetes mellitus (from the CREDO-Kyoto PCI/CABG Registry Cohort-2). <i>American Journal of Cardiology</i> , 2015 , 115, 1063-72	3	24
115	Comparison of 5-Year Outcomes After Coronary Artery Bypass Grafting in Heart Failure Patients With Versus Without Preserved Left Ventricular Ejection Fraction (from the CREDO-Kyoto CABG Registry Cohort-2). <i>American Journal of Cardiology</i> , 2015 , 116, 580-6	3	15
114	A randomized trial evaluating everolimus-eluting Absorb bioresorbable scaffolds vs. everolimus-eluting metallic stents in patients with coronary artery disease: ABSORB Japan. <i>European Heart Journal</i> , 2015 , 36, 3332-42	9.5	209
113	High-density lipoprotein cholesterol levels and cardiovascular outcomes in Japanese patients after percutaneous coronary intervention: a report from the CREDO-Kyoto registry cohort-2. <i>Atherosclerosis</i> , 2015 , 242, 632-8	3.1	9
	Initial Consider Marcon Consequation Chapteries in Dationte With Asymptometic Courses Applie		
112	Initial Surgical Versus Conservative Strategies in Patients With Asymptomatic Severe Aortic Stenosis. <i>Journal of the American College of Cardiology</i> , 2015 , 66, 2827-2838	15.1	180
112		15.1 16.7	180
	Stenosis. Journal of the American College of Cardiology, 2015, 66, 2827-2838 Influence of Sex on Long-Term Outcomes After Implantation of Bare-Metal Stent: A Multicenter Report From the Coronary Revascularization Demonstrating Outcome Study-Kyoto (CREDO-Kyoto)		
111	Stenosis. Journal of the American College of Cardiology, 2015, 66, 2827-2838 Influence of Sex on Long-Term Outcomes After Implantation of Bare-Metal Stent: A Multicenter Report From the Coronary Revascularization Demonstrating Outcome Study-Kyoto (CREDO-Kyoto) Registry Cohort-1. Circulation, 2015, 132, 2323-33 Final 3-Year Outcome of a Randomized Trial Comparing Second-Generation Drug-Eluting Stents Using Either Biodegradable Polymer or Durable Polymer: NOBORI Biolimus-Eluting Versus	16.7	11
111	Stenosis. Journal of the American College of Cardiology, 2015, 66, 2827-2838 Influence of Sex on Long-Term Outcomes After Implantation of Bare-Metal Stent: A Multicenter Report From the Coronary Revascularization Demonstrating Outcome Study-Kyoto (CREDO-Kyoto) Registry Cohort-1. Circulation, 2015, 132, 2323-33 Final 3-Year Outcome of a Randomized Trial Comparing Second-Generation Drug-Eluting Stents Using Either Biodegradable Polymer or Durable Polymer: NOBORI Biolimus-Eluting Versus XIENCE/PROMUS Everolimus-Eluting Stent Trial. Circulation: Cardiovascular Interventions, 2015, 8, An optimal strategy for coronary revascularization in patients with severe renal dysfunction.	16.7	11 49
111 110 109	Stenosis. Journal of the American College of Cardiology, 2015, 66, 2827-2838 Influence of Sex on Long-Term Outcomes After Implantation of Bare-Metal Stent: A Multicenter Report From the Coronary Revascularization Demonstrating Outcome Study-Kyoto (CREDO-Kyoto) Registry Cohort-1. Circulation, 2015, 132, 2323-33 Final 3-Year Outcome of a Randomized Trial Comparing Second-Generation Drug-Eluting Stents Using Either Biodegradable Polymer or Durable Polymer: NOBORI Biolimus-Eluting Versus XIENCE/PROMUS Everolimus-Eluting Stent Trial. Circulation: Cardiovascular Interventions, 2015, 8, An optimal strategy for coronary revascularization in patients with severe renal dysfunction. European Journal of Cardio-thoracic Surgery, 2015, 48, 293-300 Three-year outcomes after percutaneous coronary intervention and coronary artery bypass grafting in patients with heart failure: from the CREDO-Kyoto percutaneous coronary	16.7 6 3	11 49 12
111 110 109 108	Influence of Sex on Long-Term Outcomes After Implantation of Bare-Metal Stent: A Multicenter Report From the Coronary Revascularization Demonstrating Outcome Study-Kyoto (CREDO-Kyoto) Registry Cohort-1. <i>Circulation</i> , 2015 , 132, 2323-33 Final 3-Year Outcome of a Randomized Trial Comparing Second-Generation Drug-Eluting Stents Using Either Biodegradable Polymer or Durable Polymer: NOBORI Biolimus-Eluting Versus XIENCE/PROMUS Everolimus-Eluting Stent Trial. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8, An optimal strategy for coronary revascularization in patients with severe renal dysfunction. <i>European Journal of Cardio-thoracic Surgery</i> , 2015 , 48, 293-300 Three-year outcomes after percutaneous coronary intervention and coronary artery bypass grafting in patients with heart failure: from the CREDO-Kyoto percutaneous coronary intervention/coronary artery bypass graft registry cohort-2 <i>European Journal of Cardio-thoracic Surgery</i> , 2015 , 47-316-21. discussion 321. Comparison of Percutaneous Coronary Intervention With Coronary Artery Bypass Grafting in Unprotected Left Main Coronary Artery Disease - 5-Year Outcome From CREDO-Kyoto PCI/CABG	16.7 6 3	11 49 12 11

104	Outcomes of everolimus-eluting stent incomplete stent apposition: a serial optical coherence tomography analysis. <i>European Heart Journal Cardiovascular Imaging</i> , 2015 , 16, 23-8	4.1	35
103	Non-invasive computed fractional flow reserve from computed tomography (CT) for diagnosing coronary artery disease Dapanese results from NXT trial (Analysis of Coronary Blood Flow Using CT Angiography: Next Steps). <i>Circulation Journal</i> , 2015 , 79, 406-12	2.9	20
102	Antiplatelet therapy discontinuation and the risk of serious cardiovascular events after coronary stenting: observations from the CREDO-Kyoto Registry Cohort-2. <i>PLoS ONE</i> , 2015 , 10, e0124314	3.7	10
101	Differences in coronary risk factors, procedural characteristics, mortality and stent thrombosis between two all-comers percutaneous coronary intervention registries from Europe and Japan: a patient-level data analysis of the Bern-Rotterdam and j-Cypher registries. <i>EuroIntervention</i> , 2015 ,	3.1	18
100	Impact of angiographic peri-stent contrast staining (PSS) on late adverse events after sirolimus-eluting stent implantation: an observation from the multicenter j-Cypher registry PSS substudy. <i>Cardiovascular Intervention and Therapeutics</i> , 2014 , 29, 226-36	2.5	11
99	Effect of statin therapy on cardiovascular outcomes after coronary revascularization in patients 80 years of age: observations from the CREDO-Kyoto Registry Cohort-2. <i>Atherosclerosis</i> , 2014 , 237, 821-	·8··1	8
98	Effect of preinfarction angina pectoris on long-term survival in patients with ST-segment elevation myocardial infarction who underwent primary percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2014 , 114, 1179-86	3	14
97	Comparison of five-year outcomes of coronary artery bypass grafting versus percutaneous coronary intervention in patients with left ventricular ejection fractions 50% versus >50% (from the CREDO-Kyoto PCI/CABG Registry Cohort-2). <i>American Journal of Cardiology</i> , 2014 , 114, 988-96	3	46
96	Comparison of long-term mortality after acute myocardial infarction treated by percutaneous coronary intervention in patients living alone versus not living alone at the time of hospitalization. <i>American Journal of Cardiology</i> , 2014 , 114, 522-7	3	8
95	Relation of contrast-induced nephropathy to long-term mortality after percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2014 , 114, 362-8	3	69
94	Percutaneous coronary intervention versus coronary artery bypass grafting in patients with end-stage renal disease requiring dialysis (5-year outcomes of the CREDO-Kyoto PCI/CABG Registry Cohort-2). <i>American Journal of Cardiology</i> , 2014 , 114, 555-61	3	42
93	Vascular response to drug-eluting stent with biodegradable vs. durable polymer. Optical coherence tomography substudy of the NEXT. <i>Circulation Journal</i> , 2014 , 78, 2408-14	2.9	31
92	Long-term efficacy and safety outcomes after unrestricted use of drug-eluting stents in patients with acute coronary syndrome: mortality and major bleeding in a single-center registry. <i>Circulation Journal</i> , 2014 , 78, 1628-35	2.9	5
91	Prasugrel, a third-generation P2Y12 receptor antagonist, in patients with coronary artery disease undergoing elective percutaneous coronary intervention. <i>Circulation Journal</i> , 2014 , 78, 2926-34	2.9	65
90	Two-year outcome of a randomized trial comparing second-generation drug-eluting stents using biodegradable or durable polymer. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 2125-	. 7 7·4	27
89	Incidence and outcome of surgical procedures after coronary artery bypass grafting compared with those after percutaneous coronary intervention: a report from the Coronary Revascularization Demonstrating Outcome Study in Kyoto PCI/CABG Registry Cohort-2. <i>Circulation: Cardiovascular</i>	6	10
88	Long-term clinical outcomes after everolimus- and sirolimus-eluting coronary stent implantation: final 3-year follow-up of the Randomized Evaluation of Sirolimus-Eluting Versus Everolimus-Eluting Stent Trial. <i>Circulation: Cardiovascular Interventions</i> , 2014 , 7, 343-54	6	39
87	Late adverse events after implantation of sirolimus-eluting stent and bare-metal stent: long-term (5-7 years) follow-up of the Coronary Revascularization Demonstrating Outcome study-Kyoto registry Cohort-2. <i>Circulation: Cardiovascular Interventions</i> , 2014 , 7, 168-79	6	68

86	Evolution in practice patterns and long-term outcomes of coronary revascularization from bare-metal stent era to drug-eluting stent era in Japan. <i>American Journal of Cardiology</i> , 2014 , 113, 1652	<u>-</u> 3	7
85	Impact of statin therapy on patients with coronary heart disease and aortic aneurysm or dissection. Journal of Vascular Surgery, 2014 , 60, 604-12.e2	3.5	10
84	Sirolimus-eluting stent implantation for ostial right coronary artery lesions: five-year outcomes from the j-Cypher registry. <i>Cardiovascular Intervention and Therapeutics</i> , 2014 , 29, 200-8	2.5	13
83	Association of localized hypersensitivity and in-stent neoatherosclerosis with the very late drug-eluting stent thrombosis. <i>PLoS ONE</i> , 2014 , 9, e113870	3.7	11
82	Angiographic findings of everolimus-eluting as compared to sirolimus-eluting stents: angiographic sub-study from the Randomized Evaluation of Sirolimus-eluting versus Everolimus-eluting stent Trial (RESET). <i>Cardiovascular Intervention and Therapeutics</i> , 2013 , 28, 344-51	2.5	20
81	Influence of initial acute myocardial infarction presentation on the outcome of surgical procedures after coronary stent implantation: a report from the CREDO-Kyoto PCI/CABG Registry Cohort-2. <i>Cardiovascular Intervention and Therapeutics</i> , 2013 , 28, 45-55	2.5	3
80	Impact of polyvascular disease on clinical outcomes in patients undergoing coronary revascularization: an observation from the CREDO-Kyoto Registry Cohort-2. <i>Atherosclerosis</i> , 2013 , 228, 426-31	3.1	18
79	Comparison of 5-year outcomes in patients with and without unprotected left main coronary artery disease after treatment with sirolimus-eluting stents: insights from the j-Cypher registry. <i>JACC: Cardiovascular Interventions</i> , 2013 , 6, 654-63	5	16
78	Safety and efficacy of drug-eluting stents in women: a patient-level pooled analysis of randomised trials. <i>Lancet, The</i> , 2013 , 382, 1879-88	40	102
77	Percutaneous coronary intervention in patients with previous coronary artery bypass grafting (from the j-Cypher Registry). <i>American Journal of Cardiology</i> , 2013 , 112, 1110-9	3	4
76	Biodegradable polymer biolimus-eluting stent versus durable polymer everolimus-eluting stent: a randomized, controlled, noninferiority trial. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 181	- 150	169
75	b locker use in patients after percutaneous coronary interventions: one size fits all? Worse outcomes in patients without myocardial infarction or heart failure. <i>International Journal of Cardiology</i> , 2013 , 168, 774-9	3.2	15
74	Comparison of outcomes using the sirolimus-eluting stent in calcified versus non-calcified native coronary lesions in patients on- versus not on-chronic hemodialysis (from the j-Cypher registry). <i>American Journal of Cardiology</i> , 2013 , 112, 647-55	3	30
73	Prognostic implications of anemia with or without chronic kidney disease in patients undergoing elective percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2013 , 168, 5221-8	3.2	27
72	Long-term outcomes after percutaneous coronary intervention for chronic total occlusion (from the CREDO-Kyoto registry cohort-2). <i>American Journal of Cardiology</i> , 2013 , 112, 767-74	3	65
71	Blocker therapy and cardiovascular outcomes in patients who have undergone percutaneous coronary intervention after ST-elevation myocardial infarction. <i>Cardiovascular Intervention and Therapeutics</i> , 2013 , 28, 139-47	2.5	18
7º	Impact of occult renal impairment on early and late outcomes following coronary artery bypass grafting. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2013 , 17, 638-43	1.8	16
69	Three-year outcome after percutaneous coronary intervention and coronary artery bypass grafting in patients with triple-vessel coronary artery disease: observations from the CREDO-Kyoto PCI/CABG registry cohort-2. EuroIntervention, 2013 , 9, 437-45	3.1	19

68	Peri-stent contrast staining and very late stent thrombosis after sirolimus-eluting stent implantation: an observation from the RESTART (REgistry of Stent Thrombosis for review And Re-evaluaTion) angiographic substudy. <i>EuroIntervention</i> , 2013 , 9, 831-40	3.1	9
67	Coronary drug-eluting stents: progress and remaining issues. <i>Journal of the Japanese Coronary Association</i> , 2013 , 19, 248-256		
66	2. Evaluation of Safety and Efficacy of Medicine in the Registry after Coronary Revascularization. Japanese Journal of Clinical Pharmacology and Therapeutics, 2013 , 44, 329-333	О	
65	Prognostic utility of T-wave alternans in a real-world population of patients with left ventricular dysfunction: the PREVENT-SCD study. <i>Clinical Research in Cardiology</i> , 2012 , 101, 89-99	6.1	12
64	Predicting long-term mortality after first coronary revascularization: Ithe Kyoto model II <i>Circulation Journal</i> , 2012 , 76, 328-34	2.9	22
63	Intensity of statin therapy, achieved low-density lipoprotein cholesterol levels and cardiovascular outcomes in Japanese patients after coronary revascularization. Perspectives from the CREDO-Kyoto registry cohort-2. <i>Circulation Journal</i> , 2012 , 76, 1369-79	2.9	37
62	Stent thrombosis with drug-eluting and bare-metal stents: evidence from a comprehensive network meta-analysis. <i>Lancet, The</i> , 2012 , 379, 1393-402	40	727
61	Benefits of off-pump coronary artery bypass grafting in high-risk patients. <i>Circulation</i> , 2012 , 126, S151-	716.7	65
60	The long-term efficacy of cilostazol in addition to dual antiplatelet therapy after sirolimus-eluting stent implantation for Japanese patients: an analysis of the 3-year follow-up outcomes from the j-Cypher registry. <i>Cardiovascular Intervention and Therapeutics</i> , 2012 , 27, 161-7	2.5	7
59	Antiplatelet therapy and long-term clinical outcome after sirolimus-eluting stent implantation: 5-year outcome of the j-Cypher registry. <i>Cardiovascular Intervention and Therapeutics</i> , 2012 , 27, 181-8	2.5	13
58	Duration of dual antiplatelet therapy and long-term clinical outcome after coronary drug-eluting stent implantation: landmark analyses from the CREDO-Kyoto PCI/CABG Registry Cohort-2. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 381-91	6	36
57	Comparison of long-term outcome after percutaneous coronary intervention versus coronary artery bypass grafting in patients with unprotected left main coronary artery disease (from the CREDO-Kyoto PCI/CABG Registry Cohort-2). <i>American Journal of Cardiology</i> , 2012 , 110, 924-32	3	37
56	Comparison of five-year outcome of sirolimus-eluting stent implantation for chronic total occlusions versus for non-chronic total occlusion (from the j-Cypher registry). <i>American Journal of Cardiology</i> , 2012 , 110, 1282-9	3	19
55	Renal function and effect of statin therapy on cardiovascular outcomes in patients undergoing coronary revascularization (from the CREDO-Kyoto PCI/CABG Registry Cohort-2). <i>American Journal of Cardiology</i> , 2012 , 110, 1568-77	3	28
54	Comparison of frequency of postoperative stroke in off-pump coronary artery bypass grafting versus on-pump coronary artery bypass grafting versus percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2012 , 110, 1773-8	3	19
53	Very late stent thrombosis and late target lesion revascularization after sirolimus-eluting stent implantation: five-year outcome of the j-Cypher Registry. <i>Circulation</i> , 2012 , 125, 584-91	16.7	214
52	Bare metal stent thrombosis and in-stent neoatherosclerosis. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 47-54	6	52
51	Clopidogrel trial in patients with elective percutaneous coronary intervention for stable angina and old myocardial infarction (CLEAN). <i>International Heart Journal</i> , 2012 , 53, 91-101	1.8	6

50	Effects of PPIs and an H2 blocker on the antiplatelet function of clopidogrel in Japanese patients under dual antiplatelet therapy. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012 , 19, 559-69	4	19
49	Comparison of 3-year clinical outcomes after transradial versus transfemoral percutaneous coronary intervention. <i>Cardiovascular Intervention and Therapeutics</i> , 2012 , 27, 84-92	2.5	14
48	Impact of statin therapy on late target lesion revascularization after sirolimus-eluting stent implantation (from the CREDO-Kyoto Registry Cohort-2). <i>American Journal of Cardiology</i> , 2012 , 109, 138	37-96	22
47	Significance of off-pump coronary artery bypass grafting compared with percutaneous coronary intervention: a propensity score analysis. <i>European Journal of Cardio-thoracic Surgery</i> , 2012 , 41, 94-101	3	5
46	Comparison of everolimus-eluting and sirolimus-eluting coronary stents: 1-year outcomes from the Randomized Evaluation of Sirolimus-eluting Versus Everolimus-eluting stent Trial (RESET). <i>Circulation</i> , 2012 , 126, 1225-36	16.7	125
45	Impact of diabetes among revascularized patients in Japan and the U.S. <i>Diabetes Care</i> , 2012 , 35, 654-9	14.6	6
44	Incidence and outcome of surgical procedures after coronary bare-metal and drug-eluting stent implantation: a report from the CREDO-Kyoto PCI/CABG registry cohort-2. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 237-46	6	34
43	Association of onset to balloon and door to balloon time with long term clinical outcome in patients with ST elevation acute myocardial infarction having primary percutaneous coronary intervention: observational study. <i>BMJ, The</i> , 2012 , 344, e3257	5.9	118
42	Low DBP may not be an independent risk for cardiovascular death in revascularized coronary artery disease patients. <i>Journal of Hypertension</i> , 2011 , 29, 1889-96	1.9	14
41	Clinical characteristics and outcomes of Japanese women undergoing coronary revascularization therapy. <i>Circulation Journal</i> , 2011 , 75, 1358-67	2.9	21
40	Impact of diabetes on cardiovascular outcomes in hemodialysis patients undergoing coronary revascularization. <i>Circulation Journal</i> , 2011 , 75, 1616-25	2.9	17
39	Comparison of three-year clinical outcomes after sirolimus-eluting stent implantation among insulin-treated diabetic, non-insulin-treated diabetic, and non-diabetic patients from j-Cypher registry. <i>American Journal of Cardiology</i> , 2011 , 107, 1155-62	3	40
38	Coronary revascularization in patients with liver cirrhosis. <i>Annals of Thoracic Surgery</i> , 2011 , 91, 1393-9	2.7	32
37	Association of the use of proton pump inhibitors with adverse cardiovascular and bleeding outcomes after percutaneous coronary intervention in the Japanese real world clinical practice. <i>Cardiovascular Intervention and Therapeutics</i> , 2011 , 26, 222-33	2.5	9
36	Long-term safety and efficacy of sirolimus-eluting stents versus bare-metal stents in real world clinical practice in Japan. <i>Cardiovascular Intervention and Therapeutics</i> , 2011 , 26, 234-45	2.5	93
35	Incidence, risk factors, and clinical sequelae of angiographic peri-stent contrast staining after sirolimus-eluting stent implantation. <i>Circulation</i> , 2011 , 123, 2382-91	16.7	100
34	Sirolimus-eluting stent implantation for ostial left anterior descending coronary artery lesions: three-year outcome from the j-Cypher Registry. <i>Circulation: Cardiovascular Interventions</i> , 2011 , 4, 362-70) ⁶	12
33	Contrast staining outside the sirolimus-eluting stent leading to coronary aneurysm formation: a case of very late stent thrombosis associated with hypersensitivity reaction. <i>Circulation:</i> Cardiovascular Interventions 2011 4 e1-3	6	27

32	Three-year outcome of sirolimus-eluting stent implantation in coronary bifurcation lesions: the provisional side branch stenting approach versus the elective two-stent approach. <i>EuroIntervention</i> , 2011 , 7, 588-96	3.1	15
31	Comparison of target-lesion revascularisation between left main coronary artery bifurcations and left anterior descending coronary artery bifurcations using the one and two stent approach with sirolimus-eluting stents. <i>EuroIntervention</i> , 2011 , 7, 796-804	3.1	11
30	4.???????????. Japanese Journal of Clinical Pharmacology and Therapeutics, 2011, 42, 293-294	O	
29	Very long-term (15 to 20 years) clinical and angiographic outcome after coronary bare metal stent implantation. <i>Circulation: Cardiovascular Interventions</i> , 2010 , 3, 468-75	6	73
28	Comparisons of baseline demographics, clinical presentation, and long-term outcome among patients with early, late, and very late stent thrombosis of sirolimus-eluting stents: Observations from the Registry of Stent Thrombosis for Review and Reevaluation (RESTART). <i>Circulation</i> , 2010 ,	16.7	197
27	122, 52-61 Sirolimus-eluting stent versus balloon angioplasty for sirolimus-eluting stent restenosis: Insights from the j-Cypher Registry. <i>Circulation</i> , 2010 , 122, 42-51	16.7	34
26	Stent thrombosis. Journal of the American College of Cardiology, 2010 , 56, 1357-65	15.1	312
25	Sudden cardiac death after PCI and CABG in the bare-metal stent era: Incidence, prevalence, and predictors. <i>International Journal of Cardiology</i> , 2010 , 144, 263-6	3.2	11
24	Chronic obstructive pulmonary diseasean independent risk factor for long-term cardiac and cardiovascular mortality in patients with ischemic heart disease. <i>International Journal of Cardiology</i> , 2010 , 143, 178-83	3.2	33
23	In-hospital outcomes of contemporary percutaneous coronary intervention in patients with chronic total occlusion insights from the J-CTO Registry (Multicenter CTO Registry in Japan). <i>JACC:</i> Cardiovascular Interventions, 2010 , 3, 143-51	5	205
22	Incidence and outcome of surgical procedures after sirolimus-eluting stent implantation: a report from the j-Cypher registry. <i>Cardiovascular Intervention and Therapeutics</i> , 2010 , 25, 29-39	2.5	15
21	Effect of baseline glycemic level on long-term cardiovascular outcomes after coronary revascularization therapy in patients with type 2 diabetes mellitus treated with hypoglycemic agents. <i>American Journal of Cardiology</i> , 2010 , 105, 960-6	3	8
20	Difference in patient profiles and outcomes in Japanese versus American patients undergoing coronary revascularization (collaborative study by CREDO-Kyoto and the Texas Heart Institute Research Database). <i>American Journal of Cardiology</i> , 2010 , 105, 1698-704	3	48
19	Incidence and risk factors of late target lesion revascularization after sirolimus-eluting stent implantation (3-year follow-up of the j-Cypher Registry). <i>American Journal of Cardiology</i> , 2010 , 106, 329)- 3 6	89
18	Lack of effect of oral beta-blocker therapy at discharge on long-term clinical outcomes of ST-segment elevation acute myocardial infarction after primary percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2010 , 106, 1225-33	3	56
17	Safety and efficacy of sirolimus-eluting stent implantation in patients with acute coronary syndrome in the real world. <i>American Journal of Cardiology</i> , 2010 , 106, 1550-60	3	12
16	Impact of multiple and long sirolimus-eluting stent implantation on 3-year clinical outcomes in the j-Cypher Registry. <i>JACC: Cardiovascular Interventions</i> , 2010 , 3, 180-8	5	40
15	Antiplatelet therapy and stent thrombosis after sirolimus-eluting stent implantation. <i>Circulation</i> , 2009 , 119, 987-95	16.7	315

14	Three-year outcomes after sirolimus-eluting stent implantation for unprotected left main coronary artery disease: insights from the j-Cypher registry. <i>Circulation</i> , 2009 , 120, 1866-74	16.7	87
13	Temporal pattern of strokes after on-pump and off-pump coronary artery bypass graft surgery. <i>Annals of Thoracic Surgery</i> , 2009 , 87, 1839-44	2.7	52
12	Clopidogrel resistance in Japanese patients scheduled for percutaneous coronary intervention. <i>Circulation Journal</i> , 2009 , 73, 336-42	2.9	49
11	Coronary risk factor profile and prognostic factors for young Japanese patients undergoing coronary revascularization. <i>Circulation Journal</i> , 2009 , 73, 1459-65	2.9	19
10	Impact of CYP2C19 polymorphisms on the antiplatelet effect of clopidogrel in an actual clinical setting in Japan. <i>Circulation Journal</i> , 2009 , 73, 1498-503	2.9	74
9	Long-term outcomes of coronary-artery bypass graft surgery versus percutaneous coronary intervention for multivessel coronary artery disease in the bare-metal stent era. <i>Circulation</i> , 2008 , 118, S199-209	16.7	88
8	Better survival with statin administration after revascularization therapy in Japanese patients with coronary artery disease: perspectives from the CREDO-Kyoto registry. <i>Circulation Journal</i> , 2008 , 72, 19.	3 <i>7-</i> 45	19
7	Long-term (three-year) outcomes after stenting of unprotected left main coronary artery stenosis in patients with normal left ventricular function. <i>American Journal of Cardiology</i> , 2003 , 91, 12-6	3	92
6	Cytokine profile of liver-infiltrating CD4+ T cells separated from murine primary biliary cirrhosis-like hepatic lesions induced by graft-versus-host reaction. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2000 , 15, 443-51	4	13
5	A case of incompatible blood transfusion in a patient with the blood type of A1Bm undergoing an emergency operation <i>Journal of the Japanese Society of Intensive Care Medicine</i> , 1999 , 6, 53-57	0	
4	Concentric fibrosis and cellular infiltration around bile ducts induced by graft-versus-host reaction in mice: a role of CD8+ cells. <i>Autoimmunity</i> , 1995 , 22, 163-71	3	6
3	Long-term clinical and angiographic follow-up after placement of Palmaz-Schatz coronary stent: a single center experience. <i>Journal of Interventional Cardiology</i> , 1994 , 7, 129-39	1.8	20
2	An epidemiological study of hypertension. <i>Clinical Science and Molecular Medicine Supplement</i> , 1973 , 45 Suppl 1, 103s-5		
1	Bentonite flocculation test and latex fixation test slide method. <i>Keio Journal of Medicine</i> , 1961 , 10, 1-10	0 1.6	